



MetalMech-08500-FR-QX-08-Final Inspection Report-EX

INSP. No.	FIR-01	Product Name	LOCK NUT		Size	M100		Drawing No.	DL6M	Date:	20-09-2026		
Wo No.	26100085	Total Quantity	3		Lot Quantity	3		Sample Size-	2	Variable & Gauging	2PCS		
Sr. No.	Checking Parameter	REQUIRED PARAMETER				OBSERVED RESULTS				REJECTION REWORK DETAIL	REMARK	CHECKED BY	
		PARAMETER	CRITERIA		1	2	-	-	-				
1	Visual	Surface	Fine, Clean		FINE	FINE	-	-	-		Measuring Instruments I.D No-		
		Sizewise No of Pcs. With Internal Parts	As per Drg. No. of Parts	12	12	12	-	-	-		(1) DV-55		
		Washing & Plating	Surface Finishing	NICKEL	OK	OK	-	-	-		(2) PP-01		
		RUBBER MARKING	AS PER DRG.	NA	NA	NA	-	-	-				
		Marking	WO Ref. No.	NA	NA	NA	-	-	-		ASM No :- AEX260919-01		
		Assembly Perfection	As per Drg.		OK	OK	-	-	-				
		Inner Packing	Labeling & Printing		OK	OK	-	-	-				
		Outer Packing	Printing & Stamping		OK	OK	-	-	-				
		All Dimensions Are In MM											
		2	DIMENSION		VALUE	-	+	1	2	-	-	-	
A/F	110.00			107.80	108.20	109.95	109.98	-	-	-			
A/C	120.00			117.80	118.20	120.09	120.07	-	-	-			
T.L	8.00			7.80	8.20	8.07	8.09	-	-	-			
THREAD	M100x2 AS PER P.G GO NOT GO			OK	OK	-	-	-					
CH.ANGLE	30° AS PER PP FOUND			OK	OK	-	-	-					
INSPECTED BY:		Jay Hadiyal			APPROVED BY:			Shreekant					

Conclusion :



Accept



Reject



Hold





MetalMech-08500-FR-QX-08-Final Inspection Report-EX

INSP. No.	FIR-01	Product Name	IP WASHER		Size	M100		Drawing No.	PFW-09	Date:	20-09-2026		
Wo No.	26100085	Total Quantity	3		Lot Quantity	3		Sample Size-	2	Variable & Gauging	2PCS		
Sr. No.	Checking Parameter	REQUIRED PARAMETER				OBSERVED RESULTS				REJECTION REWORK DETAIL	REMARK	CHECKED BY	
		PARAMETER	CRITERIA		1	2	-	-	-				
1	Visual	Surface	Fine, Clean		FINE	FINE	-	-	-		Measuring Instruments I.D No-		
		Sizewise No of Pcs. With Internal Parts	As per Drg. No. of Parts	12	12	12	-	-	-		(1) DV-55		
		Washing & Plating	Surface Finishing	NA	NA	NA	-	-	-		(2) PP-01		
		RUBBER MARKING	AS PER DRG.	NA	NA	NA	-	-	-				
		Marking	WO Ref. No.	NA	NA	NA	-	-	-		ASM No :- AEX260919-01		
		Assembly Perfection	As per Drg.		OK	OK	-	-	-				
		Inner Packing	Labeling & Printing		OK	OK	-	-	-				
		Outer Packing	Printing & Stamping		OK	OK	-	-	-				
		All Dimensions Are In MM											
2	DIMENSION	VALUE	-	+	1	2	-	-	-				
		O.D	114.00	113.80	114.20	114.03	114.06	-	-	-			
		I.D	100.50	100.40	100.60	100.55	100.58	-	-	-			
		THICKNESS	2.00	1.80	2.20	2.13	2.15	-	-	-			
INSPECTED BY:		Jay Hadiyal			APPROVED BY:			Shreekant					

Conclusion :



Accept



Reject



Hold





MetalMech-08500-FR-QX-08-Final Inspection Report-EX

INSP. No.	FIR-01	Product Name	ENTRY COMPONENT		Size		M100		Drawing No.		414001-09	Date:	20-09-2026	
Wo No.	26100085	Total Quantity	3		Lot Quantity		3		Sample Size-		2	Variable & Gauging	2PCS	
Sr. No.	Checking Parameter	REQUIRED PARAMETER				OBSERVED RESULTS				REJECTION REWORK DETAIL	REMARK	CHECKED BY		
		PARAMETER	CRITERIA		1	2	-	-	-					
1	Visual	Surface	Fine, Clean		FINE	FINE	-	-	-					
		Sizewise No of Pcs. With Internal Parts	As per Drg. No. of Parts	12	12	12	-	-	-		Measuring Instruments I.D No-			
		Washing & Plating	Surface Finishing	NICKEL	OK	OK	-	-	-		(1) DV-55			
		RUBBER MARKING	AS PER DRG.	NA	NA	NA	-	-	-		(2) PP-01			
		Marking	WO Ref. No.	NA	NA	NA	-	-	-		ASM No :- AEX260919-01			
		Assembly Perfection	As per Drg.		OK	OK	-	-	-					
		Inner Packing	Labeling & Printing		OK	OK	-	-	-					
		Outer Packing	Printing & Stamping		OK	OK	-	-	-					
		All Dimensions Are In MM												
2	DIMENSION	VALUE	-	+	1	2	-	-	-					
		A/F	125.00	124.81	125.00	124.95	124.97	-	-	-				
		A/C	138.00	137.50	138.50	137.97	137.95	-	-	-				
		T.L	78.00	77.70	78.30	78.11	78.13	-	-	-				
		LENGTH-1	24.00	24.00	24.30	24.06	24.09	-	-	-				
		LENGTH-2	31.00	30.70	31.30	30.95	30.98	-	-	-				
		LENGTH-3	32.50	32.20	32.80	32.55	32.59	-	-	-				
		LENGTH-4	36.00	35.70	36.30	35.95	35.98	-	-	-				
		LENGTH-5	45.00	44.70	45.30	44.98	44.98	-	-	-				
		GR.DIA	116.00	115.70	116.30	115.88	115.84	-	-	-				
		O.D	119.00	118.70	119.30	119.00	118.99	-	-	-				
		I.D-1	90.00	89.70	90.30	90.05	90.04	-	-	-				
		I.D-2	109.00	108.70	109.30	109.03	109.06	-	-	-				
		DEPTH	22.00	21.80	22.20	21.98	21.99	-	-	-				
		THREAD	M100x2 AS PER T.R.G GO NOT GO			OK	OK	-	-	-				
		THREAD	M118x2 AS PER T.R.G GO NOT GO			OK	OK	-	-	-				
INSPECTED BY:		Jay Hadiyal			APPROVED BY:				Shreekant					

Conclusion :

☒ Accept ☐ Reject ☐ Hold



MetalMech-08500-FR-QX-08-Final Inspection Report-EX

INSP. No.	FIR-01	Product Name	INNER SEAL		Size	M100		Drawing No.	GI-09	Date:	20-09-2026		
Wo No.	26100085	Total Quantity	3		Lot Quantity	3		Sample Size-	2	Variable & Gauging	2PCS		
Sr. No.	Checking Parameter	REQUIRED PARAMETER				OBSERVED RESULTS					REJECTION REWORK DETAIL	REMARK	CHECKED BY
		PARAMETER	CRITERIA			1	2	-	-	-			
1	Visual	Surface	Fine, Clean			FINE	FINE	-	-	-			
		Sizewise No of Pcs. With Internal Parts	As per Drg. No. of Parts	12	12	12	-	-	-		Measuring Instruments I.D No-		
		Washing & Plating	Surface Finishing	NA	NA	NA	-	-	-		(1) DV-55		
		RUBBER MARKING	AS PER DRG.	NA	NA	NA	-	-	-		(2) PP-01		
		Marking	WO Ref. No.	NA	NA	NA	-	-	-		ASM No :- AEX260919-01		
		Assembly Perfection	As per Drg.			OK	OK	-	-	-			
		Inner Packing	Labeling & Printing		OK	OK	-	-	-				
		Outer Packing	Printing & Stamping			OK	OK	-	-	-			
		All Dimensions Are In MM											
2	DIMENSION		VALUE	-	+	1	2	-	-	-			
		T.L	26.50	26.30	26.70	26.55	26.58	-	-	-			
		O.D	109.00	108.50	109.00	108.86	108.85	-	-	-			
		O.D.L	17.00	16.80	17.20	17.04	17.06	-	-	-			
		I.D	91.00	90.80	91.20	91.05	91.09	-	-	-			
INSPECTED BY:		Jay Hadiyal			APPROVED BY:				Shreekant				

Conclusion :



Accept



Reject



Hold



MetalMech-08500-FR-QX-08-Final Inspection Report-EX

INSP. No.	FIR-01	Product Name	INNER RETAINING RING		Size		M100		Drawing No.		IW-09	Date:	20-09-2026
Wo No.	26100085	Total Quantity	3		Lot Quantity		3		Sample Size-		2	Variable & Gauging	2PCS
Sr. No.	Checking Parameter	REQUIRED PARAMETER				OBSERVED RESULTS					REJECTION REWORK DETAIL	REMARK	CHECKED BY
		PARAMETER	CRITERIA		1	2	-	-	-				
1	Visual	Surface	Fine, Clean		FINE	FINE	-	-	-		Measuring Instruments I.D No-		
		Sizewise No of Pcs. With Internal Parts	As per Drg. No. of Parts	12	12	12	-	-	-		(1) DV-55		
		Washing & Plating	Surface Finishing	NA	NA	NA	-	-	-		(2) PP-01		
		RUBBER MARKING	AS PER DRG.	OK	OK	OK	-	-	-				
		Marking	WO Ref. No.	NA	NA	NA	-	-	-		ASM No :- AEX260919-01		
		Assembly Perfection	As per Drg.		OK	OK	-	-	-				
		Inner Packing	Labeling & Printing		OK	OK	-	-	-				
		Outer Packing	Printing & Stamping		OK	OK	-	-	-				
		All Dimensions Are In MM											
2	DIMENSION		VALUE	-	+	1	2	-	-	-			
		T.L	6.00	5.90	6.10	6.05	6.07	-	-	-			
		O.D	96.00	95.70	96.30	96.04	96.09	-	-	-			
		O.D	109.00	108.70	109.30	108.95	108.94	-	-	-			
		O.D.L	4.00	3.90	4.10	4.04	4.06	-	-	-			
		I.D	92.00	91.70	92.30	92.06	92.09	-	-	-			
INSPECTED BY:		Jay Hadiyal			APPROVED BY:				Shreekant				

Conclusion :



Accept



Reject



Hold





MetalMech-08500-FR-QX-08-Final Inspection Report-EX

INSP. No.	FIR-01	Product Name	DELUGE SEAL		Size		M100		Drawing No.		DLS-09	Date:	20-09-2026
Wo No.	26100085	Total Quantity	3		Lot Quantity		3		Sample Size-		2	Variable & Gauging	2PCS
Sr. No.	Checking Parameter	REQUIRED PARAMETER				OBSERVED RESULTS					REJECTION REWORK DETAIL	REMARK	CHECKED BY
		PARAMETER	CRITERIA			1	2	-	-	-			
1	Visual	Surface	Fine, Clean			FINE	FINE	-	-	-		Measuring Instruments I.D No-	
		Sizewise No of Pcs. With Internal Parts	As per Drg. No. of Parts	12	12	12	-	-	-		(1) DV-55		
		Washing & Plating	Surface Finishing	NA	NA	NA	-	-	-		(2) PP-01		
		RUBBER MARKING	AS PER DRG.	NA	NA	NA	-	-	-				
		Marking	WO Ref. No.	NA	NA	NA	-	-	-		ASM No :- AEX260919-01		
		Assembly Perfection	As per Drg.			OK	OK	-	-	-			
		Inner Packing	Labeling & Printing		OK	OK	-	-	-				
		Outer Packing	Printing & Stamping			OK	OK	-	-	-			
		All Dimensions Are In MM											
2	DIMENSION		VALUE	-	+	1	2	-	-	-			
		THICKNESS	3.00	2.90	3.10	2.94	2.96	-	-	-			
		O.D	91.00	90.70	91.30	91.05	91.08	-	-	-			
		I.D	85.00	84.70	85.30	85.04	85.06	-	-	-			
INSPECTED BY:		Jay Hadiyal			APPROVED BY:				Shreekant				

Conclusion :



Accept



Reject



Hold



		MetalMech-08500-FR-QX-08-Final Inspection Report-EX											
INSP. No.	FIR-01	Product Name	ARMOUR CONE		Size		M100		Drawing No.		414005-09	Date:	20-09-2026
Wo No.	26100085	Total Quantity	3		Lot Quantity		3		Sample Size-		2	Variable & Gauging	2PCS
Sr. No.	Checking Parameter	REQUIRED PARAMETER				OBSERVED RESULTS					REJECTION REWORK DETAIL	REMARK	CHECKED BY
		PARAMETER	CRITERIA		1	2	-	-	-				
		Surface	Fine, Clean		FINE	FINE	-	-	-				
		Sizewise No of Pcs. With Internal Parts	As per Drg. No. of Parts		12	12	-	-	-				Measuring Instruments I.D No-
		Washing & Plating	Surface Finishing		NICKEL	OK	OK	-	-	-			(1) DV-55
		RUBBER MARKING	AS PER DRG.		NA	NA	NA	-	-	-			(2) PP-01
		Marking	WO Ref. No.		NA	NA	NA	-	-	-			ASM No :- AEX260919-01
		Assembly Perfection	As per Drg.		OK	OK	-	-	-				
		Inner Packing	Labeling & Printing		OK	OK	-	-	-				
		Outer Packing	Printing & Stamping		OK	OK	-	-	-				
		All Dimensions Are In MM											
			VALUE	-	+	1	2	-	-	-			
		T.L	37.00	36.70	37.30	37.12	37.11	-	-	-			
		O.D	94.00	93.70	94.30	94.04	94.09	-	-	-			
		O.D	100.00	99.70	100.30	99.95	99.98	-	-	-			
		O.D.L	18.00	17.80	18.20	18.16	18.14	-	-	-			
		O.D	115.00	114.70	115.30	115.04	115.06	-	-	-			
		O.D	108.00	107.70	108.30	108.05	108.04	-	-	-			
		O.D.L	16.00	15.80	16.20	15.94	15.96	-	-	-			
		I.D	97.00	96.70	97.30	97.06	97.07	-	-	-			
		DEPTH	4.00	3.90	4.10	4.07	4.09	-	-	-			
		I.D	90.00	89.70	90.30	90.05	90.04	-	-	-			
		STEP.LE	3.00	2.90	3.10	3.05	3.09	-	-	-			
		LENGTH-1	6.00	5.90	6.10	6.03	6.06	-	-	-			
		LENGTH-2	0.25 MM AS PER PP FOUND			OK	OK	-	-	-			
INSPECTED BY:		Jay Hadiyal			APPROVED BY:				Shreekant				

Conclusion :



Accept



Reject



Hold



MetalMech-08500-FR-QX-08-Final Inspection Report-EX

INSP. No.	FIR-01	Product Name	REVERSIBLE ARMOUR RING		Size	M100		Drawing No.	414004-09		Date:	20-09-2026	
Wo No.	26100085	Total Quantity	3		Lot Quantity	3		Sample Size-	2		Variable & Gauging	2PCS	
Sr. No.	Checking Parameter	REQUIRED PARAMETER				OBSERVED RESULTS				REJECTION REWORK DETAIL	REMARK	CHECKED BY	
		PARAMETER	CRITERIA			1	2	-	-				-
1	Visual	Surface	Fine, Clean			FINE	FINE	-	-	-		Measuring Instruments I.D No-	
		Size wise No of Pcs. With Internal Parts	As per Drg. No. of Parts	12	12	12	-	-	-		(1) DV-55		
		Washing & Plating	Surface Finishing	NICKEL	OK	OK	-	-	-		(2) PP-01		
		RUBBER MARKING	AS PER DRG.	NA	NA	NA	-	-	-				
		Marking	WO Ref. No.	NA	NA	NA	-	-	-		ASM No :- AEX260919-01		
		Assembly Perfection	As per Drg.			OK	OK	-	-	-			
		Inner Packing	Labeling & Printing		OK	OK	-	-	-				
		Outer Packing	Printing & Stamping			OK	OK	-	-	-			
		All Dimensions Are In MM											
2	DIMENSION		VALUE	-	+	1	2	-	-	-			
		T.L	18.00	17.80	18.20	18.13	18.15	-	-	-			
		O.D	109.00	108.70	109.30	108.95	108.98	-	-	-			
		GR.DIA	107.00	106.70	107.30	106.95	106.95	-	-	-			
		I.D-1	100.00	99.70	100.30	100.98	100.97	-	-	-			
		I.D-2	99.00	98.70	99.30	99.55	99.58	-	-	-			
		I.D-3	104.00	103.70	104.30	104.63	104.65	-	-	-			
		GR.LE	2.50	2.40	2.60	2.45	2.49	-	-	-			
		LENGTH	6.00	5.80	6.20	6.03	6.06	-	-	-			
INSPECTED BY:		Jay Hadiyal			APPROVED BY:				Shreekant				

Conclusion :



Accept



Reject



Hold



MetalMech-08500-FR-QX-08-Final Inspection Report-EX

INSP. No.	FIR-01	Product Name	MIDDLE NUT		Size		M100		Drawing No.		414002-09	Date:	20-09-2026	
Wo No.	26100085	Total Quantity	3		Lot Quantity		3		Sample Size-		2	Variable & Gauging	2PCS	
Sr. No.	Checking Parameter	REQUIRED PARAMETER				OBSERVED RESULTS					REJECTION REWORK DETAIL	REMARK	CHECKED BY	
		PARAMETER	CRITERIA			1	2	-	-	-				
1	Visual	Surface	Fine, Clean			FINE	FINE	-	-	-				
		Sizewise No of Pcs. With Internal Parts	As per Drg. No. of Parts	12	12	12	-	-	-			Measuring Instruments I.D No-		
			Surface Finishing	NICKEL	OK	OK	-	-	-			(1) DV-55		
		Washing & Plating										(2) PP-01		
		RUBBER MARKING	AS PER DRG.	NA	NA	NA	-	-	-					
		Marking	WO Ref. No.	NA	NA	NA	-	-	-			ASM No :- AEX260919-01		
		Assembly Perfection	As per Drg.			OK	OK	-	-	-				
		Inner Packing	Labeling & Printing				OK	OK	-	-	-			
		Outer Packing	Printing & Stamping			OK	OK	-	-	-				
All Dimensions Are In MM														
2	DIMENSION		VALUE	-	+	1	2	-	-	-				
		A/F	125.00	124.81	125.00	124.96	124.95	-	-	-				
		A/C	138.00	137.50	138.50	138.01	138.00	-	-	-				
		T.L	78.00	77.70	78.30	78.13	78.12	-	-	-				
		LENGTH	18.00	17.80	18.20	18.07	18.09	-	-	-				
		O.D	124.00	123.70	124.30	123.95	123.94	-	-	-				
		O.D.L	40.00	39.70	40.30	40.08	40.06	-	-	-				
		L.D-1	101.00	100.70	101.30	101.04	101.08	-	-	-				
		L.D-2	110.00	109.70	110.30	110.03	110.07	-	-	-				
		L.D-3	120.00	119.70	120.30	120.06	120.05	-	-	-				
		DEPTH-1	14.00	13.80	14.20	13.93	13.91	-	-	-				
		DEPTH-2	50.00	49.70	50.30	50.15	50.13	-	-	-				
		DEPTH-3	66.00	65.70	66.30	66.19	66.21	-	-	-				
		THREAD	M118x2 AS PER T.R.G GO NOT GO			OK	OK	-	-	-				
		INT.THREAD	M118x2 AS PER P.G GO NOT GO			OK	OK	-	-	-				
INSPECTED BY:		Jay Hadiyal			APPROVED BY:				Shreekant					

Conclusion :



Accept



Reject



Hold



		MetalMech-08500-FR-QX-08-Final Inspection Report-EX											
INSP. No.	FIR-01	Product Name	BACK NUT		Size		M100		Drawing No.		313003-09	Date:	20-09-2026
Wo No.	26100085	Total Quantity	3		Lot Quantity		3		Sample Size-		2	Variable & Gauging	2PCS
Sr. No.	Checking Parameter	REQUIRED PARAMETER				OBSERVED RESULTS					REJECTION REWORK DETAIL	REMARK	CHECKED BY
		PARAMETER	CRITERIA		1	2	-	-	-				
1	Visual	Surface	Fine, Clean		FINE	FINE	-	-	-				
		Size wise No of Pcs. With Internal Parts	As per Drg. No. of Parts	12	12	12	-	-	-				Measuring Instruments I.D No-
		Washing & Plating	Surface Finishing	NICKEL	OK	OK	-	-	-				(1) DV-55
		RUBBER MARKING	AS PER DRG.	NA	NA	NA	-	-	-				(2) PP-01
		Marking	WO Ref. No.	NA	NA	NA	-	-	-				ASM No :- AEX260919-01
		Assembly Perfection	As per Drg.		OK	OK	-	-	-				
		Inner Packing	Labeling & Printing		OK	OK	-	-	-				
		Outer Packing	Printing & Stamping		OK	OK	-	-	-				
		All Dimensions Are In MM											
2	DIMENSION		VALUE	-	+	1	2	-	-	-			
		A/F	125.00	124.81	125.00	124.93	124.95	-	-	-			
		A/C	138.00	137.50	138.50	137.99	138.00	-	-	-			
		T.L	30.00	29.50	30.50	30.13	30.12	-	-	-			
		O.D	124.00	123.50	124.50	124.02	124.01	-	-	-			
		O.D.L	12.00	11.80	12.20	12.03	12.02	-	-	-			
		I.D	110.00	109.70	110.30	110.14	110.12	-	-	-			
		INT.THL	5.00	4.90	5.10	5.05	5.09	-	-	-			
		GR.ID	119.00	118.70	119.30	119.16	119.13	-	-	-			
		GR.LE	20.00	19.80	20.20	20.05	20.09	-	-	-			
		DEPTH	27.50	27.30	27.70	27.63	27.65	-	-	-			
		INT.THREAD	M118x2 AS PER P.G GO NOT GO			OK	OK	-	-	-			
		CH.ANGLE	0.5x45° AS PER PP FOUND			OK	OK	-	-	-			
		CH.ANGLE	1.5x45° AS PER PP FOUND			OK	OK	-	-	-			
		CH.ANGLE	30° AS PER PP FOUND			OK	OK	-	-	-			
		INSPECTED BY:		Jay Hadiyal			APPROVED BY:				Shreekant		

Conclusion :



Accept



Reject



Hold



MetalMech-08500-FR-QX-08-Final Inspection Report-EX

INSP. No.	FIR-01	Product Name	OUTER SEAL		Size	M100		Drawing No.	GE-09		Date:	20-09-2026	
Wo No.	26100085	Total Quantity	3		Lot Quantity	3		Sample Size-	2		Variable & Gauging	2PCS	
Sr. No.	Checking Parameter	REQUIRED PARAMETER				OBSERVED RESULTS					REJECTION REWORK DETAIL	REMARK	CHECKED BY
		PARAMETER	CRITERIA			1	2	-	-	-			
1	Visual	Surface	Fine, Clean			FINE	FINE	-	-	-			
		Sizewise No of Pcs. With Internal Parts	As per Drg. No. of Parts	12	12	12	-	-	-		Measuring Instruments I.D No-		
		Washing & Plating	Surface Finishing	NA	NA	NA	-	-	-		(1) DV-55		
		RUBBER MARKING	AS PER DRG.	OK	OK	OK	-	-	-		(2) PP-01		
		Marking	WO Ref. No.	NA	NA	NA	-	-	-		ASM No :- AEX260919-01		
		Assembly Perfection	As per Drg.			OK	OK	-	-	-			
		Inner Packing	Labeling & Printing		OK	OK	-	-	-				
		Outer Packing	Printing & Stamping			OK	OK	-	-	-			
		All Dimensions Are In MM											
2	DIMENSION		VALUE	-	+	1	2	-	-	-			
		T.L	20.00	19.70	20.30	20.06	20.05	-	-	-			
		O.D	118.00	117.70	118.30	118.05	118.09	-	-	-			
		GR.LENGTH	9.00	8.80	9.20	9.04	9.06	-	-	-			
		I.D	102.00	101.70	102.30	102.05	102.08	-	-	-			
INSPECTED BY:		Jay Hadiyal			APPROVED BY:				Shreekant				

Conclusion :



Accept



Reject



Hold



MetalMech-08500-FR-QX-08-Final Inspection Report-EX

INSP. No.	FIR-01	Product Name	OUTER RETAINING RING		Size		M100		Drawing No.		OW-09	Date:	20-09-2026
Wo No.	26100085	Total Quantity	3		Lot Quantity		3		Sample Size-		2	Variable & Gauging	2PCS
Sr. No.	Checking Parameter	REQUIRED PARAMETER				OBSERVED RESULTS					REJECTION REWORK DETAIL	REMARK	CHECKED BY
		PARAMETER	CRITERIA		1	2	-	-	-				
1	Visual	Surface	Fine, Clean		FINE	FINE	-	-	-		Measuring Instruments I.D No-		
		Sizewise No of Pcs. With Internal Parts	As per Drg. No. of Parts	12	12	12	-	-	-		(1) DV-55		
		Washing & Plating	Surface Finishing	NA	NA	NA	-	-	-		(2) PP-01		
		RUBBER MARKING	AS PER DRG.	NA	NA	NA	-	-	-				
		Marking	WO Ref. No.	NA	NA	NA	-	-	-		ASM No :- AEX260919-01		
		Assembly Perfection	As per Drg.		OK	OK	-	-	-				
		Inner Packing	Labeling & Printing		OK	OK	-	-	-				
		Outer Packing	Printing & Stamping		OK	OK	-	-	-				
		All Dimensions Are In MM											
2	DIMENSION		VALUE	-	+	1	2	-	-	-			
		T.L	8.00	7.80	8.20	8.05	8.04	-	-	-			
		O.D	109.00	108.70	109.30	108.95	108.98	-	-	-			
		O.D	115.00	114.70	115.30	115.04	115.06	-	-	-			
		O.D.L	5.50	5.40	5.60	5.55	5.54	-	-	-			
		I.D	103.00	102.70	103.30	103.04	103.06	-	-	-			
INSPECTED BY:		Jay Hadiyal			APPROVED BY:				Shreekant				

Conclusion :



Accept



Reject



Hold

