

		MetalMech-08500-FR-QX-08-Final Inspection Report-EX											
INSP. No.	FIR-017	Product Name	LOCK NUT		Size		3/4" NPT		Drawing No.		DL2N	Date:	20-07-2026
Wo No.	26000134	Total Quantity	4		Lot Quantity		4		Sample Size-		2	Variable & Gauging	2PCS
Sr. No.	Checking Parameter	REQUIRED PARAMETER				OBSERVED RESULTS					REJECTION REWORK DETAIL	REMARK	CHECKED BY
		PARAMETER	CRITERIA			1	2	-	-	-			
1	Visual	Surface	Fine, Clean			FINE	FINE	-	-	-			
		Sizewise No of Pcs. With Internal Parts	As per Drg. No. of Parts	15	15	15	-	-	-		Measuring Instruments I.D No-		
		Washing & Plating	Surface Finishing	NICKEL	OK	OK	-	-	-		(1) DV-55		
		RUBBER MARKING	AS PER DRG.	NA	NA	NA	-	-	-		(2) PP-01		
		Marking	WO Ref. No.	NA	NA	NA	-	-	-		ASM No - AEX260714-03		
		Assembly Perfection	As per Drg.			OK	OK	-	-	-			
		Inner Packing	Labeling & Printing		OK	OK	-	-	-				
		Outer Packing	Printing & Stamping			OK	OK	-	-	-			
		All Dimensions Are In MM											
2	DIMENSION		VALUE	-	+	1	2	-	-	-			
		A/F	30.00	29.87	30.00	29.93	29.95	-	-	-			
		A/C	33.00	32.20	33.80	33.03	33.05	-	-	-			
		T.L	4.00	3.70	4.30	4.03	4.05	-	-	-			
		THREAD	3/4" NPT AS PER P.G GO NOT GO			OK	OK	-	-	-			
		CH.ANGLE	30° AS PER PP FOUND			OK	OK	-	-	-			
INSPECTED BY:		Jay Hadiyal			APPROVED BY:				Shreekant				

Conclusion : ☒ Accept ☐ Reject ☐ Hold



		MetalMech-08500-FR-QX-08-Final Inspection Report-EX												
INSP. No.	FIR-017	Product Name	ENTRY COMPONENT		Size		3/4" NPT		Drawing No.		313001M-02	Date:	20-07-2026	
Wo No.	26000134	Total Quantity	4		Lot Quantity		4		Sample Size-		2	Variable & Gauging	2PCS	
Sr. No.	Checking Parameter	REQUIRED PARAMETER				OBSERVED RESULTS					REJECTION REWORK DETAIL	REMARK	CHECKED BY	
		PARAMETER	CRITERIA		1	2	-	-	-					
1	Visual	Surface	Fine, Clean		FINE	FINE	-	-	-					
		Size wise No of Pcs. With Internal Parts	As per Drg. No. of Parts		15	15	-	-	-					
		Washing & Plating	NICKEL		OK	OK	-	-	-					
		RUBBER MARKING	AS PER DRG.		NA	NA	-	-	-					
		Marking	WO Ref. No. Metalmech Logo MM-EX-E1FUNV252NB2 2026 CE Logo 2460 Ex Logo II 2 GD Ex db IIC		OK	OK	-	-	-					
		Assembly Perfection	As per Drg.		OK	OK	-	-	-					
		Inner Packing	Labeling & Printing		OK	OK	-	-	-					
		Outer Packing	Printing & Stamping		OK	OK	-	-	-					
All Dimensions Are In MM														
2	DIMENSION		VALUE	-	+	1	2	-	-	-				
		A/F	36.00	35.84	36.00	35.93	35.92	-	-	-				
		A/C	40.00	39.20	40.80	39.95	39.94	-	-	-				
		T.L	41.00	41.00	41.50	41.10	41.09	-	-	-				
		LENGTH	21.00	21.00	21.50	21.08	21.10	-	-	-				
		O.D	35.00	34.20	35.80	34.99	34.98	-	-	-				
		O.D.L	11.00	10.50	11.50	11.03	11.05	-	-	-				
		H.L	9.00	8.50	9.50	9.05	9.04	-	-	-				
		I.D	20.00	19.50	20.50	20.03	20.05	-	-	-				
		INT.TH.L	14.50	14.00	15.00	14.49	14.48	-	-	-				
		THREAD	3/4" NPT AS PER T.R.G GO NOT GO			OK	OK	-	-	-				
		INT.THREAD	M32x1.5 AS PER P.G GO NOT GO			OK	OK	-	-	-				
		CH.ANGLE	1.6x45° AS PER PP FOUND			OK	OK	-	-	-				
		CH.ANGLE	1.5x45° AS PER PP FOUND			OK	OK	-	-	-				
		CH.ANGLE	0.5x45° AS PER PP FOUND			OK	OK	-	-	-				
		CH.ANGLE	20° AS PER PP FOUND			OK	OK	-	-	-				
		ANGLE	90° AS PER PP FOUND			OK	OK	-	-	-				
INSPECTED BY:		Jay Hadiyal			APPROVED BY:				Shreekant					

Conclusion :



Accept



Reject



Hold



		MetalMech-08500-FR-QX-08-Final Inspection Report-EX												
INSP. No.	FIR-017	Product Name	INTERMEDIATE BODY		Size	3/4" NPT		Drawing No.	313002U-02		Date:	20-07-2026		
Wo No.	25000134	Total Quantity	4		Lot Quantity	4		Sample Size-	2		Variable & Gauging	2PCS		
Sr. No.	Checking Parameter	REQUIRED PARAMETER				OBSERVED RESULTS				REJECTION REWORK DETAIL	REMARK	CHECKED BY		
		PARAMETER	CRITERIA		1	2	-	-	-					
1	Visual	Surface	Fine, Clean		FINE	FINE	-	-	-		Measuring Instruments I.D. No.			
		Sizewise No of Pes. With Internal Parts	As per Drg. No. of Parts	15	15	15	-	-	-		(1) DV-55			
		Washing & Plating	Surface Finishing	NICKEL	OK	OK	-	-	-		(2) PP-01			
		RUBBER MARKING	AS PER DRG.	NA	NA	NA	-	-	-					
		Marking	WO Ref. No.	NA	NA	NA	-	-	-		ASM No - AEX260714-03			
		Assembly Perfection	As per Drg.		OK	OK	-	-	-					
		Inner Packing	Labeling & Printing		OK	OK	-	-	-					
		Outer Packing	Printing & Stamping		OK	OK	-	-	-					
		All Dimensions Are In MM												
			VALUE	-	+	1	2	-	-	-				
2	DIMENSION	A/F	36.00	35.84	36.20	35.95	35.94	-	-	-				
		A/C	40.00	39.20	40.80	39.89	39.90	-	-	-				
		T.L	29.00	28.50	29.50	29.07	29.09	-	-	-				
		TH.L	13.50	13.00	14.00	13.55	13.52	-	-	-				
		GR.OD	30.00	29.50	30.50	30.00	29.99	-	-	-				
		GR.LE	1.00	0.80	1.20	1.02	1.01	-	-	-				
		H.L	6.00	5.70	6.30	6.05	6.04	-	-	-				
		TH.L	9.50	9.00	10.00	9.54	9.56	-	-	-				
		GR.OD	32.00	31.20	32.80	32.06	32.05	-	-	-				
		GR.LE	1.00	0.80	1.20	1.02	1.01	-	-	-				
		I.D	26.50	26.00	27.00	26.54	26.56	-	-	-				
		I.D	29.30	28.80	29.80	29.26	29.25	-	-	-				
		DEPTH	8.00	7.70	8.30	8.04	8.06	-	-	-				
		THREAD	M32x1.5 AS PER T.R.G GO NOT GO			OK	OK	-	-	-				
		THREAD	M34x1.5 AS PER T.R.G GO NOT GO			OK	OK	-	-	-				
		CHANGLE	1x45° AS PER PP FOUND			OK	OK	-	-	-				
		CHANGLE	20° AS PER PP FOUND			OK	OK	-	-	-				
		CHANGLE	0.5x45° AS PER PP FOUND			OK	OK	-	-	-				
INSPECTED BY:		Jay Hadiyal			APPROVED BY:			Shreekant						

Conclusion :



Accept



Reject



Hold





MetalMech-08500-FR-QX-08-Final Inspection Report-EX

INSP. No. FIR-017		Product Name MIDDLE BODY		Size 3/4" NPT		Drawing No.		313002-02		Date: 20-07-2026		
Wo No. 25000134		Total Quantity 4		Lot Quantity 4		Sample Size-		2		Variable & Gauging 2PCS		
Sr. No.	Checking Parameter	REQUIRED PARAMETER				OBSERVED RESULTS				REJECTION REWORK DETAIL	REMARK	CHECKED BY
		PARAMETER	CRITERIA	1	2	-	-	-				
1	Visual	Surface	Fine, Clean	FINE	FINE	-	-	-				
		Size wise No of Pcs. With Internal Parts	As per Drg. No. of Parts 15	15	15	-	-	-			(1) DV-55	
		Washing & Plating	Surface Finishing NICKEL	OK	OK	-	-	-			(2) PP-01	
		RUBBER MARKING	AS PER DRG. NA	NA	NA	-	-	-				
		Marking	WO Ref. No. NA	NA	NA	-	-	-			ASM No - AEX260714-03	
		Assembly Perfection	As per Drg.	OK	OK	-	-	-				
		Inner Packing	Labeling & Printing	OK	OK	-	-	-				
		Outer Packing	Printing & Stamping	OK	OK	-	-	-				
		All Dimensions Are In MM										
2	DIMENSION		VALUE	-	+	1	2	-	-	-		
		A/F	36.00	35.84	36.00	35.95	35.94	-	-	-		
		A/C	40.00	39.20	40.80	39.87	39.90	-	-	-		
		T.L	32.00	31.20	32.80	32.08	32.07	-	-	-		
		TH.L	15.00	14.50	15.50	15.00	14.99	-	-	-		
		GR.OD	33.00	32.20	33.80	33.01	33.03	-	-	-		
		GR.LE	1.50	1.30	1.70	1.54	1.56	-	-	-		
		O.D	35.50	34.70	36.30	35.46	35.45	-	-	-		
		O.D.L	9.00	8.50	9.50	9.00	8.99	-	-	-		
		H.L	8.00	7.70	8.30	8.05	8.04	-	-	-		
		L.D	26.50	26.00	27.00	26.56	26.55	-	-	-		
		L.D	27.50	27.00	28.00	27.49	27.48	-	-	-		
		L.D.LE	4.50	4.20	4.80	4.56	4.55	-	-	-		
		INT.TH.L	11.50	11.00	12.00	11.54	11.56	-	-	-		
		GR.ID	32.00	31.20	32.80	32.05	32.04	-	-	-		
		GR.LE	4.00	3.70	4.30	4.04	4.06	-	-	-		
		DEPTH	15.50	15.00	16.00	15.54	15.56	-	-	-		
		THREAD	M35x1.5 AS PER T.R.G GO NOT GO			OK	OK	-	-	-		
		INT.THREAD	M34x1.5 AS PER P.G GO NOT GO			OK	OK	-	-	-		
		CH.ANGLE	1x45° AS PER PP FOUND			OK	OK	-	-	-		
CH.ANGLE	30° AS PER PP FOUND			OK	OK	-	-	-				

INSPECTED BY:	Jay Hadiyal	APPROVED BY:	Shreekant
----------------------	-------------	---------------------	-----------

Conclusion :



Accept



Reject



Hold





MetalMech-08500-FR-QX-08-Final Inspection Report-EX

INSP. No.	FIR-017	Product Name	BACK NUT		Size		3/4" NPT		Drawing No.		313003-02	Date:	20-07-2026
Wo No.	26000134	Total Quantity	4		Lot Quantity		4		Sample Size-		2	Variable & Gauging	2PCS
Sr. No.	Checking Parameter	REQUIRED PARAMETER			OBSERVED RESULTS					REJECTION REWORK DETAIL	REMARK	CHECKED BY	
		PARAMETER	CRITERIA		1	2	-	-	-				
1	Visual	Surface	Fine, Clean		FINE	FINE	-	-	-			Measuring Instruments ID No.	
		Size wise No of Pes. With Internal Parts	As per Drg. No. of Parts	15	15	15	-	-	-			(1) DV-55	
		Washing & Plating	Surface Finishing	NICKEL	OK	OK	-	-	-			(2) PP-01	
		RUBBER MARKING	AS PER DRG.	NA	NA	NA	-	-	-				
		Marking	WO Ref. No.	NA	NA	NA	-	-	-			ASM No - AEX260714-03	
		Assembly Perfection	As per Drg.		OK	OK	-	-	-				
		Inner Packing	Labeling & Printing	OK	OK	-	-	-					
		Outer Packing	Printing & Stamping		OK	OK	-	-	-				
		All Dimensions Are In MM											
2	DIMENSION		VALUE	-	+	1	2	-	-	-			
		A/F	38.00	37.84	38.00	37.95	37.94	-	-	-			
		A/C	42.00	41.20	42.80	42.00	41.99	-	-	-			
		T.L	23.00	22.50	23.50	23.05	23.03	-	-	-			
		O.D	37.50	36.70	38.30	37.49	37.48	-	-	-			
		O.D.L	10.00	9.50	10.50	10.05	10.04	-	-	-			
		H.L	13.00	12.50	13.50	13.01	13.03	-	-	-			
		LD	30.50	29.70	31.30	30.54	30.56	-	-	-			
		INT.THL	4.00	3.70	4.30	4.05	4.04	-	-	-			
		GR.ID	35.20	34.40	36.00	35.26	35.25	-	-	-			
		GR.LE	14.50	14.00	15.00	14.54	14.56	-	-	-			
		DEPTH	18.50	18.00	19.00	18.55	18.54	-	-	-			
		GR.ID	33.50	32.70	34.30	33.55	33.53	-	-	-			
		GR.LE	3.00	2.80	3.20	3.04	3.06	-	-	-			
		DEPTH	21.00	20.50	21.50	21.06	21.05	-	-	-			
		INT.THREAD	M35x1.5 AS PER P.G GO NOT GO			OK	OK	-	-	-			
		CH.ANGLE	0.5x45° AS PER PP FOUND			OK	OK	-	-	-			
		CH.ANGLE	1x45° AS PER PP FOUND			OK	OK	-	-	-			
		CH.ANGLE	30° AS PER PP FOUND			OK	OK	-	-	-			
		CH.ANGLE	45° AS PER PP FOUND			OK	OK	-	-	-			

INSPECTED BY:

Jay Hadiyal

APPROVED BY:

Shreekant

Conclusion :



Accept



Reject



Hold





MetalMech-08500-FR-QX-08-Final Inspection Report-EX

INSP. No.	FIR-017	Product Name	UNIVERSAL CLAMPING CONE		Size		3/4" NPT		Drawing No.		313005-02	Date:	20-07-2026
Wo No.	26000134	Total Quantity	4		Lot Quantity		4		Sample Size-		2	Variable & Gangling	2PCS
Sr. No.	Checking Parameter	REQUIRED PARAMETER				OBSERVED RESULTS				REJECTION REWORK DETAIL	REMARK	CHECKED BY	
		PARAMETER	CRITERIA		1	2	-	-	-				
		Surface	Fine, Clean		FINE	FINE	-	-	-		Measuring Instruments ID No:		
		Sizewise No of Pcs. With Internal Parts	As per Drg. No. of Parts	15	15	15	-	-	-		(1) DV-55		
		Washing & Plating	Surface Finishing	NICKEL	OK	OK	-	-	-		(2) PP-01		
		RUBBER MARKING	AS PER DRG.	NA	NA	NA	-	-	-				
		Marking	WO Ref. No.	NA	NA	NA	-	-	-		ASM No - AEX260714-03		
		Assembly Perfection	As per Drg.		OK	OK	-	-	-				
		Inner Packing	Labeling & Printing		OK	OK	-	-	-				
		Outer Packing	Printing & Stamping		OK	OK	-	-	-				
		All Dimensions Are In MM											
			VALUE	-	+	1	2	-	-	-			
		T.L	25.00	24.50	25.50	25.06	25.05	-	-	-			
		O.D	23.50	23.00	24.00	23.49	23.48	-	-	-			
		O.D.L	4.50	4.20	4.80	4.55	4.54	-	-	-			
		O.D	25.00	24.50	25.50	24.95	24.94	-	-	-			
		O.D.L	2.50	2.30	2.70	2.54	2.56	-	-	-			
		GR.LENGTH	0.50	0.30	0.70	0.47	0.49	-	-	-			
		O.D	26.00	25.50	26.50	25.99	26.00	-	-	-			
		O.D.L	8.50	8.00	9.00	8.54	8.56	-	-	-			
		O.D	29.00	28.50	29.50	28.94	28.96	-	-	-			
		O.D.L	8.00	7.70	8.30	8.05	8.04	-	-	-			
		O.D	22.50	22.00	23.00	22.46	22.48	-	-	-			
		O.D.L	5.50	5.20	5.80	5.54	5.56	-	-	-			
		O.D	23.50	23.00	24.00	23.46	23.48	-	-	-			
		O.D	24.00	23.50	24.50	24.00	23.99	-	-	-			
		O.D	24.50	24.00	25.00	24.49	24.48	-	-	-			
		O.D.L	8.50	8.00	9.00	8.54	8.56	-	-	-			
		I.D	20.00	19.50	20.50	20.05	20.04	-	-	-			
		RADIUS	0.5 MM AS PER PP FOUND			OK	OK	-	-	-			
		RADIUS	0.3 MM AS PER PP FOUND			OK	OK	-	-	-			
INSPECTED BY:		Jay Hadiyal				APPROVED BY:				Shreekant			

Conclusion :



Accept



Reject



Hold



		MetalMech-08500-FR-QX-08-Final Inspection Report-EX											
INSP. No.	FIR-017	Product Name	REVERSIBLE ARMOUR RING		Size		3/4" NPT		Drawing No.		313004-02	Date:	20-07-2026
Wo No.	26000134	Total Quantity	4		Lot Quantity		4		Sample Size-		2	Variable & Gauging	2PCS
Sr. No.	Checking Parameter	REQUIRED PARAMETER				OBSERVED RESULTS					REJECTION REWORK DETAIL	REMARK	CHECKED BY
		PARAMETER	CRITERIA			1	2	-	-	-			
1	Visual	Surface	Fine, Clean			FINE	FINE	-	-	-		Measuring Instruments I.D No-	
		Sizewise No of Pcs. With Internal Parts	As per Drg. No. of Parts	15	15	15	-	-	-		(1) DV-55		
		Washing & Plating	Surface Finishing	NICKEL	OK	OK	-	-	-		(2) PP-01		
		RUBBER MARKING	AS PER DRG.	NA	NA	NA	-	-	-				
		Marking	WO Ref. No.	NA	NA	NA	-	-	-		ASM No - AEX260714-03		
		Assembly Perfection	As per Drg.			OK	OK	-	-	-			
		Inner Packing	Labeling & Printing		OK	OK	-	-	-				
		Outer Packing	Printing & Stamping			OK	OK	-	-	-			
All Dimensions Are In MM													
2	DIMENSION		VALUE	-	+	1	2	-	-	-			
		T.L	6.00	5.70	6.30	6.06	6.05	-	-	-			
		O.D	30.00	29.50	30.50	29.95	29.94	-	-	-			
		I.D	25.50	25.00	26.00	25.45	25.46	-	-	-			
		I.D	26.50	26.00	27.00	26.54	26.56	-	-	-			
INSPECTED BY:		Jay Hadiyal				APPROVED BY:				Shreekant			

Conclusion :



Accept



Reject



Hold



		MetalMech-08500-FR-QX-08-Final Inspection Report-EX											
INSP. No.	FIR-017	Product Name	COMPRESSIBLE INNER SEAL		Size		3/4" NPT		Drawing No.		GI-02	Date:	20-07-2026
Wo No.	26000134	Total Quantity	4		Lot Quantity		4		Sample Size-		2	Variable & Gauging	2PCS
Sr. No.	Checking Parameter	REQUIRED PARAMETER				OBSERVED RESULTS					REJECTION REWORK DETAIL	REMARK	CHECKED BY
		PARAMETER	CRITERIA			1	2	-	-	-			
1	Visual	Surface	Fine, Clean			FINE	FINE	-	-	-			
		Sizewise No of Pcs. With Internal Parts	As per Drg. No. of Parts	15	15	15	-	-	-		Measuring Instruments I.D No-		
		Washing & Plating	Surface Finishing	NA	NA	NA	-	-	-		(1) DV-55		
		RUBBER MARKING	AS PER DRG.	OK	OK	OK	-	-	-		(2) PP-01		
		Marking	WO Ref. No.	NA	NA	NA	-	-	-		ASM No - AEX260714-03		
		Assembly Perfection	As per Drg.			OK	OK	-	-	-			
		Inner Packing	Labeling & Printing		OK	OK	-	-	-				
		Outer Packing	Printing & Stamping			OK	OK	-	-	-			
		All Dimensions Are In MM											
2	DIMENSION		VALUE	-	+	1	2	-	-	-			
		T.L	14.00	13.50	14.50	14.05	14.04	-	-	-			
		O.D.L	5.00	4.70	5.30	5.04	5.06	-	-	-			
		O.D	30.50	30.30	30.50	30.43	30.42	-	-	-			
		O.D.L	9.00	8.50	9.50	9.05	9.04	-	-	-			
		I.D	19.80	19.80	20.00	19.88	19.86	-	-	-			
INSPECTED BY:		Jay Hadiyal			APPROVED BY:				Shreekant				

Conclusion : ☒ Accept ☐ Reject ☐ Hold



		MetalMech-08500-FR-QX-08-Final Inspection Report-EX											
INSP. No.	FIR-017	Product Name	COMPRESSIBLE OUTER SEAL		Size		3/4" NPT		Drawing No.		GE-02s	Date:	20-07-2026
Wo No.	26000134	Total Quantity	4		Lot Quantity		4		Sample Size-		2	Variable & Gauging	2PCS
Sr. No.	Checking Parameter	REQUIRED PARAMETER				OBSERVED RESULTS					REJECTION REWORK DETAIL	REMARK	CHECKED BY
		PARAMETER	CRITERIA			1	2	-	-	-			
1	Visual	Surface	Fine, Clean			FINE	FINE	-	-	-			
		Sizewise No of Pcs. With Internal Parts	As per Drg. No. of Parts	15		15	15	-	-	-		Measuring Instruments I.D No-	
		Washing & Plating	Surface Finishing	NA		NA	NA	-	-	-		(1) DV-55	
		RUBBER MARKING	AS PER DRG.	OK		OK	OK	-	-	-		(2) PP-01	
		Marking	WO Ref. No.	NA		NA	NA	-	-	-		ASM No - AEX260714-03	
		Assembly Perfection	As per Drg.			OK	OK	-	-	-			
		Inner Packing	Labeling & Printing			OK	OK	-	-	-			
		Outer Packing	Printing & Stamping			OK	OK	-	-	-			
All Dimensions Are In MM													
2	DIMENSION		VALUE	-	+	1	2	-	-	-			
		T.L	15.00	14.50	15.50	15.11	15.19	-	-	-			
		O.D	35.20	35.00	35.20	35.11	35.13	-	-	-			
		GR.LENGTH	3.50	3.20	3.80	3.55	3.54	-	-	-			
		I.D	21.80	21.70	21.90	21.86	21.88	-	-	-			
INSPECTED BY:		Jay Hadiyal			APPROVED BY:				Shreekant				

Conclusion :



Accept



Reject



Hold



		MetalMech-08500-FR-QX-08-Final Inspection Report-EX											
INSP. No.	FIR-017	Product Name	INNER SKID WASHER		Size	3/4" NPT		Drawing No.	IW-02		Date:	20-07-2026	
Wo No.	26000134	Total Quantity	4		Lot Quantity	4		Sample Size-	2		Variable & Gauging	2PCS	
Sr. No.	Checking Parameter	REQUIRED PARAMETER				OBSERVED RESULTS					REJECTION REWORK DETAIL	REMARK	CHECKED BY
		PARAMETER	CRITERIA		1	2	-	-	-				
1	Visual	Surface	Fine, Clean		FINE	FINE	-	-	-				
		Sizewise No of Pcs. With Internal Parts	As per Drg. No. of Parts	15	15	15	-	-	-		Measuring Instruments I.D No-		
		Washing & Plating	Surface Finishing	NA	NA	NA	-	-	-		(1) DV-55		
		RUBBER MARKING	AS PER DRG.	OK	OK	OK	-	-	-		(2) PP-01		
		Marking	WO Ref. No.	NA	NA	NA	-	-	-		ASM No - AEX260714-03		
		Assembly Perfection	As per Drg.		OK	OK	-	-	-				
		Inner Packing	Labeling & Printing		OK	OK	-	-	-				
		Outer Packing	Printing & Stamping		OK	OK	-	-	-				
		All Dimensions Are In MM											
2	DIMENSION		VALUE	-	+	1	2	-	-	-			
		T.L	5.00	4.70	5.30	5.04	5.06	-	-	-			
		O.D	30.00	29.80	30.00	29.88	29.86	-	-	-			
		O.D	26.00	25.80	26.00	25.95	25.94	-	-	-			
		O.D.L	3.00	3.00	3.20	3.05	3.03	-	-	-			
		I.D	19.90	19.90	20.10	19.93	19.95	-	-	-			
INSPECTED BY:		Jay Hadiyal			APPROVED BY:			Shreekant					

Conclusion : ☒ Accept ☐ Reject ☐ Hold



		MetalMech-08500-FR-QX-08-Final Inspection Report-EX											
INSP. No.	FIR-017	Product Name	OUTER SKID WASHER		Size		3/4" NPT		Drawing No.		OW-02	Date:	20-07-2026
Wo No.	26000134	Total Quantity	4		Lot Quantity		4		Sample Size-		2	Variable & Gauging	2PCS
Sr. No.	Checking Parameter	REQUIRED PARAMETER				OBSERVED RESULTS					REJECTION REWORK DETAIL	REMARK	CHECKED BY
		PARAMETER	CRITERIA			1	2	-	-	-			
1	Visual	Surface	Fine, Clean			FINE	FINE	-	-	-			
		Sizewise No of Pcs. With Internal Parts	As per Drg. No. of Parts	15	15	15	-	-	-		Measuring Instruments I.D No-		
		Washing & Plating	Surface Finishing	NA	NA	NA	-	-	-		(1) DV-55		
		RUBBER MARKING	AS PER DRG.	OK	OK	OK	-	-	-		(2) PP-01		
		Marking	WO Ref. No.	NA	NA	NA	-	-	-		ASM No - AEX260714-03		
		Assembly Perfection	As per Drg.			OK	OK	-	-	-			
		Inner Packing	Labeling & Printing		OK	OK	-	-	-				
		Outer Packing	Printing & Stamping			OK	OK	-	-	-			
		All Dimensions Are In MM											
2	DIMENSION		VALUE	-	+	1	2	-	-	-			
		T.L	6.00	5.70	6.30	6.05	6.04	-	-	-			
		O.D	33.00	33.00	33.10	33.04	33.06	-	-	-			
		O.D	30.00	29.80	30.00	29.95	29.93	-	-	-			
		O.D.L	4.00	4.00	4.10	4.04	4.06	-	-	-			
		I.D	26.20	26.20	26.40	26.26	26.25	-	-	-			
INSPECTED BY:		Jay Hadiyal			APPROVED BY:				Shreekant				

Conclusion :



Accept



Reject



Hold



		MetalMech-08500-FR-QX-08-Final Inspection Report-EX													
INSP. No.	FIR-017	Product Name	SHROUD			Size	3/4" NPT			Drawing No.	41 MM		Date:	20-07-2026	
Wo No.	26000134	Total Quantity	4			Lot Quantity	4			Sample Size-	2		Variable & Gauging	2PCS	
Sr. No.	Checking Parameter	REQUIRED PARAMETER				OBSERVED RESULTS					REJECTION REWORK DETAIL	REMARK	CHECKED BY		
		PARAMETER	CRITERIA			1	2	-	-	-					
1	Visual	Surface	Fine, Clean			FINE	FINE	-	-	-		Measuring Instruments I.D No-			
		Sizewise No of Pcs. With Internal Parts	As per Drg. No. of Parts	15	15	15	-	-	-		(1) DV-55				
		Washing & Plating	Surface Finishing	NA	NA	NA	-	-	-		(2) PP-01				
		RUBBER MARKING	AS PER DRG.	NA	NA	NA	-	-	-						
		Marking	WO Ref. No.	NA	NA	NA	-	-	-		ASM No - AEX260714-03				
		Assembly Perfection	As per Drg.			OK	OK	-	-	-					
		Inner Packing	Labeling & Printing		OK	OK	-	-	-						
		Outer Packing	Printing & Stamping			OK	OK	-	-	-					
		All Dimensions Are In MM													
2	DIMENSION		VALUE	-	+	1	2	-	-	-					
		T.L	105.00	104.20	105.80	105.15	105.18	-	-	-					
		I.D	41.00	40.20	41.80	41.55	41.58	-	-	-					
INSPECTED BY:		Jay Hadiyal				APPROVED BY:				Shreekant					

Conclusion :



Accept



Reject



Hold



		MetalMech-08500-FR-QX-08-Final Inspection Report-EX												
INSP. No.	FIR-017	Product Name	EARTH TAG			Size		3/4" NPT		Drawing No.			Date:	20-07-2026
Wo No.	26000134	Total Quantity	4			Lot Quantity		4		Sample Size-		2	Variable & Gauging	2PCS
Sr. No.	Checking Parameter	REQUIRED PARAMETER				OBSERVED RESULTS					REJECTION REWORK DETAIL	REMARK	CHECKED BY	
		PARAMETER	CRITERIA			1	2	-	-	-				
1	Visual	Surface	Fine, Clean			FINE	FINE	-	-	-				
		Sizewise No of Pcs. With Internal Parts	As per Drg. No. of Parts	15	15	15	-	-	-		Measuring Instruments I.D No-			
		Washing & Plating	Surface Finishing	NICKEL	OK	OK	-	-	-		(1) DV-55			
		RUBBER MARKING	AS PER DRG.	NA	NA	NA	-	-	-		(2) PP-01			
		Marking	WO Ref. No.	NA	NA	NA	-	-	-		ASM No - AEX260714-03			
		Assembly Perfection	As per Drg.			OK	OK	-	-	-				
		Inner Packing	Labeling & Printing		OK	OK	-	-	-					
		Outer Packing	Printing & Stamping			OK	OK	-	-	-				
		All Dimensions Are In MM												
2	DIMENSION		VALUE	-	+	1	2	-	-	-				
		THICKNESS	1.00	0.80	1.20	1.02	1.01	-	-	-				
		O.D	37.00	36.20	37.80	37.04	37.06	-	-	-				
		O.D	13.20	12.70	13.70	13.23	13.22	-	-	-				
		I.D	27.00	26.50	27.50	27.14	27.19	-	-	-				
		I.D	6.50	6.20	6.80	6.55	6.54	-	-	-				
INSPECTED BY:		Jay Hadiyal			APPROVED BY:				Shreekant					

Conclusion :



Accept



Reject



Hold



		MetalMech-08500-FR-QX-08-Final Inspection Report-EX											
INSP. No.	FIR-017	Product Name	NYLON WASHER			Size	3/4" NPT			Drawing No.		Date:	20-07-2026
Wo No.	26000134	Total Quantity	4			Lot Quantity	4			Sample Size-	2	Variable & Gauging	2PCS
Sr. No.	Checking Parameter	REQUIRED PARAMETER				OBSERVED RESULTS					REJECTION REWORK DETAIL	REMARK	CHECKED BY
		PARAMETER	CRITERIA			1	2	-	-	-			
1	Visual	Surface	Fine, Clean			FINE	FINE	-	-	-		Measuring Instruments I.D No-	
		Sizewise No of Pcs. With Internal Parts	As per Drg. No. of Parts	15	15	15	-	-	-		(1) DV-55		
		Washing & Plating	Surface Finishing	NA	NA	NA	-	-	-		(2) PP-01		
		RUBBER MARKING	AS PER DRG.	NA	NA	NA	-	-	-				
		Marking	WO Ref. No.	NA	NA	NA	-	-	-		ASM No - AEX260714-03		
		Assembly Perfection	As per Drg.			OK	OK	-	-	-			
		Inner Packing	Labeling & Printing		OK	OK	-	-	-				
		Outer Packing	Printing & Stamping			OK	OK	-	-	-			
		All Dimensions Are In MM											
2	DIMENSION		VALUE	-	+	1	2	-	-	-			
		THICKNESS	1.50	1.30	1.70	1.48	1.42	-	-	-			
		I.D	27.00	26.50	27.50	27.19	27.14	-	-	-			
INSPECTED BY:		Jay Hadiyal				APPROVED BY:				Shreekant			

Conclusion :



Accept



Reject



Hold



		MetalMech-08500-FR-QX-08-Final Inspection Report-EX											
INSP. No.	FIR-017	Product Name	STAR WASHER		Size	3/4" NPT		Drawing No.	-		Date:	20-07-2026	
Wo No.	26000134	Total Quantity	4		Lot Quantity	4		Sample Size-	2		Variable & Gauging	2PCS	
Sr. No.	Checking Parameter	REQUIRED PARAMETER				OBSERVED RESULTS					REJECTION REWORK DETAIL	REMARK	CHECKED BY
		PARAMETER	CRITERIA			1	2	-	-	-			
1	Visual	Surface	Fine, Clean			FINE	FINE	-	-	-		Measuring Instruments I.D No-	
		Sizewise No of Pcs. With Internal Parts	As per Drg. No. of Parts	15	15	15	-	-	-		(1) DV-55		
		Washing & Plating	Surface Finishing	NA	NA	NA	-	-	-		(2) PP-01		
		RUBBER MARKING	AS PER DRG.	NA	NA	NA	-	-	-				
		Marking	WO Ref. No.	NA	NA	NA	-	-	-		ASM No - AEX260714-03		
		Assembly Perfection	As per Drg.			OK	OK	-	-	-			
		Inner Packing	Labeling & Printing		OK	OK	-	-	-				
		Outer Packing	Printing & Stamping			OK	OK	-	-	-			
		All Dimensions Are In MM											
2	DIMENSION		VALUE	-	+	1	2	-	-	-			
		O.D	38.00	37.20	38.80	38.06	38.08	-	-	-			
		I.D	27.00	26.50	27.50	27.15	27.13	-	-	-			
		T.L	4.00	3.70	4.30	4.06	4.08	-	-	-			
INSPECTED BY:		Jay Hadiyal			APPROVED BY:				Shreekant				

Conclusion :



Accept



Reject



Hold

