METAL MECA
THE SAFEST CONNECTIONS

MM-086000-SXUA-QCZA-FR-02-01-Final Inspection Report-Ex-V26I01

INSP. No.	FIR-04	Product Name	ENTRY COMPONENT	Size	M63	Drawing No	313001M-06	Date:	25-10-2026
Wo No.	26100102	Total Quantity	3	Lot Quantity	3	Sample Size-	2	Variable & Gauging	2PCS

Sr. No.	Checking Parameter	REQUIRED PARAMETER			OBSERVED RESULTS					REJECTION REWORK DETAIL	REMARK	CHECKED BY
		PARAMETER	CRITERIA		1	2	-	-	-			
1	Visual	Surface	Fine, Clean		FINE	FINE	-	-	-		Measuring Instruments I.D No-	
		Sizewise No of Pcs. With Internal Parts	As per Drg. No. of Parts	11	11	11	-	-	-		(1) DV-55	
		Washing & Plating	Surface Finishing	NA	NA	NA	-	-	-		(2) PP-01	
		RUBBER MARKING	AS PER DRG.	NA	NA	NA	-	-	-			
		Marking	WO Ref. No.	OK	OK	OK	-	-	-		ASM No :- AEX261021-13	
		Assembly Perfection	As per Drg.		OK	OK	-	-	-			
		Inner Packing	Labeling & Printing		OK	OK	-	-	-			
		Outer Packing	Printing & Stamping		OK	OK	-	-	-			
		All Dimensions Are In MM										
2	DIMENSION		VALUE	- +	1	2	-	-	-			
		A/F	74.00	73.81 74.00	73.94	73.96	-	-	-			
		A/C	81.00	80.20 81.80	81.07	81.09	-	-	-			
		T.L	37.00	37.00 37.50	37.19	37.18	-	-	-			
		TH.L	13.00	12.50 13.50	13.06	13.09	-	-	-			
		LENGTH	17.00	17.00 17.50	17.09	17.08	-	-	-			
		GR.OD	61.00	60.20 61.80	61.04	61.06	-	-	-			
		GR.LE	2.50	2.30 2.70	2.55	2.54	-	-	-			
		O.D	73.00	72.20 73.80	73.03	73.05	-	-	-			
		O.D.L	11.00	10.70 11.30	11.03	11.02	-	-	-			
		H.L	9.00	8.50 9.50	9.05	9.04	-	-	-			
		I.D	56.50	55.70 57.30	56.52	56.51	-	-	-			
		DEPTH	15.00	14.50 15.50	15.03	15.02	-	-	-			
		THREAD	M63x1.5 AS PER T.R.G GO NOT GO		OK	OK	-	-	-			
		INT.THREAD	M68x1.5 AS PER P.G GO NOT GO		OK	OK	-	-	-			
		CH.ANGLE	1x45° AS PER PP FOUND		OK	OK	-	-	-			
		CH.ANGLE	1.5x45° AS PER PP FOUND		OK	OK	-	-	-			
		CH.ANGLE	20° AS PER PP FOUND		OK	OK	-	-	-			
		ANGLE	90° AS PER PP FOUND		OK	OK	-	-	-			

INSPECTED BY:	*Jay Hadiyal*	*APPROVED BY:*	*Shreekant*

Conclusion :

☐ **Accept** ☑ **Reject** ☐ **Hold**

METAL MECH ENGINEERS QA PASSED

METAL MECA
THE SAFEST CONNECTIONS

MM-086000-SXUA-QCZA-FR-02-01-Final Inspection Report-Ex-V26I01

INSP. No.	FIR-04	Product Name	INTERMIDIATE BODY	Size	M63	Drawing No	313002U-06	Date:	25-10-2026
Wo No.	26100102	Total Quantity	3	Lot Quantity	3	Sample Size-	2	Variable & Gauging	2PCS

Sr. No.	Checking Parameter	REQUIRED PARAMETER				OBSERVED RESULTS					REJECTION REWORK DETAIL	REMARK	CHECKED BY
		PARAMETER	CRITERIA			1	2	-	-	-			
1	Visual	Surface	Fine, Clean			FINE	FINE	-	-	-		Measuring Instruments I.D No-	
		Sizewise No of Pcs. With Internal Parts	As per Drg. No. of Parts	11		11	11	-	-	-		(1) DV-55	
		Washing & Plating	Surface Finishing	NA		NA	NA	-	-	-		(2) PP-01	
		RUBBER MARKING	AS PER DRG.	NA		NA	NA	-	-	-			
		Marking	WO Ref. No.	NA		NA	NA	-	-	-		ASM No :- AEX261021-13	
		Assembly Perfection	As per Drg.			OK	OK	-	-	-			
		Inner Packing	Labeling & Printing			OK	OK	-	-	-			
		Outer Packing	Printing & Stamping			OK	OK	-	-	-			
		All Dimensions Are In MM											
2	DIMENSION		VALUE	-	+	1	2	-	-	-			
		A/F	76.00	75.81	76.00	75.93	75.95	-	-	-			
		A/C	83.00	82.20	83.80	83.04	83.05	-	-	-			
		T.L	38.00	37.20	38.80	38.03	38.04	-	-	-			
		TH.L	14.00	13.50	14.50	14.02	14.01	-	-	-			
		GR.OD	66.00	65.20	66.80	65.96	65.95	-	-	-			
		GR.LE	1.00	0.80	1.20	1.01	1.03	-	-	-			
		H.L	8.00	7.70	8.30	8.03	8.05	-	-	-			
		TH.L	16.00	15.50	16.50	16.00	15.99	-	-	-			
		GR.OD	73.00	72.20	73.80	73.01	73.00	-	-	-			
		GR.LE	1.00	0.80	1.20	1.01	1.03	-	-	-			
		I.D	60.00	59.20	60.80	60.13	60.12	-	-	-			
		I.D	67.50	66.70	68.30	67.50	67.48	-	-	-			
		DEPTH	7.00	6.70	7.30	7.03	7.05	-	-	-			
		I.D	64.00	63.20	64.80	64.00	63.99	-	-	-			
		I.D.LE	14.00	13.50	14.50	14.04	14.06	-	-	-			
		DEPTH	21.00	20.50	21.50	21.09	21.08	-	-	-			
		THREAD	M68x1.5 AS PER T.R.G GO NOT GO			OK	OK	-	-	-			
		THREAD	M75x1.5 AS PER T.R.G GO NOT GO			OK	OK	-	-	-			
		CH.ANGLE	1.5x45° AS PER PP FOUND			OK	OK	-	-	-			
		CH.ANGLE	20° AS PER PP FOUND			OK	OK	-	-	-			
		CH.ANGLE	0.5x45° AS PER PP FOUND			OK	OK	-	-	-			

INSPECTED BY:	Jay Hadiyal	APPROVED BY:	Shreekant

Conclusion :

☑ **Accept** ☐ **Reject** ☐ **Hold**

METAL MECA ENGINEERING PVT. LTD. CA PASSED

MM-086000-SXUA-QCZA-FR-02-01-Final Inspection Report-Ex-V26I01

INSP. No.	FIR-04	**Product Name**	MIDDLE BODY	**Size**	M63	**Drawing No**	313002-06	**Date:** 25-10-2026
Wo No.	26100102	**Total Quantity**	3	**Lot Quantity**	3	**Sample Size-**	2	Variable & Gauging 2PCS

Sr. No.	Checking Parameter	REQUIRED PARAMETER			OBSERVED RESULTS					REJECTION REWORK DETAIL	REMARK	CHECKED BY
		PARAMETER	CRITERIA		1	2	-	-	-			
1	Visual	Surface	Fine, Clean		FINE	FINE	-	-	-		Measuring Instruments LD No-	
		Sizewise No of Pcs. With Internal Parts	As per Drg. No. of Parts	11	11	11	-	-	-		(1) DV-55	
		Washing & Plating	Surface Finishing	NA	NA	NA	-	-	-		(2) PP-01	
		RUBBER MARKING	AS PER DRG.	NA	NA	NA	-	-	-			
		Marking	WO Ref. No.	NA	NA	NA	-	-	-		ASM No :- AEX261021-13	
		Assembly Perfection	As per Drg.		OK	OK	-	-	-			
		Inner Packing	Labeling & Printing		OK	OK	-	-	-			
		Outer Packing	Printing & Stamping		OK	OK	-	-	-			
		All Dimensions Are In MM										
2	DIMENSION		VALUE	- +	1	2	-	-	-			
		A/F	80.00	79.81 80.00	79.95	79.93	-	-	-			
		A/C	89.00	88.20 89.80	88.97	88.98	-	-	-			
		T.L	46.00	45.20 46.80	46.15	46.16	-	-	-			
		TH.L	17.00	16.50 17.50	17.05	17.04	-	-	-			
		GR.OD	74.00	73.20 74.80	73.50	73.49	-	-	-			
		GR.LE	1.50	1.30 1.70	1.53	1.55	-	-	-			
		H.L	17.00	16.50 17.50	17.06	17.05	-	-	-			
		O.D	79.00	78.20 79.80	78.97	78.99	-	-	-			
		O.D.L	12.00	11.70 12.30	11.95	11.93	-	-	-			
		I.D	66.00	65.20 66.80	66.01	66.00	-	-	-			
		I.D	68.00	67.20 68.80	68.05	68.04	-	-	-			
		I.D.LE	10.00	9.80 10.20	10.03	10.05	-	-	-			
		INT.THL	18.00	17.50 18.50	18.05	18.04	-	-	-			
		GR.ID	72.00	71.20 72.80	72.03	72.05	-	-	-			
		GR.LE	10.00	9.70 10.30	10.01	10.03	-	-	-			
		DEPTH	28.00	27.50 28.50	28.06	28.08	-	-	-			
		THREAD	M75x1.5 AS PER T.R.G GO NOT GO		OK	OK	-	-	-			
		INT.THREAD	M76x2 AS PER P.G GO NOT GO		OK	OK	-	-	-			
		CH.ANGLE	1.5x45° AS PER PP FOUND		OK	OK	-	-	-			
		CH.ANGLE	2x45° AS PER PP FOUND		OK	OK	-	-	-			
		CH.ANGLE	30° AS PER PP FOUND		OK	OK	-	-	-			

INSPECTED BY:	*Jay Hadiyal*	*APPROVED BY:*	*Shreekant*

Conclusion :

☑ **Accent** ☐ **Reiect** ☐ **Hold**

METALMECH ENGINEERS QA PASSED

METAL MECA
THE SAFEST CONNECTIONS

MM-086000-SXUA-QCZA-FR-02-01-Final Inspection Report-Ex-V26I01

INSP. No.	FIR-04	Product Name	BACK NUT	Size	M63	Drawing No	313003-06	Date:	25-10-2026
Wo No.	26100102	Total Quantity	3	Lot Quantity	3	Sample Size-	2	Variable & Gauging	2PCS

Sr. No.	Checking Parameter	REQUIRED PARAMETER		OBSERVED RESULTS					REJECTION REWORK DETAIL	REMARK	CHECKED BY
		PARAMETER	CRITERIA	1	2	-	-	-		Measuring Instruments I.D No-	
1	Visual	Surface	Fine, Clean	FINE	FINE	-	-	-		(1) DV-55	
		Sizewise No of Pcs. With Internal Parts	As per Drg. No. of Parts 11	11	11	-	-	-		(2) PP-01	
		Washing & Plating	Surface Finishing NA	NA	NA	-	-	-			
		RUBBER MARKING	AS PER DRG. NA	NA	NA	-	-	-		ASM No :- AEX261021-13	
		Marking	WO Ref. No. NA	NA	NA	-	-	-			
		Assembly Perfection	As per Drg.	OK	OK	-	-	-			
		Inner Packing	Labeling & Printing	OK	OK	-	-	-			
		Outer Packing	Printing & Stamping	OK	OK	-	-	-			
		All Dimensions Are In MM									

			VALUE	-	+	1	2	-	-	-			
2	DIMENSION	A/F	80.00	79.81	80.00	79.95	79.93	-	-	-			
		A/C	89.00	88.20	89.80	89.07	89.06	-	-	-			
		T.L	24.00	23.50	24.50	24.07	24.05	-	-	-			
		O.D	79.00	78.20	79.80	78.95	78.97	-	-	-			
		O.D.L	12.00	11.50	12.50	12.06	12.05	-	-	-			
		H.L	12.00	11.50	12.50	12.05	12.08	-	-	-			
		I.D	70.00	69.20	70.80	70.09	70.08	-	-	-			
		INT.THL	5.00	4.70	5.30	5.01	5.03	-	-	-			
		GR.ID	76.20	75.40	77.00	76.23	76.25	-	-	-			
		GR.LE	14.50	14.00	15.00	14.53	14.58	-	-	-			
		DEPTH	19.50	19.00	20.00	19.55	19.57	-	-	-			
		GR.ID	76.20	75.40	77.00	76.24	76.26	-	-	-			
		GR.LE	2.50	2.30	2.70	2.53	2.55	-	-	-			
		DEPTH	22.00	21.50	22.50	21.94	21.96	-	-	-			
		INT.THREAD	M76x2 AS PER P.G GO NOT GO			OK	OK	-	-	-			
		CH.ANGLE	0.5x45° AS PER PP FOUND			OK	OK	-	-	-			
		CH.ANGLE	1.5x45° AS PER PP FOUND			OK	OK	-	-	-			
		CH.ANGLE	45° AS PER PP FOUND			OK	OK	-	-	-			

INSPECTED BY:	Jay Hadiyal	APPROVED BY:	Shreekant

Conclusion :

☑ **Accept** ☐ **Reject** ☐ **Hold**

METALMECH ENGINEERS QA PASSED

METAL MECA®
THE SAFEST CONNECTIONS

MM-086000-SXUA-QCZA-FR-02-01-Final Inspection Report-Ex-V26I01

INSP. No.	FIR-04	Product Name	UNIVERSAL CLAMPING CONE	Size	M63	Drawing No	313005-06	Date:	25-10-2026
Wo No.	26100102	Total Quantity	3	Lot Quantity	3	Sample Size-	2	Variable & Gauging	2PCS

Sr. No.	Checking Parameter	REQUIRED PARAMETER			OBSERVED RESULTS					REJECTION REWORK DETAIL	REMARK	CHECKED BY
		PARAMETER	CRITERIA		1	2	-	-	-			
1	Visual	Surface	Fine, Clean		FINE	FINE	-	-	-		Measuring Instruments I.D No-	
		Sizewise No of Pcs. With Internal Parts	As per Drg. No. of Parts	11	11	11	-	-	-		(1) DV-55	
		Washing & Plating	Surface Finishing	NA	NA	NA	-	-	-		(2) PP-01	
		RUBBER MARKING	AS PER DRG.	NA	NA	NA	-	-	-			
		Marking	WO Ref. No.	NA	NA	NA	-	-	-		ASM No :- AEX261021-13	
		Assembly Perfection	As per Drg.		OK	OK	-	-	-			
		Inner Packing	Labeling & Printing		OK	OK	-	-	-			
		Outer Packing	Printing & Stamping		OK	OK	-	-	-			
		All Dimensions Are In MM										
2	DIMENSION		VALUE	- +	1	2	-	-	-			
		T.L	35.00	34.20 35.80	35.06	35.09	-	-	-			
		O.D	59.50	58.70 60.30	59.48	59.46	-	-	-			
		O.D.L	7.50	7.00 8.00	7.53	7.55	-	-	-			
		O.D	62.00	61.20 62.80	61.97	61.96	-	-	-			
		O.D	63.50	62.70 64.30	63.53	63.55	-	-	-			
		GR.LE	2.50	2.30 2.70	2.53	2.55	-	-	-			
		O.D.L	14.00	13.50 14.50	14.03	14.06	-	-	-			
		O.D	58.50	57.70 59.30	58.47	58.46	-	-	-			
		O.D.L	8.00	7.70 8.30	8.01	8.03	-	-	-			
		O.D	59.00	58.20 59.80	58.98	58.97	-	-	-			
		O.D	59.50	58.70 60.30	59.49	59.47	-	-	-			
		O.D	61.00	60.20 61.80	61.01	61.03	-	-	-			
		O.D	67.00	66.20 67.80	66.99	66.98	-	-	-			
		O.D.L	7.00	6.50 7.50	7.02	7.05	-	-	-			
		O.D.L	14.00	13.50 14.50	14.03	14.06	-	-	-			
		I.D	56.50	55.70 57.30	56.56	56.59	-	-	-			
		GROOVE.STEP.LE	0.5 MM AS PER PP FOUND		OK	OK	-	-	-			
		RADIUS	0.50 MM AS PER PP FOUND		OK	OK	-	-	-			
		RADIUS	0.3 MM AS PER PP FOUND		OK	OK	-	-	-			

INSPECTED BY:	Jay Hadiyal	APPROVED BY:	Shreekant

Conclusion :

☑ **Accept** ☐ **Reject** ☐ **Hold**

METAL MECH ENGINEERING CA PASSED

METAL MECA®
THE SAFEST CONNECTIONS

MM-086000-SXUA-QCZA-FR-02-01-Final Inspection Report-Ex-V26I01

INSP. No.	FIR-04	Product Name	REVERSIBLE ARMOURED RING	Size	M63	Drawing No	313004-06	Date:	25-10-2026
Wo No.	26100102	Total Quantity	3	Lot Quantity	3	Sample Size-	2	Variable & Gauging	2PCS

Sr. No.	Checking Parameter	REQUIRED PARAMETER			OBSERVED RESULTS					REJECTION REWORK DETAIL	REMARK	CHECKED BY
		PARAMETER	CRITERIA		1	2	-	-	-			
1	Visual	Surface	Fine, Clean		FINE	FINE	-	-	-		Measuring Instruments I.D No-	
		Sizewise No of Pcs. With Internal Parts	As per Drg. No. of Parts	11	11	11	-	-	-		(1) DV-55	
		Washing & Plating	Surface Finishing	NA	NA	NA	-	-	-		(2) PP-01	
		RUBBER MARKING	AS PER DRG.	NA	NA	NA	-	-	-			
		Marking	WO Ref. No.	NA	NA	NA	-	-	-		ASM No :- AEX261021-13	
		Assembly Perfection	As per Drg.		OK	OK	-	-	-			
		Inner Packing	Labeling & Printing		OK	OK	-	-	-			
		Outer Packing	Printing & Stamping		OK	OK	-	-	-			
		All Dimensions Are In MM										
2	DIMENSION		VALUE	-	+	1	2	-	-	-		
		T.L	12.00	11.50	12.50	12.07	12.09	-	-	-		
		O.D	70.00	69.20	70.80	69.77	69.78	-	-	-		
		I.D	63.00	62.20	63.80	63.05	63.04	-	-	-		
		I.D	64.50	63.70	65.30	64.53	64.56	-	-	-		

INSPECTED BY:	Jay Hadiyal	APPROVED BY:	Shreekant

Conclusion :

☑ **Accept** ☐ **Reject** ☐ **Hold**

METALMECH ENGINEERING CA PASSED

MM-086000-SXUA-QCZA-FR-02-01-Final Inspection Report-Ex-V26I01

INSP. No.	FIR-04	**Product Name**	COMPRESSIBLE INNER SEAL	**Size**	M63	**Drawing No**	GI-06s	**Date:**	25-10-2026
Wo No.	26100102	**Total Quantity**	3	**Lot Quantity**	3	**Sample Size-**	2	**Variable & Gauging**	2PCS

Sr. No.	**Checking Parameter**	**REQUIRED PARAMETER**			**OBSERVED RESULTS**					**REJECTION REWORK DETAIL**	**REMARK**	**CHECKED BY**
		PARAMETER	**CRITERIA**		**1**	**2**	**-**	**-**	**-**			
1	Visual	Surface	Fine, Clean		FINE	FINE	-	-	-		Measuring Instruments I.D No-	
		Sizewise No of Pcs. With Internal Parts	As per Drg. No. of Parts	11	11	11	-	-	-		**(1) DV-55**	
		Washing & Plating	Surface Finishing	NA	NA	NA	-	-	-		**(2) PP-01**	
		RUBBER MARKING	AS PER DRG.	OK	OK	OK	-	-	-			
		Marking	WO Ref. No.	NA	NA	NA	-	-	-		**ASM No :- AEX261021-13**	
		Assembly Perfection	As per Drg.		OK	OK	-	-	-			
		Inner Packing	Labeling & Printing		OK	OK	-	-	-			
		Outer Packing	Printing & Stamping		OK	OK	-	-	-			
		All Dimensions Are In MM										

			VALUE	-	+	1	2	-	-	-			
2	DIMENSION	T.L	15.50	15.00	16.00	15.52	15.55	-	-	-			
		O.D.L	5.50	5.20	5.80	5.55	5.58	-	-	-			
		O.D	66.50	66.30	66.50	66.43	66.46	-	-	-			
		O.D.L	10.00	9.50	10.50	10.02	10.05	-	-	-			
		I.D	56.20	56.20	56.40	56.23	56.28	-	-	-			

INSPECTED BY:	*Jay Hadiyal*	*APPROVED BY:*	*Shreekant*

Conclusion :

☑ **Accept** ☐ **Reject** ☐ **Hold**

METALMECH ENGINEERING QA PASSED

METAL MECH®
THE SAFEST CONNECTIONS

MM-086000-SXUA-QCZA-FR-02-01-Final Inspection Report-Ex-V26I01

INSP. No.	FIR-04	**Product Name**	O-RING	**Size**	M63	**Drawing No**	OR-6M	**Date:**	25-10-2026
Wo No.	26100102	**Total Quantity**	3	**Lot Quantity**	3	**Sample Size-**	2	**Variable & Gauging**	2PCS

Sr. No.	**Checking Parameter**	**REQUIRED PARAMETER**			**OBSERVED RESULTS**					**REJECTION REWORK DETAIL**	**REMARK**	**CHECKED BY**
		PARAMETER	**CRITERIA**		**1**	**2**	**-**	**-**	**-**			
1	Visual	Surface	Fine, Clean		FINE	FINE	-	-	-		Measuring Instruments I.D No-	
		Sizewise No of Pcs. With Internal Parts	As per Drg. No. of Parts	11	11	11	-	-	-		**(1) DV-55**	
		Washing & Plating	Surface Finishing	NA	NA	NA	-	-	-		**(2) PP-01**	
		RUBBER MARKING	AS PER DRG.	NA	NA	NA	-	-	-			
		Marking	WO Ref. No.	NA	NA	NA	-	-	-		**ASM No :- AEX261021-13**	
		Assembly Perfection	As per Drg.		OK	OK	-	-	-			
		Inner Packing	Labeling & Printing		OK	OK	-	-	-			
		Outer Packing	Printing & Stamping		OK	OK	-	-	-			
		All Dimensions Are In MM										
2	DIMENSION		VALUE	-	+	1	2	-	-	-			
		THICKNESS	2.50	2.00	2.50	2.04	2.06	-	-	-		
		I.D	55.00	54.20	55.80	55.08	55.07	-	-	-		

INSPECTED BY:	*Jay Hadiyal*	*APPROVED BY:*	*Shreekant*

Conclusion :

☑ **Accept** ☐ **Reject** ☐ **Hold**

METALMECH ENGINEERING CA PASSED

MM-086000-SXUA-QCZA-FR-02-01-Final Inspection Report-Ex-V26I01

INSP. No.	FIR-04	**Product Name**	COMPRESSIBLE OUTER SEAL	**Size**	M63	**Drawing No**	GE-06	**Date:**	25-10-2026
Wo No.	26100102	**Total Quantity**	3	**Lot Quantity**	3	**Sample Size-**	2	**Variable & Gauging**	2PCS

Sr. No.	**Checking Parameter**	**REQUIRED PARAMETER**			**OBSERVED RESULTS**					**REJECTION REWORK DETAIL**	**REMARK**	**CHECKED BY**
		PARAMETER	**CRITERIA**		**1**	**2**	**-**	**-**	**-**			
1	Visual	Surface	Fine, Clean		FINE	FINE	-	-	-		Measuring Instruments I.D No-	
		Sizewise No of Pcs. With Internal Parts	As per Drg. No. of Parts	11	11	11	-	-	-		**(1) DV-55**	
		Washing & Plating	Surface Finishing	NA	NA	NA	-	-	-		**(2) PP-01**	
		RUBBER MARKING	AS PER DRG.	OK	OK	OK	-	-	-			
		Marking	WO Ref. No.	NA	NA	NA	-	-	-		**ASM No :- AEX261021-13**	
		Assembly Perfection	As per Drg.		OK	OK	-	-	-			
		Inner Packing	Labeling & Printing		OK	OK	-	-	-			
		Outer Packing	Printing & Stamping		OK	OK	-	-	-			
		All Dimensions Are In MM										
2	DIMENSION		VALUE	-	+	1	2	-	-	-			
		T.L	15.00	14.50	15.50	15.02	15.05	-	-	-		
		O.D	76.20	76.00	76.20	76.14	76.13	-	-	-		
		GR.LENGTH	5.50	5.20	5.80	5.53	5.55	-	-	-		
		I.D	65.60	65.50	65.70	65.65	65.67	-	-	-		

INSPECTED BY:	*Jay Hadiyal*	*APPROVED BY:*	*Shreekant*

Conclusion :

☑ **Accept** ☐ **Reject** ☐ **Hold**

METALMECH ENGINEERING CA PASSED

MM-086000-SXUA-QCZA-FR-02-01-Final Inspection Report-Ex-V26I01

INSP. No.	FIR-04	**Product Name**	INNER SKID WASHER	**Size**	M63	**Drawing No**	IW-06	**Date:**	25-10-2026
Wo No.	26100102	**Total Quantity**	3	**Lot Quantity**	3	**Sample Size-**	2	**Variable & Gauging**	2PCS

Sr. No.	**Checking Parameter**	**REQUIRED PARAMETER**			**OBSERVED RESULTS**					**REJECTION REWORK DETAIL**	**REMARK**	**CHECKED BY**
		PARAMETER	**CRITERIA**		**1**	**2**	**-**	**-**	**-**			
1	Visual	Surface	Fine, Clean		FINE	FINE	-	-	-		Measuring Instruments I.D No-	
		Sizewise No of Pcs. With Internal Parts	As per Drg. No. of Parts	11	11	11	-	-	-		**(1) DV-55**	
		Washing & Plating	Surface Finishing	NA	NA	NA	-	-	-		**(2) PP-01**	
		RUBBER MARKING	AS PER DRG.	NA	NA	NA	-	-	-			
		Marking	WO Ref. No.	NA	NA	NA	-	-	-		**ASM No :- AEX261021-13**	
		Assembly Perfection	As per Drg.		OK	OK	-	-	-			
		Inner Packing	Labeling & Printing		OK	OK	-	-	-			
		Outer Packing	Printing & Stamping		OK	OK	-	-	-			
		All Dimensions Are In MM										

			VALUE	-	+	1	2	-	-	-			
2	DIMENSION	T.L	5.50	5.20	5.80	5.52	5.55	-	-	-			
		O.D	65.00	64.80	65.00	64.90	64.93	-	-	-			
		O.D	59.50	59.30	59.50	59.45	59.48	-	-	-			
		O.D.L	4.00	4.00	4.20	4.02	4.05	-	-	-			
		I.D	56.50	56.50	56.70	56.53	56.56	-	-	-			

INSPECTED BY:	*Jay Hadiyal*	*APPROVED BY:*	*Shreekant*

Conclusion :

☑ **Accept** ☐ **Reject** ☐ **Hold**

METALMECH ENGINEERING QA PASSED

MM-086000-SXUA-QCZA-FR-02-01-Final Inspection Report-Ex-V26I01

INSP. No.	FIR-04	**Product Name**	OUTER SKID WASHER	**Size**	M63	**Drawing No**	OW-06	**Date:**	25-10-2026
Wo No.	26100102	**Total Quantity**	3	**Lot Quantity**	3	**Sample Size-**	2	**Variable & Gauging**	2PCS

Sr. No.	**Checking Parameter**	**REQUIRED PARAMETER**			**OBSERVED RESULTS**					**REJECTION REWORK DETAIL**	**REMARK**	**CHECKED BY**
		PARAMETER	**CRITERIA**		**1**	**2**	**-**	**-**	**-**			
1	Visual	Surface	Fine, Clean		FINE	FINE	-	-	-		Measuring Instruments I.D No-	
		Sizewise No of Pcs. With Internal Parts	As per Drg. No. of Parts	11	11	11	-	-	-		**(1) DV-55**	
		Washing & Plating	Surface Finishing	NA	NA	NA	-	-	-		**(2) PP-01**	
		RUBBER MARKING	AS PER DRG.	NA	NA	NA	-	-	-			
		Marking	WO Ref. No.	NA	NA	NA	-	-	-		**ASM No :- AEX261021-13**	
		Assembly Perfection	As per Drg.		OK	OK	-	-	-			
		Inner Packing	Labeling & Printing		OK	OK	-	-	-			
		Outer Packing	Printing & Stamping		OK	OK	-	-	-			
		All Dimensions Are In MM										

			VALUE	-	+	1	2	-	-	-			
2	DIMENSION	T.L	7.00	6.70	7.30	7.01	7.03	-	-	-			
		O.D	73.00	73.00	73.10	73.02	73.06	-	-	-			
		O.D	69.50	69.30	69.50	69.43	69.48	-	-	-			
		O.D.L	4.50	4.50	4.60	4.55	4.54	-	-	-			
		I.D	66.00	66.00	66.20	66.04	66.08	-	-	-			

INSPECTED BY:	*Jay Hadiyal*	*APPROVED BY:*	*Shreekant*

Conclusion :

☑ **Accept** ☐ **Reject** ☐ **Hold**

METALMECH ENGINEERING QA PASSED