

		MetalMech-08500-FR-QX-08-Final Inspection Report-EX											
INSP. No.	FIR-05	Product Name	LOCK NUT		Size		M50		Drawing No.		DL5IB	Date:	04-08-2026
Wo No.	26100048	Total Quantity	400		Lot Quantity		400		Sample Size		3	Variable & Gauging	3PCS
Sr. No.	Checking Parameter	REQUIRED PARAMETER				OBSERVED RESULTS					REJECTION REWORK DETAIL	REMARK	CHECKED BY
		PARAMETER	CRITERIA			1	2	3	-	-			
1	Visual	Surface	Fine, Clean			FINE	FINE	FINE	-	-		Measuring Instruments I.D No-	
		Sizewise No of Pcs. With Internal Parts	As per Drg. No. of Parts	15	15	15	15	-	-		(1) DV-55		
		Washing & Plating	Surface Finishing	NICKEL	OK	OK	OK	-	-		(2) PP-01		
		RUBBER MARKING	AS PER DRG.	NA	NA	NA	NA	-	-				
		Marking	WO Ref. No.	NA	NA	NA	NA	-	-		ASM No :- AEX260720-02/03		
		Assembly Perfection	As per Drg.			OK	OK	OK	-	-			
		Inner Packing	Labeling & Printing		OK	OK	OK	-	-				
		Outer Packing	Printing & Stamping			OK	OK	OK	-	-			
		All Dimensions Are In MM											
2	DIMENSION		VALUE	-	+	1	2	3	-	-			
		A/F	55.00	54.81	55.00	54.95	54.97	54.96	-	-			
		A/C	60.00	59.20	60.80	60.01	60.03	60.02	-	-			
		T.L	7.00	6.70	7.30	7.02	7.01	7.03	-	-			
		THREAD	M50x1.5 AS PER P.G GO NOT GO			OK	OK	OK	-	-			
		CH.ANGLE	30° AS PER PP FOUND			OK	OK	OK	-	-			
INSPECTED BY:		Jay Hadiyal			APPROVED BY:				Shreekant				

Conclusion :

☒

Accept

☐

Reject

☐

Hold





MetalMech-08500-FR-QX-08-Final Inspection Report-EX

INSP. No.	FIR-05	Product Name	ENTRY COMPONENT		Size		M50		Drawing No.		313001M-05	Date:	04-08-2026
Wo No.	26100048	Total Quantity	400		Lot Quantity		400		Sample Size		3	Variable & Gauging	3PCS
Sr. No.	Checking Parameter	REQUIRED PARAMETER				OBSERVED RESULTS				REJECTION REWORK DETAIL	REMARK	CHECKED BY	
		PARAMETER	CRITERIA		1	2	3	-	-				
1	Visual	Surface	Fine, Clean		FINE	FINE	FINE	-	-		Measuring Instruments I.D. No.		
		Size wise No of Pcs. With Internal Parts	As per Drg. No. of Parts	15	15	15	15	-	-		(1) DV-55		
		Washing & Plating	Surface Finishing	NICKEL	OK	OK	OK	-	-		(2) PP-01		
		RUBBER MARKING	AS PER DRG.	NA	NA	NA	NA	-	-				
		Marking	WO Ref. No.	Metalmech Logo MM-EX- E1FUNV505MB2 2026 CE Logo 2460 Ex Logo II 2 GD Ex db IIC	OK	OK	OK	-	-		ASM No :- AEX260728-02/03		
		Assembly Perfection	As per Drg.		OK	OK	OK	-	-				
		Inner Packing	Labeling & Printing		OK	OK	OK	-	-				
		Outer Packing	Printing & Stamping		OK	OK	OK	-	-				
		All Dimensions Are In MM											
2	DIMENSION		VALUE	-	+	1	2	3	-	-			
		A/F	60.00	59.81	60.00	59.95	59.96	59.94	-	-			
		A/C	65.00	64.20	65.80	65.00	64.99	65.00	-	-			
		T.L	38.00	38.00	38.50	38.08	38.09	38.10	-	-			
		TH.L	13.00	12.50	13.50	13.05	13.04	13.03	-	-			
		LENGTH	17.00	17.00	17.50	17.07	17.06	17.05	-	-			
		GR.OD	48.00	47.20	48.80	47.95	47.97	47.98	-	-			
		GR.LE	2.50	2.30	2.70	2.53	2.55	2.54	-	-			
		O.D	59.00	58.20	59.80	58.99	58.99	58.98	-	-			
		O.D.L	12.00	11.50	12.50	12.01	12.02	12.03	-	-			
		H.L	9.00	8.50	9.50	9.09	9.08	9.07	-	-			
		LD	44.50	43.70	45.30	44.58	44.57	44.54	-	-			
		DEPTH	15.00	14.50	15.50	15.03	15.06	15.05	-	-			
		THREAD	M50x1.5 AS PER T.R.G GO NOT GO		OK	OK	OK	-	-				
		INT.THREAD	M56x1.5 AS PER P.G GO NOT GO		OK	OK	OK	-	-				
		CH.ANGLE	1x45° AS PER PP FOUND		OK	OK	OK	-	-				
		CH.ANGLE	1.5x45° AS PER PP FOUND		OK	OK	OK	-	-				
		CH.ANGLE	20° AS PER PP FOUND		OK	OK	OK	-	-				
		ANGLE	90° AS PER PP FOUND		OK	OK	OK	-	-				
		INSPECTED BY:		Jay Hadiyal			APPROVED BY:				Shreekant		

Conclusion :



Accept



Reject



Hold





		MetalMech-08500-FR-QX-08-Final Inspection Report-EX													
INSP. No.	FIR-05	Product Name	MIDDLE BODY		Size		M50		Drawing No.		3139002-05	Date:	04-08-2026		
Wo No.	26100048	Total Quantity	400		Lot Quantity		400		Sample Size		3	Variable & Gauging	3PCS		
Sr. No.	Checking Parameter	REQUIRED PARAMETER			OBSERVED RESULTS					REJECTION REWORK DETAIL	REMARK	CHECKED BY			
		PARAMETER	CRITERIA		1	2	3	-	-						
1	Visual	Surface	Fine, Clean		FINE	FINE	FINE	-	-						
		Size wise No of Pcs. With Internal Parts	As per Drg. No. of Parts	15	15	15	-	-							
		Washing & Plating	Surface Finishing	NICKEL	OK	OK	OK	-	-						
		RUBBER MARKING	AS PER DRG.	NA	NA	NA	-	-							
		Marking	WO Ref. No.	NA	NA	NA	-	-							
		Assembly Perfection	As per Drg.	OK	OK	OK	-	-							
		Inner Packing	Labeling & Printing	OK	OK	OK	-	-							
		Outer Packing	Printing & Stamping	OK	OK	OK	-	-							
		All Dimensions Are In MM													
		2	DIMENSION		VALUE	-	+	1	2	3	-	-			
A/F	70.00			69.81	70.00	69.93	69.95	69.94	-	-					
A/C	76.00			75.20	76.80	75.89	75.91	75.90	-	-					
T.L	35.00			34.20	35.80	35.07	35.09	35.06	-	-					
TH.L	18.00			17.50	18.50	18.05	18.04	18.06	-	-					
GR.OD	65.00			64.20	65.80	64.50	64.49	64.48	-	-					
GR.LE	1.00			0.80	1.20	1.01	1.03	1.02	-	-					
H.L	8.00			7.70	8.30	8.05	8.04	8.03	-	-					
O.D	68.00			67.20	68.80	68.04	68.06	68.05	-	-					
O.D.L	9.00			8.50	9.50	9.06	9.05	9.04	-	-					
LD	54.00			53.20	54.80	54.03	54.02	54.01	-	-					
LD	55.00			54.20	55.80	55.07	55.06	55.04	-	-					
LD.LE	5.00			4.70	5.30	5.03	5.05	5.04	-	-					
INT.TH.L	15.50			14.70	16.30	15.56	15.59	15.55	-	-					
GR.ID	60.50			59.70	61.30	60.47	60.46	60.45	-	-					
GR.LE	9.50			9.00	10.00	9.59	9.54	9.56	-	-					
DEPTH	25.00			24.50	25.50	25.15	25.14	25.12	-	-					
THREAD	M67x2 AS PER T.R.G GO NOT GO			OK	OK	OK	-	-							
INT.THREAD	M64x2 AS PER P.G GO NOT GO			OK	OK	OK	-	-							
CH.ANGLE	0.5x45° AS PER PP FOUND			OK	OK	OK	-	-							
CH.ANGLE	2x45° AS PER PP FOUND			OK	OK	OK	-	-							
CH.ANGLE	30° AS PER PP FOUND			OK	OK	OK	-	-							
INSPECTED BY: Jay Hadiyal APPROVED BY: Shreekant															

Conclusion :



Accept



Reject



Hold



INSP. No.		FIR-05		Product Name		BACK NUT		Size		M50		Drawing No.		313003-05		Date:		04-08-2026			
Wo No.		26100048		Total Quantity		400		Lot Quantity		400		Sample Size		3		Variable & Gauging		3PCS			
Sr. No.		Checking Parameter		REQUIRED PARAMETER				OBSERVED RESULTS				REJECTION REWORK DETAIL		REMARK		CHECKED BY					
				PARAMETER		CRITERIA		1		2		3		-		-					
1		Visual		Surface		Fine, Clean		FINE		FINE		FINE		-		-		Measuring Instruments ID No.			
				Sizewise No of Pcs. With Internal Parts		As per Drg. No. of Parts		15		15		15		-		-		(1) DV-55			
				Washing & Plating		Surface Finishing		NICKEL		OK		OK		OK		-		-		(2) PP-01	
				RUBBER MARKING		AS PER DRG.		NA		NA		NA		NA		-		-			
				Marking		WO Ref. No.		NA		NA		NA		NA		-		-		ASM No. :- AEN260728-02/03	
				Assembly Perfection		As per Drg.		OK		OK		OK		OK		-		-			
				Inner Packing		Labeling & Printing		OK		OK		OK		OK		-		-			
				Outer Packing		Printing & Stamping		OK		OK		OK		OK		-		-			
				All Dimensions Are In MM																	
				2		DIMENSION		VALUE		-		+		1		2		3		-	
A/F		70.00						69.81		70.00		69.94		69.93		69.95		-		-	
A/C		76.00						75.20		76.80		75.91		75.94		75.93		-		-	
T.L		25.00						24.50		25.50		25.06		25.09		25.08		-		-	
O.D		69.50						68.70		70.30		69.43		69.45		69.44		-		-	
O.D.L		12.00						11.50		12.50		12.05		12.04		12.05		-		-	
H.L		13.00						12.50		13.50		13.07		13.09		13.06		-		-	
I.D		60.50						59.70		61.30		60.55		60.53		60.55		-		-	
INT.THL		5.00						4.70		5.30		5.03		5.05		5.04		-		-	
GR.ID		67.20						66.40		68.00		67.25		67.23		67.26		-		-	
GR.LE		15.00						14.50		15.50		15.05		15.06		15.04		-		-	
DEPTH		20.00						19.50		20.50		20.04		20.06		20.05		-		-	
GR.ID		65.00						64.20		65.80		65.03		65.05		65.04		-		-	
GR.LE		3.00						2.80		3.20		3.02		3.01		3.03		-		-	
DEPTH		23.00						22.50		23.50		23.03		23.05		23.04		-		-	
INT.THREAD		M67x2 AS PER P.G GO NOT GO						OK		OK		OK		OK		OK		-		-	
CH.ANGLE		0.5x45° AS PER PP FOUND						OK		OK		OK		OK		OK		-		-	
CH.ANGLE		1.5x45° AS PER PP FOUND						OK		OK		OK		OK		OK		-		-	
CH.ANGLE		45° AS PER PP FOUND						OK		OK		OK		OK		OK		-		-	
INSPECTED BY:		Jay Hadiyal						APPROVED BY:				Shreekant									

Conclusion : ☒ Accept ☐ Reject ☐ Hold



		MetalMech-08500-FR-QX-08-Final Inspection Report-EX											
INSP. No.	FIR-05	Product Name	UNIVERSAL CLAMPING CONE		Size		M50		Drawing No.		313005-05	Date:	04-08-2026
Wo No.	26100048	Total Quantity	400		Lot Quantity		400		Sample Size		3	Variable & Gauging	3PCS
Sr. No.	Checking Parameter	REQUIRED PARAMETER			OBSERVED RESULTS					REJECTION REWORK DETAIL	REMARK	CHECKED BY	
		PARAMETER	CRITERIA		1	2	3	-	-				
1	Visual	Surface	Fine, Clean		FINE	FINE	FINE	-	-				
		Sizewise No of Pcs. With Internal Parts	As per Drg. No. of Parts	15	15	15	15	-	-			(1) DV-55	
		Washing & Plating	Surface Finishing	NA	NA	NA	NA	-	-			(2) PP-01	
		RUBBER MARKING	AS PER DRG.	NA	NA	NA	NA	-	-				
		Marking	WO Ref. No.	NA	NA	NA	NA	-	-			ASM No :- AEX260728-02/03	
		Assembly Perfection	As per Drg.		OK	OK	OK	-	-				
		Inner Packing	Labeling & Printing		OK	OK	OK	-	-				
		Outer Packing	Printing & Stamping		OK	OK	OK	-	-				
		All Dimensions Are In MM											
2	DIMENSION		VALUE	-	+	1	2	3	-	-			
		T.L	32.00	31.20	32.80	32.13	32.15	32.14	-	-			
		O.D	49.00	48.20	49.80	48.98	49.00	48.99	-	-			
		O.D.L	6.50	6.20	6.80	6.57	6.56	6.53	-	-			
		O.D	52.80	52.00	53.60	52.77	52.79	52.76	-	-			
		O.D	54.00	53.20	54.80	54.07	54.08	54.09	-	-			
		GR.LE	2.50	2.30	2.70	2.52	2.54	2.55	-	-			
		O.D.L	14.00	13.50	14.50	14.00	13.99	14.01	-	-			
		O.D	57.00	56.20	57.80	57.07	57.06	57.05	-	-			
		O.D.L	4.00	3.70	4.30	4.09	4.06	4.03	-	-			
		O.D	47.00	46.20	47.80	47.09	47.08	47.06	-	-			
		O.D	49.00	48.20	49.80	49.07	49.08	49.07	-	-			
		O.D	50.00	49.20	50.80	50.11	50.15	50.12	-	-			
		O.D	51.50	50.70	52.30	51.55	51.58	51.54	-	-			
		O.D.L	8.50	8.00	9.00	8.58	8.57	8.55	-	-			
		O.D.L	14.00	13.50	14.50	14.11	14.13	14.12	-	-			
		I.D	44.10	43.30	44.90	44.22	44.24	44.23	-	-			
		GROOVE.STEP.LE	0.5 MM AS PER PP FOUND			OK	OK	OK	-	-			
		RADIUS	0.50 MM AS PER PP FOUND			OK	OK	OK	-	-			
		RADIUS	0.3 MM AS PER PP FOUND			OK	OK	OK	-	-			
INSPECTED BY:		Jay Hadiyal			APPROVED BY:				Shreekant				

Conclusion :

☒ Accept
 ☐ Reject
 ☐ Hold





MetalMech-08500-FR-QX-08-Final Inspection Report-EX

INSP. No.	FIR-05	Product Name	REVERSIBLE ARMoured RING		Size		M50		Drawing No.		313004-05	Date:	04-08-2026
Wo No.	26100048	Total Quantity	400		Lot Quantity		400		Sample Size		3	Variable & Gauging	3PCS
Sr. No.	Checking Parameter	REQUIRED PARAMETER				OBSERVED RESULTS					REJECTION REWORK DETAIL	REMARK	CHECKED BY
		PARAMETER	CRITERIA			1	2	3	-	-			
1	Visual	Surface	Fine, Clean			FINE	FINE	FINE	-	-			
		Size wise No of Pcs. With Internal Parts	As per Drg. No. of Parts	15	15	15	15	-	-		Measuring Instruments I.D No-		
		Washing & Plating	Surface Finishing	NA	NA	NA	NA	-	-		(1) DV-55		
		RUBBER MARKING	AS PER DRG.	NA	NA	NA	NA	-	-		(2) PP-01		
		Marking	WO Ref. No.	NA	NA	NA	NA	-	-		ASM No :- AEX260720-02/03		
		Assembly Perfection	As per Drg.			OK	OK	OK	-	-			
		Inner Packing	Labeling & Printing		OK	OK	OK	-	-				
		Outer Packing	Printing & Stamping			OK	OK	OK	-	-			
		All Dimensions Are In MM											
2	DIMENSION		VALUE	-	+	1	2	3	-	-			
		T.L	12.00	11.50	12.50	12.05	12.06	12.04	-	-			
		O.D	59.50	58.70	60.30	59.45	59.48	59.47	-	-			
		I.D	54.50	53.70	55.30	54.53	54.55	54.55	-	-			
		I.D	53.00	52.20	53.80	53.05	53.04	53.06	-	-			
INSPECTED BY:		Jay Hadiyal			APPROVED BY:				Shreekant				

Conclusion :



Accept



Reject



Hold



MetalMech-08500-FR-QX-08-Final Inspection Report-EX

INSP. No.	FIR-05	Product Name	COMPRESSIBLE INNER SEAL		Size		M50		Drawing No.		GI-05	Date:	04-08-2026
Wo No.	26100048	Total Quantity	400		Lot Quantity		400		Sample Size		3	Variable & Gauging	3PCS
Sr. No.	Checking Parameter	REQUIRED PARAMETER				OBSERVED RESULTS					REJECTION REWORK DETAIL	REMARK	CHECKED BY
		PARAMETER	CRITERIA			1	2	3	-	-			
1	Visual	Surface	Fine, Clean			FINE	FINE	FINE	-	-		Measuring Instruments I.D No-	
		Sizewise No of Pcs. With Internal Parts	As per Drg. No. of Parts	15	15	15	15	-	-		(1) DV-55		
		Washing & Plating	Surface Finishing	NA	NA	NA	NA	-	-		(2) PP-01		
		RUBBER MARKING	AS PER DRG.	OK	OK	OK	OK	-	-				
		Marking	WO Ref. No.	NA	NA	NA	NA	-	-		ASM No :- AEX260720-02/03		
		Assembly Perfection	As per Drg.			OK	OK	OK	-	-			
		Inner Packing	Labeling & Printing		OK	OK	OK	-	-				
		Outer Packing	Printing & Stamping			OK	OK	OK	-	-			
		All Dimensions Are In MM											
2	DIMENSION		VALUE	-	+	1	2	3	-	-			
		T.L	15.50	15.00	16.00	15.59	15.55	15.56	-	-			
		O.D.L	5.50	5.20	5.80	5.51	5.53	5.52	-	-			
		O.D	54.50	54.30	54.50	54.41	54.39	54.41	-	-			
		O.D.L	10.00	9.50	10.50	10.02	10.01	10.03	-	-			
		I.D	43.90	43.90	44.10	43.92	43.94	43.95	-	-			
INSPECTED BY:		Jay Hadiyal			APPROVED BY:				Shreekant				

Conclusion :



Accept



Reject



Hold



		MetalMech-08500-FR-QX-08-Final Inspection Report-EX													
INSP. No.	FIR-05	Product Name	O-RING			Size	M50			Drawing No.	OR-5M		Date:	04-08-2026	
Wo No.	26100048	Total Quantity	400			Lot Quantity	400			Sample Size	3		Variable & Gauging	3PCS	
Sr. No.	Checking Parameter	REQUIRED PARAMETER				OBSERVED RESULTS					REJECTION REWORK DETAIL	REMARK	CHECKED BY		
		PARAMETER	CRITERIA			1	2	3	-	-					
1	Visual	Surface	Fine, Clean			FINE	FINE	FINE	-	-					
		Sizewise No of Pcs. With Internal Parts	As per Drg. No. of Parts	15	15	15	15	-	-						
		Washing & Plating	Surface Finishing	NA	NA	NA	NA	-	-						
		RUBBER MARKING	AS PER DRG.	NA	NA	NA	NA	-	-						
		Marking	WO Ref. No.	NA	NA	NA	NA	-	-						
		Assembly Perfection	As per Drg.			OK	OK	OK	-	-					
		Inner Packing	Labeling & Printing		OK	OK	OK	-	-						
		Outer Packing	Printing & Stamping			OK	OK	OK	-	-					
		All Dimensions Are In MM													
2	DIMENSION		VALUE	-	+	1	2	3	-	-					
		THICKNESS	2.50	2.00	2.50	2.08	2.07	2.05	-	-					
		I.D	45.00	44.20	45.80	45.03	45.05	45.04	-	-					
INSPECTED BY:		Jay Hadiyal				APPROVED BY:				Shreekant					

Conclusion :



Accept



Reject



Hold





MetalMech-08500-FR-QX-08-Final Inspection Report-EX

INSP. No.	FIR-05	Product Name	COMPRESSIBLE OUTER SEAL		Size		M50		Drawing No.		GE-05	Date:	04-08-2026	
Wo No.	26100048	Total Quantity	400		Lot Quantity		400		Sample Size		3	Variable & Gauging	3PCS	
Sr. No.	Checking Parameter	REQUIRED PARAMETER				OBSERVED RESULTS				REJECTION REWORK DETAIL	REMARK	CHECKED BY		
		PARAMETER	CRITERIA		1	2	3	-	-					
1	Visual	Surface	Fine, Clean		FINE	FINE	FINE	-	-		Measuring Instruments I.D No-			
		Size wise No of Pcs. With Internal Parts	As per Drg. No. of Parts	15	15	15	15	-	-		(1) DV-55			
		Washing & Plating	Surface Finishing	NA	NA	NA	NA	-	-		(2) PP-01			
		RUBBER MARKING	AS PER DRG.	OK	OK	OK	OK	-	-					
		Marking	WO Ref. No.	NA	NA	NA	NA	-	-		ASM No :- AEX260720-02/03			
		Assembly Perfection	As per Drg.		OK	OK	OK	-	-					
		Inner Packing	Labeling & Printing		OK	OK	OK	-	-					
		Outer Packing	Printing & Stamping		OK	OK	OK	-	-					
All Dimensions Are In MM														
2	DIMENSION		VALUE	-	+	1	2	3	-	-				
		T.L	15.00	14.50	15.50	15.05	15.03	15.06	-	-				
		O.D	67.20	67.00	67.20	67.12	67.14	67.13	-	-				
		GR.LENGTH	5.50	5.20	5.80	5.52	5.51	5.55	-	-				
		I.D	53.00	52.90	53.10	52.98	52.97	52.95	-	-				
INSPECTED BY:		Jay Hadiyal				APPROVED BY:				Shreekant				

Conclusion :



Accept



Reject



Hold



		MetalMech-08500-FR-QX-08-Final Inspection Report-EX											
INSP. No.	FIR-05	Product Name	INNER SKID WASHER		Size		M50		Drawing No.		IW-05	Date:	04-08-2026
Wo No.	26100048	Total Quantity	400		Lot Quantity		400		Sample Size		3	Variable & Gauging	3PCS
Sr. No.	Checking Parameter	REQUIRED PARAMETER				OBSERVED RESULTS					REJECTION REWORK DETAIL	REMARK	CHECKED BY
		PARAMETER	CRITERIA			1	2	3	-	-			
1	Visual	Surface	Fine, Clean			FINE	FINE	FINE	-	-			
		Sizewise No of Pcs. With Internal Parts	As per Drg. No. of Parts	15	15	15	15	-	-				
		Washing & Plating	Surface Finishing	NA	NA	NA	NA	-	-				
		RUBBER MARKING	AS PER DRG.	NA	NA	NA	NA	-	-				
		Marking	WO Ref. No.	NA	NA	NA	NA	-	-				
		Assembly Perfection	As per Drg.			OK	OK	OK	-	-			
		Inner Packing	Labeling & Printing		OK	OK	OK	-	-				
		Outer Packing	Printing & Stamping			OK	OK	OK	-	-			
		All Dimensions Are In MM											
2	DIMENSION		VALUE	-	+	1	2	3	-	-			
		T.L	5.50	5.20	5.80	5.46	5.49	5.48	-	-			
		O.D	53.00	52.80	53.00	52.92	52.90	52.92	-	-			
		O.D	48.50	48.30	48.50	48.40	48.39	48.41	-	-			
		O.D.L	3.50	3.50	3.70	3.47	3.49	3.48	-	-			
		I.D	44.00	44.00	44.20	44.05	44.03	44.06	-	-			
INSPECTED BY:		Jay Hadiyal			APPROVED BY:				Shreekant				

Conclusion :

☒

Accept

☐

Reject

☐

Hold



		MetalMech-08500-FR-QX-08-Final Inspection Report-EX											
INSP. No.	FIR-05	Product Name	OUTER SKID WASHER			Size	M50			Drawing No.	OW-05	Date:	04-08-2026
Wo No.	26100048	Total Quantity	400			Lot Quantity	400			Sample Size	3	Variable & Gauging	3PCS
Sr. No.	Checking Parameter	REQUIRED PARAMETER				OBSERVED RESULTS					REJECTION REWORK DETAIL	REMARK	CHECKED BY
		PARAMETER	CRITERIA			1	2	3	-	-			
1	Visual	Surface	Fine, Clean			FINE	FINE	FINE	-	-			
		Sizewise No of Pcs. With Internal Parts	As per Drg. No. of Parts	15	15	15	15	-	-				
		Washing & Plating	Surface Finishing	NA	NA	NA	NA	-	-				
		RUBBER MARKING	AS PER DRG.	NA	NA	NA	NA	-	-				
		Marking	WO Ref. No.	NA	NA	NA	NA	-	-				
		Assembly Perfection	As per Drg.			OK	OK	OK	-	-			
		Inner Packing	Labeling & Printing		OK	OK	OK	-	-				
		Outer Packing	Printing & Stamping			OK	OK	OK	-	-			
		All Dimensions Are In MM											
2	DIMENSION		VALUE	-	+	1	2	3	-	-			
		T.L	6.50	6.20	6.80	6.52	6.54	6.53	-	-			
		O.D	64.00	64.00	64.10	64.01	64.03	64.02	-	-			
		O.D	59.50	59.30	59.50	59.41	59.40	59.42	-	-			
		O.D.L	4.00	4.00	4.10	4.02	4.01	4.03	-	-			
		I.D	53.00	53.00	53.20	53.05	53.06	53.04	-	-			
INSPECTED BY:		Jay Hadiyal			APPROVED BY:				Shreekant				

Conclusion :



Accept



Reject



Hold



		MetalMech-08500-FR-QX-08-Final Inspection Report-EX												
INSP. No.	FIR-05	Product Name	EARTH TAG			Size		M50		Drawing No.		-	Date:	04-08-2026
Wo No.	26100048	Total Quantity	400			Lot Quantity		400		Sample Size		3	Variable & Gauging	3PCS
Sr. No.	Checking Parameter	REQUIRED PARAMETER				OBSERVED RESULTS					REJECTION REWORK DETAIL	REMARK	CHECKED BY	
		PARAMETER	CRITERIA			1	2	3	-	-				
1	Visual	Surface	Fine, Clean			FINE	FINE	FINE	-	-				
		Sizewise No of Pcs. With Internal Parts	As per Drg. No. of Parts	15	15	15	15	-	-					
		Washing & Plating	Surface Finishing	NA	NA	NA	NA	-	-					
		RUBBER MARKING	AS PER DRG.	NA	NA	NA	NA	-	-					
		Marking	WO Ref. No.	NA	NA	NA	NA	-	-					
		Assembly Perfection	As per Drg.			OK	OK	OK	-	-				
		Inner Packing	Labeling & Printing		OK	OK	OK	-	-					
		Outer Packing	Printing & Stamping			OK	OK	OK	-	-				
		All Dimensions Are In MM												
2	DIMENSION		VALUE	-	+	1	2	3	-	-				
		THICKNESS	1.00	0.80	1.20	1.01	1.03	1.02	-	-				
		O.D	64.50	63.70	65.30	64.45	64.42	64.43	-	-				
		O.D	16.00	15.50	16.50	16.19	16.22	16.21	-	-				
		I.D	51.00	50.20	51.80	51.03	51.05	51.04	-	-				
		I.D	7.00	6.70	7.30	7.04	7.06	7.07	-	-				
INSPECTED BY:		Jay Hadiyal			APPROVED BY:				Shreekant					

Conclusion :



Accept



Reject



Hold



 THE SAFEST CONNECTIONS		MetalMech-08500-FR-QX-08-Final Inspection Report-EX												
INSP. No.	FIR-05	Product Name	SHROUD			Size	C-7300			Drawing No.	-		Date:	04-08-2026
Wo No.	26100048	Total Quantity	400			Lot Quantity	400			Sample Size	3		Variable & Gauging	3PCS
Sr. No.	Checking Parameter	REQUIRED PARAMETER				OBSERVED RESULTS					REJECTION REWORK DETAIL	REMARK	CHECKED BY	
		PARAMETER	CRITERIA			1	2	3	-	-				
1	Visual	Surface	Fine, Clean			FINE	FINE	FINE	-	-		Measuring Instruments I.D No-		
		Sizewise No of Pcs. With Internal Parts	As per Drg. No. of Parts	15	15	15	15	-	-		(1) DV-55			
		Washing & Plating	Surface Finishing	NA	NA	NA	NA	-	-		(2) PP-01			
		RUBBER MARKING	AS PER DRG.	NA	NA	NA	NA	-	-					
		Marking	WO Ref. No.	NA	NA	NA	NA	-	-		ASM No :- AEX260720-02/03			
		Assembly Perfection	As per Drg.			OK	OK	OK	-	-				
		Inner Packing	Labeling & Printing		OK	OK	OK	-	-					
		Outer Packing	Printing & Stamping			OK	OK	OK	-	-				
		All Dimensions Are In MM												
2	DIMENSION		VALUE	-	+	1	2	3	-	-				
		T.L	175.00	174.20	175.80	175.25	175.22	175.23	-	-				
		I.D	73.00	72.20	73.80	73.06	73.09	73.08	-	-				
INSPECTED BY:		Jay Hadiyal				APPROVED BY:				Shreekant				

Conclusion :



Accept



Reject



Hold



		MetalMech-08500-FR-QX-08-Final Inspection Report-EX											
INSP. No.	FIR-05	Product Name	NYLON WASHER			Size	M50			Drawing No.	-		
Wo No.	26100048	Total Quantity	400			Lot Quantity	400			Sample Size	3		
Sr. No.	Checking Parameter	REQUIRED PARAMETER				OBSERVED RESULTS					REJECTION REWORK DETAIL	REMARK	CHECKED BY
		PARAMETER	CRITERIA			1	2	3	-	-			
1	Visual	Surface	Fine, Clean			FINE	FINE	FINE	-	-		Measuring Instruments I.D No-	
		Sizewise No of Pcs. With Internal Parts	As per Drg. No. of Parts	15	15	15	15	-	-		(1) DV-55		
		Washing & Plating	Surface Finishing	NA	NA	NA	NA	-	-		(2) PP-01		
		RUBBER MARKING	AS PER DRG.	NA	NA	NA	NA	-	-				
		Marking	WO Ref. No.	NA	NA	NA	NA	-	-		ASM No :- AEX260720-02/03		
		Assembly Perfection	As per Drg.			OK	OK	OK	-	-			
		Inner Packing	Labeling & Printing		OK	OK	OK	-	-				
		Outer Packing	Printing & Stamping			OK	OK	OK	-	-			
		All Dimensions Are In MM											
2	DIMENSION		VALUE	-	+	1	2	3	-	-			
		THICKNESS	1.50	1.30	1.70	1.50	1.49	1.49	-	-			
		I.D	51.00	50.20	51.80	50.99	51.00	50.98	-	-			
INSPECTED BY:		Jay Hadiyal				APPROVED BY:				Shreekant			

Conclusion :

☒

Accept

☐

Reject

☐

Hold

