



MetalMech-08500-FR-QX-08-Final Inspection Report-EX

INSP. No.	FIR-07	Product Name	LOCK NUT		Size	M40		Drawing No.	DL4M	Date:	29-09-2026	
Wo No.	26100082	Total Quantity	100		Lot Quantity	100		Sample Size-	3	Variable & Gauging	3PCS	
Sr. No.	Checking Parameter	REQUIRED PARAMETER				OBSERVED RESULTS				REJECTION REWORK DETAIL	REMARK	CHECKED BY
		PARAMETER	CRITERIA		1	2	3	-	-			
1	Visual	Surface	Fine, Clean		FINE	FINE	FINE	-	-		Measuring Instruments I.D No-	
		Sizewise No of Pcs. With Internal Parts	As per Drg. No. of Parts	12	12	12	12	-	-		(1) DV-55	
		Washing & Plating	Surface Finishing	NICKEL	OK	OK	OK	-	-		(2) PP-01	
		RUBBER MARKING	AS PER DRG.	NA	NA	NA	NA	-	-			
		Marking	WO Ref. No.	NA	NA	NA	NA	-	-		ASM No :- AEX260919-09	
		Assembly Perfection	As per Drg.		OK	OK	OK	-	-			
		Inner Packing	Labeling & Printing		OK	OK	OK	-	-			
		Outer Packing	Printing & Stamping		OK	OK	OK	-	-			
		All Dimensions Are In MM										
2	DIMENSION		VALUE	-	+	1	2	3	-	-		
		A/F	46.00	45.84	46.00	45.95	45.93	45.94	-	-		
		A/C	50.00	49.20	50.80	50.01	50.00	50.01	-	-		
		T.L	5.00	4.70	5.30	4.96	4.95	4.96	-	-		
		THREAD	M40x1.5 AS PER P.G GO NOT GO			OK	OK	OK	-	-		
		CH.ANGLE	30° AS PER PP FOUND			OK	OK	OK	-	-		
INSPECTED BY:		Jay Hadiyal			APPROVED BY:			Shreekant				

Conclusion :



Accept



Reject



Hold



INSP. No.		Product Name		ENTRY COMPONENT		Size		M40		Drawing No.		313001M-04		Date:		29-09-2026			
Wo No.		Total Quantity		100		Lot Quantity		100		Sample Size-		3		Variable & Gauging		3PCS			
Sr. No.		Checking Parameter		REQUIRED PARAMETER				OBSERVED RESULTS				REJECTION REWORK DETAIL		REMARK		CHECKED BY			
		PARAMETER		CRITERIA		1		2		3		-		-					
1	Visual	Surface		Fine, Clean		FINE		FINE		FINE		-		-		Measuring Instruments ID No-			
		Sizewise No of Pcs. With Internal Parts		As per Drg. No. of Parts		12		12		12		-		-		(1) DV-55			
		Washing & Plating		NICKEL		OK		OK		OK		-		-		(2) PP-01			
		RUBBER MARKING		AS PER DRG.		NA		NA		NA		-		-					
		Marking		WO Ref. No.		Metalmech Logo MM-EX- E1FUNV404MB2 2026 CE Logo 2460 Ex Logo II 2 GD Ex db IIC		OK		OK		OK		-		-		ASM No > AEX260919-09	
		Assembly Perfection		As per Drg.		OK		OK		OK		-		-					
		Inner Packing		Labeling & Printing		OK		OK		OK		-		-					
		Outer Packing		Printing & Stamping		OK		OK		OK		-		-					
		All Dimensions Are In MM																	
		2	DIMENSION	VALUE		-		+		1		2		3		-		-	
A/F				50.00		49.81		50.00		49.97		49.96		49.93		-		-	
A/C				55.00		54.20		55.80		54.83		54.85		54.86		-		-	
T.L				37.00		37.00		37.50		37.11		37.13		37.12		-		-	
TH.L				13.00		12.50		13.50		13.09		13.07		13.08		-		-	
LENGTH				17.00		17.00		17.50		17.07		17.06		17.05		-		-	
GR.OD				38.00		37.20		38.80		37.99		37.97		37.95		-		-	
GR.LE				2.50		2.30		2.70		2.55		2.54		2.53		-		-	
O.D				49.00		48.20		49.80		48.97		48.97		48.99		-		-	
O.D.L				11.00		10.50		11.50		11.01		11.00		11.01		-		-	
H.L				9.00		8.50		9.50		9.05		9.04		9.04		-		-	
I.D				32.50		31.70		33.30		32.52		32.51		32.53		-		-	
INT.TH.L				15.00		14.50		15.50		15.08		15.07		15.05		-		-	
THREAD				M40x1.5 AS PER T.R.G GO NOT GO		OK		OK		OK		-		-					
INT.THREAD				M45x1.5 AS PER P.G GO NOT GO		OK		OK		OK		-		-					
CH.ANGLE				1.5x45° AS PER PP FOUND		OK		OK		OK		-		-					
CH.ANGLE				0.5x45° AS PER PP FOUND		OK		OK		OK		-		-					
CH.ANGLE				20° AS PER PP FOUND		OK		OK		OK		-		-					
ANGLE				90° AS PER PP FOUND		OK		OK		OK		-		-					
INSPECTED BY: Jay Hadiyal APPROVED BY: Shreekant																			

Conclusion : ☒ Accept ☐ Reject ☐ Hold





MetalMech-08500-FR-QX-08-Final Inspection Report-EX

INSP. No.	FIR-07	Product Name	INTERMEDIATE BODY		Size	M40		Drawing No.	313002U-04	Date:	29-09-2026		
Wo No.	26100082	Total Quantity	100		Lot Quantity	100		Sample Size-	3	Variable & Gauging	3PCS		
Sr. No.	Checking Parameter	REQUIRED PARAMETER				OBSERVED RESULTS				REJECTION REWORK DETAIL	REMARK	CHECKED BY	
		PARAMETER	CRITERIA			1	2	3	-				-
1	Visual	Surface	Fine, Clean			FINE	FINE	FINE	-	-			
		Size/wise No of Pcs. With Internal Parts	As per Drg. No. of Parts	12		12	12	12	-	-		Measuring Instruments ID No. (1) DV-55	
		Washing & Plating	Surface Finishing	NICKEL		OK	OK	OK	-	-		(2) PP-01	
		RUBBER MARKING	AS PER DRG.	NA		NA	NA	NA	-	-			
		Marking	WO Ref. No.	NA		NA	NA	NA	-	-		ASM No :- AEX260919-09	
		Assembly Perfection	As per Drg.			OK	OK	OK	-	-			
		Inner Packing	Labeling & Printing			OK	OK	OK	-	-			
		Outer Packing	Printing & Stamping			OK	OK	OK	-	-			
		All Dimensions Are In MM											
2	DIMENSION		VALUE	-	+	1	2	3	-	-			
		A/F	50.00	49.81	50.00	49.91	49.90	49.92	-	-			
		A/C	55.00	54.20	55.80	54.73	54.72	54.76	-	-			
		T.L	29.00	28.50	29.50	29.11	29.10	29.12	-	-			
		TH.L	13.50	13.00	14.00	13.52	13.51	13.53	-	-			
		GR.OD	43.00	42.20	43.80	43.03	43.05	43.06	-	-			
		GR.LE	1.00	0.80	1.20	1.01	1.02	1.02	-	-			
		H.L	6.00	5.70	6.30	6.11	6.13	6.12	-	-			
		TH.L	9.50	9.00	10.00	9.45	9.44	9.45	-	-			
		GR.OD	46.00	45.20	46.80	45.97	45.99	45.98	-	-			
		GR.LE	1.00	0.80	1.20	1.02	1.01	1.03	-	-			
		LD	40.00	39.20	40.80	40.04	40.03	40.05	-	-			
		LD	42.50	41.70	43.30	42.51	42.50	42.53	-	-			
		DEPTH	8.00	7.70	8.30	8.08	8.07	8.06	-	-			
		THREAD	M45x1.5 AS PER T.R.G GO NOT GO			OK	OK	OK	-	-			
		THREAD	M48x1.5 AS PER T.R.G GO NOT GO			OK	OK	OK	-	-			
		CH.ANGLE	1x45° AS PER PP FOUND			OK	OK	OK	-	-			
		CH.ANGLE	20° AS PER PP FOUND			OK	OK	OK	-	-			
		CH.ANGLE	0.5x45° AS PER PP FOUND			OK	OK	OK	-	-			
INSPECTED BY:		Jay Hadiyal			APPROVED BY:				Shreekant				

Conclusion :

☒ Accept

☐ Reject

☐ Hold





MetalMech-08500-FR-QX-08-Final Inspection Report-EX

INSP. No.	FIR-07	Product Name	MIDDLE BODY	Size	M40	Drawing No.	313002-04	Date:	29-09-2026			
Wo No.	26100082	Total Quantity	100	Lot Quantity	100	Sample Size-	3	Variable & Gauging	3PCS			
Sr. No.	Checking Parameter	REQUIRED PARAMETER			OBSERVED RESULTS				REJECTION REWORK DETAIL	REMARK	CHECKED BY	
		PARAMETER	CRITERIA	1	2	3	-	-				
		Surface	Fine, Clean	FINE	FINE	FINE	-	-		Measuring Instrument 102-30-		
		Size wise No of Pcs. With Internal Parts	As per Drg. No. of Parts	12	12	12	-	-		(1) DV-55		
		Washing & Plating	Surface Finishing	NICKEL	OK	OK	OK	-	-	(2) PP-01		
		RUBBER MARKING	AS PER DRG.	NA	NA	NA	NA	-	-			
		Marking	WO Ref. No.	NA	NA	NA	NA	-	-	ASM No :- AEX260919-09		
		Assembly Perfection	As per Drg.	OK	OK	OK	-	-				
		Inner Packing	Labeling & Printing	OK	OK	OK	-	-				
		Outer Packing	Printing & Stamping	OK	OK	OK	-	-				
		All Dimensions Are In MM										
			VALUE	-	+	1	2	3	-	-		
		A/F	55.00	54.81	55.00	54.96	54.95	54.94	-	-		
		A/C	60.00	59.20	60.80	60.00	59.99	60.01	-	-		
		T.L	32.00	31.20	32.80	32.13	32.15	32.14	-	-		
		TH.L	15.00	14.50	15.50	15.02	15.01	15.04	-	-		
		GR.OD	50.00	49.20	50.80	50.06	50.05	50.05	-	-		
		GR.LE	1.00	0.80	1.20	1.00	0.99	1.00	-	-		
		H.L	9.00	8.50	9.50	9.05	9.07	9.08	-	-		
		O.D	53.00	52.20	53.80	53.06	53.05	53.04	-	-		
		O.D.L	8.00	7.70	8.30	8.00	7.99	8.01	-	-		
		LD	40.50	39.70	41.30	40.55	40.54	40.53	-	-		
		LD	41.50	40.70	42.30	41.53	41.55	41.56	-	-		
		LD.LE	5.00	4.70	5.30	5.02	5.00	5.01	-	-		
		INT.TH.L	11.50	11.00	12.00	11.49	11.51	11.53	-	-		
		GR.ID	46.00	45.20	46.80	45.98	46.00	45.99	-	-		
		GR.LE	7.00	6.70	7.30	7.01	7.03	7.04	-	-		
		DEPTH	18.50	18.00	19.00	18.45	18.44	18.46	-	-		
		THREAD	M48x1.5 AS PER T.R.G GO NOT GO			OK	OK	OK	-	-		
		INT.THREAD	M52x1.5 AS PER P.G GO NOT GO			OK	OK	OK	-	-		
		CH.ANGLE	1x45° AS PER PP FOUND			OK	OK	OK	-	-		
		CH.ANGLE	30° AS PER PP FOUND			OK	OK	OK	-	-		
INSPECTED BY:		Jay Hadiyal			APPROVED BY:				Shreekant			

Conclusion :



Accept



Reject



Hold



		MetalMech-08500-FR-QX-08-Final Inspection Report-EX												
INSP. No.	FIR-07	Product Name	BACK NUT			Size		M40		Drawing No.		313003-04	Date:	29-09-2026
Wo No.	26100082	Total Quantity	100			Lot Quantity		100		Sample Size-		3	Variable & Gauging	3PCS
Sr. No.	Checking Parameter	REQUIRED PARAMETER				OBSERVED RESULTS					REJECTION REWORK DETAIL	REMARK	CHECKED BY	
		PARAMETER	CRITERIA			1	2	3	-	-				
1	Visual	Surface	Fine, Clean			FINE	FINE	FINE	-	-				
		Sizewise No of Pcs. With Internal Parts	As per Drg. No. of Parts	12	12	12	12	12	-	-				
		Washing & Plating	Surface Finishing	NICKEL	OK	OK	OK	-	-					
		RUBBER MARKING	AS PER DRG.	NA	NA	NA	NA	-	-					
		Marking	WO Ref. No.	NA	NA	NA	NA	-	-					
		Assembly Perfection	As per Drg.			OK	OK	OK	-	-				
		Inner Packing	Labeling & Printing		OK	OK	OK	-	-					
		Outer Packing	Printing & Stamping			OK	OK	OK	-	-				
		All Dimensions Are In MM												
2	DIMENSION		VALUE	-	+	1	2	3	-	-				
		A/F	55.00	54.81	55.00	54.97	54.96	54.94	-	-				
		A/C	60.00	59.20	60.80	59.90	59.89	59.91	-	-				
		T.L	23.00	22.50	23.50	23.07	23.06	23.05	-	-				
		O.D	54.50	53.70	55.30	54.45	54.47	54.46	-	-				
		O.D.L	10.00	9.50	10.50	10.02	10.01	10.03	-	-				
		H.L	13.00	12.50	13.50	13.06	13.05	13.04	-	-				
		LD	45.50	44.70	46.30	45.55	45.54	45.53	-	-				
		INT.THL	4.00	3.70	4.30	4.02	4.01	4.05	-	-				
		GR.ID	52.20	51.40	53.00	52.25	52.23	52.26	-	-				
		GR.LE	14.50	14.00	15.00	14.55	14.54	14.53	-	-				
		DEPTH	18.50	18.00	19.00	18.52	18.54	18.55	-	-				
		GR.ID	50.50	49.70	51.30	50.51	50.53	50.52	-	-				
		GR.LE	2.50	2.30	2.70	2.52	2.54	2.54	-	-				
		DEPTH	21.00	20.50	21.50	20.99	20.98	20.95	-	-				
		INT.THREAD	M52x1.5 AS PER P.G GO NOT GO			OK	OK	OK	-	-				
		CH.ANGLE	0.5x45° AS PER PP FOUND			OK	OK	OK	-	-				
		CH.ANGLE	1x45° AS PER PP FOUND			OK	OK	OK	-	-				
		CH.ANGLE	45° AS PER PP FOUND			OK	OK	OK	-	-				
		INSPECTED BY:		Jay Hadiyal				APPROVED BY:				Shreekant		

Conclusion :

☒ Accept

☐ Reject

☐ Hold



		MetalMech-08500-FR-QX-08-Final Inspection Report-EX													
INSP. No.	FIR-07	Product Name	UNIVERSAL CLAMPING CONE		Size		M40		Drawing No.		313005-04	Date:	29-09-2026		
Wo No.	26100082	Total Quantity	100		Lot Quantity		100		Sample Size-		3	Variable & Gauging	3PCS		
Sr. No.	Checking Parameter	REQUIRED PARAMETER			OBSERVED RESULTS					REJECTION REWORK DETAIL	REMARK	CHECKED BY			
		PARAMETER	CRITERIA		1	2	3	-	-						
1	Visual	Surface	Fine, Clean		FINE	FINE	FINE	-	-						
		Sizewise No of Pcs. With Internal Parts	As per Drg. No. of Parts	12	12	12	12	-	-						
		Washing & Plating	Surface Finishing	NICKEL	OK	OK	OK	-	-						
		RUBBER MARKING	AS PER DRG.	NA	NA	NA	NA	-	-						
		Marking	WO Ref. No.	NA	NA	NA	NA	-	-						
		Assembly Perfection	As per Drg.		OK	OK	OK	-	-						
		Inner Packing	Labeling & Printing		OK	OK	OK	-	-						
		Outer Packing	Printing & Stamping		OK	OK	OK	-	-						
		All Dimensions Are In MM													
		2	DIMENSION		VALUE	-	+	1	2	3	-	-			
T.L	30.00			29.50	30.50	30.12	30.11	30.12	-	-					
O.D	36.00			35.20	36.80	35.98	36.00	35.99	-	-					
O.D.L	5.50			5.20	5.80	5.58	5.57	5.54	-	-					
O.D	38.50			37.70	39.30	38.55	38.54	38.53	-	-					
O.D.L	2.50			2.30	2.70	2.59	2.58	2.54	-	-					
GR.LENGTH	0.50			0.30	0.70	0.50	0.49	0.50	-	-					
O.D	39.80			39.00	40.60	39.80	39.77	39.76	-	-					
O.D.L	11.00			10.50	11.50	11.01	11.03	11.02	-	-					
O.D	42.00			41.20	42.80	41.96	41.98	41.95	-	-					
O.D.L	8.00			7.70	8.30	8.04	8.06	8.08	-	-					
O.D	34.50			33.70	35.30	34.55	34.57	34.56	-	-					
O.D.L	6.50			6.20	6.80	6.45	6.48	6.47	-	-					
O.D	36.00			35.20	36.80	35.99	36.00	35.99	-	-					
O.D	36.50			35.70	37.30	36.52	36.51	36.56	-	-					
O.D	37.50			36.70	38.30	37.56	37.55	37.54	-	-					
O.D.L	11.00			10.70	11.30	11.03	11.02	11.04	-	-					
I.D	32.50			31.70	33.30	32.55	32.58	32.56	-	-					
RADIUS	0.50 MM AS PER PP FOUND			OK	OK	OK	-	-							
RADIUS	0.3 MM AS PER PP FOUND			OK	OK	OK	-	-							
INSPECTED BY: Jay Hadiyal APPROVED BY: Shreekant															

Conclusion :

☒ Accept
 ☐ Reject
 ☐ Hold





MetalMech-08500-FR-QX-08-Final Inspection Report-EX

INSP. No.	FIR-07	Product Name	REVERSIBLE ARMoured RING		Size		M40		Drawing No.		313004-04	Date:	29-09-2026
Wo No.	26100082	Total Quantity	100		Lot Quantity		100		Sample Size-		3	Variable & Gauging	3PCS
Sr. No.	Checking Parameter	REQUIRED PARAMETER				OBSERVED RESULTS				REJECTION REWORK DETAIL	REMARK	CHECKED BY	
		PARAMETER	CRITERIA		1	2	3	-	-				
1	Visual	Surface	Fine, Clean		FINE	FINE	FINE	-	-		Measuring Instruments I.D No-		
		Sizewise No of Pcs. With Internal Parts	As per Drg. No. of Parts	12	12	12	12	-	-		(1) DV-55		
		Washing & Plating	Surface Finishing	NICKEL	OK	OK	OK	-	-		(2) PP-01		
		RUBBER MARKING	AS PER DRG.	NA	NA	NA	NA	-	-				
		Marking	WO Ref. No.	NA	NA	NA	NA	-	-		ASM No :- AEX260919-09		
		Assembly Perfection	As per Drg.		OK	OK	OK	-	-				
		Inner Packing	Labeling & Printing		OK	OK	OK	-	-				
		Outer Packing	Printing & Stamping		OK	OK	OK	-	-				
		All Dimensions Are In MM											
2	DIMENSION		VALUE	-	+	1	2	3	-	-			
		T.L	9.00	8.50	9.50	9.09	9.08	9.05	-	-			
		O.D	44.00	43.20	44.80	44.03	44.05	44.06	-	-			
		I.D	39.50	38.70	40.30	39.55	39.54	39.53	-	-			
		I.D	40.30	39.50	41.10	40.33	40.38	40.39	-	-			
INSPECTED BY:		Jay Hadiyal			APPROVED BY:				Shreekant				

Conclusion : ☒ Accept ☐ Reject ☐ Hold





MetalMech-08500-FR-QX-08-Final Inspection Report-EX

INSP. No.	FIR-07	Product Name	COMPRESSIBLE INNER SEAL		Size		M40		Drawing No.		GI-04	Date:	29-09-2026
Wo No.	26100082	Total Quantity	100		Lot Quantity		100		Sample Size-		3	Variable & Gauging	3PCS
Sr. No.	Checking Parameter	REQUIRED PARAMETER				OBSERVED RESULTS					REJECTION REWORK DETAIL	REMARK	CHECKED BY
		PARAMETER	CRITERIA			1	2	3	-	-			
1	Visual	Surface	Fine, Clean			FINE	FINE	FINE	-	-			
		Sizewise No of Pcs. With Internal Parts	As per Drg. No. of Parts	12	12	12	12	-	-		Measuring Instruments I.D No-		
		Washing & Plating	Surface Finishing	NA	NA	NA	NA	-	-		(1) DV-55		
		RUBBER MARKING	AS PER DRG.	OK	OK	OK	OK	-	-		(2) PP-01		
		Marking	WO Ref. No.	NA	NA	NA	NA	-	-		ASM No :- AEX260919-09		
		Assembly Perfection	As per Drg.			OK	OK	OK	-	-			
		Inner Packing	Labeling & Printing		OK	OK	OK	-	-				
		Outer Packing	Printing & Stamping			OK	OK	OK	-	-			
		All Dimensions Are In MM											
2	DIMENSION		VALUE	-	+	1	2	3	-	-			
		T.L	15.50	15.00	16.00	15.49	15.50	15.48	-	-			
		O.D.L	6.00	5.70	6.30	6.02	5.99	6.01	-	-			
		O.D	43.50	43.30	43.50	43.39	43.41	43.42	-	-			
		O.D.L	9.50	9.00	10.00	9.55	9.54	9.53	-	-			
		I.D	32.10	32.10	32.30	32.15	32.12	32.13	-	-			
INSPECTED BY:		Jay Hadiyal			APPROVED BY:				Shreekant				

Conclusion :



Accept



Reject



Hold





MetalMech-08500-FR-QX-08-Final Inspection Report-EX

INSP. No.	FIR-07	Product Name	O-RING	Size	M40	Drawing No.	OR-4M	Date:	29-09-2026				
Wo No.	26100082	Total Quantity	100	Lot Quantity	100	Sample Size-	3	Variable & Gauging	3PCS				
Sr. No.	Checking Parameter	REQUIRED PARAMETER			OBSERVED RESULTS					REJECTION REWORK DETAIL	REMARK	CHECKED BY	
		PARAMETER	CRITERIA		1	2	3	-	-				
1	Visual	Surface	Fine, Clean		FINE	FINE	FINE	-	-		Measuring Instruments I.D No-		
		Sizewise No of Pcs. With Internal Parts	As per Drg. No. of Parts	12	12	12	12	-	-		(1) DV-55		
		Washing & Plating	Surface Finishing	NA	NA	NA	NA	-	-		(2) PP-01		
		RUBBER MARKING	AS PER DRG.	NA	NA	NA	NA	-	-				
		Marking	WO Ref. No.	NA	NA	NA	NA	-	-		ASM No :- AEX260919-09		
		Assembly Perfection	As per Drg.		OK	OK	OK	-	-				
		Inner Packing	Labeling & Printing		OK	OK	OK	-	-				
		Outer Packing	Printing & Stamping		OK	OK	OK	-	-				
		All Dimensions Are In MM											
2	DIMENSION		VALUE	-	+	1	2	3	-	-			
		THICKNESS	2.50	2.00	2.50	2.26	2.30	2.26	-	-			
		I.D	30.00	29.50	30.50	30.03	30.06	30.08	-	-			
INSPECTED BY:		Jay Hadiyal			APPROVED BY:				Shreekant				

Conclusion : ☒ Accept ☐ Reject ☐ Hold



MetalMech-08500-FR-QX-08-Final Inspection Report-EX

INSP. No.	FIR-07	Product Name	COMPRESSIBLE OUTER SEAL		Size		M40		Drawing No.		GE-04	Date:	29-09-2026
Wo No.	26100082	Total Quantity	100		Lot Quantity		100		Sample Size-		3	Variable & Gauging	3PCS
Sr. No.	Checking Parameter	REQUIRED PARAMETER				OBSERVED RESULTS					REJECTION REWORK DETAIL	REMARK	CHECKED BY
		PARAMETER	CRITERIA			1	2	3	-	-			
1	Visual	Surface	Fine, Clean			FINE	FINE	FINE	-	-		Measuring Instruments I.D No-	
		Sizewise No of Pcs. With Internal Parts	As per Drg. No. of Parts	12	12	12	12	-	-		(1) DV-55		
		Washing & Plating	Surface Finishing	NA	NA	NA	NA	-	-		(2) PP-01		
		RUBBER MARKING	AS PER DRG.	OK	OK	OK	OK	-	-				
		Marking	WO Ref. No.	NA	NA	NA	NA	-	-		ASM No :- AEX260919-09		
		Assembly Perfection	As per Drg.		OK	OK	OK	-	-				
		Inner Packing	Labeling & Printing		OK	OK	OK	-	-				
		Outer Packing	Printing & Stamping			OK	OK	OK	-	-			
		All Dimensions Are In MM											
2	DIMENSION		VALUE	-	+	1	2	3	-	-			
		T.L	15.00	14.50	15.50	15.03	15.02	15.05	-	-			
		O.D	52.20	52.00	52.20	52.01	52.00	52.02	-	-			
		GR.LENGTH	5.00	4.70	5.30	5.02	5.03	5.04	-	-			
		I.D	40.00	39.90	40.10	40.04	40.05	40.06	-	-			
INSPECTED BY:		Jay Hadiyal			APPROVED BY:				Shreekant				

Conclusion :



Accept



Reject



Hold



MetalMech-08500-FR-QX-08-Final Inspection Report-EX

INSP. No.	FIR-07	Product Name	INNER SKID WASHER		Size		M40		Drawing No.		IW-04	Date:	29-09-2026
Wo No.	26100082	Total Quantity	100		Lot Quantity		100		Sample Size-		3	Variable & Gauging	3PCS
Sr. No.	Checking Parameter	REQUIRED PARAMETER				OBSERVED RESULTS					REJECTION REWORK DETAIL	REMARK	CHECKED BY
		PARAMETER	CRITERIA			1	2	3	-	-			
1	Visual	Surface	Fine, Clean			FINE	FINE	FINE	-	-		Measuring Instruments I.D No-	
		Sizewise No of Pcs. With Internal Parts	As per Drg. No. of Parts	12	12	12	12	-	-		(1) DV-55		
		Washing & Plating	Surface Finishing	NA	NA	NA	NA	-	-		(2) PP-01		
		RUBBER MARKING	AS PER DRG.	OK	OK	OK	OK	-	-				
		Marking	WO Ref. No.	NA	NA	NA	NA	-	-		ASM No :- AEX260919-09		
		Assembly Perfection	As per Drg.			OK	OK	OK	-	-			
		Inner Packing	Labeling & Printing		OK	OK	OK	-	-				
		Outer Packing	Printing & Stamping			OK	OK	OK	-	-			
		All Dimensions Are In MM											
2	DIMENSION		VALUE	-	+	1	2	3	-	-			
		T.L	5.00	4.70	5.30	5.00	4.99	5.01	-	-			
		O.D	42.50	42.30	42.50	42.39	42.41	42.40	-	-			
		O.D	39.50	39.30	39.50	39.50	39.49	39.48	-	-			
		O.D.L	3.00	3.00	3.20	3.02	2.99	3.01	-	-			
		I.D	32.20	32.20	32.40	32.25	32.23	32.26	-	-			
INSPECTED BY:		Jay Hadiyal			APPROVED BY:				Shreekant				

Conclusion :



Accept



Reject



Hold



MetalMech-08500-FR-QX-08-Final Inspection Report-EX

INSP. No.	FIR-07	Product Name	OUTER SKID WASHER		Size		M40		Drawing No.		OW-04	Date:	29-09-2026
Wo No.	26100082	Total Quantity	100		Lot Quantity		100		Sample Size-		3	Variable & Gauging	3PCS
Sr. No.	Checking Parameter	REQUIRED PARAMETER				OBSERVED RESULTS					REJECTION REWORK DETAIL	REMARK	CHECKED BY
		PARAMETER	CRITERIA			1	2	3	-	-			
1	Visual	Surface	Fine, Clean			FINE	FINE	FINE	-	-		Measuring Instruments I.D No-	
		Sizewise No of Pcs. With Internal Parts	As per Drg. No. of Parts	12	12	12	12	-	-		(1) DV-55		
		Washing & Plating	Surface Finishing	NICKEL	OK	OK	OK	-	-		(2) PP-01		
		RUBBER MARKING	AS PER DRG.	OK	OK	OK	OK	-	-				
		Marking	WO Ref. No.	NA	NA	NA	NA	-	-		ASM No :- AEX260919-09		
		Assembly Perfection	As per Drg.			OK	OK	OK	-	-			
		Inner Packing	Labeling & Printing		OK	OK	OK	-	-				
		Outer Packing	Printing & Stamping			OK	OK	OK	-	-			
		All Dimensions Are In MM											
2	DIMENSION		VALUE	-	+	1	2	3	-	-			
		T.L	6.50	6.20	6.80	6.52	6.51	6.53	-	-			
		O.D	50.00	50.00	50.10	50.01	50.03	50.02	-	-			
		O.D	44.50	44.30	44.50	44.39	44.41	44.41	-	-			
		O.D.L	4.50	4.50	4.60	4.53	4.52	4.56	-	-			
		I.D	40.50	40.50	40.70	40.52	40.54	40.55	-	-			
INSPECTED BY:		Jay Hadiyal			APPROVED BY:				Shreekant				

Conclusion :



Accept



Reject



Hold

