



MetalMech-08500-FR-QX-08-Final Inspection Report-EX

INSP. No.	FIR-01	Product Name	LOCK NUT		Size		M20		Drawing No.		DL1M	Date:	14-08-2026
Wo No.	26100079	Total Quantity	114		Lot Quantity		114		Sample Size-		3	Variable & Gauging	3PCS
Sr. No.	Checking Parameter	REQUIRED PARAMETER				OBSERVED RESULTS				REJECTION REWORK DETAIL	REMARK	CHECKED BY	
		PARAMETER	CRITERIA		1	2	-	-	-				
1	Visual	Surface	Fine, Clean		FINE	FINE	FINE	-	-		Measuring Instruments I.D No-		
		Sizewise No of Pcs. With Internal Parts	As per Drg. No. of Parts	9	9	9	9	-	-		(1) DV-55		
		Washing & Plating	Surface Finishing	NICKEL	OK	OK	OK	-	-		(2) PP-01		
		RUBBER MARKING	AS PER DRG.	NA	NA	NA	NA	-	-				
		Marking	WO Ref. No.	NA	NA	NA	NA	-	-		ASM No - AEX260809-18		
		Assembly Perfection	As per Drg.		OK	OK	OK	-	-				
		Inner Packing	Labeling & Printing		OK	OK	OK	-	-				
		Outer Packing	Printing & Stamping		OK	OK	OK	-	-				
		All Dimensions Are In MM											
2	DIMENSION		VALUE	-	+	1	2	3	-	-			
		A/F	24.00	23.87	24.00	23.96	23.98	23.95	-	-			
		A/C	26.00	25.50	26.50	26.05	26.04	26.05	-	-			
		T.L	3.50	3.20	3.80	3.54	3.56	3.58	-	-			
		THREAD	M20x1.5 AS PER P.G GO NOT GO			OK	OK	OK	-	-			
		CH.ANGLE	30° AS PER PP FOUND			OK	OK	OK	-	-			
INSPECTED BY:		Jay Hadiyal			APPROVED BY:				Shreekant				

Conclusion :



Accept



Reject



Hold





MetalMech-08500-FR-QX-08-Final Inspection Report-EX

INSP. No.	FIR-01	Product Name	ENTRY COMPONENT		Size		M20		Drawing No.		313001M-018	Date:	14-08-2026
Wo No.	26100079	Total Quantity	114		Lot Quantity		114		Sample Size-		3	Variable & Gauging	3PCS
Sr. No.	Checking Parameter	REQUIRED PARAMETER				OBSERVED RESULTS				REJECTION REWORK DETAIL	REMARK	CHECKED BY	
		PARAMETER	CRITERIA		1	2	-	-	-				
1	Visual	Surface	Fine, Clean		FINE	FINE	FINE	-	-		Measuring Instruments ID No-		
		Sizewise No of Pcs. With Internal Parts	As per Drg. No. of Parts	9	9	9	9	-	-		(1) DV-55		
		Washing & Plating	Surface Finishing	NICKEL	OK	OK	OK	-	-		(2) PP-01		
		RUBBER MARKING	AS PER DRG.	NA	NA	NA	NA	-	-				
		Marking	WO Ref. No.	Metalmech Logo MM-EX-A2F201MB2 2026 CE Logo 2460 Ex Logo II 2 GD Ex db IIC Gb, Ex eb	OK	OK	OK	-	-		ASM No - AEX260809-18		
		Assembly Perfection	As per Drg.		OK	OK	OK	-	-				
		Inner Packing	Labeling & Printing		OK	OK	OK	-	-				
		Outer Packing	Printing & Stamping		OK	OK	OK	-	-				
		All Dimensions Are In MM											
2	DIMENSION		VALUE	-	+	1	2	3	-	-			
		A/F	27.00	26.87	27.00	26.96	26.95	26.93	-	-			
		A/C	30.00	29.50	30.50	30.04	30.08	30.06	-	-			
		T.L	33.00	33.00	33.50	33.11	33.13	33.12	-	-			
		TH.L	13.00	12.50	13.50	13.03	13.02	13.06	-	-			
		LENGTH	17.00	17.00	17.50	17.06	17.05	17.04	-	-			
		GR.OD	18.00	17.50	18.50	18.03	18.09	18.06	-	-			
		GR.LE	2.50	2.30	2.70	2.54	2.56	2.55	-	-			
		O.D	26.50	26.00	27.00	26.52	26.51	26.53	-	-			
		O.D.L	9.00	8.50	9.50	9.04	9.06	9.08	-	-			
		H.L	7.00	6.70	7.30	7.09	7.08	7.07	-	-			
		I.D	14.10	13.60	14.60	14.16	14.15	14.13	-	-			
		INT.TH.L	11.50	11.00	12.00	11.54	11.56	11.58	-	-			
		THREAD	M20x1.5 AS PER T.R.G GO NOT GO		OK	OK	OK	-	-				
		INT.THREAD	M24x1.5 AS PER P.G GO NOT GO		OK	OK	OK	-	-				
		CH.ANGLE	1.5x45° AS PER PP FOUND		OK	OK	OK	-	-				
		CH.ANGLE	0.5x45° AS PER PP FOUND		OK	OK	OK	-	-				
		CH.ANGLE	20° AS PER PP FOUND		OK	OK	OK	-	-				
		ANGLE	90° AS PER PP FOUND		OK	OK	OK	-	-				
		INSPECTED BY: Jay Hadiyal APPROVED BY: Shreekant											

Conclusion :



Accept



Reject



Hold





MetalMech-08500-FR-QX-08-Final Inspection Report-EX

INSP. No.	FIR-01	Product Name	BACK NUT		Size	M20		Drawing No.	314006-00	Date:	14-08-2026		
Wo No.	26100079	Total Quantity	114		Lot Quantity	114		Sample Size-	3	Variable & Gauging	3PCS		
Sr. No.	Checking Parameter	REQUIRED PARAMETER				OBSERVED RESULTS				REJECTION REWORK DETAIL	REMARK	CHECKED BY	
		PARAMETER	CRITERIA		1	2	-	-	-				
		Surface	Fine, Clean		FINE	FINE	FINE	-	-				
		Sizewise No of Pcs. With Internal Parts	As per Drg. No. of Parts	9	9	9	9	-	-		Measuring Instruments I.D No.		
		Washing & Plating	Surface Finishing	NICKEL	OK	OK	OK	-	-		(1) DV-55		
		RUBBER MARKING	AS PER DRG.	NA	NA	NA	NA	-	-		(2) PP-01		
		Marking	WO Ref. No.	NA	NA	NA	NA	-	-		ASM No - AEX260809-18		
		Assembly Perfection	As per Drg.		OK	OK	OK	-	-				
		Inner Packing	Labeling & Printing		OK	OK	OK	-	-				
		Outer Packing	Printing & Stamping		OK	OK	OK	-	-				
		All Dimensions Are In MM											
			VALUE	-	+	1	2	3	-	-			
		A/F	27.00	26.87	27.00	26.95	26.94	26.93	-	-			
		A/C	30.00	29.50	30.50	30.00	29.99	29.98	-	-			
		T.L	15.00	14.50	15.50	15.05	15.07	15.09	-	-			
		TH.L	10.50	10.00	11.00	10.50	10.49	10.49	-	-			
		GR.OD	22.00	21.50	22.50	22.02	22.01	22.01	-	-			
		GR.LE	1.50	1.30	1.70	1.53	1.55	1.57	-	-			
		H.L	4.50	4.20	4.80	4.55	4.59	4.56	-	-			
		I.D	20.00	19.50	20.50	20.06	20.08	20.07	-	-			
		THREAD	M24x1.5 AS PER T.R.G GO NOT GO			OK	OK	OK	-	-			
		CHANGLE	0.5x45° AS PER PP FOUND			OK	OK	OK	-	-			
		CHANGLE	1.5x45° AS PER PP FOUND			OK	OK	OK	-	-			
		CHANGLE	20° AS PER PP FOUND			OK	OK	OK	-	-			
		RADIUS	3 MM AS PER PP FOUND			OK	OK	OK	-	-			
INSPECTED BY:		Jay Hadiyal			APPROVED BY:				Shreekant				

Conclusion :



Accept



Reject



Hold





MetalMech-08500-FR-QX-08-Final Inspection Report-EX

INSP. No.	FIR-01	Product Name	COMPRESSIBLE SEALING RING		Size		M20		Drawing No.		GI-01S	Date:	14-08-2026
Wo No.	26100079	Total Quantity	114		Lot Quantity		114		Sample Size-		3	Variable & Gauging	3PCS
Sr. No.	Checking Parameter	REQUIRED PARAMETER				OBSERVED RESULTS					REJECTION REWORK DETAIL	REMARK	CHECKED BY
		PARAMETER	CRITERIA		1	2	-	-	-				
1	Visual	Surface	Fine, Clean		FINE	FINE	FINE	-	-				
		Sizewise No of Pcs. With Internal Parts	As per Drg. No. of Parts	9	9	9	9	-	-		Measuring Instruments I.D No-		
		Washing & Plating	Surface Finishing	NA	NA	NA	NA	-	-		(1) DV-55		
		RUBBER MARKING	AS PER DRG.	OK	OK	OK	OK	-	-		(2) PP-01		
		Marking	WO Ref. No.	NA	NA	NA	NA	-	-		ASM No - AEX260809-18		
		Assembly Perfection	As per Drg.		OK	OK	OK	-	-				
		Inner Packing	Labeling & Printing		OK	OK	OK	-	-				
		Outer Packing	Printing & Stamping		OK	OK	OK	-	-				
		All Dimensions Are In MM											
2	DIMENSION		VALUE	-	+	1	2	3	-	-			
		T.L	10.50	10.00	11.00	10.55	10.54	10.53	-	-			
		O.D	22.50	22.30	22.50	22.43	22.45	22.46	-	-			
		O.D.L	6.50	6.20	6.80	6.54	6.56	6.58	-	-			
		O.D.L	4.00	3.70	4.30	4.03	4.05	4.07	-	-			
		I.D	14.00	14.00	14.20	14.06	14.05	14.06	-	-			
INSPECTED BY:		Jay Hadiyal			APPROVED BY:				Shreekant				

Conclusion :



Accept



Reject



Hold





MetalMech-08500-FR-QX-08-Final Inspection Report-EX

INSP. No.	FIR-01	Product Name	SKID WASHER		Size		M20		Drawing No.		IW-01s	Date:	14-08-2026
Wo No.	26100079	Total Quantity	114		Lot Quantity		114		Sample Size-		3	Variable & Gauging	3PCS
Sr. No.	Checking Parameter	REQUIRED PARAMETER				OBSERVED RESULTS				REJECTION REWORK DETAIL	REMARK	CHECKED BY	
		PARAMETER	CRITERIA		1	2	-	-	-				
1	Visual	Surface	Fine, Clean		FINE	FINE	FINE	-	-		Measuring Instruments I.D No-		
		Sizewise No of Pcs. With Internal Parts	As per Drg. No. of Parts	9	9	9	9	-	-		(1) DV-55		
		Washing & Plating	Surface Finishing	NA	NA	NA	NA	-	-		(2) PP-01		
		RUBBER MARKING	AS PER DRG.	NA	NA	NA	NA	-	-				
		Marking	WO Ref. No.	NA	NA	NA	NA	-	-		ASM No - AEX260809-18		
		Assembly Perfection	As per Drg.		OK	OK	OK	-	-				
		Inner Packing	Labeling & Printing		OK	OK	OK	-	-				
		Outer Packing	Printing & Stamping		OK	OK	OK	-	-				
		All Dimensions Are In MM											
2	DIMENSION		VALUE	-	+	1	2	3	-	-			
		T.L	5.00	4.70	5.30	5.05	5.04	5.03	-	-			
		O.D	22.00	21.80	22.00	21.93	21.95	21.94	-	-			
		O.D.L	3.00	3.00	3.20	3.03	3.05	3.04	-	-			
		O.D	19.50	19.30	19.50	19.43	19.45	19.46	-	-			
		I.D	14.00	14.00	14.20	14.06	14.05	14.04	-	-			
INSPECTED BY:		Jay Hadiyal			APPROVED BY:				Shreekant				

Conclusion : ☒ Accept ☐ Reject ☐ Hold





MetalMech-08500-FR-QX-08-Final Inspection Report-EX

INSP. No.	FIR-01	Product Name	O-RING	Size	M20	Drawing No.	OR-1M	Date:	14-08-2026		
Wo No.	26100079	Total Quantity	114	Lot Quantity	114	Sample Size-	3	Variable & Gauging	3PCS		
Sr. No.	Checking Parameter	REQUIRED PARAMETER			OBSERVED RESULTS				REJECTION REWORK DETAIL	REMARK	CHECKED BY
		PARAMETER	CRITERIA		1	2	-	-			
1	Visual	Surface	Fine, Clean		FINE	FINE	FINE	-	-		
		Sizewise No of Pcs. With Internal Parts	As per Drg. No. of Parts	9	9	9	9	-	-		Measuring Instruments I.D No-
		Washing & Plating	Surface Finishing	NA	NA	NA	NA	-	-	(1) DV-55	
		RUBBER MARKING	AS PER DRG.	NA	NA	NA	NA	-	-	(2) PP-01	
		Marking	WO Ref. No.	NA	NA	NA	NA	-	-	ASM No - AEX260809-18	
		Assembly Perfection	As per Drg.		OK	OK	OK	-	-		
		Inner Packing	Labeling & Printing		OK	OK	OK	-	-		
		Outer Packing	Printing & Stamping		OK	OK	OK	-	-		
		All Dimensions Are In MM									
2	DIMENSION		VALUE	-	+	1	2	3	-	-	
		THICKNESS	2.50	2.00	2.50	2.04	2.06	2.08	-	-	
		I.D	16.00	15.50	16.50	16.03	16.05	16.04	-	-	
INSPECTED BY:		Jay Hadiyal			APPROVED BY:			Shreekant			

Conclusion :



Accept



Reject



Hold





MetalMech-08500-FR-QX-08-Final Inspection Report-EX

INSP. No.	FIR-01	Product Name	EARTH TAG		Size		M20		Drawing No.		-	Date:	14-08-2026
Wo No.	26100079	Total Quantity	114		Lot Quantity		114		Sample Size-		3	Variable & Gauging	3PCS
Sr. No.	Checking Parameter	REQUIRED PARAMETER				OBSERVED RESULTS				REJECTION REWORK DETAIL	REMARK	CHECKED BY	
		PARAMETER	CRITERIA		1	2	-	-	-				
1	Visual	Surface	Fine, Clean		FINE	FINE	FINE	-	-		Measuring Instruments I.D No-		
		Sizewise No of Pcs. With Internal Parts	As per Drg. No. of Parts	9	9	9	9	-	-		(1) DV-55		
		Washing & Plating	Surface Finishing	NICKEL	OK	OK	OK	-	-		(2) PP-01		
		RUBBER MARKING	AS PER DRG.	NA	NA	NA	NA	-	-				
		Marking	WO Ref. No.	NA	NA	NA	NA	-	-		ASM No - AEX260809-18		
		Assembly Perfection	As per Drg.		OK	OK	OK	-	-				
		Inner Packing	Labeling & Printing		OK	OK	OK	-	-				
		Outer Packing	Printing & Stamping		OK	OK	OK	-	-				
		All Dimensions Are In MM											
2	DIMENSION		VALUE	-	+	1	2	3	-	-			
		THICKNESS	1.00	0.80	1.20	1.03	1.02	1.01	-	-			
		O.D	29.20	28.70	29.70	29.25	29.24	29.23	-	-			
		O.D	13.00	12.50	13.50	13.04	13.06	13.08	-	-			
		I.D	20.00	19.50	20.50	20.25	20.24	20.23	-	-			
		I.D	6.20	5.90	6.50	6.23	6.25	6.27	-	-			
INSPECTED BY:		Jay Hadiyal			APPROVED BY:				Shreekant				

Conclusion :



Accept



Reject



Hold





MetalMech-08500-FR-QX-08-Final Inspection Report-EX

INSP. No.	FIR-01	Product Name	SHROUD		Size		M20		Drawing No.			Date:	14-08-2026
Wo No.	26100079	Total Quantity	114		Lot Quantity		114		Sample Size-		3	Variable & Gauging	3PCS
Sr. No.	Checking Parameter	REQUIRED PARAMETER				OBSERVED RESULTS					REJECTION REWORK DETAIL	REMARK	CHECKED BY
		PARAMETER	CRITERIA		1	2	-	-	-				
1	Visual	Surface	Fine, Clean		FINE	FINE	FINE	-	-				
		Sizewise No of Pcs. With Internal Parts	As per Drg. No. of Parts	9	9	9	9	-	-			(1) DV-55	
		Washing & Plating	Surface Finishing	NA	NA	NA	NA	-	-			(2) PP-01	
		RUBBER MARKING	AS PER DRG.	NA	NA	NA	NA	-	-				
		Marking	WO Ref. No.	NA	NA	NA	NA	-	-			ASM No - AEX260809-18	
		Assembly Perfection	As per Drg.		OK	OK	OK	-	-				
		Inner Packing	Labeling & Printing		OK	OK	OK	-	-				
		Outer Packing	Printing & Stamping		OK	OK	OK	-	-				
		All Dimensions Are In MM											
2	DIMENSION		VALUE	-	+	1	2	3	-	-			
		T.L	90.00	89.20	90.80	90.15	90.12	90.13	-	-			
		I.D	30.00	29.50	30.50	30.03	30.09	30.06	-	-			
INSPECTED BY:		Jay Hadiyal			APPROVED BY:				Shreekant				

Conclusion :



Accept



Reject



Hold





MetalMech-08500-FR-QX-08-Final Inspection Report-EX

INSP. No.	FIR-01	Product Name	NYLON WASHER		Size	M20		Drawing No.	-	Date:	14-08-2026	
Wo No.	26100079	Total Quantity	114		Lot Quantity	114		Sample Size-	3	Variable & Gauging	3PCS	
Sr. No.	Checking Parameter	REQUIRED PARAMETER				OBSERVED RESULTS				REJECTION REWORK DETAIL	REMARK	CHECKED BY
		PARAMETER	CRITERIA		1	2	-	-	-			
1	Visual	Surface	Fine, Clean		FINE	FINE	FINE	-	-		Measuring Instruments I.D No-	
		Sizewise No of Pcs. With Internal Parts	As per Drg. No. of Parts	9	9	9	9	-	-		(1) DV-55	
		Washing & Plating	Surface Finishing	NA	NA	NA	NA	-	-		(2) PP-01	
		RUBBER MARKING	AS PER DRG.	NA	NA	NA	NA	-	-			
		Marking	WO Ref. No.	NA	NA	NA	NA	-	-		ASM No - AEX260809-18	
		Assembly Perfection	As per Drg.		OK	OK	OK	-	-			
		Inner Packing	Labeling & Printing		OK	OK	OK	-	-			
		Outer Packing	Printing & Stamping		OK	OK	OK	-	-			
		All Dimensions Are In MM										
2	DIMENSION		VALUE	-	+	1	2	3	-	-		
		THICKNESS	1.50	1.30	1.70	1.45	1.49	1.48	-	-		
		I.D	20.00	19.50	20.50	20.27	20.29	20.28	-	-		
INSPECTED BY:		Jay Hadiyal			APPROVED BY:				Shreekant			

Conclusion :



Accept



Reject



Hold

