# MM-086000-SXUA-QCZA-FR-02-01-Final Inspection Report-Ex-V26I01

| INSP. No. | FIR-01 | Product Name | ENTRY COMPONENT | Size | 3/4" NPT | Drawing No. | 313001M-02 | Date: | 24-10-2026 |
|---|---|---|---|---|---|---|---|---|---|
| Wo No. | 26000328 | Total Quantity | 50 | Lot Quantity | 50 | Sample Size- | 2 | Variable & Gauging | 2PCS |

| Sr. No. | Checking Parameter | REQUIRED PARAMETER | | OBSERVED RESULTS | | | | | REJECTION REWORK DETAIL | REMARK | CHECKED BY |
|---|---|---|---|---|---|---|---|---|---|---|---|
| | | PARAMETER | CRITERIA | 1 | 2 | - | - | - | | | |
| 1 | Visual | Surface | Fine, Clean | FINE | FINE | - | - | - | | Measuring Instruments I.D No- | |
| | | Sizewise No of Pcs. With Internal Parts | As per Drg. No. of Parts: 10 | 10 | 10 | - | - | - | | (1) DV-55 | |
| | | Washing & Plating | Surface Finishing: NICKEL | OK | OK | - | - | - | | (2) PP-01 | |
| | | RUBBER MARKING | AS PER DRG.: NA | NA | NA | - | - | - | | | |
| | | Marking | WO Ref. No.: Metalmech Logo MM-EX-E1FUNV252NB2 2026 CE Logo 2460 Ex Logo II 2 GD Ex db IIC Gb, Ex eb IIC Gb, Ex tb IIIC Db, IP66/68 -55°C ≤ Ta ≤ +160°C Presafe 20 ATEX 48906X IECEx PRE 20.0124X | - | - | - | | ASM No - AEX261015-06 | |
| | | Assembly Perfection | As per Drg. | OK | OK | - | - | - | | | |
| | | Inner Packing | Labeling & Printing | OK | OK | - | - | - | | | |
| | | Outer Packing | Printing & Stamping | OK | OK | - | - | - | | | |
| | | All Dimensions Are In MM | | | | | | | | | |

| | | | VALUE | - | + | 1 | 2 | - | - | - | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 2 | DIMENSION | A/F | 36.00 | 35.84 | 36.00 | 35.93 | 35.92 | - | - | - | | | |
| | | A/C | 40.00 | 39.20 | 40.80 | 39.95 | 39.94 | - | - | - | | | |
| | | T.L | 41.00 | 41.00 | 41.50 | 41.10 | 41.09 | - | - | - | | | |
| | | LENGTH | 21.00 | 21.00 | 21.50 | 21.08 | 21.10 | - | - | - | | | |
| | | O.D | 35.00 | 34.20 | 35.80 | 34.99 | 34.98 | - | - | - | | | |
| | | O.D.L | 11.00 | 10.50 | 11.50 | 11.03 | 11.05 | - | - | - | | | |
| | | H.L | 9.00 | 8.50 | 9.50 | 9.05 | 9.04 | - | - | - | | | |
| | | I.D | 20.00 | 19.50 | 20.50 | 20.03 | 20.05 | - | - | - | | | |
| | | INT.THL | 14.50 | 14.00 | 15.00 | 14.49 | 14.48 | - | - | - | | | |
| | | THREAD | 3/4" NPT AS PER T.R.G GO NOT GO | | | OK | OK | - | - | - | | | |
| | | INT.THREAD | M32x1.5 AS PER P.G GO NOT GO | | | OK | OK | - | - | - | | | |
| | | CH.ANGLE | 1.6x45° AS PER PP FOUND | | | OK | OK | - | - | - | | | |
| | | CH.ANGLE | 1.5x45° AS PER PP FOUND | | | OK | OK | - | - | - | | | |
| | | CH.ANGLE | 0.5x45° AS PER PP FOUND | | | OK | OK | - | - | - | | | |
| | | CH.ANGLE | 20° AS PER PP FOUND | | | OK | OK | - | - | - | | | |
| | | ANGLE | 90° AS PER PP FOUND | | | OK | OK | - | - | - | | | |
| | | | | | | | | | | | | | |

| *INSPECTED BY:* | *Jay Hadiyal* | *APPROVED BY:* | *Shreekant* |
|---|---|---|---|

**Conclusion :**

☑ **Accept** ☐ **Reject** ☐ **Hold**

METALMECH ENGINEERING CA PASSED

# MM-086000-SXUA-QCZA-FR-02-01-Final Inspection Report-Ex-V26I01

| INSP. No. | FIR-01 | Product Name | INTERMIDIATE BODY | Size | 3/4" NPT | Drawing No. | 313002U-02 | Date: | 24-10-2026 |
|---|---|---|---|---|---|---|---|---|---|
| Wo No. | 26000328 | Total Quantity | 50 | Lot Quantity | 50 | Sample Size- | 2 | Variable & Gauging | 2PCS |

| Sr. No. | Checking Parameter | REQUIRED PARAMETER | | | OBSERVED RESULTS | | | | | REJECTION REWORK DETAIL | REMARK | CHECKED BY |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | PARAMETER | CRITERIA | | 1 | 2 | - | - | - | | | |
| 1 | Visual | Surface | Fine, Clean | | FINE | FINE | - | - | - | | Measuring Instruments I.D No. | |
| | | Sizewise No of Pcs. With Internal Parts | As per Drg. No. of Parts | 10 | 10 | 10 | - | - | - | | (1) DV-55 | |
| | | Washing & Plating | Surface Finishing | NICKEL | OK | OK | - | - | - | | (2) PP-01 | |
| | | RUBBER MARKING | AS PER DRG. | NA | NA | NA | - | - | - | | | |
| | | Marking | WO Ref. No. | NA | NA | NA | - | - | - | | ASM No - AEX261015-06 | |
| | | Assembly Perfection | As per Drg. | | OK | OK | - | - | - | | | |
| | | Inner Packing | Labeling & Printing | | OK | OK | - | - | - | | | |
| | | Outer Packing | Printing & Stamping | | OK | OK | - | - | - | | | |
| | | All Dimensions Are In MM | | | | | | | | | | |

| | | | VALUE | - | + | 1 | 2 | - | - | - | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 2 | DIMENSION | A/F | 36.00 | 35.84 | 36.20 | 35.95 | 35.94 | - | - | - | | | |
| | | A/C | 40.00 | 39.20 | 40.80 | 39.89 | 39.90 | - | - | - | | | |
| | | T.L | 29.00 | 28.50 | 29.50 | 29.07 | 29.09 | - | - | - | | | |
| | | TH.L | 13.50 | 13.00 | 14.00 | 13.55 | 13.52 | - | - | - | | | |
| | | GR.OD | 30.00 | 29.50 | 30.50 | 30.00 | 29.99 | - | - | - | | | |
| | | GR.LE | 1.00 | 0.80 | 1.20 | 1.02 | 1.01 | - | - | - | | | |
| | | H.L | 6.00 | 5.70 | 6.30 | 6.05 | 6.04 | - | - | - | | | |
| | | TH.L | 9.50 | 9.00 | 10.00 | 9.54 | 9.56 | - | - | - | | | |
| | | GR.OD | 32.00 | 31.20 | 32.80 | 32.06 | 32.05 | - | - | - | | | |
| | | GR.LE | 1.00 | 0.80 | 1.20 | 1.02 | 1.01 | - | - | - | | | |
| | | I.D | 26.50 | 26.00 | 27.00 | 26.54 | 26.56 | - | - | - | | | |
| | | I.D | 29.30 | 28.80 | 29.80 | 29.26 | 29.25 | - | - | - | | | |
| | | DEPTH | 8.00 | 7.70 | 8.30 | 8.04 | 8.06 | - | - | - | | | |
| | | THREAD | M32x1.5 AS PER T.R.G GO NOT GO | | | OK | OK | - | - | - | | | |
| | | THREAD | M34x1.5 AS PER T.R.G GO NOT GO | | | OK | OK | - | - | - | | | |
| | | CH.ANGLE | 1x45° AS PER PP FOUND | | | OK | OK | - | - | - | | | |
| | | CH.ANGLE | 20° AS PER PP FOUND | | | OK | OK | - | - | - | | | |
| | | CH.ANGLE | 0.5x45° AS PER PP FOUND | | | OK | OK | - | - | - | | | |
| | | | | | | | | | | | | | |

| INSPECTED BY: | Jay Hadiyal | APPROVED BY: | Shreekant |
|---|---|---|---|

**Conclusion :**

☑ **Accept** ☐ **Reject** ☐ **Hold**

METAL MECH ENGINEERING LIMITED CA PASSED

# MM-086000-SXUA-QCZA-FR-02-01-Final Inspection Report-Ex-V26I01

| INSP. No. | FIR-01 | Product Name | MIDDLE BODY | Size | 3/4" NPT | Drawing No. | 313002-02 | Date: | 24-10-2026 |
|---|---|---|---|---|---|---|---|---|---|
| Wo No. | 26000328 | Total Quantity | 50 | Lot Quantity | 50 | Sample Size- | 2 | Variable & Gauging | 2PCS |

| Sr. No. | Checking Parameter | REQUIRED PARAMETER | | | OBSERVED RESULTS | | | | | REJECTION REWORK DETAIL | REMARK | CHECKED BY |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | PARAMETER | CRITERIA | | 1 | 2 | - | - | - | | | |
| 1 | Visual | Surface | Fine, Clean | | FINE | FINE | - | - | - | | Measuring Instruments I.D No- | |
| | | Sizewise No of Pcs. With Internal Parts | As per Drg. No. of Parts | 10 | 10 | 10 | - | - | - | | (1) DV-55 | |
| | | Washing & Plating | Surface Finishing | NICKEL | OK | OK | - | - | - | | (2) PP-01 | |
| | | RUBBER MARKING | AS PER DRG. | NA | NA | NA | - | - | - | | | |
| | | Marking | WO Ref. No. | NA | NA | NA | - | - | - | | ASM No - AEX261015-06 | |
| | | Assembly Perfection | As per Drg. | | OK | OK | - | - | - | | | |
| | | Inner Packing | Labeling & Printing | | OK | OK | - | - | - | | | |
| | | Outer Packing | Printing & Stamping | | OK | OK | - | - | - | | | |
| | | All Dimensions Are In MM | | | | | | | | | | |
| 2 | DIMENSION | | VALUE | - | + | 1 | 2 | - | - | - | | | |
| | | A/F | 36.00 | 35.84 | 36.00 | 35.95 | 35.94 | - | - | - | | |
| | | A/C | 40.00 | 39.20 | 40.80 | 39.87 | 39.90 | - | - | - | | |
| | | T.L | 32.00 | 31.20 | 32.80 | 32.08 | 32.07 | - | - | - | | |
| | | TH.L | 15.00 | 14.50 | 15.50 | 15.00 | 14.99 | - | - | - | | |
| | | GR.OD | 33.00 | 32.20 | 33.80 | 33.01 | 33.03 | - | - | - | | |
| | | GR.LE | 1.50 | 1.30 | 1.70 | 1.54 | 1.56 | - | - | - | | |
| | | O.D | 35.50 | 34.70 | 36.30 | 35.46 | 35.45 | - | - | - | | |
| | | O.D.L | 9.00 | 8.50 | 9.50 | 9.00 | 8.99 | - | - | - | | |
| | | H.L | 8.00 | 7.70 | 8.30 | 8.05 | 8.04 | - | - | - | | |
| | | I.D | 26.50 | 26.00 | 27.00 | 26.56 | 26.55 | - | - | - | | |
| | | I.D | 27.50 | 27.00 | 28.00 | 27.49 | 27.48 | - | - | - | | |
| | | I.D.LE | 4.50 | 4.20 | 4.80 | 4.56 | 4.55 | - | - | - | | |
| | | INT.THL | 11.50 | 11.00 | 12.00 | 11.54 | 11.56 | - | - | - | | |
| | | GR.ID | 32.00 | 31.20 | 32.80 | 32.05 | 32.04 | - | - | - | | |
| | | GR.LE | 4.00 | 3.70 | 4.30 | 4.04 | 4.06 | - | - | - | | |
| | | DEPTH | 15.50 | 15.00 | 16.00 | 15.54 | 15.56 | - | - | - | | |
| | | THREAD | M35x1.5 AS PER T.R.G GO NOT GO | | | OK | OK | - | - | - | | |
| | | INT.THREAD | M34x1.5 AS PER P.G GO NOT GO | | | OK | OK | - | - | - | | |
| | | CH.ANGLE | 1x45° AS PER PP FOUND | | | OK | OK | - | - | - | | |
| | | CH.ANGLE | 30° AS PER PP FOUND | | | OK | OK | - | - | - | | |
| | | | | | | | | | | | | |

| INSPECTED BY: | Jay Hadiyal | APPROVED BY: | Shreekant |
|---|---|---|---|

**Conclusion :**

☑ **Accept** ☐ **Reject** ☐ **Hold**

METAL MECH ENGINEERS QA PASSED

METAL MECA
THE SAFEST CONNECTIONS

# MM-086000-SXUA-QCZA-FR-02-01-Final Inspection Report-Ex-V26I01

| INSP. No. | FIR-01 | Product Name | BACK NUT | Size | 3/4" NPT | Drawing No. | 313003-02 | Date: | 24-10-2026 |
|---|---|---|---|---|---|---|---|---|---|
| Wo No. | 26000328 | Total Quantity | 50 | Lot Quantity | 50 | Sample Size- | 2 | Variable & Gauging | 2PCS |

| Sr. No. | Checking Parameter | REQUIRED PARAMETER | | | OBSERVED RESULTS | | | | | REJECTION REWORK DETAIL | REMARK | CHECKED BY |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | PARAMETER | CRITERIA | | 1 | 2 | - | - | - | | | |
| 1 | Visual | Surface | Fine, Clean | | FINE | FINE | - | - | - | | Measuring Instruments LD No- | |
| | | Sizewise No of Pcs. With Internal Parts | As per Drg. No. of Parts | 10 | 10 | 10 | - | - | - | | (1) DV-55 | |
| | | Washing & Plating | Surface Finishing | NICKEL | OK | OK | - | - | - | | (2) PP-01 | |
| | | RUBBER MARKING | AS PER DRG. | NA | NA | NA | - | - | - | | | |
| | | Marking | WO Ref. No. | NA | NA | NA | - | - | - | | ASM No - AEX261015-06 | |
| | | Assembly Perfection | As per Drg. | | OK | OK | - | - | - | | | |
| | | Inner Packing | Labeling & Printing | | OK | OK | - | - | - | | | |
| | | Outer Packing | Printing & Stamping | | OK | OK | - | - | - | | | |
| | | All Dimensions Are In MM | | | | | | | | | | |

| | | | VALUE | - | + | 1 | 2 | - | - | - | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 2 | DIMENSION | A/F | 38.00 | 37.84 | 38.00 | 37.95 | 37.94 | - | - | - | | | |
| | | A/C | 42.00 | 41.20 | 42.80 | 42.00 | 41.99 | - | - | - | | | |
| | | T.L | 23.00 | 22.50 | 23.50 | 23.05 | 23.03 | - | - | - | | | |
| | | O.D | 37.50 | 36.70 | 38.30 | 37.49 | 37.48 | - | - | - | | | |
| | | O.D.L | 10.00 | 9.50 | 10.50 | 10.05 | 10.04 | - | - | - | | | |
| | | H.L | 13.00 | 12.50 | 13.50 | 13.01 | 13.03 | - | - | - | | | |
| | | I.D | 30.50 | 29.70 | 31.30 | 30.54 | 30.56 | - | - | - | | | |
| | | INT.THL | 4.00 | 3.70 | 4.30 | 4.05 | 4.04 | - | - | - | | | |
| | | GR.ID | 35.20 | 34.40 | 36.00 | 35.26 | 35.25 | - | - | - | | | |
| | | GR.LE | 14.50 | 14.00 | 15.00 | 14.54 | 14.56 | - | - | - | | | |
| | | DEPTH | 18.50 | 18.00 | 19.00 | 18.55 | 18.54 | - | - | - | | | |
| | | GR.ID | 33.50 | 32.70 | 34.30 | 33.55 | 33.53 | - | - | - | | | |
| | | GR.LE | 3.00 | 2.80 | 3.20 | 3.04 | 3.06 | - | - | - | | | |
| | | DEPTH | 21.00 | 20.50 | 21.50 | 21.06 | 21.05 | - | - | - | | | |
| | | INT.THREAD | M35x1.5 AS PER P.G GO NOT GO | | | OK | OK | - | - | - | | | |
| | | CH.ANGLE | 0.5x45° AS PER PP FOUND | | | OK | OK | - | - | - | | | |
| | | CH.ANGLE | 1x45° AS PER PP FOUND | | | OK | OK | - | - | - | | | |
| | | CH.ANGLE | 30° AS PER PP FOUND | | | OK | OK | - | - | - | | | |
| | | CH.ANGLE | 45° AS PER PP FOUND | | | OK | OK | - | - | - | | | |
| | | | | | | | | | | | | | |

| *INSPECTED BY:* | *Jay Hadiyal* | *APPROVED BY:* | *Shreekant* |
|---|---|---|---|

**Conclusion :**

☑ **Accept** ☐ **Reject** ☐ **Hold**

METAL MECA ENGINEERS LIMITED
QA PASSED

# MM-086000-SXUA-QCZA-FR-02-01-Final Inspection Report-Ex-V26I01

| | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|
| **INSP. No.** | FIR-01 | **Product Name** | UNIVERSAL CLAMPING CONE | **Size** | 3/4" NPT | **Drawing No.** | 313005-02 | **Date:** | 24-10-2026 |
| **Wo No.** | 26000328 | **Total Quantity** | 50 | **Lot Quantity** | 50 | **Sample Size-** | 2 | Variable & Gauging | 2PCS |

| Sr. No. | Checking Parameter | REQUIRED PARAMETER | | | OBSERVED RESULTS | | | | | REJECTION REWORK DETAIL | REMARK | CHECKED BY |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | PARAMETER | CRITERIA | | 1 | 2 | - | - | - | | | |
| 1 | Visual | Surface | Fine, Clean | | FINE | FINE | - | - | - | | Measuring Instruments I.D No. | |
| | | Sizewise No of Pcs. With Internal Parts | As per Drg. No. of Parts | 10 | 10 | 10 | - | - | - | | (1) DV-55 | |
| | | Washing & Plating | Surface Finishing | NICKEL | OK | OK | - | - | - | | (2) PP-01 | |
| | | RUBBER MARKING | AS PER DRG. | NA | NA | NA | - | - | - | | | |
| | | Marking | WO Ref. No. | NA | NA | NA | - | - | - | | ASM No - AEX261015-06 | |
| | | Assembly Perfection | As per Drg. | | OK | OK | - | - | - | | | |
| | | Inner Packing | Labeling & Printing | | OK | OK | - | - | - | | | |
| | | Outer Packing | Printing & Stamping | | OK | OK | - | - | - | | | |
| | | **All Dimensions Are In MM** | | | | | | | | | | |

| | | | VALUE | - | + | 1 | 2 | - | - | - | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 2 | DIMENSION | T.L | 25.00 | 24.50 | 25.50 | 25.06 | 25.05 | - | - | - | | | |
| | | O.D | 23.50 | 23.00 | 24.00 | 23.49 | 23.48 | - | - | - | | | |
| | | O.D.L | 4.50 | 4.20 | 4.80 | 4.55 | 4.54 | - | - | - | | | |
| | | O.D | 25.00 | 24.50 | 25.50 | 24.95 | 24.94 | - | - | - | | | |
| | | O.D.L | 2.50 | 2.30 | 2.70 | 2.54 | 2.56 | - | - | - | | | |
| | | GR.LENGTH | 0.50 | 0.30 | 0.70 | 0.47 | 0.49 | - | - | - | | | |
| | | O.D | 26.00 | 25.50 | 26.50 | 25.99 | 26.00 | - | - | - | | | |
| | | O.D.L | 8.50 | 8.00 | 9.00 | 8.54 | 8.56 | - | - | - | | | |
| | | O.D | 29.00 | 28.50 | 29.50 | 28.94 | 28.96 | - | - | - | | | |
| | | O.D.L | 8.00 | 7.70 | 8.30 | 8.05 | 8.04 | - | - | - | | | |
| | | O.D | 22.50 | 22.00 | 23.00 | 22.46 | 22.48 | - | - | - | | | |
| | | O.D.L | 5.50 | 5.20 | 5.80 | 5.54 | 5.56 | - | - | - | | | |
| | | O.D | 23.50 | 23.00 | 24.00 | 23.46 | 23.48 | - | - | - | | | |
| | | O.D | 24.00 | 23.50 | 24.50 | 24.00 | 23.99 | - | - | - | | | |
| | | O.D | 24.50 | 24.00 | 25.00 | 24.49 | 24.48 | - | - | - | | | |
| | | O.D.L | 8.50 | 8.00 | 9.00 | 8.54 | 8.56 | - | - | - | | | |
| | | I.D | 20.00 | 19.50 | 20.50 | 20.05 | 20.04 | - | - | - | | | |
| | | RADIUS | 0.5 MM AS PER PP FOUND | | | OK | OK | - | - | - | | | |
| | | RADIUS | 0.3 MM AS PER PP FOUND | | | OK | OK | - | - | - | | | |
| | | | | | | | | | | | | | |

| | | | |
|---|---|---|---|
| *INSPECTED BY:* | *Jay Hadiyal* | *APPROVED BY:* | *Shreekant* |

**Conclusion :**

☑ **Accept** ☐ **Reject** ☐ **Hold**

METALTECH ENGINEERS CA PASSED

# MM-086000-SXUA-QCZA-FR-02-01-Final Inspection Report-Ex-V26I01

| | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|
| **INSP. No.** | FIR-01 | **Product Name** | REVERSIBLE ARMOUR RING | **Size** | 3/4" NPT | **Drawing No.** | 313004-02 | **Date:** | 24-10-2026 | | |
| **Wo No.** | 26000328 | **Total Quantity** | 50 | **Lot Quantity** | 50 | **Sample Size-** | 2 | **Variable & Gauging** | 2PCS | | |

| **Sr. No.** | **Checking Parameter** | **REQUIRED PARAMETER** | | | **OBSERVED RESULTS** | | | | | **REJECTION REWORK DETAIL** | **REMARK** | **CHECKED BY** |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | **PARAMETER** | **CRITERIA** | | **1** | **2** | **-** | **-** | **-** | | | |
| 1 | Visual | Surface | Fine, Clean | | FINE | FINE | - | - | - | | Measuring Instruments I.D No- | |
| | | Sizewise No of Pcs. With Internal Parts | As per Drg. No. of Parts | 10 | 10 | 10 | - | - | - | | (1) DV-55 | |
| | | Washing & Plating | Surface Finishing | NICKEL | OK | OK | - | - | - | | (2) PP-01 | |
| | | RUBBER MARKING | AS PER DRG. | NA | NA | NA | - | - | - | | | |
| | | Marking | WO Ref. No. | NA | NA | NA | - | - | - | | ASM No - AEX261015-06 | |
| | | Assembly Perfection | As per Drg. | | OK | OK | - | - | - | | | |
| | | Inner Packing | Labeling & Printing | | OK | OK | - | - | - | | | |
| | | Outer Packing | Printing & Stamping | | OK | OK | - | - | - | | | |
| | | **All Dimensions Are In MM** | | | | | | | | | | |
| 2 | DIMENSION | | VALUE | - | + | 1 | 2 | - | - | - | | | |
| | | T.L | 6.00 | 5.70 | 6.30 | 6.06 | 6.05 | - | - | - | | |
| | | O.D | 30.00 | 29.50 | 30.50 | 29.95 | 29.94 | - | - | - | | |
| | | I.D | 25.50 | 25.00 | 26.00 | 25.45 | 25.46 | - | - | - | | |
| | | I.D | 26.50 | 26.00 | 27.00 | 26.54 | 26.56 | - | - | - | | |
| | | | | | | | | | | | | |

| *INSPECTED BY:* | *Jay Hadiyal* | *APPROVED BY:* | *Shreekant* |
|---|---|---|---|

**Conclusion :**

☑ **Accept** ☐ **Reject** ☐ **Hold**

METALMECH ENGINEERING QA PASSED

# MM-086000-SXUA-QCZA-FR-02-01-Final Inspection Report-Ex-V26I01

| INSP. No. | FIR-01 | Product Name | COMPRESSIBLE INNER SEAL | Size | 3/4" NPT | Drawing No. | GI-02 | Date: | 24-10-2026 |
|---|---|---|---|---|---|---|---|---|---|
| Wo No. | 26000328 | Total Quantity | 50 | Lot Quantity | 50 | Sample Size- | 2 | Variable & Gauging | 2PCS |

| Sr. No. | Checking Parameter | REQUIRED PARAMETER | | | OBSERVED RESULTS | | | | | REJECTION REWORK DETAIL | REMARK | CHECKED BY |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | PARAMETER | CRITERIA | | 1 | 2 | - | - | - | | | |
| 1 | Visual | Surface | Fine, Clean | | FINE | FINE | - | - | - | | Measuring Instruments I.D No- | |
| | | Sizewise No of Pcs. With Internal Parts | As per Drg. No. of Parts | 10 | 10 | 10 | - | - | - | | (1) DV-55 | |
| | | Washing & Plating | Surface Finishing | NA | NA | NA | - | - | - | | (2) PP-01 | |
| | | RUBBER MARKING | AS PER DRG. | OK | OK | OK | - | - | - | | | |
| | | Marking | WO Ref. No. | NA | NA | NA | - | - | - | | ASM No - AEX261015-06 | |
| | | Assembly Perfection | As per Drg. | | OK | OK | - | - | - | | | |
| | | Inner Packing | Labeling & Printing | | OK | OK | - | - | - | | | |
| | | Outer Packing | Printing & Stamping | | OK | OK | - | - | - | | | |
| | | All Dimensions Are In MM | | | | | | | | | | |
| 2 | DIMENSION | | VALUE | - | + | 1 | 2 | - | - | - | | |
| | | T.L | 14.00 | 13.50 | 14.50 | 14.05 | 14.04 | - | - | - | | |
| | | O.D.L | 5.00 | 4.70 | 5.30 | 5.04 | 5.06 | - | - | - | | |
| | | O.D | 30.50 | 30.30 | 30.50 | 30.43 | 30.42 | - | - | - | | |
| | | O.D.L | 9.00 | 8.50 | 9.50 | 9.05 | 9.04 | - | - | - | | |
| | | I.D | 19.80 | 19.80 | 20.00 | 19.88 | 19.86 | - | - | - | | |
| | | | | | | | | | | | | |

| *INSPECTED BY:* | *Jay Hadiyal* | *APPROVED BY:* | *Shreekant* |
|---|---|---|---|

**Conclusion :**

☑ **Accept** ☐ **Reject** ☐ **Hold**

METALMECH ENGINEERING QA PASSED

METAL MECH®
THE SAFEST CONNECTIONS

# MM-086000-SXUA-QCZA-FR-02-01-Final Inspection Report-Ex-V26I01

| INSP. No. | FIR-01 | Product Name | COMPRESSIBLE OUTER SEAL | Size | 3/4" NPT | Drawing No. | GE-02 | Date: | 24-10-2026 |
|---|---|---|---|---|---|---|---|---|---|
| Wo No. | 26000328 | Total Quantity | 50 | Lot Quantity | 50 | Sample Size- | 2 | Variable & Gauging | 2PCS |

| Sr. No. | Checking Parameter | REQUIRED PARAMETER | | | OBSERVED RESULTS | | | | | REJECTION REWORK DETAIL | REMARK | CHECKED BY |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | PARAMETER | CRITERIA | | 1 | 2 | - | - | - | | | |
| 1 | Visual | Surface | Fine, Clean | | FINE | FINE | - | - | - | | Measuring Instruments I.D No- | |
| | | Sizewise No of Pcs. With Internal Parts | As per Drg. No. of Parts | 10 | 10 | 10 | - | - | - | | (1) DV-55 | |
| | | Washing & Plating | Surface Finishing | NA | NA | NA | - | - | - | | (2) PP-01 | |
| | | RUBBER MARKING | AS PER DRG. | OK | OK | OK | - | - | - | | | |
| | | Marking | WO Ref. No. | NA | NA | NA | - | - | - | | ASM No - AEX261015-06 | |
| | | Assembly Perfection | As per Drg. | | OK | OK | - | - | - | | | |
| | | Inner Packing | Labeling & Printing | | OK | OK | - | - | - | | | |
| | | Outer Packing | Printing & Stamping | | OK | OK | - | - | - | | | |
| | | All Dimensions Are In MM | | | | | | | | | | |
| 2 | DIMENSION | | VALUE | - | + | 1 | 2 | - | - | - | | |
| | | T.L | 15.00 | 14.50 | 15.50 | 15.05 | 15.03 | - | - | - | | |
| | | O.D | 35.20 | 35.00 | 35.20 | 35.12 | 35.11 | - | - | - | | |
| | | GR.LENGTH | 3.50 | 3.20 | 3.80 | 3.53 | 3.55 | - | - | - | | |
| | | I.D | 26.00 | 25.90 | 26.10 | 26.03 | 26.05 | - | - | - | | |
| | | | | | | | | | | | | |

| INSPECTED BY: | Jay Hadiyal | APPROVED BY: | Shreekant |
|---|---|---|---|

**Conclusion :**

☑ **Accept** ☐ **Reject** ☐ **Hold**

METALMECH ENGINEERING QA PASSED

METAL MECA®
THE SAFEST CONNECTIONS

# MM-086000-SXUA-QCZA-FR-02-01-Final Inspection Report-Ex-V26I01

| INSP. No. | FIR-01 | Product Name | INNER SKID WASHER | Size | 3/4" NPT | Drawing No. | IW-02 | Date: | 24-10-2026 |
|---|---|---|---|---|---|---|---|---|---|
| Wo No. | 26000328 | Total Quantity | 50 | Lot Quantity | 50 | Sample Size- | 2 | Variable & Gauging | 2PCS |

| Sr. No. | Checking Parameter | REQUIRED PARAMETER | | | OBSERVED RESULTS | | | | | REJECTION REWORK DETAIL | REMARK | CHECKED BY |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | PARAMETER | CRITERIA | | 1 | 2 | - | - | - | | | |
| 1 | Visual | Surface | Fine, Clean | | FINE | FINE | - | - | - | | Measuring Instruments I.D No- | |
| | | Sizewise No of Pcs. With Internal Parts | As per Drg. No. of Parts | 10 | 10 | 10 | - | - | - | | (1) DV-55 | |
| | | Washing & Plating | Surface Finishing | NA | NA | NA | - | - | - | | (2) PP-01 | |
| | | RUBBER MARKING | AS PER DRG. | OK | OK | OK | - | - | - | | | |
| | | Marking | WO Ref. No. | NA | NA | NA | - | - | - | | ASM No - AEX261015-06 | |
| | | Assembly Perfection | As per Drg. | | OK | OK | - | - | - | | | |
| | | Inner Packing | Labeling & Printing | | OK | OK | - | - | - | | | |
| | | Outer Packing | Printing & Stamping | | OK | OK | - | - | - | | | |
| | | All Dimensions Are In MM | | | | | | | | | | |
| 2 | DIMENSION | | VALUE | - | + | 1 | 2 | - | - | - | | | |
| | | T.L | 5.00 | 4.70 | 5.30 | 5.04 | 5.06 | - | - | - | | |
| | | O.D | 30.00 | 29.80 | 30.00 | 29.88 | 29.86 | - | - | - | | |
| | | O.D | 26.00 | 25.80 | 26.00 | 25.95 | 25.94 | - | - | - | | |
| | | O.D.L | 3.00 | 3.00 | 3.20 | 3.05 | 3.03 | - | - | - | | |
| | | I.D | 19.90 | 19.90 | 20.10 | 19.93 | 19.95 | - | - | - | | |
| | | | | | | | | | | | | |

| *INSPECTED BY:* | *Jay Hadiyal* | *APPROVED BY:* | *Shreekant* |
|---|---|---|---|

**Conclusion :**

☑ **Accept** ☐ **Reject** ☐ **Hold**



# MM-086000-SXUA-QCZA-FR-02-01-Final Inspection Report-Ex-V26I01

| INSP. No. | FIR-01 | Product Name | OUTER SKID WASHER | Size | 3/4" NPT | Drawing No. | OW-02 | Date: | 24-10-2026 |
|---|---|---|---|---|---|---|---|---|---|
| Wo No. | 26000328 | Total Quantity | 50 | Lot Quantity | 50 | Sample Size- | 2 | Variable & Gauging | 2PCS |

| Sr. No. | Checking Parameter | REQUIRED PARAMETER | | | OBSERVED RESULTS | | | | | REJECTION REWORK DETAIL | REMARK | CHECKED BY |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | PARAMETER | CRITERIA | | 1 | 2 | - | - | - | | | |
| 1 | Visual | Surface | Fine, Clean | | FINE | FINE | - | - | - | | Measuring Instruments I.D No- | |
| | | Sizewise No of Pcs. With Internal Parts | As per Drg. No. of Parts | 10 | 10 | 10 | - | - | - | | (1) DV-55 | |
| | | Washing & Plating | Surface Finishing | NA | NA | NA | - | - | - | | (2) PP-01 | |
| | | RUBBER MARKING | AS PER DRG. | OK | OK | OK | - | - | - | | | |
| | | Marking | WO Ref. No. | NA | NA | NA | - | - | - | | ASM No - AEX261015-06 | |
| | | Assembly Perfection | As per Drg. | | OK | OK | - | - | - | | | |
| | | Inner Packing | Labeling & Printing | | OK | OK | - | - | - | | | |
| | | Outer Packing | Printing & Stamping | | OK | OK | - | - | - | | | |
| | | All Dimensions Are In MM | | | | | | | | | | |
| 2 | DIMENSION | | VALUE | - | + | 1 | 2 | - | - | - | | |
| | | T.L | 6.00 | 5.70 | 6.30 | 6.05 | 6.04 | - | - | - | | |
| | | O.D | 33.00 | 33.00 | 33.10 | 33.04 | 33.06 | - | - | - | | |
| | | O.D | 30.00 | 29.80 | 30.00 | 29.95 | 29.93 | - | - | - | | |
| | | O.D.L | 4.00 | 4.00 | 4.10 | 4.04 | 4.06 | - | - | - | | |
| | | I.D | 26.20 | 26.20 | 26.40 | 26.26 | 26.25 | - | - | - | | |
| | | | | | | | | | | | | |

| INSPECTED BY: | Jay Hadiyal | APPROVED BY: | Shreekant |
|---|---|---|---|

**Conclusion :**

☑ **Accept** ☐ **Reject** ☐ **Hold**

METALMECH ENGINEERING QA PASSED