

		MetalMech-08500-FR-QX-08-Final Inspection Report-EX											
INSP. No.	FIR-05	Product Name	ENTRY COMPONENT			Size	M75		Drawing No.	313001M-07	Date:	16/09/2026	
Wo No.	26000210	Total Quantity	8			Lot Quantity	8		Sample Size-	2	Variable & Gauging	2PCS	
Sr. No.	Checking Parameter	REQUIRED PARAMETER				OBSERVED RESULTS				REJECTION REWORK DETAIL	REMARK	CHECKED BY	
		PARAMETER	CRITERIA			1	2	-	-				-
1	Visual	Surface	Fine, Clean			FINE	FINE	-	-	-			
		Size wise No of Pcs. of Parts	As per Drg. No. 11			11	11	-	-	-			
		Washing & Plating	Surface Finishing NA			NA	NA	-	-	-			
		RUBBER MARKING	AS PER DRG. NA			NA	NA	-	-	-			
		Marking	WO Ref. No.	Metalmech Logo MM-EX-EIFUNV757MB2 2026 CF Logo 2460 Ex Logo II 2 GD Ex db IIC			OK	OK	-	-	-		
		Assembly Perfection	As per Drg.			OK	OK	-	-	-			
		Inner Packing	Labeling & Printing				OK	OK	-	-	-		
		Outer Packing	Printing & Stamping			OK	OK	-	-	-			
		All Dimensions Are In MM											
2	DIMENSION		VALUE	-	+	1	2	-	-	-			
		A/F	85.00	84.81	85.00	84.88	84.89	-	-	-			
		A/C	93.00	92.20	93.80	93.01	93.03	-	-	-			
		T.L	39.00	39.00	39.50	39.16	39.15	-	-	-			
		TH.L	13.00	12.80	13.50	13.03	13.02	-	-	-			
		LENGTH	17.00	17.00	17.50	17.09	17.08	-	-	-			
		GR.OD	73.00	72.20	73.80	73.00	72.99	-	-	-			
		GR.LE	2.50	2.30	2.70	2.53	2.55	-	-	-			
		O.D	84.00	83.20	84.80	83.97	83.99	-	-	-			
		O.D.L	12.00	11.70	12.30	12.02	12.01	-	-	-			
		H.L	10.00	9.50	10.50	10.00	9.99	-	-	-			
		I.D	68.00	67.20	68.80	68.06	68.09	-	-	-			
		DEPTH	15.50	15.00	16.00	15.55	15.54	-	-	-			
		THREAD	M75x1.5 AS PER T.R.G GO NOT GO			OK	OK	-	-	-			
		INT.THREAD	M80x1.5 AS PER P.G GO NOT GO			OK	OK	-	-	-			
		CH.ANGLE	1x45° AS PER PP FOUND			OK	OK	-	-	-			
		CH.ANGLE	1.5x45° AS PER PP FOUND			OK	OK	-	-	-			
		CH.ANGLE	20° AS PER PP FOUND			OK	OK	-	-	-			
		ANGLE	90° AS PER PP FOUND			OK	OK	-	-	-			
		INSPECTED BY:		Jay Hadiyal			APPROVED BY:			Shreekant			

Conclusion :



Accept



Reject



Hold





MetalMech-08500-FR-QX-08-Final Inspection Report-EX

INSP. No.	FIR-05	Product Name	INTERMEDIATE BODY			Size	M75			Drawing No.	313002U-07	Date:	16/09/2026
Wo No.	26000210	Total Quantity	8			Lot Quantity	8			Sample Size-	2	Variable & Grouping	2PCS
Sr. No.	Checking Parameter	REQUIRED PARAMETER				OBSERVED RESULTS				REJECTION Rework Detail	REMARK	CHECKED BY	
		PARAMETER	CRITERIA		1	2	-	-	-				
		Surface	Fine, Clean		FINE	FINE	-	-	-				
		Size wise No of Pcs. With Internal Parts	As per Drg. No. of Parts	11	11	11	-	-	-			Measuring Instruments ID No. (1) DV-55	
		Washing & Plating	Surface Finishing	NA	NA	NA	-	-	-			(2) PP-01	
		RUBBER MARKING	AS PER DRG.	NA	NA	NA	-	-	-				
		Marking	WO Ref. No.	NA	NA	NA	-	-	-			ASM No >- AEX260811-10	
		Assembly Perfection	As per Drg.		OK	OK	-	-	-				
		Inner Packing	Labeling & Printline		OK	OK	-	-	-				
		Outer Packing	Printing & Stamping		OK	OK	-	-	-				
		All Dimensions Are In MM											
			VALUE	-	+	1	2	-	-	-			
		A/F	100.00	99.81	100.00	99.95	99.93	-	-	-			
		A/C	109.00	108.20	109.80	109.00	108.99	-	-	-			
		T.L	39.00	38.20	39.80	39.04	39.06	-	-	-			
		TH.L	14.00	13.50	14.50	14.02	14.01	-	-	-			
		GR.OD	78.00	77.20	78.80	77.98	77.98	-	-	-			
		GR.LE	1.00	0.80	1.20	1.01	1.03	-	-	-			
		H.L	9.00	8.70	9.30	9.11	9.13	-	-	-			
		TH.L	16.00	15.50	16.50	15.99	16.00	-	-	-			
		GR.OD	90.00	89.20	90.80	89.50	89.49	-	-	-			
		GR.LE	1.00	0.80	1.20	1.01	1.03	-	-	-			
		LD	73.00	72.20	73.80	73.05	73.04	-	-	-			
		LD	82.50	81.70	83.30	82.54	82.52	-	-	-			
		DEPTH	7.00	6.70	7.30	7.01	7.03	-	-	-			
		LD	79.00	78.20	79.80	79.07	79.06	-	-	-			
		LD.LE	16.00	15.50	16.50	16.02	16.01	-	-	-			
		DEPTH	23.00	22.20	23.80	23.01	23.03	-	-	-			
		THREAD	M80x1.5 AS PER T.R.G GO NOT GO			OK	OK	-	-	-			
		THREAD	M92x2 AS PER T.R.G GO NOT GO			OK	OK	-	-	-			
		CH.ANGLE	1.5x45° AS PER PP FOUND			OK	OK	-	-	-			
		CH.ANGLE	0.5x45° AS PER PP FOUND			OK	OK	-	-	-			
		CH.ANGLE	2x45° AS PER PP FOUND			OK	OK	-	-	-			
		CH.ANGLE	20° AS PER PP FOUND			OK	OK	-	-	-			
INSPECTED BY:		Jay Hadiyal			APPROVED BY:			Shreekant					

Conclusion :



Accept



Reject



Hold





MetalMech-08500-FR-QX-08-Final Inspection Report-EX

INSP. No.	FIR-05	Product Name	MIDDLE BODY	Size	M75	Drawing No.	313002-07	Date:	16/09/2026				
Wo No.	26000210	Total Quantity	8	Lot Quantity	8	Sample Size-	2	Variable & Gauging	2PCS				
Sr. No.	Checking Parameter	REQUIRED PARAMETER				OBSERVED RESULTS				REJECTION REWORK DETAIL	REMARK	CHECKED BY	
		PARAMETER	CRITERIA		1	2	-	-	-				
1	Visual	Surface	Fine, Clean		FINE	FINE	-	-	-		Measuring Instruments Ltd. No.		
		Size wise No of Pcs. With Internal Parts	As per Drg. No. of Parts	11	11	11	-	-	-		(1) DV-55		
		Washing & Plating	Surface Finishing	NA	NA	NA	-	-	-		(2) PP-01		
		RUBBER MARKING	AS PER DRG.	NA	NA	NA	-	-	-				
		Marking	WO Ref. No.	NA	NA	NA	-	-	-		ASM No :- AEX260811-10		
		Assembly Perfection	As per Drg.		OK	OK	-	-	-				
		Inner Packing	Labeling & Printing	OK	OK	-	-	-					
		Outer Packing	Printing & Stamping		OK	OK	-	-	-				
		All Dimensions Are In MM											
		2	DIMENSION		VALUE	-	+	1	2	-	-	-	
A/F	100.00			99.81	100.00	99.96	99.98	-	-	-			
A/C	109.00			108.20	109.80	108.99	109.00	-	-	-			
T.L	51.00			50.20	51.80	51.15	51.13	-	-	-			
TH.L	17.00			16.50	17.50	16.95	16.94	-	-	-			
GR.OD	92.00			91.20	92.80	91.48	91.49	-	-	-			
GR.LE	1.50			1.30	1.70	1.53	1.55	-	-	-			
O.D	97.00			96.20	97.80	97.00	96.99	-	-	-			
O.D.L	12.00			11.50	12.50	12.02	12.01	-	-	-			
H.L	22.00			21.50	22.50	22.03	22.02	-	-	-			
I.D	79.00			78.20	79.80	79.05	79.04	-	-	-			
I.D	89.00			88.20	89.80	89.06	89.05	-	-	-			
I.D.LE	12.00			11.50	12.50	12.02	12.01	-	-	-			
INT.TH.L	18.00			17.50	18.50	18.03	18.05	-	-	-			
I.D	87.00			86.20	87.80	87.05	87.04	-	-	-			
DEPTH	32.00			31.20	32.80	32.02	32.01	-	-	-			
THREAD	M94x2 AS PER T.R.G GO NOT GO			OK	OK	-	-	-					
INT.THREAD	M92x2 AS PER P.G GO NOT GO			OK	OK	-	-	-					
CH.ANGLE	0.5x45° AS PER PP FOUND			OK	OK	-	-	-					
CH.ANGLE	2x45° AS PER PP FOUND			OK	OK	-	-	-					
CH.ANGLE	30° AS PER PP FOUND			OK	OK	-	-	-					
INSPECTED BY:		Jay Hadiyal			APPROVED BY:				Shreekant				

Conclusion :



Accept



Reject



Hold





MetalMech-08500-FR-QX-08-Final Inspection Report-EX

INSP. No.	FIR-05	Product Name	BACK NUT		Size		M75		Drawing No.	313003-07	Date:	16/09/2026		
Wo No.	26000210	Total Quantity	8		Lot Quantity		8		Sample Size-	2	Variable & Gauging	2PCS		
Sr. No.	Checking Parameter	REQUIRED PARAMETER				OBSERVED RESULTS				REJECTION REWORK DETAIL	REMARK	CHECKED BY		
		PARAMETER	CRITERIA		1	2	-	-	-					
1	Visual	Surface	Fine, Clean		FINE	FINE	-	-	-					
		Size wise No of Pcs. With Internal Parts	As per Drg. No. of Parts	11	11	11	-	-	-					
		Washing & Plating	Surface Finishing	NA	NA	NA	-	-	-					
		RUBBER MARKING	AS PER DRG.	NA	NA	NA	-	-	-					
		Marking	WO Ref. No.	NA	NA	NA	-	-	-					
		Assembly Perfection	As per Drg.		OK	OK	-	-	-					
		Inner Packing	Labeling & Printing		OK	OK	-	-	-					
		Outer Packing	Printing & Stamping		OK	OK	-	-	-					
		All Dimensions Are In MM												
		2	DIMENSION		VALUE	-	+	1	2	-	-	-		
A/F	100.00			99.81	100.00	99.95	99.91	-	-	-				
A/C	109.00			108.20	109.80	109.00	108.99	-	-	-				
T.L	27.00			26.50	27.50	27.09	27.07	-	-	-				
O.D	98.50			97.70	99.30	98.55	98.53	-	-	-				
O.D.L	12.00			11.50	12.50	12.02	12.01	-	-	-				
H.L	15.00			14.50	15.50	15.05	15.04	-	-	-				
LD	86.00			85.20	86.80	86.04	86.06	-	-	-				
INT.TH.L	5.00			4.70	5.30	5.02	5.01	-	-	-				
GR.ID	94.50			93.70	95.30	94.53	94.55	-	-	-				
GR.LE	17.50			17.00	18.00	17.52	17.51	-	-	-				
DEPTH	22.50			22.00	23.00	22.55	22.54	-	-	-				
GR.ID	92.00			91.20	92.80	92.07	92.05	-	-	-				
GR.LE	3.00			2.80	3.20	3.02	3.01	-	-	-				
DEPTH	25.50			25.00	26.00	25.53	25.55	-	-	-				
INT.THREAD	M9x2 AS PER P.G GO NOT GO			OK	OK	-	-	-						
CH.ANGLE	1.5x45° AS PER PP FOUND			OK	OK	-	-	-						
CH.ANGLE	0.5x45° AS PER PP FOUND			OK	OK	-	-	-						
CH.ANGLE	45° AS PER PP FOUND			OK	OK	-	-	-						

INSPECTED BY:

Jay Hadiyal

APPROVED BY:

Shreekant

Conclusion :



Accept



Reject



Hold





MetalMech-08500-FR-QX-08-Final Inspection Report-EX

INSP. No.	FIR-05	Product Name	UNIVERSAL CLAMPING CONE		Size		M75		Drawing No.		313005-07	Date:	16/09/2026
Wo No.	25000210	Total Quantity	8		Lot Quantity		8		Sample Size-		2	Variable & Gauging	2PCS
Sr. No.	Checking Parameter	REQUIRED PARAMETER				OBSERVED RESULTS					REJECTION REWORK DETAIL	REMARK	CHECKED BY
		PARAMETER	CRITERIA		1	2	-	-	-				
1	Visual	Surface	Fine, Clean		FINE	FINE	-	-	-		Measuring Instruments ID No.		
		Sizewise No of Pcs. With Internal Parts	As per Drg. No. of Parts	11	11	11	-	-	-		(1) DV-55		
		Washing & Plating	Surface Finishing	NA	NA	NA	-	-	-		(2) PP-01		
		RUBBER MARKING	AS PER DRG.	NA	NA	NA	-	-	-				
		Marking	WO Ref. No.	NA	NA	NA	-	-	-		ASM No :- AEX260811-10		
		Assembly Perfection	As per Drg.		OK	OK	-	-	-				
		Inner Packing	Labeling & Printing		OK	OK	-	-	-				
		Outer Packing	Printing & Stamping		OK	OK	-	-	-				
		All Dimensions Are in MM											
2	DIMENSION		VALUE	-	+	1	2	-	-	-			
		T.L	39.00	38.20	39.80	39.05	39.03	-	-	-			
		O.D	76.00	75.20	76.80	75.97	75.99	-	-	-			
		O.D.L	6.00	5.70	6.30	6.01	6.03	-	-	-			
		GR.OD	77.00	76.20	77.80	76.97	76.99	-	-	-			
		GR.LE	2.50	2.30	2.70	2.53	2.55	-	-	-			
		O.D	78.80	78.00	79.60	78.78	78.80	-	-	-			
		O.D.L	16.00	15.50	16.50	16.02	16.01	-	-	-			
		O.D	71.50	70.70	72.30	71.48	71.50	-	-	-			
		O.D.L	8.50	8.20	8.80	8.53	8.55	-	-	-			
		O.D	72.50	71.70	73.30	72.48	72.50	-	-	-			
		O.D.L	7.50	7.00	8.00	7.52	7.51	-	-	-			
		O.D	73.50	72.70	74.30	73.48	73.50	-	-	-			
		O.D	74.50	73.70	75.30	74.52	74.51	-	-	-			
		O.D	82.00	81.20	82.80	81.97	81.99	-	-	-			
		O.D.L	7.00	6.50	7.50	7.02	7.01	-	-	-			
		LD	68.50	67.70	69.30	68.63	68.66	-	-	-			
		GROOVE,STEP,LE	0.5 MM AS PER PP FOUND		OK	OK	-	-	-				
		RADIUS	0.5 MM AS PER PP FOUND		OK	OK	-	-	-				
		RADIUS	0.3 AS PER PP FOUND		OK	OK	-	-	-				
INSPECTED BY:		Jay Hadiyal			APPROVED BY:				Shreekant				

Conclusion :



Accept



Reject



Hold



MetalMech-08500-FR-QX-08-Final Inspection Report-EX

INSP. No.	FIR-05	Product Name	REVERSIBLE ARMOUR RING		Size		M75		Drawing No.		313004-07	Date:	16/09/2026	
Wo No.	26000210	Total Quantity	8		Lot Quantity		8		Sample Size-		2	Variable & Gauging	2PCS	
Sr. No.	Checking Parameter	REQUIRED PARAMETER				OBSERVED RESULTS					REJECTION REWORK DETAIL	REMARK	CHECKED BY	
		PARAMETER	CRITERIA			1	2	-	-	-				
1	Visual	Surface	Fine, Clean			FINE	FINE	-	-	-		Measuring Instruments I.D No-		
		Sizewise No of Pcs. With Internal Parts	As per Drg. No. of Parts	11	11	11	-	-	-		(1) DV-55			
		Washing & Plating	Surface Finishing	NA	NA	NA	-	-	-		(2) PP-01			
		RUBBER MARKING	AS PER DRG.	NA	NA	NA	-	-	-					
		Marking	WO Ref. No.	NA	NA	NA	-	-	-		ASM No :- AEX260811-10			
		Assembly Perfection	As per Drg.			OK	OK	-	-	-				
		Inner Packing	Labeling & Printing				OK	OK	-	-	-			
		Outer Packing	Printing & Stamping			OK	OK	-	-	-				
		All Dimensions Are In MM												
2	DIMENSION		VALUE	-	+	1	2	-	-	-				
		T.L	16.00	15.50	16.50	16.11	16.12	-	-	-				
		O.D	84.00	83.20	84.80	84.07	84.06	-	-	-				
		I.D	77.50	76.70	78.30	77.49	77.48	-	-	-				
		I.D	79.50	78.70	80.30	79.55	79.53	-	-	-				
INSPECTED BY:		Jay Hadiyal			APPROVED BY:				Shreekant					

Conclusion :



Accept



Reject



Hold





MetalMech-08500-FR-QX-08-Final Inspection Report-EX

INSP. No.	FIR-05	Product Name	O-RING		Size		M75		Drawing No.			OR-7M	Date:	16/09/2026
Wo No.	26000210	Total Quantity	8		Lot Quantity		8		Sample Size-			2	Variable & Gauging	2PCS
Sr. No.	Checking Parameter	REQUIRED PARAMETER				OBSERVED RESULTS					REJECTION REWORK DETAIL	REMARK	CHECKED BY	
		PARAMETER	CRITERIA			1	2	-	-	-				
1	Visual	Surface	Fine, Clean			FINE	FINE	-	-	-		Measuring Instruments I.D No-		
		Sizewise No of Pcs. With Internal Parts	As per Drg. No. of Parts	11	11	11	-	-	-		(1) DV-55			
		Washing & Plating	Surface Finishing	NA	NA	NA	-	-	-		(2) PP-01			
		RUBBER MARKING	AS PER DRG.	NA	NA	NA	-	-	-					
		Marking	WO Ref. No.	NA	NA	NA	-	-	-		ASM No :- AEX260811-10			
		Assembly Perfection	As per Drg.			OK	OK	-	-	-				
		Inner Packing	Labeling & Printing				OK	OK	-	-	-			
		Outer Packing	Printing & Stamping			OK	OK	-	-	-				
		All Dimensions Are In MM												
2	DIMENSION		VALUE	-	+	1	2	-	-	-				
		THICKNESS	2.50	2.00	2.50	2.09	2.08	-	-	-				
		I.D	60.00	59.20	60.80	60.03	60.02	-	-	-				
INSPECTED BY:		Jay Hadiyal			APPROVED BY:				Shreekant					

Conclusion :



Accept



Reject



Hold





MetalMech-08500-FR-QX-08-Final Inspection Report-EX

INSP. No.	FIR-05	Product Name	COMPRESSIBLE INNER SEAL		Size	M75		Drawing No.	GI-07	Date:	16/09/2026	
Wo No.	26000210	Total Quantity	8		Lot Quantity	8		Sample Size-	2	Variable & Gauging	2PCS	
Sr. No.	Checking Parameter	REQUIRED PARAMETER				OBSERVED RESULTS				REJECTION REWORK DETAIL	REMARK	CHECKED BY
		PARAMETER	CRITERIA		1	2	-	-	-			
1	Visual	Surface	Fine, Clean		FINE	FINE	-	-	-		Measuring Instruments I.D No-	
		Sizewise No of Pcs. With Internal Parts	As per Drg. No. of Parts	11	11	11	-	-	-		(1) DV-55	
		Washing & Plating	Surface Finishing	NA	NA	NA	-	-	-		(2) PP-01	
		RUBBER MARKING	AS PER DRG.	OK	OK	OK	-	-	-			
		Marking	WO Ref. No.	NA	NA	NA	-	-	-		ASM No :- AEX260811-10	
		Assembly Perfection	As per Drg.		OK	OK	-	-	-			
		Inner Packing	Labeling & Printing		OK	OK	-	-	-			
		Outer Packing	Printing & Stamping		OK	OK	-	-	-			
		All Dimensions Are In MM										
2	DIMENSION		VALUE	-	+	1	2	-	-	-		
		T.L	15.50	15.00	16.00	15.53	15.52	-	-	-		
		O.D.L	5.00	4.70	5.30	5.01	5.03	-	-	-		
		O.D	78.50	78.30	78.50	78.48	78.50	-	-	-		
		O.D.L	10.50	10.00	11.00	10.53	10.55	-	-	-		
		I.D	68.00	68.00	68.20	68.04	68.06	-	-	-		
INSPECTED BY:		Jay Hadiyal			APPROVED BY:			Shreekant				

Conclusion :



Accept



Reject



Hold



MetalMech-08500-FR-QX-08-Final Inspection Report-EX

INSP. No.	FIR-05	Product Name	COMPRESSIBLE OUTER SEAL		Size		M75		Drawing No.		GE-07	Date:	16/09/2026
Wo No.	26000210	Total Quantity	8		Lot Quantity		8		Sample Size-		2	Variable & Gauging	2PCS
Sr. No.	Checking Parameter	REQUIRED PARAMETER				OBSERVED RESULTS					REJECTION REWORK DETAIL	REMARK	CHECKED BY
		PARAMETER	CRITERIA			1	2	-	-	-			
1	Visual	Surface	Fine, Clean			FINE	FINE	-	-	-		Measuring Instruments I.D No-	
		Sizewise No of Pcs. With Internal Parts	As per Drg. No. of Parts	11	11	11	-	-	-		(1) DV-55		
		Washing & Plating	Surface Finishing	NA	NA	NA	-	-	-		(2) PP-01		
		RUBBER MARKING	AS PER DRG.	OK	OK	OK	-	-	-				
		Marking	WO Ref. No.	NA	NA	NA	-	-	-		ASM No :- AEX260811-10		
		Assembly Perfection	As per Drg.			OK	OK	-	-	-			
		Inner Packing	Labeling & Printing		OK	OK	-	-	-				
		Outer Packing	Printing & Stamping			OK	OK	-	-	-			
		All Dimensions Are In MM											
2	DIMENSION		VALUE	-	+	1	2	-	-	-			
		T.L	18.50	18.00	19.00	18.53	18.55	-	-	-			
		O.D	94.50	94.30	94.50	94.48	94.50	-	-	-			
		GR.LENGTH	7.00	6.70	7.30	7.02	7.01	-	-	-			
		I.D	77.70	77.70	77.80	77.73	77.75	-	-	-			
INSPECTED BY:		Jay Hadiyal			APPROVED BY:				Shreekant				

Conclusion :



Accept



Reject



Hold



MetalMech-08500-FR-QX-08-Final Inspection Report-EX

INSP. No.	FIR-05	Product Name	INNER SKID WASHER		Size		M75		Drawing No.		IW-07	Date:	16/09/2026
Wo No.	26000210	Total Quantity	8		Lot Quantity		8		Sample Size-		2	Variable & Gauging	2PCS
Sr. No.	Checking Parameter	REQUIRED PARAMETER				OBSERVED RESULTS					REJECTION REWORK DETAIL	REMARK	CHECKED BY
		PARAMETER	CRITERIA			1	2	-	-	-			
1	Visual	Surface	Fine, Clean			FINE	FINE	-	-	-		Measuring Instruments LD No-	
		Sizewise No of Pcs. With Internal Parts	As per Drg. No. of Parts	11	11	11	-	-	-		(1) DV-55		
		Washing & Plating	Surface Finishing	NA	NA	NA	-	-	-		(2) PP-01		
		RUBBER MARKING	AS PER DRG.	OK	OK	OK	-	-	-				
		Marking	WO Ref. No.	NA	NA	NA	-	-	-		ASM No :- AEX260811-10		
		Assembly Perfection	As per Drg.			OK	OK	-	-	-			
		Inner Packing	Labeling & Printing		OK	OK	-	-	-				
		Outer Packing	Printing & Stamping			OK	OK	-	-	-			
		All Dimensions Are In MM											
2	DIMENSION		VALUE	-	+	1	2	-	-	-			
		T.L	5.50	5.20	5.80	5.53	5.55	-	-	-			
		O.D	77.00	76.80	77.00	76.97	76.99	-	-	-			
		O.D	72.00	71.80	72.00	71.93	71.95	-	-	-			
		O.D.L	4.00	4.00	4.20	4.02	4.01	-	-	-			
		I.D	68.50	68.50	68.70	68.53	68.55	-	-	-			
INSPECTED BY:		Jay Hadiyal			APPROVED BY:				Shreekant				

Conclusion :



Accept



Reject



Hold



MetalMech-08500-FR-QX-08-Final Inspection Report-EX

INSP. No.	FIR-05	Product Name	OUTER SKID WASHER		Size	M75		Drawing No.		OW-07	Date:	16/09/2026	
Wo No.	26000210	Total Quantity	8		Lot Quantity	8		Sample Size-		2	Variable & Gauging	2PCS	
Sr. No.	Checking Parameter	REQUIRED PARAMETER				OBSERVED RESULTS					REJECTION REWORK DETAIL	REMARK	CHECKED BY
		PARAMETER	CRITERIA		1	2	-	-	-				
1	Visual	Surface	Fine, Clean		FINE	FINE	-	-	-		Measuring Instruments I.D No-		
		Sizewise No of Pcs. With Internal Parts	As per Drg. No. of Parts	11	11	11	-	-	-		(1) DV-55		
		Washing & Plating	Surface Finishing	NA	NA	NA	-	-	-		(2) PP-01		
		RUBBER MARKING	AS PER DRG.	NA	NA	NA	-	-	-				
		Marking	WO Ref. No.	NA	NA	NA	-	-	-		ASM No :- AEX260811-10		
		Assembly Perfection	As per Drg.		OK	OK	-	-	-				
		Inner Packing	Labeling & Printing		OK	OK	-	-	-				
		Outer Packing	Printing & Stamping		OK	OK	-	-	-				
		All Dimensions Are In MM											
2	DIMENSION		VALUE	-	+	1	2	-	-	-			
		T.L	7.50	7.20	7.80	7.52	7.51	-	-	-			
		O.D	91.00	91.00	91.10	91.03	91.02	-	-	-			
		O.D	85.00	84.80	85.00	84.90	84.89	-	-	-			
		O.D.L	5.00	5.00	5.10	5.02	5.01	-	-	-			
		I.D	79.00	79.00	79.20	79.05	79.04	-	-	-			
INSPECTED BY:		Jay Hadiyal			APPROVED BY:				Shreekant				

Conclusion :



Accept



Reject



Hold

