MetalMech-08500-FR-QX-08-Final Inspection Report-EX

INSP. No.	FIR-01	**Product Name**	LOCK NUT	**Size**	1/2" NPT	**Drawing No.**	DL1N	**Date:**	11-10-2026
Wo No.	26000308	**Total Quantity**	32	**Lot Quantity**	32	**Sample Size-**	2	**Variable & Gauging**	2PCS

Sr. No.	**Checking Parameter**	**REQUIRED PARAMETER**			**OBSERVED RESULTS**					**REJECTION REWORK DETAIL**	**REMARK**	**CHECKED BY**
		PARAMETER	**CRITERIA**		**1**	**2**	**-**	**-**	**-**			
1	Visual	Surface	Fine, Clean		FINE	FINE	-	-	-		Measuring Instruments I.D No-	
		Sizewise No of Pcs. With Internal Parts	As per Drg. No. of Parts	15	15	15	-	-	-		(1) DV-55	
		Washing & Plating	Surface Finishing	NICKEL	OK	OK	-	-	-		(2) PP-01	
		RUBBER MARKING	AS PER DRG.	NA	NA	NA	-	-	-			
		Marking	WO Ref. No.	NA	NA	NA	-	-	-		ASM No :- AEX261008-01	
		Assembly Perfection	As per Drg.		OK	OK	-	-	-			
		Inner Packing	Labeling & Printing		OK	OK	-	-	-			
		Outer Packing	Printing & Stamping		OK	OK	-	-	-			
		All Dimensions Are In MM										
2	DIMENSION		VALUE	-	+	1	2	-	-	-			
		A/F	25.00	24.87	25.00	24.96	24.95	-	-	-		
		A/C	28.00	27.50	28.50	28.04	28.03	-	-	-		
		T.L	4.00	3.70	4.30	4.05	4.04	-	-	-		
		THREAD	1/2" NPT AS PER P.G GO NOT GO			OK	OK	-	-	-		
		CH.ANGLE	30° AS PER PP FOUND			OK	OK	-	-	-		

INSPECTED BY:	*Jay Hadiyal*	*APPROVED BY:*	*Shreekant*

Conclusion :

☑ **Accept** ☐ **Reject** ☐ **Hold**

METALMECH ENGINEERING QA PASSED

MetalMech-08500-FR-QX-08-Final Inspection Report-EX

INSP. No.	FIR-01	**Product Name**	ENTRY COMPONENT	**Size**	1/2" NPT	**Drawing No.**	313001M-01s	**Date:**	11-10-2026
Wo No.	26000308	**Total Quantity**	32	**Lot Quantity**	32	**Sample Size-**	2	Variable & Gauging	2PCS

Sr. No.	Checking Parameter	REQUIRED PARAMETER			OBSERVED RESULTS					REJECTION REWORK DETAIL	REMARK	CHECKED BY
		PARAMETER	CRITERIA		1	2	-	-	-			
1	Visual	Surface	Fine, Clean		FINE	FINE	-	-	-		Measuring Instruments I.D No-	
		Sizewise No of Pcs. With Internal Parts	As per Drg. No. of Parts	15	15	15	-	-	-		(1) DV-55	
		Washing & Plating	Surface Finishing	NICKEL	OK	OK	-	-	-		(2) PP-01	
		RUBBER MARKING	AS PER DRG.	NA	NA	NA	-	-	-			
		Marking	WO Ref. No.	Metalmech Logo MM-EX-E1FUNV20s1NB2 2026 CE Logo 2460 Ex Logo II 2 GD Ex db IIC Gb, Ex eb	OK	OK	-	-	-		ASM No :- AEX261008-01	
		Assembly Perfection	As per Drg.		OK	OK	-	-	-			
		Inner Packing	Labeling & Printing		OK	OK	-	-	-			
		Outer Packing	Printing & Stamping		OK	OK	-	-	-			
		All Dimensions Are In MM										
2	DIMENSION		VALUE	-	+	1	2	-	-	-			
		A/F	25.00	24.87	25.00	24.95	24.96	-	-	-		
		A/C	27.50	27.00	28.00	27.54	27.53	-	-	-		
		T.L	35.00	35.00	35.50	35.15	35.13	-	-	-		
		LENGTH	20.00	20.00	20.50	20.11	20.12	-	-	-		
		O.D	24.50	24.00	25.00	24.50	24.49	-	-	-		
		O.D.L	9.00	8.50	9.50	9.04	9.06	-	-	-		
		H.L	6.00	5.70	6.30	6.06	6.05	-	-	-		
		I.D	12.00	11.50	12.50	12.07	12.06	-	-	-		
		DEPTH	11.50	11.00	12.00	11.54	11.56	-	-	-		
		THREAD	1/2" NPT AS PER T.R.G GO NOT GO			OK	OK	-	-	-		
		INT.THREAD	M20x1.5 AS PER P.G GO NOT GO			OK	OK	-	-	-		
		CH.ANGLE	0.5x45° AS PER PP FOUND			OK	OK	-	-	-		
		CH.ANGLE	1.6x45° AS PER PP FOUND			OK	OK	-	-	-		
		CH.ANGLE	1.5x45° AS PER PP FOUND			OK	OK	-	-	-		
		CH.ANGLE	20° AS PER PP FOUND			OK	OK	-	-	-		
		ANGLE	90° AS PER PP FOUND			OK	OK	-	-	-		

INSPECTED BY:	*Jay Hadiyal*	*APPROVED BY:*	*Shreekant*

Conclusion :

☑ **Accept** ☐ **Reject** ☐ **Hold**

METAMECH ENGINEERS GROUP CA PASSED

METAL MECH
THE SAFEST CONNECTIONS

MetalMech-08500-FR-QX-08-Final Inspection Report-EX

INSP. No.	FIR-01	**Product Name**	INTERMIDIATE BODY	**Size**	1/2" NPT	**Drawing No.**	313002U-01s	**Date:**	11-10-2026
Wo No.	26000308	**Total Quantity**	32	**Lot Quantity**	32	**Sample Size-**	2	Variable & Gauging	2PCS

Sr. No.	Checking Parameter	REQUIRED PARAMETER				OBSERVED RESULTS					REJECTION REWORK DETAIL	REMARK	CHECKED BY
		PARAMETER	CRITERIA			1	2	-	-	-			
1	Visual	Surface	Fine, Clean			FINE	FINE	-	-	-		Measuring Instruments LD No-	
		Sizewise No of Pcs. With Internal Parts	As per Drg. No. of Parts	15		15	15	-	-	-		(1) DV-55	
		Washing & Plating	Surface Finishing	NICKEL		OK	OK	-	-	-		(2) PP-01	
		RUBBER MARKING	AS PER DRG.	NA		NA	NA	-	-	-			
		Marking	WO Ref. No.	NA		NA	NA	-	-	-		ASM No :- AEX261008-01	
		Assembly Perfection	As per Drg.			OK	OK	-	-	-			
		Inner Packing	Labeling & Printing			OK	OK	-	-	-			
		Outer Packing	Printing & Stamping			OK	OK	-	-	-			
		All Dimensions Are In MM											
2	DIMENSION		VALUE	-	+	1	2	-	-	-			
		A/F	25.00	24.87	25.00	24.93	24.95	-	-	-			
		A/C	27.50	27.00	28.00	27.48	27.49	-	-	-			
		T.L	22.00	21.50	22.50	22.07	22.06	-	-	-			
		TH.L	10.00	9.50	10.50	10.05	10.04	-	-	-			
		GR.OD	18.00	17.50	18.50	18.04	18.03	-	-	-			
		GR.LE	1.00	0.80	1.20	1.02	1.01	-	-	-			
		H.L	4.00	3.70	4.30	4.05	4.04	-	-	-			
		TH.L	8.00	7.70	8.30	8.04	8.06	-	-	-			
		GR.OD	20.00	19.50	20.50	20.04	20.05	-	-	-			
		GR.LE	1.00	0.80	1.20	1.02	1.01	-	-	-			
		I.D	16.00	15.50	16.50	16.03	16.02	-	-	-			
		I.D	18.00	17.50	18.50	18.06	18.05	-	-	-			
		DEPTH	7.00	6.70	7.30	7.04	7.06	-	-	-			
		I.D	17.00	16.50	17.50	16.96	16.95	-	-	-			
		I.D.LE	4.50	4.20	4.80	4.56	4.55	-	-	-			
		DEPTH	11.50	11.00	12.00	11.56	11.55	-	-	-			
		THREAD	M20x1.5 AS PER T.R.G GO NOT GO			OK	OK	-	-	-			
		THREAD	M22x1.5 AS PER P.G GO NOT GO			OK	OK	-	-	-			
		CH.ANGLE	1.5x45° AS PER PP FOUND			OK	OK	-	-	-			
		CH.ANGLE	0.5x45° AS PER PP FOUND			OK	OK	-	-	-			
		CH.ANGLE	20° AS PER PP FOUND			OK	OK	-	-	-			

INSPECTED BY:	*Jay Hadiyal*	*APPROVED BY:*	*Shreekant*

Conclusion :

☑ **Accept** ☐ **Reject** ☐ **Hold**



METAL MECH®
THE SAFEST CONNECTIONS

MetalMech-08500-FR-QX-08-Final Inspection Report-EX

INSP. No.	FIR-01	Product Name	MIDDLE BODY	Size	1/2" NPT	Drawing No.	313002-018	Date:	11-10-2026
Wo No.	26000308	Total Quantity	32	Lot Quantity	32	Sample Size-	2	Variable & Gauging	2PCS

Sr. No.	Checking Parameter	REQUIRED PARAMETER				OBSERVED RESULTS						REJECTION REWORK DETAIL	REMARK	CHECKED BY
		PARAMETER	CRITERIA			1	2	-	-	-				
1	Visual	Surface	Fine, Clean			FINE	FINE	-	-	-			Measuring Instruments I.D No-	
		Sizewise No of Pcs. With Internal Parts	As per Drg. No. of Parts	15		15	15	-	-	-			(1) DV-55	
		Washing & Plating	Surface Finishing	NICKEL		OK	OK	-	-	-			(2) PP-01	
		RUBBER MARKING	AS PER DRG.	NA		NA	NA	-	-	-				
		Marking	WO Ref. No.	NA		NA	NA	-	-	-			ASM No :- AEX261008-01	
		Assembly Perfection	As per Drg.			OK	OK	-	-	-				
		Inner Packing	Labeling & Printing			OK	OK	-	-	-				
		Outer Packing	Printing & Stamping			OK	OK	-	-	-				
		All Dimensions Are In MM												
2	DIMENSION		VALUE	-	+	1	2	-	-	-				
		A/F	25.00	24.87	25.00	24.93	24.95	-	-	-				
		A/C	27.50	27.00	28.00	27.50	27.49	-	-	-				
		T.L	28.00	27.50	28.50	28.08	28.07	-	-	-				
		TH.L	12.00	11.50	12.50	12.06	12.05	-	-	-				
		GR.OD	20.50	20.00	21.00	20.45	20.44	-	-	-				
		GR.LE	1.00	0.80	1.20	1.02	1.01	-	-	-				
		O.D	24.50	24.00	25.00	24.45	24.44	-	-	-				
		O.D.L	8.00	7.70	8.30	8.04	8.06	-	-	-				
		H.L	8.00	7.70	8.30	8.03	8.05	-	-	-				
		I.D	16.00	15.50	16.50	16.04	16.03	-	-	-				
		I.D	17.00	16.50	17.50	17.07	17.05	-	-	-				
		I.D.LE	4.00	3.70	4.30	4.04	4.06	-	-	-				
		INT.THL	9.50	9.00	10.00	9.54	9.58	-	-	-				
		I.D	20.00	19.50	20.50	20.03	20.05	-	-	-				
		DEPTH	14.00	13.50	14.50	14.08	14.06	-	-	-				
		THREAD	M22x1 AS PER T.R.G GO NOT GO			OK	OK	-	-	-				
		INT.THREAD	M22x1.5 AS PER P.G GO NOT GO			OK	OK	-	-	-				
		CH.ANGLE	0.5x45° AS PER PP FOUND			OK	OK	-	-	-				
		CH.ANGLE	1x45° AS PER PP FOUND			OK	OK	-	-	-				
		CH.ANGLE	1.5x45° AS PER PP FOUND			OK	OK	-	-	-				
		CH.ANGLE	30° AS PER PP FOUND			OK	OK	-	-	-				

INSPECTED BY:	*Jay Hadiyal*	*APPROVED BY:*	*Shreekant*

Conclusion :

☑ **Accept** ☐ **Reject** ☐ **Hold**

METAMECH ENGINEERS PVT. LTD. QA PASSED

MetalMech-08500-FR-QX-08-Final Inspection Report-EX

INSP. No.	FIR-01	**Product Name**	BACK NUT	**Size**	1/2" NPT	**Drawing No.**	313003-018	**Date:**	11-10-2026
Wo No.	26000308	**Total Quantity**	32	**Lot Quantity**	32	**Sample Size-**	2	**Variable & Gauging**	2PCS

Sr. No.	Checking Parameter	REQUIRED PARAMETER				OBSERVED RESULTS					REJECTION REWORK DETAIL	REMARK	CHECKED BY
		PARAMETER	CRITERIA			1	2	-	-	-			
1	Visual	Surface	Fine, Clean			FINE	FINE	-	-	-		Measuring Instruments I.D No-	
		Sizewise No of Pcs. With Internal Parts	As per Drg. No. of Parts	15		15	15	-	-	-		(1) DV-55	
		Washing & Plating	Surface Finishing	NICKEL		OK	OK	-	-	-		(2) PP-01	
		RUBBER MARKING	AS PER DRG.	NA		NA	NA	-	-	-			
		Marking	WO Ref. No.	NA		NA	NA	-	-	-		ASM No :- AEX261008-01	
		Assembly Perfection	As per Drg.			OK	OK	-	-	-			
		Inner Packing	Labeling & Printing			OK	OK	-	-	-			
		Outer Packing	Printing & Stamping			OK	OK	-	-	-			
		All Dimensions Are In MM											
2	DIMENSION		VALUE	-	+	1	2	-	-	-			
		A/F	25.00	24.87	25.00	24.95	24.94	-	-	-			
		A/C	27.50	27.00	28.00	27.46	27.45	-	-	-			
		T.L	17.00	16.50	17.50	17.07	17.09	-	-	-			
		O.D	24.00	23.50	24.50	24.07	24.09	-	-	-			
		O.D.L	8.00	7.70	8.30	8.04	8.06	-	-	-			
		H.L	9.00	8.50	9.50	9.06	9.05	-	-	-			
		I.D	19.00	18.50	19.50	19.03	19.04	-	-	-			
		INT.THL	3.00	2.80	3.20	3.03	3.05	-	-	-			
		GR.ID	22.20	21.70	22.70	22.25	22.23	-	-	-			
		GR.LE	10.50	10.00	11.00	10.54	10.58	-	-	-			
		DEPTH	13.50	13.00	14.00	13.56	13.55	-	-	-			
		GR.ID	21.00	20.50	21.50	21.05	21.04	-	-	-			
		GR.LE	2.50	2.30	2.70	2.56	2.55	-	-	-			
		DEPTH	16.00	15.50	16.50	16.04	16.06	-	-	-			
		INT.THREAD	M22x1 AS PER P.G GO NOT GO			OK	OK	-	-	-			
		CH.ANGLE	1x45° AS PER PP FOUND			OK	OK	-	-	-			
		CH.ANGLE	0.5x45° AS PER PP FOUND			OK	OK	-	-	-			
		CH.ANGLE	45° AS PER PP FOUND			OK	OK	-	-	-			

INSPECTED BY:	*Jay Hadiyal*	*APPROVED BY:*	*Shreekant*

Conclusion :

☑ **Accept** ☐ **Reject** ☐ **Hold**

METALMECH ENGINEERS PVT. LTD. QA PASSED

MetalMech-08500-FR-QX-08-Final Inspection Report-EX

INSP. No.	FIR-01	**Product Name**	UNIVERSAL CLAMPING CONE	**Size**	1/2" NPT	**Drawing No.**	313005-01s	**Date:**	11-10-2026
Wo No.	26000308	**Total Quantity**	32	**Lot Quantity**	32	**Sample Size-**	2	Variable & Gauging	2PCS

Sr. No.	Checking Parameter	REQUIRED PARAMETER			OBSERVED RESULTS					REJECTION REWORK DETAIL	REMARK	CHECKED BY
		PARAMETER	CRITERIA		1	2	-	-	-			
1	Visual	Surface	Fine, Clean		FINE	FINE	-	-	-		Measuring Instruments I.D No.	
		Sizewise No of Pcs. With Internal Parts	As per Drg. No. of Parts	15	15	15	-	-	-		(1) DV-55	
		Washing & Plating	Surface Finishing	NICKEL	OK	OK	-	-	-		(2) PP-01	
		RUBBER MARKING	AS PER DRG.	NA	NA	NA	-	-	-			
		Marking	WO Ref. No.	NA	NA	NA	-	-	-		ASM No :- AEX261008-01	
		Assembly Perfection	As per Drg.		OK	OK	-	-	-			
		Inner Packing	Labeling & Printing		OK	OK	-	-	-			
		Outer Packing	Printing & Stamping		OK	OK	-	-	-			
		All Dimensions Are In MM										
2	DIMENSION		VALUE	-	+	1	2	-	-	-			
		T.L	22.00	21.50	22.50	22.13	22.15	-	-	-		
		O.D	14.00	13.50	14.50	13.96	13.98	-	-	-		
		O.D.L	3.50	3.20	3.80	3.54	3.56	-	-	-		
		GR.OD	15.50	15.00	16.00	15.55	15.54	-	-	-		
		GR.LE	2.50	2.30	2.70	2.56	2.55	-	-	-		
		O.D	16.20	15.70	16.70	16.25	16.24	-	-	-		
		O.D.L	7.50	7.20	7.80	7.56	7.55	-	-	-		
		O.D	17.50	17.00	18.00	17.55	17.54	-	-	-		
		O.D.L	7.00	6.70	7.30	7.05	7.07	-	-	-		
		O.D	14.00	13.50	14.50	13.97	13.96	-	-	-		
		O.D.L	4.50	4.20	4.80	4.55	4.54	-	-	-		
		O.D	14.50	14.00	15.00	14.54	14.56	-	-	-		
		O.D	15.00	14.50	15.50	14.97	14.98	-	-	-		
		O.D	15.50	15.00	16.00	15.55	15.54	-	-	-		
		O.D.L	7.50	7.20	7.80	7.54	7.58	-	-	-		
		I.D	12.00	11.50	12.50	12.05	12.04	-	-	-		
		GROOVE.STEP.LE	0.50	0.30	0.70	0.48	0.50	-	-	-		
		RADIUS	0.5 MM AS PER PP FOUND			OK	OK	-	-	-		
		RADIUS	0.3 AS PER PP FOUND			OK	OK	-	-	-		

INSPECTED BY:	*Jay Hadiyal*	*APPROVED BY:*	*Shreekant*

Conclusion :

☑ **Accept** ☐ **Reject** ☐ **Hold**

METAL MECH ENGINEERS PVT. LTD. CA PASSED

MetalMech-08500-FR-QX-08-Final Inspection Report-EX

INSP. No.	FIR-01	**Product Name**	REVERSIBLE ARMOUR RING	**Size**	1/2" NPT	**Drawing No.**	313004-01S	**Date:**	11-10-2026
Wo No.	26000308	**Total Quantity**	32	**Lot Quantity**	32	**Sample Size-**	2	**Variable & Gauging**	2PCS

Sr. No.	**Checking Parameter**	**REQUIRED PARAMETER**			**OBSERVED RESULTS**					**REJECTION REWORK DETAIL**	**REMARK**	**CHECKED BY**
		PARAMETER	**CRITERIA**		**1**	**2**	**-**	**-**	**-**			
1	Visual	Surface	Fine, Clean		FINE	FINE	-	-	-		Measuring Instruments I.D No-	
		Sizewise No of Pcs. With Internal Parts	As per Drg. No. of Parts	15	15	15	-	-	-		(1) DV-55	
		Washing & Plating	Surface Finishing	NICKEL	OK	OK	-	-	-		(2) PP-01	
		RUBBER MARKING	AS PER DRG.	NA	NA	NA	-	-	-			
		Marking	WO Ref. No.	NA	NA	NA	-	-	-		ASM No :- AEX261008-01	
		Assembly Perfection	As per Drg.		OK	OK	-	-	-			
		Inner Packing	Labeling & Printing		OK	OK	-	-	-			
		Outer Packing	Printing & Stamping		OK	OK	-	-	-			
		All Dimensions Are In MM										
2	DIMENSION		VALUE	-	+	1	2	-	-	-			
		T.L	6.00	5.70	6.30	6.11	6.13	-	-	-		
		O.D	19.00	18.50	19.50	18.77	18.76	-	-	-		
		I.D	16.00	15.50	16.50	16.11	16.13	-	-	-		
		I.D	16.50	16.00	17.00	16.63	16.62	-	-	-		

INSPECTED BY:	*Jay Hadiyal*	*APPROVED BY:*	*Shreekant*

Conclusion :

☑ **Accept** ☐ **Reject** ☐ **Hold**

METALMECH ENGINEERING QA PASSED

MetalMech-08500-FR-QX-08-Final Inspection Report-EX

INSP. No.	FIR-01	**Product Name**	COMPRESSIBLE INNER SEAL	**Size**	1/2" NPT	**Drawing No.**	GI-01s	**Date:**	11-10-2026
Wo No.	26000308	**Total Quantity**	32	**Lot Quantity**	32	**Sample Size-**	2	**Variable & Gauging**	2PCS

Sr. No.	Checking Parameter	REQUIRED PARAMETER			OBSERVED RESULTS					REJECTION REWORK DETAIL	REMARK	CHECKED BY
		PARAMETER	CRITERIA		1	2	-	-	-			
1	Visual	Surface	Fine, Clean		FINE	FINE	-	-	-		Measuring Instruments I.D No-	
		Sizewise No of Pcs. With Internal Parts	As per Drg. No. of Parts	15	15	15	-	-	-		(1) DV-55	
		Washing & Plating	Surface Finishing	NA	NA	NA	-	-	-		(2) PP-01	
		RUBBER MARKING	AS PER DRG.	OK	OK	OK	-	-	-			
		Marking	WO Ref. No.	NA	NA	NA	-	-	-		ASM No :- AEX261008-01	
		Assembly Perfection	As per Drg.		OK	OK	-	-	-			
		Inner Packing	Labeling & Printing		OK	OK	-	-	-			
		Outer Packing	Printing & Stamping		OK	OK	-	-	-			
		All Dimensions Are In MM										
2	DIMENSION		VALUE	-	+	1	2	-	-	-			
		T.L	9.50	9.00	10.00	9.55	9.54	-	-	-		
		O.D.L	3.00	2.70	3.30	3.04	3.06	-	-	-		
		O.D	18.50	18.30	18.50	18.45	18.42	-	-	-		
		O.D.L	6.50	6.20	6.80	6.54	6.56	-	-	-		
		I.D	11.70	11.70	11.90	11.74	11.76	-	-	-		

INSPECTED BY:	*Jay Hadiyal*	*APPROVED BY:*	*Shreekant*

Conclusion :

☑ **Accept** ☐ **Reject** ☐ **Hold**

METALMECH ENGINEERING QA PASSED

MetalMech-08500-FR-QX-08-Final Inspection Report-EX

INSP. No.	FIR-01	**Product Name**	COMPRESSIBLE OUTER SEAL	**Size**	1/2" NPT	**Drawing No.**	GE-01s	**Date:**	11-10-2026
Wo No.	26000308	**Total Quantity**	32	**Lot Quantity**	32	**Sample Size-**	2	**Variable & Gauging**	2PCS

Sr. No.	**Checking Parameter**	**REQUIRED PARAMETER**			**OBSERVED RESULTS**					**REJECTION REWORK DETAIL**	**REMARK**	**CHECKED BY**
		PARAMETER	**CRITERIA**		**1**	**2**	**-**	**-**	**-**			
1	Visual	Surface	Fine, Clean		FINE	FINE	-	-	-		Measuring Instruments I.D No-	
		Sizewise No of Pcs. With Internal Parts	As per Drg. No. of Parts	15	15	15	-	-	-		**(1) DV-55**	
		Washing & Plating	Surface Finishing	NA	NA	NA	-	-	-		**(2) PP-01**	
		RUBBER MARKING	AS PER DRG.	OK	OK	OK	-	-	-			
		Marking	WO Ref. No.	NA	NA	NA	-	-	-		**ASM No :- AEX261008-01**	
		Assembly Perfection	As per Drg.		OK	OK	-	-	-			
		Inner Packing	Labeling & Printing		OK	OK	-	-	-			
		Outer Packing	Printing & Stamping		OK	OK	-	-	-			
		All Dimensions Are In MM										
2	DIMENSION		VALUE	-	+	1	2	-	-	-			
		T.L	10.00	9.50	10.50	10.06	10.05	-	-	-		
		O.D	22.20	22.00	22.20	22.11	22.13	-	-	-		
		GR.LENGTH	3.50	3.20	3.80	3.54	3.56	-	-	-		
		I.D	15.70	15.70	15.80	15.73	15.75	-	-	-		

INSPECTED BY:	*Jay Hadiyal*	*APPROVED BY:*	*Shreekant*

Conclusion :

☑ **Accept** ☐ **Reject** ☐ **Hold**

METALMECH ENGINEERING QA PASSED

MetalMech-08500-FR-QX-08-Final Inspection Report-EX

INSP. No.	FIR-01	Product Name	INNER SKID WASHER	Size	1/2" NPT	Drawing No.	IW-01s	Date:	11-10-2026
Wo No.	26000308	Total Quantity	32	Lot Quantity	32	Sample Size-	2	Variable & Gauging	2PCS

Sr. No.	Checking Parameter	REQUIRED PARAMETER			OBSERVED RESULTS					REJECTION REWORK DETAIL	REMARK	CHECKED BY
		PARAMETER	CRITERIA		1	2	-	-	-			
1	Visual	Surface	Fine, Clean		FINE	FINE	-	-	-		Measuring Instruments I.D No-	
		Sizewise No of Pcs. With Internal Parts	As per Drg. No. of Parts	15	15	15	-	-	-		(1) DV-55	
		Washing & Plating	Surface Finishing	NA	NA	NA	-	-	-		(2) PP-01	
		RUBBER MARKING	AS PER DRG.	OK	OK	OK	-	-	-			
		Marking	WO Ref. No.	NA	NA	NA	-	-	-		ASM No :- AEX261008-01	
		Assembly Perfection	As per Drg.		OK	OK	-	-	-			
		Inner Packing	Labeling & Printing		OK	OK	-	-	-			
		Outer Packing	Printing & Stamping		OK	OK	-	-	-			
		All Dimensions Are In MM										
2	DIMENSION		VALUE	-	+	1	2	-	-	-		
		T.L	4.50	4.20	4.80	4.56	4.54	-	-	-		
		O.D	18.00	17.80	18.00	17.93	17.95	-	-	-		
		O.D	15.50	15.30	15.50	15.45	15.44	-	-	-		
		O.D.L	2.50	2.50	2.70	2.56	2.55	-	-	-		
		I.D	12.00	12.00	12.20	12.05	12.04	-	-	-		

INSPECTED BY:	Jay Hadiyal	APPROVED BY:	Shreekant

Conclusion :

☑ **Accept** ☐ **Reject** ☐ **Hold**

METALMECH ENGINEERING QA PASSED

MetalMech-08500-FR-QX-08-Final Inspection Report-EX

INSP. No.	FIR-01	Product Name	OUTER SKID WASHER	Size	1/2" NPT	Drawing No.	OW-01s	Date:	11-10-2026
Wo No.	26000308	Total Quantity	32	Lot Quantity	32	Sample Size-	2	Variable & Gauging	2PCS

Sr. No.	Checking Parameter	REQUIRED PARAMETER			OBSERVED RESULTS					REJECTION REWORK DETAIL	REMARK	CHECKED BY
		PARAMETER	CRITERIA		1	2	-	-	-			
1	Visual	Surface	Fine, Clean		FINE	FINE	-	-	-		Measuring Instruments I.D No-	
		Sizewise No of Pcs. With Internal Parts	As per Drg. No. of Parts	15	15	15	-	-	-		(1) DV-55	
		Washing & Plating	Surface Finishing	NA	NA	NA	-	-	-		(2) PP-01	
		RUBBER MARKING	AS PER DRG.	NA	NA	NA	-	-	-			
		Marking	WO Ref. No.	NA	NA	NA	-	-	-		ASM No :- AEX261008-01	
		Assembly Perfection	As per Drg.		OK	OK	-	-	-			
		Inner Packing	Labeling & Printing		OK	OK	-	-	-			
		Outer Packing	Printing & Stamping		OK	OK	-	-	-			
		All Dimensions Are In MM										
2	DIMENSION		VALUE	-	+	1	2	-	-	-		
		T.L	6.50	6.20	6.80	6.56	6.55	-	-	-		
		O.D	20.50	20.50	20.60	20.56	20.55	-	-	-		
		O.D	18.50	18.30	18.50	18.45	18.45	-	-	-		
		O.D.L	4.00	4.00	4.10	4.04	4.06	-	-	-		
		I.D	16.00	16.00	16.20	16.06	16.05	-	-	-		

INSPECTED BY:	Jay Hadiyal	APPROVED BY:	Shreekant

Conclusion :

☑ **Accept** ☐ **Reject** ☐ **Hold**

METALMECH ENGINEERING QA PASSED

MetalMech-08500-FR-QX-08-Final Inspection Report-EX

INSP. No.	FIR-01	Product Name	EARTH TAG	Size	1/2" NPT	Drawing No.		Date:	11-10-2026
Wo No.	26000308	Total Quantity	32	Lot Quantity	32	Sample Size-	2	Variable & Gauging	2PCS

Sr. No.	Checking Parameter	REQUIRED PARAMETER			OBSERVED RESULTS					REJECTION REWORK DETAIL	REMARK	CHECKED BY
		PARAMETER	CRITERIA		1	2	-	-	-			
1	Visual	Surface	Fine, Clean		FINE	FINE	-	-	-		Measuring Instruments I.D No-	
		Sizewise No of Pcs. With Internal Parts	As per Drg. No. of Parts	15	15	15	-	-	-		(1) DV-55	
		Washing & Plating	Surface Finishing	NICKEL	OK	OK	-	-	-		(2) PP-01	
		RUBBER MARKING	AS PER DRG.	NA	NA	NA	-	-	-			
		Marking	WO Ref. No.	NA	NA	NA	-	-	-		ASM No :- AEX261008-01	
		Assembly Perfection	As per Drg.		OK	OK	-	-	-			
		Inner Packing	Labeling & Printing		OK	OK	-	-	-			
		Outer Packing	Printing & Stamping		OK	OK	-	-	-			
		All Dimensions Are In MM										

			VALUE	-	+	1	2	-	-	-			
2	DIMENSION	THICKNESS	1.00	0.80	1.20	1.00	0.99	-	-	-			
		O.D	29.20	28.70	29.70	29.28	29.27	-	-	-			
		O.D	13.00	12.50	13.50	13.08	13.07	-	-	-			
		I.D	22.00	21.50	22.50	22.16	22.19	-	-	-			
		I.D	6.20	5.90	6.50	6.25	6.24	-	-	-			

INSPECTED BY:	*Jay Hadiyal*	*APPROVED BY:*	*Shreekant*

Conclusion :

☑ **Accept** ☐ **Reject** ☐ **Hold**

METALMECH ENGINEERING QA PASSED

MetalMech-08500-FR-QX-08-Final Inspection Report-EX

INSP. No.	FIR-01	**Product Name**	SHROUD	**Size**	C-2027	**Drawing No.**	-	**Date:**	11-10-2026
Wo No.	26000308	**Total Quantity**	32	**Lot Quantity**	32	**Sample Size-**	2	Variable & Gauging	2PCS

Sr. No.	Checking Parameter	REQUIRED PARAMETER			OBSERVED RESULTS					REJECTION REWORK DETAIL	REMARK	CHECKED BY
		PARAMETER	CRITERIA		1	2	-	-	-			
1	Visual	Surface	Fine, Clean		FINE	FINE	-	-	-		Measuring Instruments I.D No-	
		Sizewise No of Pcs. With Internal Parts	As per Drg. No. of Parts	15	15	15	-	-	-		(1) DV-55	
		Washing & Plating	Surface Finishing	NICKEL	OK	OK	-	-	-		(2) PP-01	
		RUBBER MARKING	AS PER DRG.	NA	NA	NA	-	-	-			
		Marking	WO Ref. No.	NA	NA	NA	-	-	-		ASM No :- AEX261008-01	
		Assembly Perfection	As per Drg.		OK	OK	-	-	-			
		Inner Packing	Labeling & Printing		OK	OK	-	-	-			
		Outer Packing	Printing & Stamping		OK	OK	-	-	-			
		All Dimensions Are In MM										
2	DIMENSION		VALUE	-	+	1	2	-	-	-			
		T.L	125.00	124.20	125.80	125.13	125.12	-	-	-		
		I.D	27.00	26.50	27.50	27.06	27.05	-	-	-		

INSPECTED BY:	*Jay Hadiyal*	*APPROVED BY:*	*Shreekant*

Conclusion :

☑ **Accept** ☐ **Reject** ☐ **Hold**

METALMECH ENGINEERING QA PASSED

MetalMech-08500-FR-QX-08-Final Inspection Report-EX

INSP. No.	FIR-01	Product Name	NYLON WASHER	Size	1/2" NPT	Drawing No.		Date:	11-10-2026
Wo No.	26000308	Total Quantity	32	Lot Quantity	32	Sample Size-	2	Variable & Gauging	2PCS

Sr. No.	Checking Parameter	REQUIRED PARAMETER			OBSERVED RESULTS					REJECTION REWORK DETAIL	REMARK	CHECKED BY
		PARAMETER	CRITERIA		1	2	-	-	-			
1	Visual	Surface	Fine, Clean		FINE	FINE	-	-	-		Measuring Instruments I.D No-	
		Sizewise No of Pcs. With Internal Parts	As per Drg. No. of Parts	15	15	15	-	-	-		(1) DV-55	
		Washing & Plating	Surface Finishing	NICKEL	OK	OK	-	-	-		(2) PP-01	
		RUBBER MARKING	AS PER DRG.	NA	NA	NA	-	-	-			
		Marking	WO Ref. No.	NA	NA	NA	-	-	-		ASM No :- AEX261008-01	
		Assembly Perfection	As per Drg.		OK	OK	-	-	-			
		Inner Packing	Labeling & Printing		OK	OK	-	-	-			
		Outer Packing	Printing & Stamping		OK	OK	-	-	-			
		All Dimensions Are In MM										
2	DIMENSION		VALUE	-	+	1	2	-	-	-			
		THICKNESS	1.50	1.30	1.70	1.45	1.48	-	-	-		
		I.D	22.00	21.50	22.50	22.25	22.24	-	-	-		

INSPECTED BY:	*Jay Hadiyal*	*APPROVED BY:*	*Shreekant*

Conclusion :

☑ **Accept** ☐ **Reject** ☐ **Hold**

METALMECH ENGINEERING QA PASSED

MetalMech-08500-FR-QX-08-Final Inspection Report-EX

INSP. No.	FIR-01	**Product Name**	STAR WASHER	**Size**	1/2" NPT	**Drawing No.**	-	**Date:**	11-10-2026
Wo No.	26000308	**Total Quantity**	32	**Lot Quantity**	32	**Sample Size-**	2	Variable & Gauging	2PCS

Sr. No.	Checking Parameter	REQUIRED PARAMETER			OBSERVED RESULTS					REJECTION REWORK DETAIL	REMARK	CHECKED BY
		PARAMETER	CRITERIA		1	2	-	-	-			
1	Visual	Surface	Fine, Clean		FINE	FINE	-	-	-		Measuring Instruments I.D No-	
		Sizewise No of Pcs. With Internal Parts	As per Drg. No. of Parts	15	15	15	-	-	-		(1) DV-55	
		Washing & Plating	Surface Finishing	NA	NA	NA	-	-	-		(2) PP-01	
		RUBBER MARKING	AS PER DRG.	NA	NA	NA	-	-	-			
		Marking	WO Ref. No.	NA	NA	NA	-	-	-		ASM No :- AEX261008-01	
		Assembly Perfection	As per Drg.		OK	OK	-	-	-			
		Inner Packing	Labeling & Printing		OK	OK	-	-	-			
		Outer Packing	Printing & Stamping		OK	OK	-	-	-			
		All Dimensions Are In MM										
2	DIMENSION		VALUE	-	+	1	2	-	-	-		
		O.D	33.00	32.70	33.30	33.06	33.05	-	-	-		
		I.D	21.50	21.00	22.00	21.59	21.60	-	-	-		
		T.L	4.00	3.70	4.30	4.06	4.05	-	-	-		

INSPECTED BY:	*Jay Hadiyal*	*APPROVED BY:*	*Shreekant*

Conclusion :

☑ **Accept** ☐ **Reject** ☐ **Hold**

METALMECH ENGINEERING QA PASSED