



MetalMech-08500-FR-QX-08-Final Inspection Report-EX

INSP. No.	FIR-02	Product Name	LOCK NUT		Size		M25		Drawing No.		DL2M	Date:	14-08-2026
Wo No.	26100079	Total Quantity	34		Lot Quantity		34		Sample Size-		2	Variable & Gauging	2PCS
Sr. No.	Checking Parameter	REQUIRED PARAMETER				OBSERVED RESULTS					REJECTION REWORK DETAIL	REMARK	CHECKED BY
		PARAMETER	CRITERIA			1	2	-	-	-			
1	Visual	Surface	Fine, Clean			FINE	FINE	-	-	-		Measuring Instruments I.D No-	
		Sizewise No of Pcs. With Internal Parts	As per Drg. No. of Parts	9		9	9	-	-	-		(1) DV-55	
		Washing & Plating	Surface Finishing	NICKEL		OK	OK	-	-	-		(2) PP-01	
		RUBBER MARKING	AS PER DRG.	NA		NA	NA	-	-	-			
		Marking	WO Ref. No.	NA		NA	NA	-	-	-		ASM No - AEX260809-19	
		Assembly Perfection	As per Drg.			OK	OK	-	-	-			
		Inner Packing	Labeling & Printing			OK	OK	-	-	-			
		Outer Packing	Printing & Stamping			OK	OK	-	-	-			
		All Dimensions Are In MM											
2	DIMENSION		VALUE	-	+	1	2	-	-	-			
		A/F	30.00	29.84	30.00	29.95	29.94	-	-	-			
		A/C	33.00	32.20	33.80	33.01	33.03	-	-	-			
		T.L	4.00	3.70	4.30	4.04	4.06	-	-	-			
		THREAD	M25x1.5 AS PER P.G GO NOT GO			OK	OK	-	-	-			
		CH.ANGLE	30° AS PER PP FOUND			OK	OK	-	-	-			
INSPECTED BY:		Jay Hadiyal			APPROVED BY:				Shreekant				

Conclusion :



Accept



Reject



Hold





MetalMech-08500-FR-QX-08-Final Inspection Report-EX

INSP. No.	FIR-02	Product Name	ENTRY COMPONENT		Size		M25		Drawing No.		313001M-02	Date:	14-08-2026
Wo No.	26100079	Total Quantity	34		Lot Quantity		34		Sample Size-		2	Variable & Gauging	2PCS
Sr. No.	Checking Parameter	REQUIRED PARAMETER				OBSERVED RESULTS				REJECTION REWORK DETAIL	REMARK	CHECKED BY	
		PARAMETER	CRITERIA		1	2	-	-	-				
1	Visual	Surface	Fine, Clean		FINE	FINE	-	-	-	Measuring Instruments ID No-	(1) DV-55		
		Size wise No of Pcs. With Internal Parts	As per Drg. No. of Parts	9	9	9	-	-	-				
		Washing & Plating	Surface Finishing	NICKEL	OK	OK	-	-	-	(2) PP-01			
		RUBBER MARKING	AS PER DRG.	NA	NA	NA	-	-	-				
		Marking	WO Ref. No.	Metalmech Logo MM-EX-A2F52MB2 2026 CE Logo 2460 Ex Logo II 2 GD Ex db IIC Gb, Ex eb		OK	OK	-	-	ASM No - AEX260809-19			
		Assembly Perfection	As per Drg.		OK	OK	-	-	-				
		Inner Packing	Labeling & Printing		OK	OK	-	-	-				
		Outer Packing	Printing & Stamping		OK	OK	-	-	-				
		All Dimensions Are In MM											
2	DIMENSION		VALUE	-	+	1	2	-	-	-			
		A/F	36.00	35.84	36.00	35.95	35.96	-	-	-			
		A/C	40.00	39.20	40.80	39.96	39.95	-	-	-			
		T.L	37.00	37.00	37.50	37.10	37.09	-	-	-			
		TH.L	13.00	12.50	13.50	13.03	13.05	-	-	-			
		LENGTH	17.00	17.00	17.50	17.05	17.04	-	-	-			
		GR.OD	23.00	22.50	23.50	23.03	23.05	-	-	-			
		GR.LE	2.50	2.30	2.70	2.52	2.50	-	-	-			
		O.D	35.00	34.20	35.80	35.05	35.04	-	-	-			
		O.D.L	11.00	10.50	11.50	11.02	11.00	-	-	-			
		H.L	9.00	8.50	9.50	9.11	9.15	-	-	-			
		I.D	20.00	19.50	20.50	20.09	20.08	-	-	-			
		INT.TH.L	14.50	14.00	15.00	14.54	14.56	-	-	-			
		THREAD	M25x1.5 AS PER T.R.G GO NOT GO			OK	OK	-	-	-			
		INT.THREAD	M32x1.5 AS PER P.G GO NOT GO			OK	OK	-	-	-			
		CH.ANGLE	0.5x45° AS PER PP FOUND			OK	OK	-	-	-			
		CH.ANGLE	1.5x45° AS PER PP FOUND			OK	OK	-	-	-			
		CH.ANGLE	20° AS PER PP FOUND			OK	OK	-	-	-			
		ANGLE	90° AS PER PP FOUND			OK	OK	-	-	-			
		INSPECTED BY:		Jay Hadiyal			APPROVED BY:				Shreekant		

Conclusion :



Accept



Reject



Hold





MetalMech-08500-FR-QX-08-Final Inspection Report-EX

INSP. No.	FIR-02	Product Name	BACK NUT		Size		M25		Drawing No.	314006-02	Date:	14-08-2026	
Wo No.	26100079	Total Quantity	34		Lot Quantity		34		Sample Size-	2	Variable & Gauging	2PCS	
Sr. No.	Checking Parameter	REQUIRED PARAMETER				OBSERVED RESULTS				REJECTION REWORK DETAIL	REMARK	CHECKED BY	
		PARAMETER	CRITERIA		1	2	-	-	-				
		Surface	Fine, Clean		FINE	FINE	-	-	-		Measuring Instruments I.D No.		
		Size wise No of Pcs. With Internal Parts	As per Drg. No. of Parts	9	9	9	-	-	-		(1) DV-55		
		Washing & Plating	Surface Finishing	NICKEL	OK	OK	-	-	-		(2) PP-01		
		RUBBER MARKING	AS PER DRG.	NA	NA	NA	-	-	-				
		Marking	WO Ref. No.	NA	NA	NA	-	-	-		ASM No - AEX260809-19		
		Assembly Perfection	As per Drg.		OK	OK	-	-	-				
		Inner Packing	Labeling & Printing		OK	OK	-	-	-				
		Outer Packing	Printing & Stamping		OK	OK	-	-	-				
		All Dimensions Are In MM											
			VALUE	-	+	1	2	-	-	-			
		A/F	36.00	35.84	36.00	35.95	35.94	-	-	-			
		A/C	40.00	39.50	40.50	39.95	39.96	-	-	-			
		T.L	18.00	17.50	18.50	18.01	18.03	-	-	-			
		TH.L	13.50	13.00	14.00	13.55	13.54	-	-	-			
		GR.OD	30.00	29.50	30.50	30.03	30.05	-	-	-			
		GR.LE	1.50	1.30	1.70	1.52	1.51	-	-	-			
		H.L	4.50	4.20	4.80	4.57	4.59	-	-	-			
		I.D	26.50	26.00	27.00	26.55	26.54	-	-	-			
		THREAD	M32x1.5 AS PER T.R.G GO NOT GO		OK	OK	-	-	-				
		CHANGLE	0.5x45° AS PER PP FOUND		OK	OK	-	-	-				
		CHANGLE	1.5x45° AS PER PP FOUND		OK	OK	-	-	-				
		CHANGLE	20° AS PER PP FOUND		OK	OK	-	-	-				
		RADIUS	3 MM AS PER PP FOUND		OK	OK	-	-	-				
INSPECTED BY:		Jay Hadiyal			APPROVED BY:				Shreekant				

Conclusion :



Accept



Reject



Hold





MetalMech-08500-FR-QX-08-Final Inspection Report-EX

INSP. No.	FIR-02	Product Name	COMPRESSIBLE SEALING RING		Size		M25		Drawing No.		GI-02	Date:	14-08-2026
Wo No.	26100079	Total Quantity	34		Lot Quantity		34		Sample Size-		2	Variable & Gauging	2PCS
Sr. No.	Checking Parameter	REQUIRED PARAMETER				OBSERVED RESULTS					REJECTION REWORK DETAIL	REMARK	CHECKED BY
		PARAMETER	CRITERIA		1	2	-	-	-				
1	Visual	Surface	Fine, Clean		FINE	FINE	-	-	-				
		Sizewise No of Pcs. With Internal Parts	As per Drg. No. of Parts	9	9	9	-	-	-		Measuring Instruments I.D No-		
		Washing & Plating	Surface Finishing	NA	NA	NA	-	-	-		(1) DV-55		
		RUBBER MARKING	AS PER DRG.	OK	OK	OK	-	-	-		(2) PP-01		
		Marking	WO Ref. No.	NA	NA	NA	-	-	-		ASM No - AEX260809-19		
		Assembly Perfection	As per Drg.		OK	OK	-	-	-				
		Inner Packing	Labeling & Printing		OK	OK	-	-	-				
		Outer Packing	Printing & Stamping		OK	OK	-	-	-				
		All Dimensions Are In MM											
2	DIMENSION		VALUE	-	+	1	2	-	-	-			
		T.L	14.00	13.50	14.50	13.55	13.56	-	-	-			
		O.D	30.50	30.30	30.50	30.46	30.45	-	-	-			
		O.D.L	9.00	8.50	9.50	8.55	8.58	-	-	-			
		O.D.L	5.00	4.70	5.30	5.01	5.03	-	-	-			
		I.D	19.80	19.80	20.00	19.91	19.90	-	-	-			
INSPECTED BY:		Jay Hadiyal			APPROVED BY:				Shreekant				

Conclusion :



Accept



Reject



Hold





MetalMech-08500-FR-QX-08-Final Inspection Report-EX

INSP. No.	FIR-02	Product Name	SKID WASHER		Size		M25		Drawing No.		IW-02	Date:	14-08-2026
Wo No.	26100079	Total Quantity	34		Lot Quantity		34		Sample Size-		2	Variable & Gauging	2PCS
Sr. No.	Checking Parameter	REQUIRED PARAMETER				OBSERVED RESULTS					REJECTION REWORK DETAIL	REMARK	CHECKED BY
		PARAMETER	CRITERIA			1	2	-	-	-			
1	Visual	Surface	Fine, Clean			FINE	FINE	-	-	-		Measuring Instruments I.D No-	
		Sizewise No of Pcs. With Internal Parts	As per Drg. No. of Parts	9	9	9	-	-	-		(1) DV-55		
		Washing & Plating	Surface Finishing	NA	NA	NA	-	-	-		(2) PP-01		
		RUBBER MARKING	AS PER DRG.	NA	NA	NA	-	-	-				
		Marking	WO Ref. No.	NA	NA	NA	-	-	-		ASM No - AEX260809-19		
		Assembly Perfection	As per Drg.			OK	OK	-	-	-			
		Inner Packing	Labeling & Printing		OK	OK	-	-	-				
		Outer Packing	Printing & Stamping			OK	OK	-	-	-			
		All Dimensions Are In MM											
2	DIMENSION		VALUE	-	+	1	2	-	-	-			
		T.L	5.00	4.70	5.30	5.02	5.04	-	-	-			
		O.D	30.00	29.80	30.00	29.95	29.93	-	-	-			
		O.D.L	3.00	3.00	3.20	3.03	3.05	-	-	-			
		O.D	26.00	25.80	26.00	25.96	25.95	-	-	-			
		I.D	19.90	19.90	20.10	19.94	19.96	-	-	-			
INSPECTED BY:		Jay Hadiyal			APPROVED BY:				Shreekant				

Conclusion :



Accept



Reject



Hold





MetalMech-08500-FR-QX-08-Final Inspection Report-EX

INSP. No.	FIR-02	Product Name	O-RING		Size	M25		Drawing No.	OR-2M		Date:	14-08-2026	
Wo No.	26100079	Total Quantity	34		Lot Quantity	34		Sample Size-	2		Variable & Gauging	2PCS	
Sr. No.	Checking Parameter	REQUIRED PARAMETER				OBSERVED RESULTS					REJECTION REWORK DETAIL	REMARK	CHECKED BY
		PARAMETER	CRITERIA			1	2	-	-	-			
1	Visual	Surface	Fine, Clean			FINE	FINE	-	-	-		Measuring Instruments I.D No-	
		Sizewise No of Pcs. With Internal Parts	As per Drg. No. of Parts	9		9	9	-	-	-		(1) DV-55	
		Washing & Plating	Surface Finishing	NA		NA	NA	-	-	-		(2) PP-01	
		RUBBER MARKING	AS PER DRG.	NA		NA	NA	-	-	-			
		Marking	WO Ref. No.	NA		NA	NA	-	-	-		ASM No - AEX260809-19	
		Assembly Perfection	As per Drg.			OK	OK	-	-	-			
		Inner Packing	Labeling & Printing			OK	OK	-	-	-			
		Outer Packing	Printing & Stamping			OK	OK	-	-	-			
		All Dimensions Are In MM											
2	DIMENSION		VALUE	-	+	1	2	-	-	-			
		THICKNESS	2.50	2.00	2.50	2.09	2.08	-	-	-			
		I.D	20.00	19.50	20.50	20.04	20.06	-	-	-			
INSPECTED BY:		Jay Hadiyal			APPROVED BY:				Shreekant				

Conclusion :



Accept



Reject



Hold





MetalMech-08500-FR-QX-08-Final Inspection Report-EX

INSP. No.	FIR-02	Product Name	SHROUD		Size	B-2538		Drawing No.	-	Date:	14-08-2026	
Wo No.	26100079	Total Quantity	34		Lot Quantity	34		Sample Size-	2	Variable & Gauging	2PCS	
Sr. No.	Checking Parameter	REQUIRED PARAMETER				OBSERVED RESULTS				REJECTION REWORK DETAIL	REMARK	CHECKED BY
		PARAMETER	CRITERIA		1	2	-	-	-			
1	Visual	Surface	Fine, Clean		FINE	FINE	-	-	-		Measuring Instruments I.D No-	
		Sizewise No of Pcs. With Internal Parts	As per Drg. No. of Parts	9	9	9	-	-	-		(1) DV-55	
		Washing & Plating	Surface Finishing	NA	NA	NA	-	-	-		(2) PP-01	
		RUBBER MARKING	AS PER DRG.	NA	NA	NA	-	-	-			
		Marking	WO Ref. No.	NA	NA	NA	-	-	-		ASM No - AEX260809-19	
		Assembly Perfection	As per Drg.		OK	OK	-	-	-			
		Inner Packing	Labeling & Printing		OK	OK	-	-	-			
		Outer Packing	Printing & Stamping		OK	OK	-	-	-			
		All Dimensions Are In MM										
2	DIMENSION		VALUE	-	+	1	2	-	-	-		
		T.L	95.00	94.20	95.80	95.19	95.16	-	-	-		
		I.D	38.00	37.20	38.80	38.06	38.09	-	-	-		
INSPECTED BY:		Jay Hadiyal			APPROVED BY:				Shreekant			

Conclusion :



Accept



Reject



Hold





MetalMech-08500-FR-QX-08-Final Inspection Report-EX

INSP. No.	FIR-02	Product Name	EARTH TAG		Size		M25		Drawing No.		-	Date:	14-08-2026	
Wo No.	26100079	Total Quantity	34		Lot Quantity		34		Sample Size-		2	Variable & Gauging	2PCS	
Sr. No.	Checking Parameter	REQUIRED PARAMETER				OBSERVED RESULTS					REJECTION REWORK DETAIL	REMARK	CHECKED BY	
		PARAMETER	CRITERIA			1	2	-	-	-				
1	Visual	Surface	Fine, Clean			FINE	FINE	-	-	-		Measuring Instruments I.D No-		
		Sizewise No of Pcs. With Internal Parts	As per Drg. No. of Parts	9	9	9	-	-	-		(1) DV-55			
		Washing & Plating	Surface Finishing	NA	NA	NA	-	-	-		(2) PP-01			
		RUBBER MARKING	AS PER DRG.	NA	NA	NA	-	-	-					
		Marking	WO Ref. No.	NA	NA	NA	-	-	-		ASM No - AEX260809-19			
		Assembly Perfection	As per Drg.			OK	OK	-	-	-				
		Inner Packing	Labeling & Printing				OK	OK	-	-	-			
		Outer Packing	Printing & Stamping			OK	OK	-	-	-				
		All Dimensions Are In MM												
2	DIMENSION		VALUE	-	+	1	2	-	-	-				
		THICKNESS	1.00	0.80	1.20	1.03	1.02	-	-	-				
		O.D	37.00	36.20	37.80	37.04	37.06	-	-	-				
		O.D	13.20	12.70	13.70	13.23	13.22	-	-	-				
		I.D	25.20	24.70	25.70	25.23	25.25	-	-	-				
		I.D	6.50	6.20	6.80	6.55	6.54	-	-	-				
INSPECTED BY:		Jay Hadiyal			APPROVED BY:				Shreekant					

Conclusion :



Accept



Reject



Hold





MetalMech-08500-FR-QX-08-Final Inspection Report-EX

INSP. No.	FIR-02	Product Name	NYLON WASHER		Size	M25		Drawing No.	-	Date:	14-08-2026		
Wo No.	26100079	Total Quantity	34		Lot Quantity	34		Sample Size-	2	Variable & Gauging	2PCS		
Sr. No.	Checking Parameter	REQUIRED PARAMETER				OBSERVED RESULTS				REJECTION REWORK DETAIL	REMARK	CHECKED BY	
		PARAMETER	CRITERIA			1	2	-	-				-
1	Visual	Surface	Fine, Clean			FINE	FINE	-	-	-		Measuring Instruments I.D No-	
		Sizewise No of Pcs. With Internal Parts	As per Drg. No. of Parts	9		9	9	-	-	-		(1) DV-55	
		Washing & Plating	Surface Finishing	NA		NA	NA	-	-	-		(2) PP-01	
		RUBBER MARKING	AS PER DRG.	NA		NA	NA	-	-	-			
		Marking	WO Ref. No.	NA		NA	NA	-	-	-		ASM No - AEX260809-19	
		Assembly Perfection	As per Drg.			OK	OK	-	-	-			
		Inner Packing	Labeling & Printing			OK	OK	-	-	-			
		Outer Packing	Printing & Stamping			OK	OK	-	-	-			
		All Dimensions Are In MM											
2	DIMENSION		VALUE	-	+	1	2	-	-	-			
		THICKNESS	1.50	1.30	1.70	1.50	1.49	-	-	-			
		I.D	25.00	24.50	25.50	25.29	25.30	-	-	-			
INSPECTED BY:		Jay Hadiyal			APPROVED BY:			Shreekant					

Conclusion :



Accept



Reject



Hold

