

## MetalMech-08500-FR-QX-08-Final Inspection Report-EX

|                      |                           |                                         |                              |        |                     |                         |          |                     |          |                               |                                        |               |                   |
|----------------------|---------------------------|-----------------------------------------|------------------------------|--------|---------------------|-------------------------|----------|---------------------|----------|-------------------------------|----------------------------------------|---------------|-------------------|
| <b>INSP. No.</b>     | FIR-05                    | <b>Product Name</b>                     | LOCK NUT                     |        | <b>Size</b>         | M20                     |          | <b>Drawing No.</b>  | DL1M     | <b>Date:</b>                  | 24-09-2026                             |               |                   |
| <b>Wo No.</b>        | 26100089                  | <b>Total Quantity</b>                   | 160                          |        | <b>Lot Quantity</b> | 160                     |          | <b>Sample Size-</b> | 3        | <b>Variable &amp; Gauging</b> | 3PCS                                   |               |                   |
| <b>Sr. No.</b>       | <b>Checking Parameter</b> | <b>REQUIRED PARAMETER</b>               |                              |        |                     | <b>OBSERVED RESULTS</b> |          |                     |          |                               | <b>REJECTION<br/>REWORK<br/>DETAIL</b> | <b>REMARK</b> | <b>CHECKED BY</b> |
|                      |                           | <b>PARAMETER</b>                        | <b>CRITERIA</b>              |        |                     | <b>1</b>                | <b>2</b> | <b>3</b>            | <b>-</b> | <b>-</b>                      |                                        |               |                   |
| 1                    | Visual                    | Surface                                 | Fine, Clean                  |        |                     | FINE                    | FINE     | FINE                | -        | -                             |                                        |               |                   |
|                      |                           | Sizewise No of Pcs. With Internal Parts | As per Drg. No. of Parts     | 16     | 16                  | 16                      | 16       | -                   | -        |                               |                                        |               |                   |
|                      |                           | Washing & Plating                       | Surface Finishing            | NICKEL | OK                  | OK                      | OK       | -                   | -        |                               |                                        |               |                   |
|                      |                           | RUBBER MARKING                          | AS PER DRG.                  | NA     | NA                  | NA                      | NA       | -                   | -        |                               |                                        |               |                   |
|                      |                           | Marking                                 | WO Ref. No.                  | NA     | NA                  | NA                      | NA       | -                   | -        |                               |                                        |               |                   |
|                      |                           | Assembly Perfection                     | As per Drg.                  |        |                     | OK                      | OK       | OK                  | -        | -                             |                                        |               |                   |
|                      |                           | Inner Packing                           | Labeling & Printing          |        | OK                  | OK                      | OK       | -                   | -        |                               |                                        |               |                   |
|                      |                           | Outer Packing                           | Printing & Stamping          |        |                     | OK                      | OK       | OK                  | -        | -                             |                                        |               |                   |
|                      |                           | All Dimensions Are In MM                |                              |        |                     |                         |          |                     |          |                               |                                        |               |                   |
| 2                    | DIMENSION                 |                                         | VALUE                        | -      | +                   | 1                       | 2        | 3                   | -        | -                             |                                        |               |                   |
|                      |                           | A/F                                     | 24.00                        | 23.87  | 24.00               | 23.97                   | 23.94    | 23.95               | -        | -                             |                                        |               |                   |
|                      |                           | A/C                                     | 26.00                        | 25.50  | 26.50               | 26.00                   | 25.99    | 25.98               | -        | -                             |                                        |               |                   |
|                      |                           | T.L                                     | 3.50                         | 3.20   | 3.80                | 3.53                    | 3.55     | 3.54                | -        | -                             |                                        |               |                   |
|                      |                           | THREAD                                  | M20x1.5 AS PER P.G GO NOT GO |        |                     | OK                      | OK       | OK                  | -        | -                             |                                        |               |                   |
|                      |                           | CH.ANGLE                                | 30° AS PER PP FOUND          |        |                     | OK                      | OK       | OK                  | -        | -                             |                                        |               |                   |
|                      |                           |                                         |                              |        |                     |                         |          |                     |          |                               |                                        |               |                   |
| <b>INSPECTED BY:</b> |                           | Jay Hadiyal                             |                              |        | <b>APPROVED BY:</b> |                         |          | Shreekant           |          |                               |                                        |               |                   |

Conclusion :



Accept



Reject



Hold





### MetalMech-08500-FR-QX-08-Final Inspection Report-EX

| INSP. No.                | FIR-05             | Product Name                                | ENTRY COMPONENT                |                                                                                           | Size         |                  | M20          |       | Drawing No.  |                               | 313001M-018                       | Date:               | 24-09-2026 |
|--------------------------|--------------------|---------------------------------------------|--------------------------------|-------------------------------------------------------------------------------------------|--------------|------------------|--------------|-------|--------------|-------------------------------|-----------------------------------|---------------------|------------|
| Wo No.                   | 26100089           | Total Quantity                              | 160                            |                                                                                           | Lot Quantity |                  | 160          |       | Sample Size- |                               | 3                                 | Variable & Gangling | 3PCS       |
| Sr. No.                  | Checking Parameter | REQUIRED PARAMETER                          |                                |                                                                                           |              | OBSERVED RESULTS |              |       |              | REJECTION<br>REWORK<br>DETAIL | REMARK                            | CHECKED BY          |            |
|                          |                    | PARAMETER                                   | CRITERIA                       |                                                                                           | 1            | 2                | 3            | -     | -            |                               |                                   |                     |            |
| 1                        | Visual             | Surface                                     | Fine, Clean                    |                                                                                           | FINE         | FINE             | FINE         | -     | -            |                               | Measuring<br>Instruments ID No.:- |                     |            |
|                          |                    | Size/wise No of Pcs.<br>With Internal Parts | As per Drg. No.<br>of Parts    | 16                                                                                        | 16           | 16               | 16           | -     | -            |                               | (1) DV-55                         |                     |            |
|                          |                    | Washing & Plating                           | Surface<br>Finishing           | NICKEL                                                                                    | OK           | OK               | OK           | -     | -            |                               | (2) PP-01                         |                     |            |
|                          |                    | RUBBER MARKING                              | AS PER DRG.                    | NA                                                                                        | NA           | NA               | NA           | -     | -            |                               |                                   |                     |            |
|                          |                    | Marking                                     | WO Ref. No.                    | Metalmech Logo MM-EX-<br>E/FUN/V2016161MR2 2026 CE Logo<br>2460 Ex Logo II 2 GD Ex db IIC | OK           | OK               | OK           | -     | -            |                               | ASM No :-<br>AEX260914-13         |                     |            |
|                          |                    | Assembly Perfection                         | As per Drg.                    |                                                                                           | OK           | OK               | OK           | -     | -            |                               |                                   |                     |            |
|                          |                    | Inner Packing                               | Labeling &<br>Printing         |                                                                                           | OK           | OK               | OK           | -     | -            |                               |                                   |                     |            |
|                          |                    | Outer Packing                               | Printing & Stamping            |                                                                                           | OK           | OK               | OK           | -     | -            |                               |                                   |                     |            |
| All Dimensions Are In MM |                    |                                             |                                |                                                                                           |              |                  |              |       |              |                               |                                   |                     |            |
| 2                        | DIMENSION          |                                             | VALUE                          | -                                                                                         | +            | 1                | 2            | 3     | -            | -                             |                                   |                     |            |
|                          |                    | A/F                                         | 25.00                          | 24.87                                                                                     | 25.00        | 24.93            | 24.92        | 24.95 | -            | -                             |                                   |                     |            |
|                          |                    | A/C                                         | 27.50                          | 27.00                                                                                     | 28.00        | 27.54            | 27.56        | 27.55 | -            | -                             |                                   |                     |            |
|                          |                    | T.L                                         | 32.00                          | 32.00                                                                                     | 32.50        | 32.11            | 32.13        | 32.12 | -            | -                             |                                   |                     |            |
|                          |                    | TH.L                                        | 13.00                          | 12.50                                                                                     | 13.50        | 13.03            | 13.02        | 13.06 | -            | -                             |                                   |                     |            |
|                          |                    | LENGTH                                      | 17.00                          | 17.00                                                                                     | 17.50        | 17.08            | 17.06        | 17.04 | -            | -                             |                                   |                     |            |
|                          |                    | GR.OD                                       | 18.00                          | 18.00                                                                                     | 18.50        | 18.00            | 17.99        | 18.01 | -            | -                             |                                   |                     |            |
|                          |                    | GR.LE                                       | 2.50                           | 2.30                                                                                      | 2.70         | 2.52             | 2.55         | 2.58  | -            | -                             |                                   |                     |            |
|                          |                    | O.D                                         | 24.50                          | 24.00                                                                                     | 25.00        | 24.50            | 24.49        | 24.48 | -            | -                             |                                   |                     |            |
|                          |                    | O.D.L                                       | 9.00                           | 8.50                                                                                      | 9.50         | 9.02             | 9.01         | 9.03  | -            | -                             |                                   |                     |            |
|                          |                    | H.L                                         | 6.00                           | 5.70                                                                                      | 6.30         | 6.07             | 6.06         | 6.05  | -            | -                             |                                   |                     |            |
|                          |                    | I.D                                         | 9.00                           | 8.50                                                                                      | 9.50         | 9.04             | 9.03         | 9.05  | -            | -                             |                                   |                     |            |
|                          |                    | DEPTH                                       | 11.50                          | 11.00                                                                                     | 12.00        | 11.55            | 11.54        | 11.53 | -            | -                             |                                   |                     |            |
|                          |                    | THREAD                                      | M20x1.5 AS PER T.R.G GO NOT GO |                                                                                           |              | OK               | OK           | OK    | -            | -                             |                                   |                     |            |
|                          |                    | INT.THREAD                                  | M20x1.5 AS PER P.G GO NOT GO   |                                                                                           |              | OK               | OK           | OK    | -            | -                             |                                   |                     |            |
|                          |                    | CH.ANGLE                                    | 0.5x45° AS PER PP FOUND        |                                                                                           |              | OK               | OK           | OK    | -            | -                             |                                   |                     |            |
|                          |                    | CH.ANGLE                                    | 1.5x45° AS PER PP FOUND        |                                                                                           |              | OK               | OK           | OK    | -            | -                             |                                   |                     |            |
|                          |                    | CH.ANGLE                                    | 20° AS PER PP FOUND            |                                                                                           |              | OK               | OK           | OK    | -            | -                             |                                   |                     |            |
|                          |                    | ANGLE                                       | 90° AS PER PP FOUND            |                                                                                           |              | OK               | OK           | OK    | -            | -                             |                                   |                     |            |
|                          |                    | INSPECTED BY:                               |                                | Jay Hadiyal                                                                               |              |                  | APPROVED BY: |       |              |                               | Shreekant                         |                     |            |

INSPECTED BY:

Jay Hadiyal

APPROVED BY:

Shreekant

Conclusion :



Accept



Reject



Hold





MetalMech-08500-FR-QX-08-Final Inspection Report-EX

|               |                     |                                          |                                |       |                  |              |       |       |   |                               |        |              |                    |            |
|---------------|---------------------|------------------------------------------|--------------------------------|-------|------------------|--------------|-------|-------|---|-------------------------------|--------|--------------|--------------------|------------|
| INSP. No.     | FIR-05              | Product Name                             | INTERMEDIATE BODY              |       |                  | Size         |       | M20   |   | Drawing No.                   |        | 3130002U-01s | Date:              | 24-09-2026 |
| Wo No.        | 26100089            | Total Quantity                           | 160                            |       |                  | Lot Quantity |       | 160   |   | Sample Size-                  |        | 3            | Variable & Gauging | 3PCS       |
| Sr. No.       | Checking Parameter  | REQUIRED PARAMETER                       |                                |       | OBSERVED RESULTS |              |       |       |   | REJECTION<br>REWORK<br>DETAIL | REMARK | CHECKED BY   |                    |            |
|               |                     | PARAMETER                                | CRITERIA                       |       | 1                | 2            | 3     | -     | - |                               |        |              |                    |            |
| 1             | Visual              | Surface                                  | Fine, Clean                    |       | FINE             | FINE         | FINE  | -     | - |                               |        |              |                    |            |
|               |                     | Size wise No of Pcs. With Internal Parts | As per Drg. No. of Parts       | 16    | 16               | 16           | -     | -     |   |                               |        |              |                    |            |
|               |                     | Washing & Plating                        | NICKEL Surface Finishing       | OK    | OK               | OK           | -     | -     |   |                               |        |              |                    |            |
|               |                     | RUBBER MARKING                           | AS PER DRG.                    | NA    | NA               | NA           | -     | -     |   |                               |        |              |                    |            |
|               |                     | Marking                                  | WO Ref. No.                    | NA    | NA               | NA           | -     | -     |   |                               |        |              |                    |            |
|               |                     | Assembly Perfection                      | As per Drg.                    |       | OK               | OK           | OK    | -     | - |                               |        |              |                    |            |
|               |                     | Inner Packing                            | Labeling & Printing            |       | OK               | OK           | OK    | -     | - |                               |        |              |                    |            |
|               |                     | Outer Packing                            | Printing & Stamping            |       | OK               | OK           | OK    | -     | - |                               |        |              |                    |            |
|               |                     | All Dimensions Are In MM                 |                                |       |                  |              |       |       |   |                               |        |              |                    |            |
| 2             | DIMENSION           |                                          | VALUE                          | -     | +                | 1            | 2     | 3     | - | -                             |        |              |                    |            |
|               |                     | A/F                                      | 25.00                          | 24.87 | 25.00            | 24.96        | 24.95 | 24.94 | - | -                             |        |              |                    |            |
|               |                     | A/C                                      | 27.50                          | 27.00 | 28.00            | 27.43        | 27.45 | 27.46 | - | -                             |        |              |                    |            |
|               |                     | T.L                                      | 22.00                          | 21.50 | 22.50            | 22.15        | 22.16 | 22.13 | - | -                             |        |              |                    |            |
|               |                     | TH.L                                     | 10.00                          | 9.50  | 10.50            | 10.13        | 10.15 | 10.13 | - | -                             |        |              |                    |            |
|               |                     | GR.OD                                    | 18.00                          | 17.50 | 18.50            | 18.11        | 18.12 | 18.15 | - | -                             |        |              |                    |            |
|               |                     | GR.LE                                    | 1.00                           | 0.80  | 1.20             | 1.01         | 1.00  | 1.01  | - | -                             |        |              |                    |            |
|               |                     | H.L                                      | 4.00                           | 3.70  | 4.30             | 3.93         | 3.91  | 3.95  | - | -                             |        |              |                    |            |
|               |                     | TH.L                                     | 8.00                           | 7.70  | 8.30             | 8.12         | 8.11  | 8.13  | - | -                             |        |              |                    |            |
|               |                     | GR.OD                                    | 20.00                          | 19.50 | 20.50            | 20.03        | 20.05 | 20.04 | - | -                             |        |              |                    |            |
|               |                     | GR.LE                                    | 1.00                           | 0.80  | 1.20             | 1.01         | 1.00  | 1.01  | - | -                             |        |              |                    |            |
|               |                     | LD                                       | 16.00                          | 15.50 | 16.50            | 16.03        | 16.02 | 16.05 | - | -                             |        |              |                    |            |
|               |                     | LD                                       | 18.00                          | 17.50 | 18.50            | 18.03        | 18.01 | 18.03 | - | -                             |        |              |                    |            |
|               |                     | DEPTH                                    | 7.00                           | 6.70  | 7.30             | 7.00         | 7.00  | 7.01  | - | -                             |        |              |                    |            |
|               |                     | LD                                       | 17.00                          | 16.50 | 17.50            | 17.03        | 17.02 | 17.05 | - | -                             |        |              |                    |            |
|               |                     | LD.LE                                    | 4.50                           | 4.20  | 4.80             | 4.49         | 4.51  | 4.50  | - | -                             |        |              |                    |            |
|               |                     | DEPTH                                    | 11.50                          | 11.00 | 12.00            | 11.51        | 11.53 | 11.52 | - | -                             |        |              |                    |            |
|               |                     | THREAD                                   | M20x1.5 AS PER T.R.G GO NOT GO |       |                  | OK           | OK    | OK    | - | -                             |        |              |                    |            |
|               |                     | THREAD                                   | M22x1.5 AS PER T.R.G GO NOT GO |       |                  | OK           | OK    | OK    | - | -                             |        |              |                    |            |
|               |                     | CH.ANGLE                                 | 1.5x45° AS PER PP FOUND        |       |                  | OK           | OK    | OK    | - | -                             |        |              |                    |            |
|               |                     | CH.ANGLE                                 | 0.5x45° AS PER PP FOUND        |       |                  | OK           | OK    | OK    | - | -                             |        |              |                    |            |
| CH.ANGLE      | 20° AS PER PP FOUND |                                          |                                | OK    | OK               | OK           | -     | -     |   |                               |        |              |                    |            |
| INSPECTED BY: |                     | Jay Hadiyal                              |                                |       | APPROVED BY:     |              |       |       |   | Shreekant                     |        |              |                    |            |

Conclusion :



Accept



Reject



Hold





MetalMech-08500-FR-QX-08-Final Inspection Report-EX

|               |                              |                                          |                          |       |                  |              |       |       |   |                         |            |                               |            |
|---------------|------------------------------|------------------------------------------|--------------------------|-------|------------------|--------------|-------|-------|---|-------------------------|------------|-------------------------------|------------|
| INSP. No.     | FIR-05                       | Product Name                             | MIDDLE BODY              |       |                  | Size         | M20   |       |   | Drawing No.             | 313002-018 | Date:                         | 24-09-2026 |
| Wo No.        | 26100089                     | Total Quantity                           | 160                      |       |                  | Lot Quantity | 160   |       |   | Sample Size-            | 3          | Variable & Gauging            | 3PCS       |
| Sr. No.       | Checking Parameter           | REQUIRED PARAMETER                       |                          |       | OBSERVED RESULTS |              |       |       |   | REJECTION REWORK DETAIL | REMARK     | CHECKED BY                    |            |
|               |                              | PARAMETER                                | CRITERIA                 |       | 1                | 2            | 3     | -     | - |                         |            |                               |            |
| 1             | Visual                       | Surface                                  | Fine, Clean              |       | FINE             | FINE         | FINE  | -     | - |                         |            | Measuring Instrument I.D. No. |            |
|               |                              | Size wise No of Pcs. With Internal Parts | As per Drg. No. of Parts |       | 16               | 16           | 16    | -     | - |                         |            | (1) DV-55                     |            |
|               |                              | Washing & Plating                        | NICKEL                   |       | OK               | OK           | OK    | -     | - |                         |            | (2) PP-01                     |            |
|               |                              | RUBBER MARKING                           | AS PER DRG.              |       | NA               | NA           | NA    | -     | - |                         |            |                               |            |
|               |                              | Marking                                  | WO Ref. No.              |       | NA               | NA           | NA    | -     | - |                         |            | ASM No 1- AEX260914-13        |            |
|               |                              | Assembly Perfection                      | As per Drg.              |       | OK               | OK           | OK    | -     | - |                         |            |                               |            |
|               |                              | Inner Packing                            | Labeling & Printing      |       |                  | OK           | OK    | OK    | - | -                       |            |                               |            |
|               |                              | Outer Packing                            | Printing & Stamping      |       | OK               | OK           | OK    | -     | - |                         |            |                               |            |
|               |                              | All Dimensions Are In MM                 |                          |       |                  |              |       |       |   |                         |            |                               |            |
|               |                              | 2                                        | DIMENSION                | VALUE | -                | +            | 1     | 2     | 3 | -                       | -          |                               |            |
| A/F           | 25.00                        |                                          |                          | 24.87 | 25.00            | 24.96        | 24.95 | 24.94 | - | -                       |            |                               |            |
| A/C           | 27.50                        |                                          |                          | 27.00 | 28.00            | 27.50        | 27.49 | 27.48 | - | -                       |            |                               |            |
| T.L           | 28.00                        |                                          |                          | 27.50 | 28.50            | 28.07        | 28.06 | 28.03 | - | -                       |            |                               |            |
| TH.L          | 12.00                        |                                          |                          | 11.50 | 12.50            | 12.03        | 12.02 | 12.04 | - | -                       |            |                               |            |
| GR.OD         | 20.50                        |                                          |                          | 20.00 | 21.00            | 20.55        | 20.54 | 20.53 | - | -                       |            |                               |            |
| GR.LE         | 1.00                         |                                          |                          | 0.80  | 1.20             | 1.01         | 1.00  | 1.01  | - | -                       |            |                               |            |
| O.D           | 24.50                        |                                          |                          | 24.00 | 25.00            | 24.52        | 24.51 | 24.53 | - | -                       |            |                               |            |
| O.D.L         | 8.00                         |                                          |                          | 7.70  | 8.30             | 8.02         | 8.01  | 8.03  | - | -                       |            |                               |            |
| H.L           | 8.00                         |                                          |                          | 7.70  | 8.30             | 7.99         | 8.00  | 7.98  | - | -                       |            |                               |            |
| LD            | 16.00                        |                                          |                          | 15.50 | 16.50            | 16.03        | 16.02 | 16.04 | - | -                       |            |                               |            |
| LD            | 17.00                        |                                          |                          | 16.50 | 17.50            | 17.02        | 17.04 | 17.05 | - | -                       |            |                               |            |
| LD.LE         | 4.00                         |                                          |                          | 3.70  | 4.30             | 4.01         | 4.03  | 4.02  | - | -                       |            |                               |            |
| INT.TH.L      | 9.50                         |                                          |                          | 9.00  | 10.00            | 9.51         | 9.49  | 9.50  | - | -                       |            |                               |            |
| LD            | 20.00                        |                                          |                          | 19.50 | 20.50            | 20.03        | 20.04 | 20.05 | - | -                       |            |                               |            |
| DEPTH         | 14.00                        |                                          |                          | 13.50 | 14.50            | 14.00        | 13.99 | 14.01 | - | -                       |            |                               |            |
| THREAD        | M22x1 AS PER T.R.G GO NOT GO |                                          |                          | OK    | OK               | OK           | -     | -     |   |                         |            |                               |            |
| INT.THREAD    | M22x1.5 AS PER P.G GO NOT GO |                                          |                          | OK    | OK               | OK           | -     | -     |   |                         |            |                               |            |
| CH.ANGLE      | 0.5x45° AS PER PP FOUND      |                                          |                          | OK    | OK               | OK           | -     | -     |   |                         |            |                               |            |
| CH.ANGLE      | 1x45° AS PER PP FOUND        |                                          |                          | OK    | OK               | OK           | -     | -     |   |                         |            |                               |            |
| CH.ANGLE      | 1.5x45° AS PER PP FOUND      |                                          |                          | OK    | OK               | OK           | -     | -     |   |                         |            |                               |            |
| CH.ANGLE      | 30° AS PER PP FOUND          |                                          |                          | OK    | OK               | OK           | -     | -     |   |                         |            |                               |            |
| INSPECTED BY: |                              | Jay Hadiyal                              |                          |       | APPROVED BY:     |              |       |       |   | Shreekant               |            |                               |            |

Conclusion :



Accept



Reject



Hold



|  |                    | MetalMech-08500-FR-QX-08-Final Inspection Report-EX |                            |             |                  |       |              |       |              |                         |            |                    |            |
|----------------------------------------------------------------------------------|--------------------|-----------------------------------------------------|----------------------------|-------------|------------------|-------|--------------|-------|--------------|-------------------------|------------|--------------------|------------|
| INSP. No.                                                                        | FIR-05             | Product Name                                        | BACK NUT                   |             | Size             |       | M20          |       | Drawing No.  |                         | 313003-018 | Date:              | 24-09-2026 |
| Wo No.                                                                           | 26100089           | Total Quantity                                      | 160                        |             | Lot Quantity     |       | 160          |       | Sample Size- |                         | 3          | Variable & Gauging | 3PCS       |
| Sr. No.                                                                          | Checking Parameter | REQUIRED PARAMETER                                  |                            |             | OBSERVED RESULTS |       |              |       |              | REJECTION REWORK DETAIL | REMARK     | CHECKED BY         |            |
|                                                                                  |                    | PARAMETER                                           | CRITERIA                   |             | 1                | 2     | 3            | -     | -            |                         |            |                    |            |
| 1                                                                                | Visual             | Surface                                             | Fine, Clean                |             | FINE             | FINE  | FINE         | -     | -            |                         |            |                    |            |
|                                                                                  |                    | Sizewise No of Pcs. With Internal Parts             | As per Drg. No. of Parts   | 16          | 16               | 16    | 16           | -     | -            |                         |            |                    |            |
|                                                                                  |                    | Washing & Plating                                   | Surface Finishing          | NICKEL      | OK               | OK    | OK           | -     | -            |                         |            |                    |            |
|                                                                                  |                    | RUBBER MARKING                                      | AS PER DRG.                | NA          | NA               | NA    | NA           | -     | -            |                         |            |                    |            |
|                                                                                  |                    | Marking                                             | WO Ref. No.                | NA          | NA               | NA    | NA           | -     | -            |                         |            |                    |            |
|                                                                                  |                    | Assembly Perfection                                 | As per Drg.                |             | OK               | OK    | OK           | -     | -            |                         |            |                    |            |
|                                                                                  |                    | Inner Packing                                       | Labeling & Printing        |             | OK               | OK    | OK           | -     | -            |                         |            |                    |            |
|                                                                                  |                    | Outer Packing                                       | Printing & Stamping        |             | OK               | OK    | OK           | -     | -            |                         |            |                    |            |
|                                                                                  |                    | All Dimensions Are In MM                            |                            |             |                  |       |              |       |              |                         |            |                    |            |
| 2                                                                                | DIMENSION          |                                                     | VALUE                      | -           | +                | 1     | 2            | 3     | -            | -                       |            |                    |            |
|                                                                                  |                    | A/F                                                 | 25.00                      | 24.87       | 25.00            | 24.92 | 24.91        | 24.93 | -            | -                       |            |                    |            |
|                                                                                  |                    | A/C                                                 | 27.50                      | 27.00       | 28.00            | 27.41 | 27.39        | 27.42 | -            | -                       |            |                    |            |
|                                                                                  |                    | T.L                                                 | 17.00                      | 16.50       | 17.50            | 17.11 | 17.13        | 17.12 | -            | -                       |            |                    |            |
|                                                                                  |                    | O.D                                                 | 24.00                      | 23.50       | 24.50            | 24.02 | 24.01        | 24.03 | -            | -                       |            |                    |            |
|                                                                                  |                    | O.D.L                                               | 8.00                       | 7.70        | 8.30             | 8.02  | 8.01         | 8.03  | -            | -                       |            |                    |            |
|                                                                                  |                    | H.L                                                 | 9.00                       | 8.50        | 9.50             | 9.01  | 9.03         | 9.02  | -            | -                       |            |                    |            |
|                                                                                  |                    | LD                                                  | 19.00                      | 18.50       | 19.50            | 19.03 | 19.02        | 19.05 | -            | -                       |            |                    |            |
|                                                                                  |                    | INT.THL                                             | 3.00                       | 2.80        | 3.20             | 3.02  | 3.01         | 3.03  | -            | -                       |            |                    |            |
|                                                                                  |                    | GR.ID                                               | 22.20                      | 21.70       | 22.70            | 22.25 | 22.24        | 22.26 | -            | -                       |            |                    |            |
|                                                                                  |                    | GR.LE                                               | 10.50                      | 10.00       | 11.00            | 10.51 | 10.53        | 10.52 | -            | -                       |            |                    |            |
|                                                                                  |                    | DEPTH                                               | 13.50                      | 13.00       | 14.00            | 13.52 | 13.51        | 13.53 | -            | -                       |            |                    |            |
|                                                                                  |                    | GR.ID                                               | 21.00                      | 20.50       | 21.50            | 21.03 | 21.02        | 21.04 | -            | -                       |            |                    |            |
|                                                                                  |                    | GR.LE                                               | 2.50                       | 2.30        | 2.70             | 2.52  | 2.50         | 2.51  | -            | -                       |            |                    |            |
|                                                                                  |                    | DEPTH                                               | 16.00                      | 15.50       | 16.50            | 16.03 | 16.02        | 16.05 | -            | -                       |            |                    |            |
|                                                                                  |                    | INT.THREAD                                          | M22x1 AS PER P.G GO NOT GO |             |                  | OK    | OK           | OK    | -            | -                       |            |                    |            |
|                                                                                  |                    | CH.ANGLE                                            | 1x45° AS PER PP FOUND      |             |                  | OK    | OK           | OK    | -            | -                       |            |                    |            |
|                                                                                  |                    | CH.ANGLE                                            | 0.5x45° AS PER PP FOUND    |             |                  | OK    | OK           | OK    | -            | -                       |            |                    |            |
|                                                                                  |                    | CH.ANGLE                                            | 45° AS PER PP FOUND        |             |                  | OK    | OK           | OK    | -            | -                       |            |                    |            |
|                                                                                  |                    | INSPECTED BY:                                       |                            | Jay Hadiyal |                  |       | APPROVED BY: |       |              | Shreekant               |            |                    |            |

Conclusion :

☒ Accept
 ☐ Reject
 ☐ Hold





### MetalMech-08500-FR-QX-08-Final Inspection Report-EX

| INSP. No.     | FIR-05             | Product Name                               | UNIVERSAL CLAMPING CONE     |        | Size         |                  | M20   |       | Drawing No.  |                               | 313005-018                      | Date:              | 24-09-2026 |
|---------------|--------------------|--------------------------------------------|-----------------------------|--------|--------------|------------------|-------|-------|--------------|-------------------------------|---------------------------------|--------------------|------------|
| Wo No.        | 26100089           | Total Quantity                             | 160                         |        | Lot Quantity |                  | 160   |       | Sample Size- |                               | 3                               | Variable & Gauging | 3PCS       |
| Sr. No.       | Checking Parameter | REQUIRED PARAMETER                         |                             |        |              | OBSERVED RESULTS |       |       |              | REJECTION<br>REWORK<br>DETAIL | REMARK                          | CHECKED BY         |            |
|               |                    | PARAMETER                                  | CRITERIA                    |        | 1            | 2                | 3     | -     | -            |                               |                                 |                    |            |
| 1             | Visual             | Surface                                    | Fine, Clean                 |        | FINE         | FINE             | FINE  | -     | -            |                               | Measuring Instruments<br>ID No. |                    |            |
|               |                    | Sizewise No of Pcs.<br>With Internal Parts | As per Drg. No.<br>of Parts | 16     | 16           | 16               | 16    | -     | -            |                               | (1) DV-55                       |                    |            |
|               |                    | Washing & Plating                          | Surface<br>Finishing        | NICKEL | OK           | OK               | OK    | -     | -            |                               | (2) PP-01                       |                    |            |
|               |                    | RUBBER MARKING                             | AS PER DRG.                 | NA     | NA           | NA               | NA    | -     | -            |                               |                                 |                    |            |
|               |                    | Marking                                    | WO Ref. No.                 | NA     | NA           | NA               | NA    | -     | -            |                               | ASM No 1-<br>AEX260914-13       |                    |            |
|               |                    | Assembly Perfection                        | As per Drg.                 |        | OK           | OK               | OK    | -     | -            |                               |                                 |                    |            |
|               |                    | Inner Packing                              | Labeling &<br>Printing      |        | OK           | OK               | OK    | -     | -            |                               |                                 |                    |            |
|               |                    | Outer Packing                              | Printing & Stamping         |        | OK           | OK               | OK    | -     | -            |                               |                                 |                    |            |
|               |                    | All Dimensions Are in MM                   |                             |        |              |                  |       |       |              |                               |                                 |                    |            |
| 2             | DIMENSION          |                                            | VALUE                       | -      | +            | 1                | 2     | 3     | -            | -                             |                                 |                    |            |
|               |                    | T.L                                        | 22.00                       | 21.50  | 22.50        | 22.01            | 22.00 | 22.01 | -            | -                             |                                 |                    |            |
|               |                    | O.D                                        | 14.00                       | 13.50  | 14.50        | 14.00            | 13.99 | 14.01 | -            | -                             |                                 |                    |            |
|               |                    | O.D.L                                      | 3.50                        | 3.20   | 3.80         | 3.52             | 3.51  | 3.53  | -            | -                             |                                 |                    |            |
|               |                    | GR.OD                                      | 15.50                       | 15.00  | 16.00        | 15.51            | 15.49 | 15.50 | -            | -                             |                                 |                    |            |
|               |                    | GR.LE                                      | 2.50                        | 2.30   | 2.70         | 2.52             | 2.51  | 2.53  | -            | -                             |                                 |                    |            |
|               |                    | O.D                                        | 16.20                       | 15.70  | 16.70        | 16.20            | 16.19 | 16.21 | -            | -                             |                                 |                    |            |
|               |                    | O.D.L                                      | 7.50                        | 7.20   | 7.80         | 7.52             | 7.49  | 7.51  | -            | -                             |                                 |                    |            |
|               |                    | O.D                                        | 17.50                       | 17.00  | 18.00        | 17.46            | 17.45 | 17.45 | -            | -                             |                                 |                    |            |
|               |                    | O.D.L                                      | 7.00                        | 6.70   | 7.30         | 7.02             | 6.99  | 7.01  | -            | -                             |                                 |                    |            |
|               |                    | O.D                                        | 14.00                       | 13.50  | 14.50        | 14.00            | 13.99 | 14.02 | -            | -                             |                                 |                    |            |
|               |                    | O.D.L                                      | 4.50                        | 4.20   | 4.80         | 4.51             | 4.50  | 4.50  | -            | -                             |                                 |                    |            |
|               |                    | O.D                                        | 14.50                       | 14.00  | 15.00        | 14.52            | 14.51 | 14.53 | -            | -                             |                                 |                    |            |
|               |                    | O.D                                        | 15.00                       | 14.50  | 15.50        | 15.02            | 15.01 | 15.03 | -            | -                             |                                 |                    |            |
|               |                    | O.D                                        | 15.50                       | 15.00  | 16.00        | 15.51            | 15.49 | 15.48 | -            | -                             |                                 |                    |            |
|               |                    | O.D.L                                      | 7.50                        | 7.20   | 7.80         | 7.49             | 7.51  | 7.50  | -            | -                             |                                 |                    |            |
|               |                    | LD                                         | 12.00                       | 11.50  | 12.50        | 12.05            | 12.04 | 12.03 | -            | -                             |                                 |                    |            |
|               |                    | GROOVE,STEP,LE                             | 0.50                        | 0.30   | 0.70         | 0.50             | 0.49  | 0.49  | -            | -                             |                                 |                    |            |
|               |                    | RADIUS                                     | 0.5 MM AS PER PP FOUND      |        |              | OK               | OK    | OK    | -            | -                             |                                 |                    |            |
|               |                    | RADIUS                                     | 0.3 AS PER PP FOUND         |        |              | OK               | OK    | OK    | -            | -                             |                                 |                    |            |
|               |                    |                                            |                             |        |              |                  |       |       |              |                               |                                 |                    |            |
| INSPECTED BY: |                    | Jay Hadiyal                                |                             |        | APPROVED BY: |                  |       |       | Shreekant    |                               |                                 |                    |            |

Conclusion :



Accept



Reject



Hold





MetalMech-08500-FR-QX-08-Final Inspection Report-EX

|               |                    |                                            |                             |        |              |                  |       |       |              |                               |                                  |                    |            |
|---------------|--------------------|--------------------------------------------|-----------------------------|--------|--------------|------------------|-------|-------|--------------|-------------------------------|----------------------------------|--------------------|------------|
| INSP. No.     | FIR-05             | Product Name                               | REVERSIBLE ARMOUR RING      |        | Size         |                  | M20   |       | Drawing No.  |                               | 313004-01S                       | Date:              | 24-09-2026 |
| Wo No.        | 26100089           | Total Quantity                             | 160                         |        | Lot Quantity |                  | 160   |       | Sample Size- |                               | 3                                | Variable & Gauging | 3PCS       |
| Sr. No.       | Checking Parameter | REQUIRED PARAMETER                         |                             |        |              | OBSERVED RESULTS |       |       |              | REJECTION<br>REWORK<br>DETAIL | REMARK                           | CHECKED BY         |            |
|               |                    | PARAMETER                                  | CRITERIA                    |        | 1            | 2                | 3     | -     | -            |                               |                                  |                    |            |
| 1             | Visual             | Surface                                    | Fine, Clean                 |        | FINE         | FINE             | FINE  | -     | -            |                               | Measuring<br>Instruments I.D No- |                    |            |
|               |                    | Sizewise No of Pcs.<br>With Internal Parts | As per Drg. No.<br>of Parts | 16     | 16           | 16               | 16    | -     | -            |                               | (1) DV-55                        |                    |            |
|               |                    | Washing & Plating                          | Surface<br>Finishing        | NICKEL | OK           | OK               | OK    | -     | -            |                               | (2) PP-01                        |                    |            |
|               |                    | RUBBER MARKING                             | AS PER DRG.                 | NA     | NA           | NA               | NA    | -     | -            |                               |                                  |                    |            |
|               |                    | Marking                                    | WO Ref. No.                 | NA     | NA           | NA               | NA    | -     | -            |                               | ASM No :-<br>AEX260914-13        |                    |            |
|               |                    | Assembly Perfection                        | As per Drg.                 |        | OK           | OK               | OK    | -     | -            |                               |                                  |                    |            |
|               |                    | Inner Packing                              | Labeling &<br>Printing      |        | OK           | OK               | OK    | -     | -            |                               |                                  |                    |            |
|               |                    | Outer Packing                              | Printing & Stamping         |        | OK           | OK               | OK    | -     | -            |                               |                                  |                    |            |
|               |                    | All Dimensions Are In MM                   |                             |        |              |                  |       |       |              |                               |                                  |                    |            |
| 2             | DIMENSION          |                                            | VALUE                       | -      | +            | 1                | 2     | 3     | -            | -                             |                                  |                    |            |
|               |                    | T.L                                        | 6.00                        | 5.70   | 6.30         | 6.13             | 6.15  | 6.12  | -            | -                             |                                  |                    |            |
|               |                    | O.D                                        | 18.50                       | 18.00  | 19.00        | 18.45            | 18.44 | 18.46 | -            | -                             |                                  |                    |            |
|               |                    | I.D                                        | 16.00                       | 15.50  | 16.50        | 16.03            | 16.05 | 16.04 | -            | -                             |                                  |                    |            |
|               |                    | I.D                                        | 16.50                       | 16.00  | 17.00        | 16.52            | 16.54 | 16.55 | -            | -                             |                                  |                    |            |
|               |                    |                                            |                             |        |              |                  |       |       | -            | -                             |                                  |                    |            |
| INSPECTED BY: |                    | Jay Hadiyal                                |                             |        | APPROVED BY: |                  |       |       | Shreekant    |                               |                                  |                    |            |

Conclusion : ☒ Accept ☐ Reject ☐ Hold





MetalMech-08500-FR-QX-08-Final Inspection Report-EX

|               |                    |                                            |                             |              |                  |              |       |                    |            |                               |                                  |            |  |
|---------------|--------------------|--------------------------------------------|-----------------------------|--------------|------------------|--------------|-------|--------------------|------------|-------------------------------|----------------------------------|------------|--|
| INSP. No.     | FIR-05             | Product Name                               | O-RING                      | Size         | M20              | Drawing No.  | OR-1M | Date:              | 24-09-2026 |                               |                                  |            |  |
| Wo No.        | 26100089           | Total Quantity                             | 160                         | Lot Quantity | 160              | Sample Size- | 3     | Variable & Gauging | 3PCS       |                               |                                  |            |  |
| Sr. No.       | Checking Parameter | REQUIRED PARAMETER                         |                             |              | OBSERVED RESULTS |              |       |                    |            | REJECTION<br>REWORK<br>DETAIL | REMARK                           | CHECKED BY |  |
|               |                    | PARAMETER                                  | CRITERIA                    |              | 1                | 2            | 3     | -                  | -          |                               |                                  |            |  |
| 1             | Visual             | Surface                                    | Fine, Clean                 |              | FINE             | FINE         | FINE  | -                  | -          |                               | Measuring<br>Instruments I.D No- |            |  |
|               |                    | Sizewise No of Pcs.<br>With Internal Parts | As per Drg. No.<br>of Parts | 16           | 16               | 16           | 16    | -                  | -          |                               | (1) DV-55                        |            |  |
|               |                    | Washing & Plating                          | Surface<br>Finishing        | NA           | NA               | NA           | NA    | -                  | -          |                               | (2) PP-01                        |            |  |
|               |                    | RUBBER MARKING                             | AS PER DRG.                 | NA           | NA               | NA           | NA    | -                  | -          |                               |                                  |            |  |
|               |                    | Marking                                    | WO Ref. No.                 | NA           | NA               | NA           | NA    | -                  | -          |                               | ASM No :-<br>AEX260914-13        |            |  |
|               |                    | Assembly Perfection                        | As per Drg.                 |              | OK               | OK           | OK    | -                  | -          |                               |                                  |            |  |
|               |                    | Inner Packing                              | Labeling &<br>Printing      |              | OK               | OK           | OK    | -                  | -          |                               |                                  |            |  |
|               |                    | Outer Packing                              | Printing & Stamping         |              | OK               | OK           | OK    | -                  | -          |                               |                                  |            |  |
|               |                    | All Dimensions Are In MM                   |                             |              |                  |              |       |                    |            |                               |                                  |            |  |
| 2             | DIMENSION          |                                            | VALUE                       | -            | +                | 1            | 2     | 3                  | -          | -                             |                                  |            |  |
|               |                    | THICKNESS                                  | 2.50                        | 2.00         | 2.50             | 2.05         | 2.04  | 2.06               | -          | -                             |                                  |            |  |
|               |                    | I.D                                        | 16.00                       | 15.50        | 16.50            | 16.03        | 16.02 | 16.04              | -          | -                             |                                  |            |  |
|               |                    |                                            |                             |              |                  |              |       |                    |            |                               |                                  |            |  |
| INSPECTED BY: |                    | Jay Hadiyal                                |                             |              | APPROVED BY:     |              |       |                    | Shreekant  |                               |                                  |            |  |

Conclusion :



Accept



Reject



Hold





## MetalMech-08500-FR-QX-08-Final Inspection Report-EX

|               |                    |                                         |                          |       |              |                  |       |              |       |                               |                               |            |
|---------------|--------------------|-----------------------------------------|--------------------------|-------|--------------|------------------|-------|--------------|-------|-------------------------------|-------------------------------|------------|
| INSP. No.     | FIR-05             | Product Name                            | COMPRESSIBLE INNER SEAL  |       | Size         | M20              |       | Drawing No.  | GI-00 | Date:                         | 24-09-2026                    |            |
| Wo No.        | 26100089           | Total Quantity                          | 160                      |       | Lot Quantity | 160              |       | Sample Size- | 3     | Variable & Gauging            | 3PCS                          |            |
| Sr. No.       | Checking Parameter | REQUIRED PARAMETER                      |                          |       |              | OBSERVED RESULTS |       |              |       | REJECTION<br>REWORK<br>DETAIL | REMARK                        | CHECKED BY |
|               |                    | PARAMETER                               | CRITERIA                 |       | 1            | 2                | 3     | -            | -     |                               |                               |            |
| 1             | Visual             | Surface                                 | Fine, Clean              |       | FINE         | FINE             | FINE  | -            | -     |                               |                               |            |
|               |                    | Sizewise No of Pcs. With Internal Parts | As per Drg. No. of Parts | 16    | 16           | 16               | 16    | -            | -     |                               | Measuring Instruments I.D No- |            |
|               |                    | Washing & Plating                       | Surface Finishing        | NA    | NA           | NA               | NA    | -            | -     |                               | (1) DV-55                     |            |
|               |                    | RUBBER MARKING                          | AS PER DRG.              | OK    | OK           | OK               | OK    | -            | -     |                               | (2) PP-01                     |            |
|               |                    | Marking                                 | WO Ref. No.              | NA    | NA           | NA               | NA    | -            | -     |                               | ASM No :-<br>AEX260914-13     |            |
|               |                    | Assembly Perfection                     | As per Drg.              |       | OK           | OK               | OK    | -            | -     |                               |                               |            |
|               |                    | Inner Packing                           | Labeling & Printing      |       | OK           | OK               | OK    | -            | -     |                               |                               |            |
|               |                    | Outer Packing                           | Printing & Stamping      |       | OK           | OK               | OK    | -            | -     |                               |                               |            |
|               |                    | All Dimensions Are In MM                |                          |       |              |                  |       |              |       |                               |                               |            |
| 2             | DIMENSION          |                                         | VALUE                    | -     | +            | 1                | 2     | 3            | -     | -                             |                               |            |
|               |                    | T.L                                     | 9.50                     | 9.00  | 10.00        | 9.54             | 9.56  | 9.55         | -     | -                             |                               |            |
|               |                    | O.D.L                                   | 6.50                     | 6.20  | 6.80         | 6.52             | 6.51  | 6.53         | -     | -                             |                               |            |
|               |                    | O.D                                     | 18.50                    | 18.30 | 18.50        | 18.45            | 18.43 | 18.46        | -     | -                             |                               |            |
|               |                    | O.D.L                                   | 3.00                     | 2.80  | 3.20         | 3.02             | 3.01  | 3.03         | -     | -                             |                               |            |
|               |                    | I.D                                     | 8.70                     | 8.70  | 8.90         | 8.75             | 8.77  | 8.76         | -     | -                             |                               |            |
|               |                    |                                         |                          |       |              |                  |       |              |       |                               |                               |            |
| INSPECTED BY: |                    | Jay Hadiyal                             |                          |       | APPROVED BY: |                  |       | Shreekant    |       |                               |                               |            |

Conclusion :



Accept



Reject



Hold





## MetalMech-08500-FR-QX-08-Final Inspection Report-EX

|               |                    |                                            |                             |       |              |                  |       |       |              |                               |                                  |                    |            |
|---------------|--------------------|--------------------------------------------|-----------------------------|-------|--------------|------------------|-------|-------|--------------|-------------------------------|----------------------------------|--------------------|------------|
| INSP. No.     | FIR-05             | Product Name                               | COMPRESSIBLE OUTER SEAL     |       | Size         |                  | M20   |       | Drawing No.  |                               | GE-00                            | Date:              | 24-09-2026 |
| Wo No.        | 26100089           | Total Quantity                             | 160                         |       | Lot Quantity |                  | 160   |       | Sample Size- |                               | 3                                | Variable & Gauging | 3PCS       |
| Sr. No.       | Checking Parameter | REQUIRED PARAMETER                         |                             |       |              | OBSERVED RESULTS |       |       |              | REJECTION<br>REWORK<br>DETAIL | REMARK                           | CHECKED BY         |            |
|               |                    | PARAMETER                                  | CRITERIA                    |       | 1            | 2                | 3     | -     | -            |                               |                                  |                    |            |
| 1             | Visual             | Surface                                    | Fine, Clean                 |       | FINE         | FINE             | FINE  | -     | -            |                               | Measuring<br>Instruments I.D No- |                    |            |
|               |                    | Sizewise No of Pcs.<br>With Internal Parts | As per Drg. No.<br>of Parts | 16    | 16           | 16               | 16    | -     | -            |                               | (1) DV-55                        |                    |            |
|               |                    | Washing & Plating                          | Surface<br>Finishing        | NA    | NA           | NA               | NA    | -     | -            |                               | (2) PP-01                        |                    |            |
|               |                    | RUBBER MARKING                             | AS PER DRG.                 | OK    | OK           | OK               | OK    | -     | -            |                               |                                  |                    |            |
|               |                    | Marking                                    | WO Ref. No.                 | NA    | NA           | NA               | NA    | -     | -            |                               | ASM No :-<br>AEX260914-13        |                    |            |
|               |                    | Assembly Perfection                        | As per Drg.                 |       | OK           | OK               | OK    | -     | -            |                               |                                  |                    |            |
|               |                    | Inner Packing                              | Labeling &<br>Printing      |       | OK           | OK               | OK    | -     | -            |                               |                                  |                    |            |
|               |                    | Outer Packing                              | Printing & Stamping         |       | OK           | OK               | OK    | -     | -            |                               |                                  |                    |            |
|               |                    | All Dimensions Are In MM                   |                             |       |              |                  |       |       |              |                               |                                  |                    |            |
| 2             | DIMENSION          |                                            | VALUE                       | -     | +            | 1                | 2     | 3     | -            | -                             |                                  |                    |            |
|               |                    | T.L                                        | 10.00                       | 9.50  | 10.50        | 10.03            | 10.05 | 10.04 | -            | -                             |                                  |                    |            |
|               |                    | O.D                                        | 22.20                       | 22.00 | 22.20        | 22.14            | 22.13 | 22.13 | -            | -                             |                                  |                    |            |
|               |                    | GR.LENGTH                                  | 3.00                        | 2.70  | 3.30         | 3.02             | 3.04  | 3.05  | -            | -                             |                                  |                    |            |
|               |                    | I.D                                        | 13.10                       | 13.10 | 13.20        | 13.15            | 13.17 | 13.16 | -            | -                             |                                  |                    |            |
|               |                    |                                            |                             |       |              |                  |       |       |              |                               |                                  |                    |            |
| INSPECTED BY: |                    | Jay Hadiyal                                |                             |       | APPROVED BY: |                  |       |       | Shreekant    |                               |                                  |                    |            |

Conclusion :



Accept



Reject



Hold



## MetalMech-08500-FR-QX-08-Final Inspection Report-EX

|                      |                           |                                         |                          |       |                     |                         |          |                     |          |                                        |                               |                   |
|----------------------|---------------------------|-----------------------------------------|--------------------------|-------|---------------------|-------------------------|----------|---------------------|----------|----------------------------------------|-------------------------------|-------------------|
| <b>INSP. No.</b>     | FIR-05                    | <b>Product Name</b>                     | INNER SKID WASHER        |       | <b>Size</b>         | M20                     |          | <b>Drawing No.</b>  | IW-01S   |                                        | <b>Date:</b>                  | 24-09-2026        |
| <b>Wo No.</b>        | 26100089                  | <b>Total Quantity</b>                   | 160                      |       | <b>Lot Quantity</b> | 160                     |          | <b>Sample Size-</b> | 3        |                                        | <b>Variable &amp; Gauging</b> | 3PCS              |
| <b>Sr. No.</b>       | <b>Checking Parameter</b> | <b>REQUIRED PARAMETER</b>               |                          |       |                     | <b>OBSERVED RESULTS</b> |          |                     |          | <b>REJECTION<br/>REWORK<br/>DETAIL</b> | <b>REMARK</b>                 | <b>CHECKED BY</b> |
|                      |                           | <b>PARAMETER</b>                        | <b>CRITERIA</b>          |       |                     | <b>1</b>                | <b>2</b> | <b>3</b>            | <b>-</b> |                                        |                               |                   |
| 1                    | Visual                    | Surface                                 | Fine, Clean              |       |                     | FINE                    | FINE     | FINE                | -        | -                                      |                               |                   |
|                      |                           | Sizewise No of Pcs. With Internal Parts | As per Drg. No. of Parts | 16    | 16                  | 16                      | 16       | -                   | -        |                                        | Measuring Instruments I.D No- |                   |
|                      |                           | Washing & Plating                       | Surface Finishing        | NA    | NA                  | NA                      | NA       | -                   | -        |                                        | (1) DV-55                     |                   |
|                      |                           | RUBBER MARKING                          | AS PER DRG.              | OK    | OK                  | OK                      | OK       | -                   | -        |                                        | (2) PP-01                     |                   |
|                      |                           | Marking                                 | WO Ref. No.              | NA    | NA                  | NA                      | NA       | -                   | -        |                                        | ASM No :- AEX260914-13        |                   |
|                      |                           | Assembly Perfection                     | As per Drg.              |       | OK                  | OK                      | OK       | -                   | -        |                                        |                               |                   |
|                      |                           | Inner Packing                           | Labeling & Printing      |       | OK                  | OK                      | OK       | -                   | -        |                                        |                               |                   |
|                      |                           | Outer Packing                           | Printing & Stamping      |       | OK                  | OK                      | OK       | -                   | -        |                                        |                               |                   |
|                      |                           | All Dimensions Are In MM                |                          |       |                     |                         |          |                     |          |                                        |                               |                   |
| 2                    | DIMENSION                 |                                         | VALUE                    | -     | +                   | 1                       | 2        | 3                   | -        | -                                      |                               |                   |
|                      |                           | T.L                                     | 4.50                     | 4.20  | 4.80                | 4.49                    | 4.51     | 4.50                | -        | -                                      |                               |                   |
|                      |                           | O.D                                     | 18.00                    | 17.80 | 18.00               | 17.90                   | 17.92    | 17.91               | -        | -                                      |                               |                   |
|                      |                           | O.D                                     | 15.50                    | 15.30 | 15.50               | 15.42                   | 15.40    | 15.41               | -        | -                                      |                               |                   |
|                      |                           | O.D.L                                   | 2.50                     | 2.50  | 2.70                | 2.52                    | 2.54     | 2.55                | -        | -                                      |                               |                   |
|                      |                           | I.D                                     | 12.00                    | 12.00 | 12.20               | 12.05                   | 12.04    | 12.03               | -        | -                                      |                               |                   |
|                      |                           |                                         |                          |       |                     |                         |          |                     |          |                                        |                               |                   |
| <b>INSPECTED BY:</b> |                           | <i>Jay Hadiyal</i>                      |                          |       | <b>APPROVED BY:</b> |                         |          | <i>Shreekant</i>    |          |                                        |                               |                   |

Conclusion :



Accept



Reject



Hold



## MetalMech-08500-FR-QX-08-Final Inspection Report-EX

| <b>INSP. No.</b>     | FIR-05             | <b>Product Name</b>                     | OUTER SKID WASHER        |       | <b>Size</b>         | M20              |       | <b>Drawing No.</b>  | OW-01S |   | <b>Date:</b>                  | 24-09-2026 |            |
|----------------------|--------------------|-----------------------------------------|--------------------------|-------|---------------------|------------------|-------|---------------------|--------|---|-------------------------------|------------|------------|
| <b>Wo No.</b>        | 26100089           | <b>Total Quantity</b>                   | 160                      |       | <b>Lot Quantity</b> | 160              |       | <b>Sample Size-</b> | 3      |   | <b>Variable &amp; Gauging</b> | 3PCS       |            |
| Sr. No.              | Checking Parameter | REQUIRED PARAMETER                      |                          |       |                     | OBSERVED RESULTS |       |                     |        |   | REJECTION<br>REWORK<br>DETAIL | REMARK     | CHECKED BY |
|                      |                    | PARAMETER                               | CRITERIA                 |       |                     | 1                | 2     | 3                   | -      | - |                               |            |            |
| 1                    | Visual             | Surface                                 | Fine, Clean              |       |                     | FINE             | FINE  | FINE                | -      | - |                               |            |            |
|                      |                    | Sizewise No of Pcs. With Internal Parts | As per Drg. No. of Parts | 16    | 16                  | 16               | 16    | -                   | -      |   |                               |            |            |
|                      |                    | Washing & Plating                       | Surface Finishing        | NA    | NA                  | NA               | NA    | -                   | -      |   |                               |            |            |
|                      |                    | RUBBER MARKING                          | AS PER DRG.              | NA    | NA                  | NA               | NA    | -                   | -      |   |                               |            |            |
|                      |                    | Marking                                 | WO Ref. No.              | NA    | NA                  | NA               | NA    | -                   | -      |   |                               |            |            |
|                      |                    | Assembly Perfection                     | As per Drg.              |       |                     | OK               | OK    | OK                  | -      | - |                               |            |            |
|                      |                    | Inner Packing                           | Labeling & Printing      |       | OK                  | OK               | OK    | -                   | -      |   |                               |            |            |
|                      |                    | Outer Packing                           | Printing & Stamping      |       |                     | OK               | OK    | OK                  | -      | - |                               |            |            |
|                      |                    | All Dimensions Are In MM                |                          |       |                     |                  |       |                     |        |   |                               |            |            |
| 2                    | DIMENSION          |                                         | VALUE                    | -     | +                   | 1                | 2     | 3                   | -      | - |                               |            |            |
|                      |                    | T.L                                     | 6.50                     | 6.20  | 6.80                | 6.52             | 6.51  | 6.53                | -      | - |                               |            |            |
|                      |                    | O.D                                     | 20.50                    | 20.50 | 20.60               | 20.52            | 20.55 | 20.54               | -      | - |                               |            |            |
|                      |                    | O.D                                     | 18.50                    | 18.30 | 18.50               | 18.40            | 18.39 | 18.41               | -      | - |                               |            |            |
|                      |                    | O.D.L                                   | 4.00                     | 4.00  | 4.10                | 4.02             | 4.01  | 4.03                | -      | - |                               |            |            |
|                      |                    | I.D                                     | 16.00                    | 16.00 | 16.20               | 16.03            | 16.05 | 16.04               | -      | - |                               |            |            |
|                      |                    |                                         |                          |       |                     |                  |       |                     |        |   |                               |            |            |
| <b>INSPECTED BY:</b> |                    | Jay Hadiyal                             |                          |       | <b>APPROVED BY:</b> |                  |       | Shreekant           |        |   |                               |            |            |

Conclusion :



Accept



Reject



Hold





## MetalMech-08500-FR-QX-08-Final Inspection Report-EX

|               |                    |                                            |                             |        |              |                  |        |              |           |                               |                                  |            |
|---------------|--------------------|--------------------------------------------|-----------------------------|--------|--------------|------------------|--------|--------------|-----------|-------------------------------|----------------------------------|------------|
| INSP. No.     | FIR-05             | Product Name                               | SHROUD                      |        | Size         | C-2027           |        | Drawing No.  | -         | Date:                         | 24-09-2026                       |            |
| Wo No.        | 26100089           | Total Quantity                             | 160                         |        | Lot Quantity | 160              |        | Sample Size- | 3         | Variable & Gauging            | 3PCS                             |            |
| Sr. No.       | Checking Parameter | REQUIRED PARAMETER                         |                             |        |              | OBSERVED RESULTS |        |              |           | REJECTION<br>REWORK<br>DETAIL | REMARK                           | CHECKED BY |
|               |                    | PARAMETER                                  | CRITERIA                    |        | 1            | 2                | 3      | -            | -         |                               |                                  |            |
| 1             | Visual             | Surface                                    | Fine, Clean                 |        | FINE         | FINE             | FINE   | -            | -         |                               | Measuring<br>Instruments I.D No- |            |
|               |                    | Sizewise No of Pcs.<br>With Internal Parts | As per Drg. No.<br>of Parts | 16     | 16           | 16               | 16     | -            | -         |                               | (1) DV-55                        |            |
|               |                    | Washing & Plating                          | Surface<br>Finishing        | NA     | NA           | NA               | NA     | -            | -         |                               | (2) PP-01                        |            |
|               |                    | RUBBER MARKING                             | AS PER DRG.                 | NA     | NA           | NA               | NA     | -            | -         |                               |                                  |            |
|               |                    | Marking                                    | WO Ref. No.                 | NA     | NA           | NA               | NA     | -            | -         |                               | ASM No :-<br>AEX260914-13        |            |
|               |                    | Assembly Perfection                        | As per Drg.                 |        | OK           | OK               | OK     | -            | -         |                               |                                  |            |
|               |                    | Inner Packing                              | Labeling &<br>Printing      |        | OK           | OK               | OK     | -            | -         |                               |                                  |            |
|               |                    | Outer Packing                              | Printing & Stamping         |        | OK           | OK               | OK     | -            | -         |                               |                                  |            |
|               |                    | All Dimensions Are In MM                   |                             |        |              |                  |        |              |           |                               |                                  |            |
| 2             | DIMENSION          |                                            | VALUE                       | -      | +            | 1                | 2      | 3            | -         | -                             |                                  |            |
|               |                    | T.L                                        | 125.00                      | 124.20 | 125.80       | 125.19           | 125.17 | 125.16       | -         | -                             |                                  |            |
|               |                    | I.D                                        | 27.00                       | 26.50  | 27.50        | 27.09            | 27.08  | 27.04        | -         | -                             |                                  |            |
|               |                    |                                            |                             |        |              |                  |        |              |           |                               |                                  |            |
| INSPECTED BY: |                    | Jay Hadiyal                                |                             |        | APPROVED BY: |                  |        |              | Shreekant |                               |                                  |            |

Conclusion :



Accept



Reject



Hold



## MetalMech-08500-FR-QX-08-Final Inspection Report-EX

|                      |                           |                                         |                          |       |                     |                         |          |                     |                  |                                        |               |                   |          |
|----------------------|---------------------------|-----------------------------------------|--------------------------|-------|---------------------|-------------------------|----------|---------------------|------------------|----------------------------------------|---------------|-------------------|----------|
| <b>INSP. No.</b>     | FIR-05                    | <b>Product Name</b>                     | EARTH TAG                |       | <b>Size</b>         | M20                     |          | <b>Drawing No.</b>  | -                | <b>Date:</b>                           | 24-09-2026    |                   |          |
| <b>Wo No.</b>        | 26100089                  | <b>Total Quantity</b>                   | 160                      |       | <b>Lot Quantity</b> | 160                     |          | <b>Sample Size-</b> | 3                | <b>Variable &amp; Gauging</b>          | 3PCS          |                   |          |
| <b>Sr. No.</b>       | <b>Checking Parameter</b> | <b>REQUIRED PARAMETER</b>               |                          |       |                     | <b>OBSERVED RESULTS</b> |          |                     |                  | <b>REJECTION<br/>REWORK<br/>DETAIL</b> | <b>REMARK</b> | <b>CHECKED BY</b> |          |
|                      |                           | <b>PARAMETER</b>                        | <b>CRITERIA</b>          |       |                     | <b>1</b>                | <b>2</b> | <b>3</b>            | <b>-</b>         |                                        |               |                   | <b>-</b> |
| 1                    | Visual                    | Surface                                 | Fine, Clean              |       |                     | FINE                    | FINE     | FINE                | -                | -                                      |               |                   |          |
|                      |                           | Sizewise No of Pcs. With Internal Parts | As per Drg. No. of Parts | 16    | 16                  | 16                      | 16       | -                   | -                |                                        |               |                   |          |
|                      |                           | Washing & Plating                       | Surface Finishing        | NA    | NA                  | NA                      | NA       | -                   | -                |                                        |               |                   |          |
|                      |                           | RUBBER MARKING                          | AS PER DRG.              | NA    | NA                  | NA                      | NA       | -                   | -                |                                        |               |                   |          |
|                      |                           | Marking                                 | WO Ref. No.              | NA    | NA                  | NA                      | NA       | -                   | -                |                                        |               |                   |          |
|                      |                           | Assembly Perfection                     | As per Drg.              |       |                     | OK                      | OK       | OK                  | -                | -                                      |               |                   |          |
|                      |                           | Inner Packing                           | Labeling & Printing      |       | OK                  | OK                      | OK       | -                   | -                |                                        |               |                   |          |
|                      |                           | Outer Packing                           | Printing & Stamping      |       |                     | OK                      | OK       | OK                  | -                | -                                      |               |                   |          |
|                      |                           | All Dimensions Are In MM                |                          |       |                     |                         |          |                     |                  |                                        |               |                   |          |
| 2                    | DIMENSION                 |                                         | VALUE                    | -     | +                   | 1                       | 2        | 3                   | -                | -                                      |               |                   |          |
|                      |                           | THICKNESS                               | 1.00                     | 0.80  | 1.20                | 1.01                    | 1.03     | 1.02                | -                | -                                      |               |                   |          |
|                      |                           | O.D                                     | 29.20                    | 28.70 | 29.70               | 29.18                   | 29.20    | 29.19               | -                | -                                      |               |                   |          |
|                      |                           | O.D                                     | 13.00                    | 12.50 | 13.50               | 13.02                   | 13.01    | 13.05               | -                | -                                      |               |                   |          |
|                      |                           | I.D                                     | 20.20                    | 19.70 | 20.70               | 20.23                   | 20.25    | 20.26               | -                | -                                      |               |                   |          |
|                      |                           | I.D                                     | 6.20                     | 5.90  | 6.50                | 6.25                    | 6.24     | 6.23                | -                | -                                      |               |                   |          |
|                      |                           |                                         |                          |       |                     |                         |          |                     |                  |                                        |               |                   |          |
| <b>INSPECTED BY:</b> |                           | <i>Jay Hadiyal</i>                      |                          |       | <b>APPROVED BY:</b> |                         |          |                     | <i>Shreekant</i> |                                        |               |                   |          |

**Conclusion :**



Accept



Reject



Hold





MetalMech-08500-FR-QX-08-Final Inspection Report-EX

|               |                    |                                            |                             |       |              |                  |       |              |           |                               |                                  |            |
|---------------|--------------------|--------------------------------------------|-----------------------------|-------|--------------|------------------|-------|--------------|-----------|-------------------------------|----------------------------------|------------|
| INSP. No.     | FIR-05             | Product Name                               | NYLON WASHER                |       | Size         | M20              |       | Drawing No.  | -         | Date:                         | 24-09-2026                       |            |
| Wo No.        | 26100089           | Total Quantity                             | 160                         |       | Lot Quantity | 160              |       | Sample Size- | 3         | Variable & Gauging            | 3PCS                             |            |
| Sr. No.       | Checking Parameter | REQUIRED PARAMETER                         |                             |       |              | OBSERVED RESULTS |       |              |           | REJECTION<br>REWORK<br>DETAIL | REMARK                           | CHECKED BY |
|               |                    | PARAMETER                                  | CRITERIA                    |       | 1            | 2                | 3     | -            | -         |                               |                                  |            |
| 1             | Visual             | Surface                                    | Fine, Clean                 |       | FINE         | FINE             | FINE  | -            | -         |                               | Measuring<br>Instruments I.D No- |            |
|               |                    | Sizewise No of Pcs.<br>With Internal Parts | As per Drg. No.<br>of Parts | 16    | 16           | 16               | 16    | -            | -         |                               | (1) DV-55                        |            |
|               |                    | Washing & Plating                          | Surface<br>Finishing        | NA    | NA           | NA               | NA    | -            | -         |                               | (2) PP-01                        |            |
|               |                    | RUBBER MARKING                             | AS PER DRG.                 | NA    | NA           | NA               | NA    | -            | -         |                               |                                  |            |
|               |                    | Marking                                    | WO Ref. No.                 | NA    | NA           | NA               | NA    | -            | -         |                               | ASM No :-<br>AEX260914-13        |            |
|               |                    | Assembly Perfection                        | As per Drg.                 |       | OK           | OK               | OK    | -            | -         |                               |                                  |            |
|               |                    | Inner Packing                              | Labeling &<br>Printing      |       | OK           | OK               | OK    | -            | -         |                               |                                  |            |
|               |                    | Outer Packing                              | Printing & Stamping         |       | OK           | OK               | OK    | -            | -         |                               |                                  |            |
|               |                    | All Dimensions Are In MM                   |                             |       |              |                  |       |              |           |                               |                                  |            |
| 2             | DIMENSION          |                                            | VALUE                       | -     | +            | 1                | 2     | 3            | -         | -                             |                                  |            |
|               |                    | THICKNESS                                  | 1.50                        | 1.30  | 1.70         | 1.45             | 1.49  | 1.48         | -         | -                             |                                  |            |
|               |                    | I.D                                        | 20.20                       | 19.70 | 20.70        | 20.29            | 20.30 | 20.28        | -         | -                             |                                  |            |
|               |                    |                                            |                             |       |              |                  |       |              |           |                               |                                  |            |
| INSPECTED BY: |                    | Jay Hadiyal                                |                             |       | APPROVED BY: |                  |       |              | Shreekant |                               |                                  |            |

Conclusion : ☒ Accept ☐ Reject ☐ Hold





MetalMech-08500-FR-QX-08-Final Inspection Report-EX

|               |                    |                                            |                             |       |              |                  |       |              |           |                               |                                  |            |
|---------------|--------------------|--------------------------------------------|-----------------------------|-------|--------------|------------------|-------|--------------|-----------|-------------------------------|----------------------------------|------------|
| INSP. No.     | FIR-05             | Product Name                               | STAR WASHER                 |       | Size         | M20              |       | Drawing No.  | -         | Date:                         | 24-09-2026                       |            |
| Wo No.        | 26100089           | Total Quantity                             | 160                         |       | Lot Quantity | 160              |       | Sample Size- | 3         | Variable & Gauging            | 3PCS                             |            |
| Sr. No.       | Checking Parameter | REQUIRED PARAMETER                         |                             |       |              | OBSERVED RESULTS |       |              |           | REJECTION<br>REWORK<br>DETAIL | REMARK                           | CHECKED BY |
|               |                    | PARAMETER                                  | CRITERIA                    |       | 1            | 2                | 3     | -            | -         |                               |                                  |            |
| 1             | Visual             | Surface                                    | Fine, Clean                 |       | FINE         | FINE             | FINE  | -            | -         |                               | Measuring<br>Instruments I.D No- |            |
|               |                    | Sizewise No of Pcs.<br>With Internal Parts | As per Drg. No.<br>of Parts | 16    | 16           | 16               | 16    | -            | -         |                               | (1) DV-55                        |            |
|               |                    | Washing & Plating                          | Surface<br>Finishing        | NA    | NA           | NA               | NA    | -            | -         |                               | (2) PP-01                        |            |
|               |                    | RUBBER MARKING                             | AS PER DRG.                 | NA    | NA           | NA               | NA    | -            | -         |                               |                                  |            |
|               |                    | Marking                                    | WO Ref. No.                 | NA    | NA           | NA               | NA    | -            | -         |                               | ASM No :-<br>AEX260914-13        |            |
|               |                    | Assembly Perfection                        | As per Drg.                 |       | OK           | OK               | OK    | -            | -         |                               |                                  |            |
|               |                    | Inner Packing                              | Labeling &<br>Printing      |       | OK           | OK               | OK    | -            | -         |                               |                                  |            |
|               |                    | Outer Packing                              | Printing & Stamping         |       | OK           | OK               | OK    | -            | -         |                               |                                  |            |
|               |                    | All Dimensions Are In MM                   |                             |       |              |                  |       |              |           |                               |                                  |            |
| 2             | DIMENSION          |                                            | VALUE                       | -     | +            | 1                | 2     | 3            | -         | -                             |                                  |            |
|               |                    | O.D                                        | 33.00                       | 32.70 | 33.30        | 33.06            | 33.05 | 33.04        | -         | -                             |                                  |            |
|               |                    | I.D                                        | 20.00                       | 19.50 | 20.50        | 20.25            | 20.29 | 20.27        | -         | -                             |                                  |            |
|               |                    | T.L                                        | 4.00                        | 3.70  | 4.30         | 4.06             | 4.05  | 4.05         | -         | -                             |                                  |            |
|               |                    |                                            |                             |       |              |                  |       |              |           |                               |                                  |            |
| INSPECTED BY: |                    | Jay Hadiyal                                |                             |       | APPROVED BY: |                  |       |              | Shreekant |                               |                                  |            |

Conclusion : ☒ Accept ☐ Reject ☐ Hold

