

		MetalMech-08500-FR-QX-08-Final Inspection Report-EX												
INSP. No.	FIR-02	Product Name	ENTRY COMPONENT			Size		M20		Drawing No.		31300IM-018	Date:	18-08-2026
Wo No.	26000231	Total Quantity	600			Lot Quantity		600		Sample Size-		5	Variable & Gauging	5PCS
Sr. No.	Checking Parameter	REQUIRED PARAMETER				OBSERVED RESULTS					REJECTION REWORK DETAIL	REMARK	CHECKED BY	
		PARAMETER	CRITERIA			1	2	3	4	5				
1	Visual	Surface	Fine, Clean			FINE	FINE	FINE	FINE	FINE				
		Sizewise No of Pcs. With Internal Parts	As per Drg. No. of Parts	11	11	11	11	11						
		Washing & Plating	NICKEL	OK	OK	OK	OK	OK						
		RUBBER MARKING	AS PER DRG.	NA	NA	NA	NA	NA						
		Marking	WO Ref. No.	Metalmech Logo MM-EX-EI/FUNV20S1MB2 2026 CE Logo 2460 Ex Logo II 2 GD Ex db IIC GB	OK	OK	OK	OK	OK					
		Assembly Perfection	As per Drg.	OK	OK	OK	OK	OK						
		Inner Packing	Labeling & Printing	OK	OK	OK	OK	OK						
		Outer Packing	Printing & Stamping	OK	OK	OK	OK	OK						
		All Dimensions Are In MM												
2	DIMENSION		VALUE	-	+	1	2	3	4	5				
		A/P	25.00	24.87	25.00	24.96	24.95	24.94	24.95	24.94				
		A/C	27.50	27.00	28.00	27.53	27.55	27.54	27.56	27.55				
		T.L	32.00	32.00	32.50	32.15	32.14	32.16	32.12	32.15				
		TH.L	13.00	12.50	13.50	13.05	13.06	13.05	13.04	13.08				
		LENGTH	17.00	17.00	17.50	17.07	17.06	17.05	17.05	17.04				
		GR.OD	18.00	18.00	18.50	18.08	18.07	18.09	18.07	18.09				
		GR.LE	2.50	2.30	2.70	2.53	2.54	2.55	2.54	2.56				
		O.D	24.50	24.00	25.00	24.55	24.53	24.56	24.55	24.58				
		O.D.L	9.00	8.50	9.50	9.04	9.01	9.03	9.05	9.03				
		H.L	6.00	5.70	6.30	6.06	6.09	6.05	6.04	6.06				
		I.D	12.00	11.50	12.50	12.11	12.12	12.13	12.12	12.11				
		DEPTH	11.50	11.00	12.00	11.54	11.55	11.54	11.56	11.55				
		THREAD	M20x1.5 AS PER T.R.G GO NOT GO				OK	OK	OK	OK	OK			
		INT.THREAD	M20x1.5 AS PER P.G GO NOT GO				OK	OK	OK	OK	OK			
		CH.ANGLE	0.5x45° AS PER PP FOUND				OK	OK	OK	OK	OK			
		CH.ANGLE	1.5x45° AS PER PP FOUND				OK	OK	OK	OK	OK			
		CH.ANGLE	20° AS PER PP FOUND				OK	OK	OK	OK	OK			
		ANGLE	90° AS PER PP FOUND				OK	OK	OK	OK	OK			
		INSPECTED BY:		Jay Hadiyal				APPROVED BY:				Shreekant		

Conclusion :



Accept



Reject



Hold





MetalMech-08500-FR-QX-08-Final Inspection Report-EX

INSP. No.	FIR-02	Product Name	INTERMEDIATE BODY		Size		M20		Drawing No.		313002U-018	Date:	18-08-2026
Wo No.	26000231	Total Quantity	600		Lot Quantity		600		Sample Size-		5	Variable & Ganglag	5PCS
Sr. No.	Checking Parameter	REQUIRED PARAMETER			OBSERVED RESULTS					REJECTION REWORK DETAIL	REMARK	CHECKED BY	
		PARAMETER	CRITERIA		1	2	3	4	5				
		Surface	Fine, Clean		FINE	FINE	FINE	FINE	FINE			Measuring Instruments I.D.No.	
		Sizewise No of Pos. With Internal Parts	As per Deg. No. of Parts	11	11	11	11	11	11			(1) DV-55	
		Washing & Plating	Surface Finishing	NICKEL	OK	OK	OK	OK	OK			(2) PP-01	
		RUBBER MARKING	AS PER DRG.	NA	NA	NA	NA	NA	NA				
		Marking	WO Ref. No.	NA	NA	NA	NA	NA	NA			ASM No :- AEX260815-01/02	
		Assembly Perfection	As per Deg.		OK	OK	OK	OK	OK				
		Inner Packing	Labeling & Printline		OK	OK	OK	OK	OK				
		Outer Packing	Printing & Stamping		OK	OK	OK	OK	OK				
		All Dimensions Are In MM											
			VALUE	-	+	1	2	3	4	5			
		A/F	25.00	24.87	25.00	24.93	24.95	24.94	24.94	24.93			
		A/C	27.50	27.00	28.00	27.48	27.49	27.48	27.50	27.49			
		T.L	22.00	21.50	22.50	22.07	22.06	22.09	22.08	22.10			
		THL	10.00	9.50	10.50	10.05	10.04	10.03	10.05	10.04			
		GR.OD	18.00	17.50	18.50	18.04	18.03	18.05	18.04	18.06			
		GR.LE	1.00	0.80	1.20	1.02	1.01	1.02	1.01	1.02			
		H.L	4.00	3.70	4.30	4.05	4.04	4.03	4.05	4.04			
		THL	8.00	7.70	8.30	8.04	8.06	8.07	8.06	8.09			
		GR.OD	20.00	19.50	20.50	20.04	20.05	20.04	20.05	20.04			
		GR.LE	1.00	0.80	1.20	1.02	1.01	1.03	1.02	1.01			
		I.D	16.00	15.50	16.50	16.03	16.02	16.05	16.04	16.60			
		I.D	18.00	17.50	18.50	18.06	18.05	18.04	18.05	18.04			
		DEPTH	7.00	6.70	7.30	7.04	7.06	7.08	7.07	7.06			
		I.D	17.00	16.50	17.50	16.96	16.95	16.95	16.94	16.96			
		I.D.LE	4.50	4.20	4.80	4.56	4.55	4.54	4.55	4.54			
		DEPTH	11.50	11.00	12.00	11.56	11.55	11.53	11.55	11.53			
		THREAD	M20x1.5 AS PER T.R.G GO NOT GO		OK	OK	OK	OK	OK				
		THREAD	M22x1.5 AS PER P.G GO NOT GO		OK	OK	OK	OK	OK				
		CHANGLE	1.5x45° AS PER PP FOUND		OK	OK	OK	OK	OK				
		CHANGLE	0.5x45° AS PER PP FOUND		OK	OK	OK	OK	OK				
		CHANGLE	20° AS PER PP FOUND		OK	OK	OK	OK	OK				
INSPECTED BY:		Jay Hadiyal			APPROVED BY:					Shreekant			

Conclusion :

☒ Accept

☐ Reject

☐ Hold





MetalMech-08500-FR-QX-08-Final Inspection Report-EX

INSP. No.	FIR-02	Product Name	MIDDLE BODY	Size	M20	Drawing No.	313002-018	Date:	18-08-2026			
Wo No.	26000231	Total Quantity	600	Lot Quantity	600	Sample Size-	5	Variable & Gauging	5PCS			
Sr. No.	Checking Parameter	PARAMETER	CRITERIA	1	2	3	4	5	REJECTION REWORK DETAIL	REMARK	CHECKED BY	
1	Visual	Surface	Fine, Clean	FINE	FINE	FINE	FINE	FINE		Measuring Instruments I.D.No.		
		Size/wise No of Pcs. With Internal Parts	As per Drg. No. of Parts	11	11	11	11	11	11		(1) DV-55	
		Washing & Plating	NICKEL	OK	OK	OK	OK	OK	OK		(2) PP-01	
		RUBBER MARKING	AS PER DRG.	NA	NA	NA	NA	NA	NA			
		Marking	WO Ref. No.	NA	NA	NA	NA	NA	NA		ASM No :- AIX260815-01/02	
		Assembly Perfection	As per Drg.	OK	OK	OK	OK	OK	OK			
		Inner Packing	Labeling & Printing	OK	OK	OK	OK	OK	OK			
		Outer Packing	Printing & Stamping	OK	OK	OK	OK	OK	OK			
		All Dimensions Are In MM										
			VALUE	-	+	1	2	3	4	5		
2	DIMENSION	A/F	25.00	24.87	25.00	24.93	24.95	24.94	24.93	24.95		
		A/C	27.50	27.00	28.00	27.50	27.49	27.48	27.49	27.48		
		T.L	28.00	27.50	28.50	28.08	28.07	28.06	28.04	28.06		
		THL	12.00	11.50	12.50	12.06	12.05	12.04	12.05	12.04		
		GR.OD	20.50	20.00	21.00	20.45	20.44	20.46	20.44	20.46		
		GR.LE	1.00	0.80	1.20	1.02	1.01	1.01	1.02	1.03		
		O.D	24.50	24.00	25.00	24.45	24.44	24.46	24.49	24.46		
		O.D.L	8.00	7.70	8.30	8.04	8.06	8.08	8.07	8.09		
		H.L	8.00	7.70	8.30	8.03	8.05	8.04	8.04	8.06		
		I.D	16.00	15.50	16.50	16.04	16.03	16.05	16.05	16.08		
		I.D	17.00	16.50	17.50	17.07	17.05	17.03	17.04	17.06		
		I.D.LE	4.00	3.70	4.30	4.04	4.06	4.08	4.07	4.09		
		INT.TH.L	9.50	9.00	10.00	9.54	9.58	9.55	9.54	9.56		
		I.D	20.00	19.50	20.50	20.03	20.05	20.04	20.05	20.04		
		DEPTH	14.00	13.50	14.50	14.08	14.06	14.04	14.06	14.05		
		THREAD	M22x1 AS PER T.R.G GO NOT GO	OK	OK	OK	OK	OK	OK	OK		
		INT.THREAD	M22x1.5 AS PER P.G GO NOT GO	OK	OK	OK	OK	OK	OK	OK		
		CHANGLE	0.5x45° AS PER PP FOUND	OK	OK	OK	OK	OK	OK	OK		
		CHANGLE	1x45° AS PER PP FOUND	OK	OK	OK	OK	OK	OK	OK		
		CHANGLE	1.5x45° AS PER PP FOUND	OK	OK	OK	OK	OK	OK	OK		
CHANGLE	30° AS PER PP FOUND	OK	OK	OK	OK	OK	OK	OK				
INSPECTED BY:		Jay Hadiyal			APPROVED BY:			Shreekant				

Conclusion :

☒ Accept

☐ Reject

☐ Hold





MetalMech-08500-FR-QX-08-Final Inspection Report-EX

INSP. No.	FIR-02	Product Name	BACK NUT		Size	M20		Drawing No.	313003-018	Date:	18-08-2026				
Wo No.	26000231	Total Quantity	600		Lot Quantity	600		Sample Size-	5	Variable & Gauging	5PCS				
Sr. No.	Checking Parameter	REQUIRED PARAMETER				OBSERVED RESULTS					REJECTION REWORK DETAIL	REMARK	CHECKED BY		
		PARAMETER	CRITERIA			1	2	3	4	5					
1	Visual	Surface	Fine, Clean			FINE	FINE	FINE	FINE	FINE		Measuring Instruments I.D No.			
		Size wise No of Pcs. With Internal Parts	As per Drg. No. of Parts	11			11	11	11	11	11		(1) DV-55		
		Washing & Plating	Surface Finishing	NICKEL			OK	OK	OK	OK	OK		(2) PP-01		
		RUBBER MARKING	AS PER DRG.	NA			NA	NA	NA	NA	NA				
		Marking	WO Ref. No.	NA			NA	NA	NA	NA	NA		ASM No :- AEN260815-01/02		
		Assembly Perfection	As per Drg.			OK	OK	OK	OK	OK					
		Inner Packing	Labeling & Printing				OK	OK	OK	OK	OK				
		Outer Packing	Printing & Stamping			OK	OK	OK	OK	OK					
		All Dimensions Are In MM													
2	DIMENSION		VALUE	-	+	1	2	3	4	5					
		A/F	25.00	24.87	25.00	24.95	24.94	24.93	24.95	24.94					
		A/C	27.50	27.00	28.00	27.46	27.45	27.44	27.46	27.49					
		T.L	17.00	16.50	17.50	17.07	17.09	17.08	17.07	17.09					
		O.D	24.00	23.50	24.50	24.07	24.09	24.08	24.07	24.09					
		O.D.L	8.00	7.70	8.30	8.04	8.06	8.08	8.06	8.09					
		H.L	9.00	8.50	9.50	9.06	9.05	9.04	9.05	9.04					
		L.D	19.00	18.50	19.50	19.03	19.04	19.05	19.04	19.06					
		INT.THL	3.00	2.80	3.20	3.03	3.05	3.04	3.03	3.05					
		GR.ID	22.20	21.70	22.70	22.25	22.23	22.25	22.25	22.24					
		GR.LE	10.50	10.00	11.00	10.54	10.58	10.55	10.54	10.56					
		DEPTH	13.50	13.00	14.00	13.56	13.55	13.54	13.55	13.54					
		GR.ID	21.00	20.50	21.50	21.05	21.04	21.03	21.06	21.05					
		GR.LE	2.50	2.30	2.70	2.56	2.55	2.54	2.55	2.54					
		DEPTH	16.00	15.50	16.50	16.04	16.06	16.08	16.07	16.09					
		INT.THREAD	M22x1 AS PER P.G GO NOT GO				OK	OK	OK	OK	OK				
		CH.ANGLE	1x45° AS PER PP FOUND				OK	OK	OK	OK	OK				
		CH.ANGLE	0.5x45° AS PER PP FOUND				OK	OK	OK	OK	OK				
		CH.ANGLE	45° AS PER PP FOUND				OK	OK	OK	OK	OK				

INSPECTED BY: Jay HadiyalAPPROVED BY: Shreekant

Conclusion :



Accept



Reject



Hold



		MetalMech-08500-FR-QX-08-Final Inspection Report-EX												
INSP. No.	FIR-02	Product Name	UNIVERSAL CLAMPING CONE			Size	M20		Drawing No.	313005-018		Date:	18-08-2026	
Wo No.	26000231	Total Quantity	600			Lot Quantity	600		Sample Size-	5		Variable & Gauging	5PCS	
Sr. No.	Checking Parameter	REQUIRED PARAMETER				OBSERVED RESULTS					REJECTION RENEWORK DETAIL	REMARK	CHECKED BY	
		PARAMETER	CRITERIA		1	2	3	4	5					
1	Visual	Surface	Fine, Clean		FINE	FINE	FINE	FINE	FINE			Measuring Instruments ID No.		
		Size wise No of Pcs. With Internal Parts	As per Drg. No. of Parts		11	11	11	11	11			(1) DW-55		
		Washing & Plating	Surface Finishing		NICKEL	OK	OK	OK	OK	OK		(2) PP-01		
		RUBBER MARKING	AS PER DRG.		NA	NA	NA	NA	NA	NA				
		Marking	WO Ref. No.		NA	NA	NA	NA	NA	NA		ASM No :- AEX260815-01/02		
		Assembly Perfection	As per Drg.		OK	OK	OK	OK	OK					
		Inner Packing	Labeling & Printing		OK	OK	OK	OK	OK					
		Outer Packing	Printing & Stamping		OK	OK	OK	OK	OK					
		All Dimensions Are In MM												
		2	DIMENSION		VALUE	-	+	1	2	3	4	5		
T.L	22.00			21.50	22.50	22.13	22.15	22.14	22.12	22.11				
O.D	14.00			13.50	14.50	13.96	13.98	13.97	14.00	13.99				
O.D.L	3.50			3.20	3.80	3.54	3.56	3.55	3.55	3.54				
GR.OD	15.50			15.00	16.00	15.55	15.54	15.53	15.56	15.55				
GR.LE	2.50			2.30	2.70	2.56	2.55	2.54	2.55	2.54				
O.D	16.20			15.70	16.70	16.25	16.24	16.26	16.25	16.28				
O.D.L	7.50			7.20	7.80	7.56	7.55	7.54	7.55	7.54				
O.D	17.50			17.00	18.00	17.55	17.54	17.55	17.56	17.54				
O.D.L	7.00			6.70	7.30	7.05	7.07	7.09	7.06	7.05				
O.D	14.00			13.50	14.50	13.97	13.96	13.95	13.94	13.96				
O.D.L	4.50			4.20	4.80	4.55	4.54	4.53	4.55	4.54				
O.D	14.50			14.00	15.00	14.54	14.56	14.58	14.55	14.59				
O.D	15.00			14.50	15.50	14.97	14.98	14.96	14.95	14.94				
O.D	15.50			15.00	16.00	15.55	15.54	15.53	15.56	15.55				
O.D.L	7.50			7.20	7.80	7.54	7.58	7.59	7.58	7.57				
I.D	12.00			11.50	12.50	12.05	12.04	12.03	12.05	12.04				
GROOVE STEP LE	0.50			0.30	0.70	0.48	0.50	0.49	0.50	0.49				
RADIUS	0.5 MM AS PER PP FOUND				OK	OK	OK	OK	OK					
RADIUS	0.3 AS PER PP FOUND				OK	OK	OK	OK	OK					

INSPECTED BY: Jay Hadiyal

APPROVED BY: Shreekant

Conclusion : ☒ Accept ☐ Reject ☐ Hold





MetalMech-08500-FR-QX-08-Final Inspection Report-EX

INSP. No.	FIR-02	Product Name	REVERSIBLE ARMOUR RING		Size		M20		Drawing No.	313004-01s	Date:	18-08-2026	
Wo No.	26000231	Total Quantity	600		Lot Quantity		600		Sample Size-	5	Variable & Gauging	5PCS	
Sr. No.	Checking Parameter	REQUIRED PARAMETER				OBSERVED RESULTS					REJECTION REWORK DETAIL	REMARK	CHECKED BY
		PARAMETER	CRITERIA		1	2	3	4	5				
1	Visual	Surface	Fine, Clean		FINE	FINE	FINE	FINE	FINE		Measuring Instruments ID No-		
		Sizewise No of Pcs. With Internal Parts	As per Drg. No. of Parts	11	11	11	11	11	11		(1) DV-55		
		Washing & Plating	Surface Finishing	NICKEL	OK	OK	OK	OK	OK		(2) PP-01		
		RUBBER MARKING	AS PER DRG.	NA	NA	NA	NA	NA	NA				
		Marking	WO Ref. No.	NA	NA	NA	NA	NA	NA		ASM No :- AEX260815-01/02		
		Assembly Perfection	As per Drg.		OK	OK	OK	OK	OK				
		Inner Packing	Labeling & Printing		OK	OK	OK	OK	OK				
		Outer Packing	Printing & Stamping		OK	OK	OK	OK	OK				
		All Dimensions Are In MM											
2	DIMENSION		VALUE	-	+	1	2	3	4	5			
		T.L	6.00	5.70	6.30	6.11	6.13	6.15	6.12	6.11			
		O.D	19.00	18.50	19.50	18.77	18.76	18.75	18.76	18.75			
		I.D	16.00	15.50	16.50	16.11	16.13	16.12	16.11	16.13			
		I.D	16.50	16.00	17.00	16.63	16.62	16.64	16.66	16.64			
INSPECTED BY:		Jay Hadiyal			APPROVED BY:				Shreekant				

Conclusion : ☒ Accept ☐ Reject ☐ Hold





MetalMech-08500-FR-QX-08-Final Inspection Report-EX

INSP. No.	FIR-02	Product Name	O-RING		Size		M20		Drawing No.		OR-1M	Date:	18-08-2026
Wo No.	26000231	Total Quantity	600		Lot Quantity		600		Sample Size-		5	Variable & Gauging	5PCS
Sr. No.	Checking Parameter	REQUIRED PARAMETER				OBSERVED RESULTS					REJECTION REWORK DETAIL	REMARK	CHECKED BY
		PARAMETER	CRITERIA			1	2	3	4	5			
1	Visual	Surface	Fine, Clean			FINE	FINE	FINE	FINE	FINE		Measuring Instruments ID No-	
		Sizewise No of Pcs. With Internal Parts	As per Drg. No. of Parts	11		11	11	11	11	11		(1) DV-55	
		Washing & Plating	Surface Finishing	NA		NA	NA	NA	NA	NA		(2) PP-01	
		RUBBER MARKING	AS PER DRG.	NA		NA	NA	NA	NA	NA			
		Marking	WO Ref. No.	NA		NA	NA	NA	NA	NA		ASM No :- AEX260815-01/02	
		Assembly Perfection	As per Drg.			OK	OK	OK	OK	OK			
		Inner Packing	Labeling & Printing			OK	OK	OK	OK	OK			
		Outer Packing	Printing & Stamping			OK	OK	OK	OK	OK			
		All Dimensions Are In MM											
2	DIMENSION		VALUE	-	+	1	2	3	4	5			
		THICKNESS	2.50	2.00	2.50	2.06	2.09	2.08	2.05	2.09			
		I.D	16.00	15.50	16.50	16.03	16.05	16.07	16.06	16.08			
INSPECTED BY:		Jay Hadiyal			APPROVED BY:				Shreekant				

Conclusion :



Accept



Reject



Hold



MetalMech-08500-FR-QX-08-Final Inspection Report-EX

INSP. No.	FIR-02	Product Name	COMPRESSIBLE INNER SEAL		Size		M20		Drawing No.		GI-01s	Date:	18-08-2026
Wo No.	26000231	Total Quantity	600		Lot Quantity		600		Sample Size-		5	Variable & Gauging	5PCS
Sr. No.	Checking Parameter	REQUIRED PARAMETER				OBSERVED RESULTS					REJECTION REWORK DETAIL	REMARK	CHECKED BY
		PARAMETER	CRITERIA		1	2	3	4	5				
1	Visual	Surface	Fine, Clean		FINE	FINE	FINE	FINE	FINE		Measuring Instruments ID No-		
		Sizewise No of Pcs. With Internal Parts	As per Drg. No. of Parts	11	11	11	11	11	11		(1) DV-55		
		Washing & Plating	Surface Finishing	NA	NA	NA	NA	NA	NA		(2) PP-01		
		RUBBER MARKING	AS PER DRG.	OK	OK	OK	OK	OK	OK				
		Marking	WO Ref. No.	NA	NA	NA	NA	NA	NA		ASM No :- AEX260815-01/02		
		Assembly Perfection	As per Drg.		OK	OK	OK	OK	OK				
		Inner Packing	Labeling & Printing		OK	OK	OK	OK	OK				
		Outer Packing	Printing & Stamping		OK	OK	OK	OK	OK				
		All Dimensions Are In MM											
2	DIMENSION		VALUE	-	+	1	2	3	4	5			
		T.L	9.50	9.00	10.00	9.55	9.54	9.53	9.55	9.54			
		O.D.L	3.00	2.70	3.30	3.04	3.06	3.08	3.07	3.09			
		O.D	18.50	18.30	18.50	18.45	18.42	18.43	18.45	18.44			
		O.D.L	6.50	6.20	6.80	6.54	6.56	6.58	6.55	6.59			
		I.D	11.70	11.70	11.90	11.74	11.76	11.75	11.74	11.76			
INSPECTED BY:		Jay Hadiyal			APPROVED BY:				Shreekant				

Conclusion :



Accept



Reject



Hold



MetalMech-08500-FR-QX-08-Final Inspection Report-EX

INSP. No.	FIR-02	Product Name	COMPRESSIBLE OUTER SEAL		Size		M20		Drawing No.		GE-01s	Date:	18-08-2026	
Wo No.	26000231	Total Quantity	600		Lot Quantity		600		Sample Size-		5	Variable & Gauging	5PCS	
Sr. No.	Checking Parameter	REQUIRED PARAMETER				OBSERVED RESULTS					REJECTION REWORK DETAIL	REMARK	CHECKED BY	
		PARAMETER	CRITERIA			1	2	3	4	5				
1	Visual	Surface	Fine, Clean			FINE	FINE	FINE	FINE	FINE		Measuring Instruments ID No-		
		Sizewise No of Pcs. With Internal Parts	As per Drg. No. of Parts	11	11	11	11	11	11	11		(1) DV-55		
		Washing & Plating	Surface Finishing	NA	NA	NA	NA	NA	NA	NA		(2) PP-01		
		RUBBER MARKING	AS PER DRG.	OK	OK	OK	OK	OK	OK	OK				
		Marking	WO Ref. No.	NA	NA	NA	NA	NA	NA	NA		ASM No :- AEX260815-01/02		
		Assembly Perfection	As per Drg.			OK	OK	OK	OK	OK	OK			
		Inner Packing	Labeling & Printing		OK	OK	OK	OK	OK	OK				
		Outer Packing	Printing & Stamping			OK	OK	OK	OK	OK	OK			
		All Dimensions Are In MM												
2	DIMENSION		VALUE	-	+	1	2	3	4	5				
		T.L	10.00	9.50	10.50	10.06	10.05	10.04	10.04	10.06				
		O.D	22.20	22.00	22.20	22.11	22.13	22.12	22.11	22.13				
		GR.LENGTH	3.50	3.20	3.80	3.54	3.56	3.58	3.55	3.58				
		I.D	15.70	15.70	15.80	15.73	15.75	15.74	15.75	15.74				
INSPECTED BY:		Jay Hadiyal			APPROVED BY:				Shreekant					

Conclusion :



Accept



Reject



Hold



MetalMech-08500-FR-QX-08-Final Inspection Report-EX

INSP. No.	FIR-02	Product Name	INNER SKID WASHER		Size		M20		Drawing No.		IW-01s	Date:	18-08-2026
Wo No.	26000231	Total Quantity	600		Lot Quantity		600		Sample Size-		5	Variable & Gauging	5PCS
Sr. No.	Checking Parameter	REQUIRED PARAMETER				OBSERVED RESULTS					REJECTION REWORK DETAIL	REMARK	CHECKED BY
		PARAMETER	CRITERIA			1	2	3	4	5			
1	Visual	Surface	Fine, Clean			FINE	FINE	FINE	FINE	FINE		Measuring Instruments I.D No-	
		Sizewise No of Pcs. With Internal Parts	As per Drg. No. of Parts	11	11	11	11	11		(1) DV-55			
		Washing & Plating	Surface Finishing	NA	NA	NA	NA	NA		(2) PP-01			
		RUBBER MARKING	AS PER DRG.	OK	OK	OK	OK	OK					
		Marking	WO Ref. No.	NA	NA	NA	NA	NA		ASM No :- AEX260815-01/02			
		Assembly Perfection	As per Drg.			OK	OK	OK	OK	OK			
		Inner Packing	Labeling & Printing		OK	OK	OK	OK	OK				
		Outer Packing	Printing & Stamping			OK	OK	OK	OK	OK			
		All Dimensions Are In MM											
2	DIMENSION		VALUE	-	+	1	2	3	4	5			
		T.L	4.50	4.20	4.80	4.56	4.54	4.55	4.55	4.54			
		O.D	18.00	17.80	18.00	17.93	17.95	17.94	17.95	17.94			
		O.D	15.50	15.30	15.50	15.45	15.44	15.46	15.45	15.49			
		O.D.L	2.50	2.50	2.70	2.56	2.55	2.54	2.55	2.54			
		I.D	12.00	12.00	12.20	12.05	12.04	12.03	12.06	12.05			
INSPECTED BY:		Jay Hadiyal			APPROVED BY:				Shreekant				

Conclusion :



Accept



Reject



Hold



MetalMech-08500-FR-QX-08-Final Inspection Report-EX

INSP. No.	FIR-02	Product Name	OUTER SKID WASHER		Size		M20		Drawing No.		OW-01s	Date:	18-08-2026
Wo No.	26000231	Total Quantity	600		Lot Quantity		600		Sample Size-		5	Variable & Gauging	5PCS
Sr. No.	Checking Parameter	REQUIRED PARAMETER				OBSERVED RESULTS					REJECTION REWORK DETAIL	REMARK	CHECKED BY
		PARAMETER	CRITERIA			1	2	3	4	5			
1	Visual	Surface	Fine, Clean			FINE	FINE	FINE	FINE	FINE		Measuring Instruments I.D No-	
		Sizewise No of Pcs. With Internal Parts	As per Drg. No. of Parts	11	11	11	11	11		(1) DV-55			
		Washing & Plating	Surface Finishing	NA	NA	NA	NA	NA	NA	(2) PP-01			
		RUBBER MARKING	AS PER DRG.	NA	NA	NA	NA	NA	NA				
		Marking	WO Ref. No.	NA	NA	NA	NA	NA	NA	ASM No :- AEX260815-01/02			
		Assembly Perfection	As per Drg.			OK	OK	OK	OK	OK			
		Inner Packing	Labeling & Printing		OK	OK	OK	OK	OK	OK			
		Outer Packing	Printing & Stamping			OK	OK	OK	OK	OK			
		All Dimensions Are In MM											
2	DIMENSION		VALUE	-	+	1	2	3	4	5			
		T.L	6.50	6.20	6.80	6.56	6.55	6.54	6.55	6.54			
		O.D	20.50	20.50	20.60	20.56	20.55	20.55	20.56	20.55			
		O.D	18.50	18.30	18.50	18.45	18.45	18.44	18.46	18.49			
		O.D.L	4.00	4.00	4.10	4.04	4.06	4.08	4.07	4.08			
		I.D	16.00	16.00	16.20	16.06	16.05	16.04	16.05	16.06			
INSPECTED BY:		Jay Hadiyal			APPROVED BY:				Shreekant				

Conclusion :



Accept



Reject



Hold

