



MetalMech-08500-FR-QX-08-Final Inspection Report-EX

INSP. No.	FIR-02	Product Name	LOCK NUT		Size		1/2" NPT		Drawing No.		DL1NB	Date:	25-08-2026
Wo No.	26100081	Total Quantity	96		Lot Quantity		96		Sample Size-		3	Variable & Gauging	3PCS
Sr. No.	Checking Parameter	REQUIRED PARAMETER				OBSERVED RESULTS					REJECTION REWORK DETAIL	REMARK	CHECKED BY
		PARAMETER	CRITERIA			1	2	3	-	-			
1	Visual	Surface	Fine, Clean			FINE	FINE	FINE	-	-		Measuring Instruments I.D No-	
		Sizewise No of Pcs. With Internal Parts	As per Drg. No. of Parts	3	3	3	3	-	-		(1) DV-55		
		Washing & Plating	Surface Finishing	NICKEL	OK	OK	OK	-	-		(2) PP-01		
		RUBBER MARKING	AS PER DRG.	NA	NA	NA	NA	-	-				
		Marking	WO Ref. No.	NA	NA	NA	NA	-	-		ASM No :- CEX260809-08		
		Assembly Perfection	As per Drg.			OK	OK	OK	-	-			
		Inner Packing	Labeling & Printing		OK	OK	OK	-	-				
		Outer Packing	Printing & Stamping			OK	OK	OK	-	-			
		All Dimensions Are In MM											
2	DIMENSION		VALUE	-	+	1	2	3	-	-			
		A/F	25.00	24.87	25.00	24.96	24.95	24.94	-	-			
		A/C	28.00	27.50	28.50	28.02	28.01	28.00	-	-			
		T.L	4.00	3.70	4.30	4.04	4.06	4.05	-	-			
		THREAD	1/2" NPT AS PER P.G GO NOT GO			OK	OK	OK	-	-			
		CH.ANGLE	30° AS PER PP FOUND			OK	OK	OK	-	-			
INSPECTED BY:		Jay Hadiyal			APPROVED BY:				Shreekant				

Conclusion :



Accept



Reject



Hold



MetalMech-08500-FR-QX-08-Final Inspection Report- EX

INSP. No.	FIR-02	Product Name	PLUG		Size	1/2" NPT		Drawing No.	PLG1N	Date:	25-08-2026	
Wo No.	26100081	Total Quantity	96		Lot Quantity	96		Sample Size-	3	Variable & Gauging	3PCS	
Sr. No.	Checking Parameter	REQUIRED PARAMETER				OBSERVED RESULTS				REJECTION REWORK DETAIL	REMARK	CHECKED BY
		PARAMETER	CRITERIA			1	2	3	-			
1	Visual	Surface	Fine, Clean			FINE	FINE	FINE	-	-		Measuring Instruments I.D No-
		Sizewise No of Pcs. With Internal Parts	As per Drg. No. of Parts	3		3	3	3	-	-		(1) DV-55
		Washing & Plating	Surface Finishing	NICKEL		OK	OK	OK	-	-		(2) PP-01
		RUBBER MARKING	AS PER DRG.	NA		NA	NA	NA	-	-		
		Marking	WO Ref. No.	Metalmech Logo MM-EX-PLG1NB2 2026 CE Logo 2460 Ex Logo II 2 GD Ex db IIC Gb, Ex eb		OK	OK	OK	-	-		ASM No :- CEX260809-08
		Assembly Perfection	As per Drg.			OK	OK	OK	-	-		
		Inner Packing	Labeling & Printing			OK	OK	OK	-	-		
		Outer Packing	Printing & Stamping			OK	OK	OK	-	-		
		All Dimensions Are In MM										
2	DIMENSION		VALUE	-	+	1	2	3	-	-		
		T.L	14.00	13.50	14.50	14.07	14.09	14.06	-	-		
		GR.ID	13.50	13.00	14.00	13.55	13.54	13.53	-	-		
		GR.LE	3.00	2.80	3.20	3.04	3.06	3.08	-	-		
		INT-(A/F)	10.00	10.00	10.20	10.05	10.04	10.03	-	-		
		INT-(A/F)-LENGTH	8.00	7.70	8.30	8.04	8.06	8.08	-	-		
		DEPTH	11.00	10.50	11.50	11.05	11.04	11.03	-	-		
		CH.DIA	13 MM AS PER PP FOUND			OK	OK	OK	-	-		
		THREAD	1/2" NPT AS PER T.R.G GO NOT GO			OK	OK	OK	-	-		
		CH.ANGLE	1.6x45° AS PER PP FOUND			OK	OK	OK	-	-		
INSPECTED BY:		Jay Hadiyal			APPROVED BY:				Shreekant			

Conclusion :

☒ Accept

☐ Reject

☐ Hold





MetalMech-08500-FR-QX-08-Final Inspection Report-EX

INSP. No.	FIR-02	Product Name	NYLON WASHER		Size	1/2" NPT		Drawing No.	-	Date:	25-08-2026		
Wo No.	26100081	Total Quantity	96		Lot Quantity	96		Sample Size-	3	Variable & Gauging	3PCS		
Sr. No.	Checking Parameter	REQUIRED PARAMETER				OBSERVED RESULTS				REJECTION REWORK DETAIL	REMARK	CHECKED BY	
		PARAMETER	CRITERIA			1	2	3	-				-
1	Visual	Surface	Fine, Clean			FINE	FINE	FINE	-	-		Measuring Instruments I.D No-	
		Sizewise No of Pcs. With Internal Parts	As per Drg. No. of Parts	3	3	3	3	-	-		(1) DV-55		
		Washing & Plating	Surface Finishing	NA	NA	NA	NA	-	-		(2) PP-01		
		RUBBER MARKING	AS PER DRG.	NA	NA	NA	NA	-	-				
		Marking	WO Ref. No.	NA	NA	NA	NA	-	-		ASM No :- CEX260809-08		
		Assembly Perfection	As per Drg.			OK	OK	OK	-	-			
		Inner Packing	Labeling & Printing		OK	OK	OK	-	-				
		Outer Packing	Printing & Stamping			OK	OK	OK	-	-			
		All Dimensions Are In MM											
2	DIMENSION		VALUE	-	+	1	2	3	-	-			
		THICKNESS	1.50	1.30	1.70	1.45	1.49	1.48	-	-			
		I.D	22.20	22.00	22.40	22.33	22.32	22.33	-	-			
INSPECTED BY:		Jay Hadiyal			APPROVED BY:				Shreekant				

Conclusion :

☒

Accept

☐

Reject

☐

Hold

