

		MetalMech-08500-FR-QX-08-Final Inspection Report-EX											
INSP. No.	FIR-01	Product Name	LOCK NUT		Size		M20		Drawing No.		DL1M	Date:	26-08-2026
Wo No.	26100080	Total Quantity	100		Lot Quantity		100		Sample Size-		3	Variable & Gauging	3PCS
Sr. No.	Checking Parameter	REQUIRED PARAMETER				OBSERVED RESULTS					REJECTION REWORK DETAIL	REMARK	CHECKED BY
		PARAMETER	CRITERIA			1	2	3	-	-			
1	Visual	Surface	Fine, Clean			FINE	FINE	FINE	-	-			
		Sizewise No of Pcs. With Internal Parts	As per Drg. No. of Parts	16	16	16	16	-	-			Measuring Instruments I.D No-	
		Washing & Plating	Surface Finishing	NICKEL	OK	OK	OK	-	-			(1) DV-55	
		RUBBER MARKING	AS PER DRG.	NA	NA	NA	NA	-	-			(2) PP-01	
		Marking	WO Ref. No.	NA	NA	NA	NA	-	-			ASM No :- AEX260811-02	
		Assembly Perfection	As per Drg.			OK	OK	OK	-	-			
		Inner Packing	Labeling & Printing		OK	OK	OK	-	-				
		Outer Packing	Printing & Stamping			OK	OK	OK	-	-			
		All Dimensions Are In MM											
2	DIMENSION		VALUE	-	+	1	2	3	-	-			
		A/F	24.00	23.87	24.00	23.97	23.94	23.95	-	-			
		A/C	26.00	25.50	26.50	26.00	25.99	25.98	-	-			
		T.L	3.50	3.20	3.80	3.53	3.55	3.54	-	-			
		THREAD	M20x1.5 AS PER P.G GO NOT GO			OK	OK	OK	-	-			
		CH.ANGLE	30° AS PER PP FOUND			OK	OK	OK	-	-			
INSPECTED BY:		Jay Hadiyal			APPROVED BY:				Shreekant				

Conclusion :

☒

Accept

☐

Reject

☐

Hold







MetalMech-08500-FR-QX-08-Final Inspection Report-EX

INSP. No.	FIR-01	Product Name	INTERMEDIATE BODY			Size		M20		Drawing No.		313002U-018	Date:	26-08-2026
Wo No.	26100080	Total Quantity	100			Lot Quantity		100		Sample Size-		3	Variable & Gauging	3PCS
Sr. No.	Checking Parameter	REQUIRED PARAMETER				OBSERVED RESULTS				REJECTION REWORK DETAIL	REMARK	CHECKED BY		
		PARAMETER	CRITERIA		1	2	3	-	-					
1	Visual	Surface	Fine, Clean		FINE	FINE	FINE	-	-		Measuring Instruments I.D No.			
		Size wise No of Pcs. With Internal Parts	As per Drg. No. of Parts	16	16	16	16	-	-		(1) DV-55			
		Washing & Plating	Surface Finishing	NICKEL	OK	OK	OK	-	-		(2) PP-01			
		RUBBER MARKING	AS PER DRG.	NA	NA	NA	NA	-	-					
		Marking	WO Ref. No.	NA	NA	NA	NA	-	-		ASM No :- AEX260811-02			
		Assembly Perfection	As per Drg.		OK	OK	OK	-	-					
		Inner Packing	Labeling & Printing		OK	OK	OK	-	-					
		Outer Packing	Printing & Stamping		OK	OK	OK	-	-					
		All Dimensions Are In MM												
			VALUE	-	+	1	2	3	-	-				
2	DIMENSION	A/F	25.00	24.87	25.00	24.96	24.95	24.94	-	-				
		A/C	27.50	27.00	28.00	27.43	27.45	27.46	-	-				
		T.L	22.00	21.50	22.50	22.15	22.16	22.13	-	-				
		TH.L	10.00	9.50	10.50	10.13	10.15	10.13	-	-				
		GR.OD	18.00	17.50	18.50	18.11	18.12	18.15	-	-				
		GR.LE	1.00	0.80	1.20	1.01	1.00	1.01	-	-				
		H.L	4.00	3.70	4.30	3.93	3.91	3.95	-	-				
		TH.L	8.00	7.70	8.30	8.12	8.11	8.13	-	-				
		GR.OD	20.00	19.50	20.50	20.03	20.05	20.04	-	-				
		GR.LE	1.00	0.80	1.20	1.01	1.00	1.01	-	-				
		LD	16.00	15.50	16.50	16.03	16.02	16.05	-	-				
		LD	18.00	17.50	18.50	18.03	18.01	18.03	-	-				
		DEPTH	7.00	6.70	7.30	7.00	7.00	7.01	-	-				
		LD	17.00	16.50	17.50	17.03	17.02	17.05	-	-				
		I.D.LE	4.50	4.20	4.80	4.49	4.51	4.50	-	-				
		DEPTH	11.50	11.00	12.00	11.51	11.53	11.52	-	-				
		THREAD	M20x1.5 AS PER T.R.G GO NOT GO			OK	OK	OK	-	-				
		THREAD	M22x1.5 AS PER T.R.G GO NOT GO			OK	OK	OK	-	-				
		CH.ANGLE	1.5x45° AS PER PP FOUND			OK	OK	OK	-	-				
		CH.ANGLE	0.5x45° AS PER PP FOUND			OK	OK	OK	-	-				
		CH.ANGLE	20° AS PER PP FOUND			OK	OK	OK	-	-				
		INSPECTED BY:		Jay Hadiyal			APPROVED BY:				Shreekant			

Conclusion :



Accept



Reject



Hold





MetalMech-08500-FR-QX-08-Final Inspection Report-EX

INSP. No.	FIR-01	Product Name	MIDDLE BODY		Size	M20		Drawing No.		313002-018	Date:	26-08-2026		
Wo No.	26100080	Total Quantity	100		Lot Quantity	100		Sample Size-		3	Variable & Grouping	3PCS		
Sr. No.	Checking Parameter	REQUIRED PARAMETER				OBSERVED RESULTS					REJECTION REWORK DETAIL	REMARK	CHECKED BY	
		PARAMETER	CRITERIA			1	2	3	-	-				
1	Visual	Surface	Fine, Clean			FINE	FINE	FINE	-	-		Measuring Instruments I.D.No.		
		Stowwise No of Pcs. With Internal Parts	As per Drg. No. of Parts	16	16	16	16	-	-		(1) DV-55			
		Washing & Plating	Surface Finishing	NICKEL	OK	OK	OK	-	-		(2) PP-01			
		RUBBER MARKING	AS PER DRG.	NA	NA	NA	NA	-	-					
		Marking	WO Ref. No.	NA	NA	NA	NA	-	-		ASM No :- AEX260811-02			
		Assembly Perfection	As per Drg.			OK	OK	OK	-	-				
		Inner Packing	Labeling & Printing		OK	OK	OK	-	-					
		Outer Packing	Printing & Stamping			OK	OK	OK	-	-				
		All Dimensions Are in MM												
2	DIMENSION		VALUE	-	+	1	2	3	-	-				
		A/F	25.00	24.87	25.00	24.96	24.95	24.94	-	-				
		A/C	27.50	27.00	28.00	27.50	27.49	27.48	-	-				
		T.L	28.00	27.50	28.50	28.07	28.06	28.03	-	-				
		TH.L	12.00	11.50	12.50	12.03	12.02	12.04	-	-				
		GR.OD	20.50	20.00	21.00	20.55	20.54	20.53	-	-				
		GR.LE	1.00	0.80	1.20	1.01	1.00	1.01	-	-				
		O.D	24.50	24.00	25.00	24.52	24.51	24.53	-	-				
		O.D.L	8.00	7.70	8.30	8.02	8.01	8.03	-	-				
		H.L	8.00	7.70	8.30	7.99	8.00	7.98	-	-				
		LD	16.00	15.50	16.50	16.03	16.02	16.04	-	-				
		LD	17.00	16.50	17.50	17.02	17.04	17.05	-	-				
		LD.LE	4.00	3.70	4.30	4.01	4.03	4.02	-	-				
		INT.TH.L	9.50	9.00	10.00	9.51	9.49	9.50	-	-				
		LD	20.00	19.50	20.50	20.03	20.04	20.05	-	-				
		DEPTH	14.00	13.50	14.50	14.00	13.99	14.01	-	-				
		THREAD	M22x1 AS PER T.R.G GO NOT GO			OK	OK	OK	-	-				
		INT.THREAD	M22x1.5 AS PER P.G GO NOT GO			OK	OK	OK	-	-				
		CH.ANGLE	0.5x45° AS PER PP FOUND			OK	OK	OK	-	-				
		CH.ANGLE	1x45° AS PER PP FOUND			OK	OK	OK	-	-				
		CH.ANGLE	1.5x45° AS PER PP FOUND			OK	OK	OK	-	-				
		CH.ANGLE	30° AS PER PP FOUND			OK	OK	OK	-	-				
INSPECTED BY:		Jay Hadiyal			APPROVED BY:				Shreekant					

Conclusion :



Accept



Reject



Hold



INSP. No.		FIR-01		Product Name		BACK NUT		Size		M20		Drawing No.		313003-018		Date:		26-08-2026					
Wo No.		26100080		Total Quantity		100		Lot Quantity		100		Sample Size-		3		Variable & Gauging		3PCS					
Sr. No.		Checking Parameter		REQUIRED PARAMETER				OBSERVED RESULTS								REJECTION REWORK DETAIL		REMARK		CHECKED BY			
				PARAMETER		CRITERIA		1		2		3		-		-							
1		Visual		Surface		Fine, Clean		FINE		FINE		FINE		-		-		Measuring Instruments ID No.					
				Sizewise No of Pcs. With Internal Parts		As per Drg. No. of Parts		16		16		16		16		-		-		(1) DV-55			
				Washing & Plating		Surface Finishing		NICKEL		OK		OK		OK		-		-		(2) PP-01			
				RUBBER MARKING		AS PER DRG.		NA		NA		NA		NA		-		-					
				Marking		WO Ref. No.		NA		NA		NA		NA		-		-		ASM No :- AEX260811-02			
				Assembly Perfection		As per Drg.				OK		OK		OK		-		-					
				Inner Packing		Labeling & Printing				OK		OK		OK		-		-					
				Outer Packing		Printing & Stamping				OK		OK		OK		-		-					
2		DIMENSION		VALUE		-		+		1		2		3		-		-					
				A/F		25.00		24.87		25.00		24.92		24.91		24.93		-		-			
				A/C		27.50		27.00		28.00		27.41		27.39		27.42		-		-			
				T.L		17.00		16.50		17.50		17.11		17.13		17.12		-		-			
				O.D		24.00		23.50		24.50		24.02		24.01		24.03		-		-			
				O.D.L		8.00		7.70		8.30		8.02		8.01		8.03		-		-			
				H.L		9.00		8.50		9.50		9.01		9.03		9.02		-		-			
				LD		19.00		18.50		19.50		19.03		19.02		19.05		-		-			
				INT.THL		3.00		2.80		3.20		3.02		3.01		3.03		-		-			
				GR.ID		22.20		21.70		22.70		22.25		22.24		22.26		-		-			
				GR.LE		10.50		10.00		11.00		10.51		10.53		10.52		-		-			
				DEPTH		13.50		13.00		14.00		13.52		13.51		13.53		-		-			
				GR.ID		21.00		20.50		21.50		21.03		21.02		21.04		-		-			
				GR.LE		2.50		2.30		2.70		2.52		2.50		2.51		-		-			
				DEPTH		16.00		15.50		16.50		16.03		16.02		16.05		-		-			
				INT.THREAD		M22x1 AS PER P.G GO NOT GO				OK		OK		OK		-		-					
				CH.ANGLE		1x45° AS PER PP FOUND				OK		OK		OK		-		-					
				CH.ANGLE		0.5x45° AS PER PP FOUND				OK		OK		OK		-		-					
				CH.ANGLE		45° AS PER PP FOUND				OK		OK		OK		-		-					
INSPECTED BY:				Jay Hadiyal				APPROVED BY:				Shreekant											

Conclusion : ☒ Accept ☐ Reject ☐ Hold





MetalMech-08500-FR-QX-08-Final Inspection Report-EX

INSP. No.	FIR-01	Product Name	UNIVERSAL CLAMPING CONE		Size	M20		Drawing No.	313005-018		Date:	26-08-2026	
Wo No.	26100080	Total Quantity	100		Lot Quantity	100		Sample Size-	3		Variable & Gauging	3PCS	
Sr. No.	Checking Parameter	REQUIRED PARAMETER				OBSERVED RESULTS				REJECTION Rework Detail	REMARK	CHECKED BY	
		PARAMETER	CRITERIA		1	2	3	-	-				
		Surface	Fine, Clean		FINE	FINE	FINE	-	-		Measuring Instruments ID No:		
		Size wise No of Pcs. With Internal Parts	As per Drg. No. of Parts	16	16	16	16	-	-		(1) DV-55		
		Washing & Plating	Surface Finishing	NICKEL	OK	OK	OK	-	-		(2) PP-01		
		RUBBER MARKING	AS PER DRG.	NA	NA	NA	NA	-	-				
		Marking	WO Ref. No.	NA	NA	NA	NA	-	-		ASM No :- AEX260811-02		
		Assembly Perfection	As per Drg.		OK	OK	OK	-	-				
		Inner Packing	Labeling & Printing		OK	OK	OK	-	-				
		Outer Packing	Printing & Stamping		OK	OK	OK	-	-				
		All Dimensions Are In MM											
			VALUE	-	+	1	2	3	-	-			
		T.L	22.00	21.50	22.50	22.01	22.00	22.01	-	-			
		O.D	14.00	13.50	14.50	14.00	13.99	14.01	-	-			
		O.D.L	3.50	3.20	3.80	3.52	3.51	3.53	-	-			
		GR.OD	15.50	15.00	16.00	15.51	15.49	15.50	-	-			
		GR.LE	2.50	2.30	2.70	2.52	2.51	2.53	-	-			
		O.D	16.20	15.70	16.70	16.20	16.19	16.21	-	-			
		O.D.L	7.50	7.20	7.80	7.52	7.49	7.51	-	-			
		O.D	17.50	17.00	18.00	17.46	17.45	17.45	-	-			
		O.D.L	7.00	6.70	7.30	7.02	6.99	7.01	-	-			
		O.D	14.00	13.50	14.50	14.00	13.99	14.02	-	-			
		O.D.L	4.50	4.20	4.80	4.51	4.50	4.50	-	-			
		O.D	14.50	14.00	15.00	14.52	14.51	14.53	-	-			
		O.D	15.00	14.50	15.50	15.02	15.01	15.03	-	-			
		O.D	15.50	15.00	16.00	15.51	15.49	15.48	-	-			
		O.D.L	7.50	7.20	7.80	7.49	7.51	7.50	-	-			
		I.D	12.00	11.50	12.50	12.05	12.04	12.03	-	-			
		GROOVE.STEP.LE	0.50	0.30	0.70	0.50	0.49	0.49	-	-			
		RADIUS	0.5 MM AS PER PP FOUND			OK	OK	OK	-	-			
		RADIUS	0.3 AS PER PP FOUND			OK	OK	OK	-	-			
INSPECTED BY:		Jay Hadiyal				APPROVED BY:				Shreekant			

Conclusion :



Accept



Reject



Hold





MetalMech-08500-FR-QX-08-Final Inspection Report-EX

INSP. No.	FIR-01	Product Name	REVERSIBLE ARMOUR RING		Size		M20		Drawing No.		313004-01S	Date:	26-08-2026
Wo No.	26100080	Total Quantity	100		Lot Quantity		100		Sample Size-		3	Variable & Gauging	3PCS
Sr. No.	Checking Parameter	REQUIRED PARAMETER				OBSERVED RESULTS					REJECTION REWORK DETAIL	REMARK	CHECKED BY
		PARAMETER	CRITERIA		1	2	3	-	-				
1	Visual	Surface	Fine, Clean		FINE	FINE	FINE	-	-				
		Sizewise No of Pcs. With Internal Parts	As per Drg. No. of Parts	16	16	16	16	-	-		Measuring Instruments I.D No-		
		Washing & Plating	Surface Finishing	NICKEL	OK	OK	OK	-	-		(1) DV-55		
		RUBBER MARKING	AS PER DRG.	NA	NA	NA	NA	-	-		(2) PP-01		
		Marking	WO Ref. No.	NA	NA	NA	NA	-	-		ASM No :- AEX260811-02		
		Assembly Perfection	As per Drg.		OK	OK	OK	-	-				
		Inner Packing	Labeling & Printing		OK	OK	OK	-	-				
		Outer Packing	Printing & Stamping		OK	OK	OK	-	-				
		All Dimensions Are In MM											
2	DIMENSION		VALUE	-	+	1	2	3	-	-			
		T.L	6.00	5.70	6.30	6.13	6.15	6.12	-	-			
		O.D	18.50	18.00	19.00	18.45	18.44	18.46	-	-			
		I.D	16.00	15.50	16.50	16.03	16.05	16.04	-	-			
		I.D	16.50	16.00	17.00	16.52	16.54	16.55	-	-			
									-	-			
INSPECTED BY:		Jay Hadiyal			APPROVED BY:				Shreekant				

Conclusion :



Accept



Reject



Hold



		MetalMech-08500-FR-QX-08-Final Inspection Report-EX												
INSP. No.	FIR-01	Product Name	O-RING			Size	M20			Drawing No.	OR-1M		Date:	26-08-2026
Wo No.	26100080	Total Quantity	100			Lot Quantity	100			Sample Size-	3		Variable & Gauging	3PCS
Sr. No.	Checking Parameter	REQUIRED PARAMETER				OBSERVED RESULTS					REJECTION REWORK DETAIL	REMARK	CHECKED BY	
		PARAMETER	CRITERIA			1	2	3	-	-				
1	Visual	Surface	Fine, Clean			FINE	FINE	FINE	-	-				
		Sizewise No of Pcs. With Internal Parts	As per Drg. No. of Parts	16	16	16	16	-	-					
		Washing & Plating	Surface Finishing	NA	NA	NA	NA	-	-					
		RUBBER MARKING	AS PER DRG.	NA	NA	NA	NA	-	-					
		Marking	WO Ref. No.	NA	NA	NA	NA	-	-					
		Assembly Perfection	As per Drg.			OK	OK	OK	-	-				
		Inner Packing	Labeling & Printing		OK	OK	OK	-	-					
		Outer Packing	Printing & Stamping			OK	OK	OK	-	-				
		All Dimensions Are In MM												
2	DIMENSION		VALUE	-	+	1	2	3	-	-				
		THICKNESS	2.50	2.00	2.50	2.05	2.04	2.06	-	-				
		I.D	16.00	15.50	16.50	16.03	16.02	16.04	-	-				
INSPECTED BY:		Jay Hadiyal				APPROVED BY:				Shreekant				

Conclusion :



Accept



Reject



Hold



		MetalMech-08500-FR-QX-08-Final Inspection Report-EX												
INSP. No.	FIR-01	Product Name	COMPRESSIBLE INNER SEAL			Size		M20		Drawing No.		GI-00	Date:	26-08-2026
Wo No.	26100080	Total Quantity	100			Lot Quantity		100		Sample Size-		3	Variable & Gauging	3PCS
Sr. No.	Checking Parameter	REQUIRED PARAMETER				OBSERVED RESULTS					REJECTION REWORK DETAIL	REMARK	CHECKED BY	
		PARAMETER	CRITERIA			1	2	3	-	-				
1	Visual	Surface	Fine, Clean			FINE	FINE	FINE	-	-				
		Sizewise No of Pcs. With Internal Parts	As per Drg. No. of Parts	16	16	16	16	-	-		Measuring Instruments I.D No-			
		Washing & Plating	Surface Finishing	NA	NA	NA	NA	-	-		(1) DV-55			
		RUBBER MARKING	AS PER DRG.	OK	OK	OK	OK	-	-		(2) PP-01			
		Marking	WO Ref. No.	NA	NA	NA	NA	-	-		ASM No :- AEX260811-02			
		Assembly Perfection	As per Drg.			OK	OK	OK	-	-				
		Inner Packing	Labeling & Printing		OK	OK	OK	-	-					
		Outer Packing	Printing & Stamping			OK	OK	OK	-	-				
		All Dimensions Are In MM												
2	DIMENSION		VALUE	-	+	1	2	3	-	-				
		T.L	9.50	9.00	10.00	9.54	9.56	9.55	-	-				
		O.D.L	6.50	6.20	6.80	6.52	6.51	6.53	-	-				
		O.D	18.50	18.30	18.50	18.45	18.43	18.46	-	-				
		O.D.L	3.00	2.80	3.20	3.02	3.01	3.03	-	-				
		I.D	8.70	8.70	8.90	8.75	8.77	8.76	-	-				
INSPECTED BY:		Jay Hadiyal			APPROVED BY:				Shreekant					

Conclusion : ☒ Accept ☐ Reject ☐ Hold



		MetalMech-08500-FR-QX-08-Final Inspection Report-EX												
INSP. No.	FIR-01	Product Name	COMPRESSIBLE OUTER SEAL			Size		M20		Drawing No.		GE-00	Date:	26-08-2026
Wo No.	26100080	Total Quantity	100			Lot Quantity		100		Sample Size-		3	Variable & Gauging	3PCS
Sr. No.	Checking Parameter	REQUIRED PARAMETER				OBSERVED RESULTS					REJECTION REWORK DETAIL	REMARK	CHECKED BY	
		PARAMETER	CRITERIA			1	2	3	-	-				
1	Visual	Surface	Fine, Clean			FINE	FINE	FINE	-	-				
		Sizewise No of Pcs. With Internal Parts	As per Drg. No. of Parts	16	16	16	16	-	-					
		Washing & Plating	Surface Finishing	NA	NA	NA	NA	-	-					
		RUBBER MARKING	AS PER DRG.	OK	OK	OK	OK	-	-					
		Marking	WO Ref. No.	NA	NA	NA	NA	-	-					
		Assembly Perfection	As per Drg.			OK	OK	OK	-	-				
		Inner Packing	Labeling & Printing		OK	OK	OK	-	-					
		Outer Packing	Printing & Stamping			OK	OK	OK	-	-				
		All Dimensions Are In MM												
2	DIMENSION		VALUE	-	+	1	2	3	-	-				
		T.L	10.00	9.50	10.50	10.03	10.05	10.04	-	-				
		O.D	22.20	22.00	22.20	22.14	22.13	22.13	-	-				
		GR.LENGTH	3.00	2.70	3.30	3.02	3.04	3.05	-	-				
		I.D	13.10	13.10	13.20	13.15	13.17	13.16	-	-				
INSPECTED BY:		Jay Hadiyal				APPROVED BY:				Shreekant				

Conclusion :



Accept



Reject



Hold



		MetalMech-08500-FR-QX-08-Final Inspection Report-EX												
INSP. No.	FIR-01	Product Name	INNER SKID WASHER			Size		M20		Drawing No.		IW-01S	Date:	26-08-2026
Wo No.	26100080	Total Quantity	100			Lot Quantity		100		Sample Size-		3	Variable & Gauging	3PCS
Sr. No.	Checking Parameter	REQUIRED PARAMETER				OBSERVED RESULTS					REJECTION REWORK DETAIL	REMARK	CHECKED BY	
		PARAMETER	CRITERIA			1	2	3	-	-				
1	Visual	Surface	Fine, Clean			FINE	FINE	FINE	-	-				
		Sizewise No of Pcs. With Internal Parts	As per Drg. No. of Parts	16	16	16	16	-	-		Measuring Instruments I.D No-			
		Washing & Plating	Surface Finishing	NA	NA	NA	NA	-	-		(1) DV-55			
		RUBBER MARKING	AS PER DRG.	OK	OK	OK	OK	-	-		(2) PP-01			
		Marking	WO Ref. No.	NA	NA	NA	NA	-	-		ASM No :- AEX260811-02			
		Assembly Perfection	As per Drg.			OK	OK	OK	-	-				
		Inner Packing	Labeling & Printing		OK	OK	OK	-	-					
		Outer Packing	Printing & Stamping			OK	OK	OK	-	-				
		All Dimensions Are In MM												
2	DIMENSION		VALUE	-	+	1	2	3	-	-				
		T.L	4.50	4.20	4.80	4.49	4.51	4.50	-	-				
		O.D	18.00	17.80	18.00	17.90	17.92	17.91	-	-				
		O.D	15.50	15.30	15.50	15.42	15.40	15.41	-	-				
		O.D.L	2.50	2.50	2.70	2.52	2.54	2.55	-	-				
		I.D	12.00	12.00	12.20	12.05	12.04	12.03	-	-				
INSPECTED BY:		Jay Hadiyal			APPROVED BY:				Shreekant					

Conclusion :



Accept



Reject



Hold



		MetalMech-08500-FR-QX-08-Final Inspection Report-EX											
INSP. No.	FIR-01	Product Name	OUTER SKID WASHER			Size	M20			Drawing No.	OW-01s	Date:	26-08-2026
Wo No.	26100080	Total Quantity	100			Lot Quantity	100			Sample Size-	3	Variable & Gauging	3PCS
Sr. No.	Checking Parameter	REQUIRED PARAMETER				OBSERVED RESULTS					REJECTION REWORK DETAIL	REMARK	CHECKED BY
		PARAMETER	CRITERIA			1	2	3	-	-			
1	Visual	Surface	Fine, Clean			FINE	FINE	FINE	-	-			
		Sizewise No of Pcs. With Internal Parts	As per Drg. No. of Parts	16	16	16	16	-	-			Measuring Instruments I.D No-	
		Washing & Plating	Surface Finishing	NA	NA	NA	NA	-	-			(1) DV-55	
		RUBBER MARKING	AS PER DRG.	NA	NA	NA	NA	-	-			(2) PP-01	
		Marking	WO Ref. No.	NA	NA	NA	NA	-	-			ASM No :- AEX260811-02	
		Assembly Perfection	As per Drg.			OK	OK	OK	-	-			
		Inner Packing	Labeling & Printing		OK	OK	OK	-	-				
		Outer Packing	Printing & Stamping			OK	OK	OK	-	-			
		All Dimensions Are In MM											
2	DIMENSION		VALUE	-	+	1	2	3	-	-			
		T.L	6.50	6.20	6.80	6.52	6.51	6.53	-	-			
		O.D	20.50	20.50	20.60	20.52	20.55	20.54	-	-			
		O.D	18.50	18.30	18.50	18.40	18.39	18.41	-	-			
		O.D.L	4.00	4.00	4.10	4.02	4.01	4.03	-	-			
		I.D	16.00	16.00	16.20	16.03	16.05	16.04	-	-			
INSPECTED BY:		Jay Hadiyal			APPROVED BY:				Shreekant				

Conclusion :



Accept



Reject



Hold



		MetalMech-08500-FR-QX-08-Final Inspection Report-EX														
INSP. No.	FIR-01	Product Name	SHROUD			Size	C-2027			Drawing No.	-			Date:	26-08-2026	
Wo No.	26100080	Total Quantity	100			Lot Quantity	100			Sample Size-	3			Variable & Gauging	3PCS	
Sr. No.	Checking Parameter	REQUIRED PARAMETER				OBSERVED RESULTS					REJECTION REWORK DETAIL	REMARK	CHECKED BY			
		PARAMETER	CRITERIA			1	2	3	-	-						
1	Visual	Surface	Fine, Clean			FINE	FINE	FINE	-	-		Measuring Instruments I.D No-				
		Sizewise No of Pcs. With Internal Parts	As per Drg. No. of Parts	16	16	16	16	-	-		(1) DV-55					
		Washing & Plating	Surface Finishing	NA	NA	NA	NA	-	-		(2) PP-01					
		RUBBER MARKING	AS PER DRG.	NA	NA	NA	NA	-	-							
		Marking	WO Ref. No.	NA	NA	NA	NA	-	-		ASM No :- AEX260811-02					
		Assembly Perfection	As per Drg.			OK	OK	OK	-	-						
		Inner Packing	Labeling & Printing		OK	OK	OK	-	-							
		Outer Packing	Printing & Stamping			OK	OK	OK	-	-						
		All Dimensions Are In MM														
2	DIMENSION		VALUE	-	+	1	2	3	-	-						
		T.L	125.00	124.20	125.80	125.19	125.17	125.16	-	-						
		I.D	27.00	26.50	27.50	27.09	27.08	27.04	-	-						
INSPECTED BY:		Jay Hadiyal				APPROVED BY:				Shreekant						

Conclusion :



Accept



Reject



Hold



		MetalMech-08500-FR-QX-08-Final Inspection Report-EX											
INSP. No.	FIR-01	Product Name	EARTH TAG		Size		M20		Drawing No.		-	Date:	26-08-2026
Wo No.	26100080	Total Quantity	100		Lot Quantity		100		Sample Size-		3	Variable & Gauging	3PCS
Sr. No.	Checking Parameter	REQUIRED PARAMETER				OBSERVED RESULTS					REJECTION REWORK DETAIL	REMARK	CHECKED BY
		PARAMETER	CRITERIA			1	2	3	-	-			
1	Visual	Surface	Fine, Clean			FINE	FINE	FINE	-	-			
		Sizewise No of Pcs. With Internal Parts	As per Drg. No. of Parts	16	16	16	16	-	-		Measuring Instruments I.D No-		
		Washing & Plating	Surface Finishing	NA	NA	NA	NA	-	-		(1) DV-55		
		RUBBER MARKING	AS PER DRG.	NA	NA	NA	NA	-	-		(2) PP-01		
		Marking	WO Ref. No.	NA	NA	NA	NA	-	-		ASM No :- AEX260811-02		
		Assembly Perfection	As per Drg.			OK	OK	OK	-	-			
		Inner Packing	Labeling & Printing		OK	OK	OK	-	-				
		Outer Packing	Printing & Stamping			OK	OK	OK	-	-			
		All Dimensions Are In MM											
2	DIMENSION		VALUE	-	+	1	2	3	-	-			
		THICKNESS	1.00	0.80	1.20	1.01	1.03	1.02	-	-			
		O.D	29.20	28.70	29.70	29.18	29.20	29.19	-	-			
		O.D	13.00	12.50	13.50	13.02	13.01	13.05	-	-			
		I.D	20.20	19.70	20.70	20.23	20.25	20.26	-	-			
		I.D	6.20	5.90	6.50	6.25	6.24	6.23	-	-			
INSPECTED BY:		Jay Hadiyal			APPROVED BY:				Shreekant				

Conclusion :



Accept



Reject



Hold



		MetalMech-08500-FR-QX-08-Final Inspection Report-EX											
INSP. No.	FIR-01	Product Name	NYLON WASHER			Size	M20			Drawing No.	-		
Wo No.	26100080	Total Quantity	100			Lot Quantity	100			Sample Size-	3		
Sr. No.	Checking Parameter	REQUIRED PARAMETER				OBSERVED RESULTS					REJECTION REWORK DETAIL	REMARK	CHECKED BY
		PARAMETER	CRITERIA			1	2	3	-	-			
1	Visual	Surface	Fine, Clean			FINE	FINE	FINE	-	-		Measuring Instruments I.D No-	
		Sizewise No of Pcs. With Internal Parts	As per Drg. No. of Parts	16	16	16	16	-	-		(1) DV-55		
		Washing & Plating	Surface Finishing	NA	NA	NA	NA	-	-		(2) PP-01		
		RUBBER MARKING	AS PER DRG.	NA	NA	NA	NA	-	-				
		Marking	WO Ref. No.	NA	NA	NA	NA	-	-		ASM No :- AEX260811-02		
		Assembly Perfection	As per Drg.			OK	OK	OK	-	-			
		Inner Packing	Labeling & Printing		OK	OK	OK	-	-				
		Outer Packing	Printing & Stamping			OK	OK	OK	-	-			
		All Dimensions Are In MM											
2	DIMENSION		VALUE	-	+	1	2	3	-	-			
		THICKNESS	1.50	1.30	1.70	1.45	1.49	1.48	-	-			
		I.D	20.20	19.70	20.70	20.29	20.30	20.28	-	-			
INSPECTED BY:		Jay Hadiyal				APPROVED BY:				Shreekant			

Conclusion :

☒ Accept
 ☐ Reject
 ☐ Hold



		MetalMech-08500-FR-QX-08-Final Inspection Report-EX											
INSP. No.	FIR-01	Product Name	STAR WASHER		Size		M20		Drawing No.		-	Date:	26-08-2026
Wo No.	26100080	Total Quantity	100		Lot Quantity		100		Sample Size-		3	Variable & Gauging	3PCS
Sr. No.	Checking Parameter	REQUIRED PARAMETER				OBSERVED RESULTS					REJECTION REWORK DETAIL	REMARK	CHECKED BY
		PARAMETER	CRITERIA			1	2	3	-	-			
1	Visual	Surface	Fine, Clean			FINE	FINE	FINE	-	-		Measuring Instruments I.D No-	
		Sizewise No of Pcs. With Internal Parts	As per Drg. No. of Parts	16	16	16	16	-	-		(1) DV-55		
		Washing & Plating	Surface Finishing	NA	NA	NA	NA	-	-		(2) PP-01		
		RUBBER MARKING	AS PER DRG.	NA	NA	NA	NA	-	-				
		Marking	WO Ref. No.	NA	NA	NA	NA	-	-		ASM No :- AEX260811-02		
		Assembly Perfection	As per Drg.			OK	OK	OK	-	-			
		Inner Packing	Labeling & Printing		OK	OK	OK	-	-				
		Outer Packing	Printing & Stamping			OK	OK	OK	-	-			
		All Dimensions Are In MM											
2	DIMENSION		VALUE	-	+	1	2	3	-	-			
		O.D	33.00	32.70	33.30	33.06	33.05	33.04	-	-			
		I.D	20.00	19.50	20.50	20.25	20.29	20.27	-	-			
		T.L	4.00	3.70	4.30	4.06	4.05	4.05	-	-			
INSPECTED BY:		Jay Hadiyal			APPROVED BY:				Shreekant				

Conclusion :



Accept



Reject



Hold

