MM-086000-SXUA-QCZA-FR-02-01-Final Inspection Report-Ex-V26I01

INSP. No.	FIR-01	Product Name	LOCK NUT	Size	M20	Drawing No.	DL1M	Date:	31-10-2026
Wo No.	26100108	Total Quantity	120	Lot Quantity	120	Sample Size-	3	Variable & Gauging	3PCS

Sr. No.	Checking Parameter	REQUIRED PARAMETER			OBSERVED RESULTS					REJECTION REWORK DETAIL	REMARK	CHECKED BY
		PARAMETER	CRITERIA		1	2	3	-	-			
1	Visual	Surface	Fine, Clean		FINE	FINE	FINE	-	-		Measuring Instruments I.D No-	
		Sizewise No of Pcs. With Internal Parts	As per Drg. No. of Parts	16	16	16	16	-	-		(1) DV-55	
		Washing & Plating	Surface Finishing	NICKEL	OK	OK	OK	-	-		(2) PP-01	
		RUBBER MARKING	AS PER DRG.	NA	NA	NA	NA	-	-			
		Marking	WO Ref. No.	NA	NA	NA	NA	-	-		ASM-No-AEX261024-02	
		Assembly Perfection	As per Drg.		OK	OK	OK	-	-			
		Inner Packing	Labeling & Printing		OK	OK	OK	-	-			
		Outer Packing	Printing & Stamping		OK	OK	OK	-	-			
		All Dimensions Are In MM										

			VALUE	-	+	1	2	3	-	-			
2	DIMENSION	A/F	24.00	23.87	24.00	23.97	23.99	23.98	-	-			
		A/C	26.00	25.50	26.50	25.98	26.00	25.99	-	-			
		T.L	3.50	3.20	3.80	3.58	3.56	3.59	-	-			
		THREAD	M20x1.5 AS PER P.G GO NOT GO			OK	OK	OK	-	-			
		CH.ANGLE	30° AS PER PP FOUND			OK	OK	OK	-	-			

INSPECTED BY:	*Jay Hadiyal*	*APPROVED BY:*	*Shreekant*

Conclusion :

☑ **Accept** ☐ **Reject** ☐ **Hold**

METALMECH ENGINEERING QA PASSED

MM-086000-SXUA-QCZA-FR-02-01-Final Inspection Report-Ex-V26I01

INSP. No.	FIR-01	Product Name	ENTRY COMPONENT	Size	M20	Drawing No.	313001M-01	Date:	31-10-2026
Wo No.	26100108	Total Quantity	120	Lot Quantity	120	Sample Size-	3	Variable & Gauging	3PCS

Sr. No.	Checking Parameter	REQUIRED PARAMETER				OBSERVED RESULTS					REJECTION REWORK DETAIL	REMARK	CHECKED BY
		PARAMETER	CRITERIA			1	2	3	-	-			
1	Visual	Surface	Fine, Clean			FINE	FINE	FINE	-	-		Measuring instruments ID No-	
		Sizewise No of Pcs. With Internal Parts	As per Drg. No. of Parts	16		16	16	16	-	-		(1) DV-55	
		Washing & Plating	Surface Finishing	NICKEL		OK	OK	OK	-	-		(2) PP-01	
		RUBBER MARKING	AS PER DRG.	NA		NA	NA	NA	-	-			
		Marking	WO Ref. No.	Metalmech Logo MM-EX-E1FUNV201MB2 2026 CE Logo 2460 Ex Logo II 2 GD Ex db IIC Gb, Ex eb IIC Gb, Ex tb IIIC Db, IP66/68 -55°C ≤ Ta ≤ +160°C Presafe 20 ATEX 48906X IECEx PRE 20.0124X		-	-			ASM-No-AEX261024-02	
		Assembly Perfection	As per Drg.			OK	OK	OK	-	-			
		Inner Packing	Labeling & Printing			OK	OK	OK	-	-			
		Outer Packing	Printing & Stamping			OK	OK	OK	-	-			
		All Dimensions Are In MM											
2	DIMENSION		VALUE	-	+	1	2	3	-	-			
		A/F	27.00	26.87	27.00	26.96	26.95	26.94	-	-			
		A/C	30.00	29.50	30.50	30.07	30.06	30.05	-	-			
		T.L	33.00	33.00	33.50	33.25	33.24	33.22	-	-			
		TH.L	13.00	12.50	13.50	13.03	13.04	13.05	-	-			
		LENGTH	17.00	17.00	17.50	17.07	17.06	17.05	-	-			
		GR.OD	18.00	17.50	18.50	17.92	17.95	17.95	-	-			
		GR.LE	2.50	2.30	2.70	2.54	2.56	2.58	-	-			
		O.D	26.50	26.00	27.00	26.55	26.58	26.56	-	-			
		O.D.L	9.00	8.50	9.50	8.95	8.98	8.99	-	-			
		H.L	7.00	6.70	7.30	7.09	7.05	7.03	-	-			
		I.D	14.10	13.60	14.60	14.14	14.16	14.15	-	-			
		INT.THL	11.50	11.00	12.00	11.55	11.59	11.59	-	-			
		THREAD	M20x1.5 AS PER T.R.G GO NOT GO			OK	OK	OK	-	-			
		INT.THREAD	M24x1.5 AS PER P.G GO NOT GO			OK	OK	OK	-	-			
		CH.ANGLE	1.5x45° AS PER PP FOUND			OK	OK	OK	-	-			
		CH.ANGLE	0.5x45° AS PER PP FOUND			OK	OK	OK	-	-			
		CH.ANGLE	20° AS PER PP FOUND			OK	OK	OK	-	-			
		ANGLE	90° AS PER PP FOUND			OK	OK	OK	-	-			

INSPECTED BY:	*Jay Hadiyal*	*APPROVED BY:*	*Shreekant*

Conclusion :

☑ **Accept** ☐ **Reject** ☐ **Hold**

METALMECH ENGINEERS CA PASSED

METAL MECH
THE SAFEST CONNECTIONS

MM-086000-SXUA-QCZA-FR-02-01-Final Inspection Report-Ex-V26I01

INSP. No.	FIR-01	**Product Name**	INTERMIDIATE BODY	**Size**	M20	**Drawing No.**	313002U-01	**Date:**	31-10-2026
Wo No.	26100108	**Total Quantity**	120	**Lot Quantity**	120	**Sample Size-**	3	Variable & Gauging	3PCS

Sr. No.	Checking Parameter	REQUIRED PARAMETER				OBSERVED RESULTS					REJECTION REWORK DETAIL	REMARK	CHECKED BY
		PARAMETER	CRITERIA			1	2	3	-	-			
1	Visual	Surface	Fine, Clean			FINE	FINE	FINE	-	-		Measuring Instruments I.D No-	
		Sizewise No of Pcs. With Internal Parts	As per Drg. No. of Parts	16		16	16	16	-	-		(1) DV-55	
		Washing & Plating	Surface Finishing	NICKEL		OK	OK	OK	-	-		(2) PP-01	
		RUBBER MARKING	AS PER DRG.	NA		NA	NA	NA	-	-			
		Marking	WO Ref. No.	NA		NA	NA	NA	-	-		ASM-No-AEX261024-02	
		Assembly Perfection	As per Drg.			OK	OK	OK	-	-			
		Inner Packing	Labeling & Printing			OK	OK	OK	-	-			
		Outer Packing	Printing & Stamping			OK	OK	OK	-	-			
		All Dimensions Are In MM											
2	DIMENSION		VALUE	-	+	1	2	3	-	-			
		A/F	31.00	30.84	31.00	30.95	30.96	30.95	-	-			
		A/C	34.00	33.20	34.80	33.94	33.93	33.96	-	-			
		T.L	25.00	24.50	25.50	25.11	25.10	25.12	-	-			
		TH.L	10.50	10.00	11.00	10.53	10.55	10.54	-	-			
		GR.OD	22.00	21.50	22.50	22.06	22.08	22.07	-	-			
		GR.LE	1.00	0.80	1.20	1.02	1.01	1.02	-	-			
		H.L	5.00	4.70	5.30	5.03	5.05	5.04	-	-			
		TH.L	9.50	9.00	10.00	9.55	9.55	9.55	-	-			
		GR.OD	26.00	25.50	26.50	25.98	25.95	25.96	-	-			
		GR.LE	1.00	0.80	1.20	1.03	1.02	1.02	-	-			
		I.D	20.00	19.50	20.50	20.06	20.08	20.05	-	-			
		I.D	22.50	22.00	23.00	22.55	22.56	22.54	-	-			
		DEPTH	7.00	6.70	7.30	7.06	7.07	7.05	-	-			
		I.D	20.50	20.00	21.00	20.53	20.55	20.54	-	-			
		I.D.LE	6.00	5.70	6.30	5.95	5.98	5.97	-	-			
		DEPTH	13.00	12.50	13.50	12.95	12.97	12.98	-	-			
		THREAD	M24x1.5 AS PER T.R.G GO NOT GO			OK	OK	OK	-	-			
		THREAD	M28x1.5 AS PER T.R.G GO NOT GO			OK	OK	OK	-	-			
		CH.ANGLE	1x45° AS PER PP FOUND			OK	OK	OK	-	-			
		CH.ANGLE	20° AS PER PP FOUND			OK	OK	OK	-	-			

INSPECTED BY:	*Jay Hadiyal*	*APPROVED BY:*	*Shreekant*

Conclusion :

☑ **Accept** ☐ **Reject** ☐ **Hold**

METAL MECH ENGINEERS CA PASSED

METAL MECA
THE SAFEST CONNECTIONS

MM-086000-SXUA-QCZA-FR-02-01-Final Inspection Report-Ex-V26I01

INSP. No.	FIR-01	Product Name	MIDDLE BODY	Size	M20	Drawing No.	313002-01	Date:	31-10-2026
Wo No.	26100108	Total Quantity	120	Lot Quantity	120	Sample Size-	3	Variable & Gauging	3PCS

Sr. No.	Checking Parameter	REQUIRED PARAMETER			OBSERVED RESULTS					REJECTION REWORK DETAIL	REMARK	CHECKED BY
		PARAMETER	CRITERIA		1	2	3	-	-			
1	Visual	Surface	Fine, Clean		FINE	FINE	FINE	-	-		Measuring Instruments ID No-	
		Sizewise No of Pcs. With Internal Parts	As per Drg. No. of Parts	16	16	16	16	-	-		(1) DV-55	
		Washing & Plating	Surface Finishing	NICKEL	OK	OK	OK	-	-		(2) PP-01	
		RUBBER MARKING	AS PER DRG.	NA	NA	NA	NA	-	-			
		Marking	WO Ref. No.	NICKEL	NA	NA	NA	-	-		ASM-No-AEX261024-02	
		Assembly Perfection	As per Drg.		OK	OK	OK	-	-			
		Inner Packing	Labeling & Printing		OK	OK	OK	-	-			
		Outer Packing	Printing & Stamping		OK	OK	OK	-	-			
		All Dimensions Are In MM										
2	DIMENSION		VALUE	- +	1	2	3	-	-			
		A/F	31.00	30.84 31.00	30.93	30.95	30.93	-	-			
		A/C	34.00	33.20 34.80	33.89	33.91	33.90	-	-			
		T.L	27.00	26.50 27.50	27.07	27.09	27.06	-	-			
		TH.L	14.00	13.50 14.50	14.02	14.04	14.06	-	-			
		GR.OD	27.00	26.50 27.50	27.02	27.03	27.04	-	-			
		GR.LE	1.00	0.80 1.20	1.02	1.01	1.02	-	-			
		O.D	30.00	29.50 30.50	30.05	30.04	30.05	-	-			
		O.D.L	6.00	5.70 6.30	6.08	6.09	6.07	-	-			
		H.L	7.00	6.70 7.30	7.07	7.09	7.06	-	-			
		I.D	21.00	20.50 21.50	21.06	21.05	21.04	-	-			
		INT.THL	11.50	11.00 12.00	11.42	11.45	11.46	-	-			
		I.D	24.50	24.00 25.00	24.55	24.53	24.56	-	-			
		DEPTH	15.50	15.00 16.00	15.47	15.49	15.48	-	-			
		THREAD	M29x1.5 AS PER T.R.G GO NOT GO		OK	OK	OK	-	-			
		INT.THREAD	M28x1.5 AS PER P.G GO NOT GO		OK	OK	OK	-	-			
		CH.ANGLE	1x45° AS PER PP FOUND		OK	OK	OK	-	-			
		CH.ANGLE	20° AS PER PP FOUND		OK	OK	OK	-	-			

INSPECTED BY:	*Jay Hadiyal*	*APPROVED BY:*	*Shreekant*

Conclusion :

☑ **Accept** ☐ **Reject** ☐ **Hold**

METAL MECA ENGINEERS PVT. LTD. CA PASSED

METAL MECA
THE SAFEST CONNECTIONS

MM-086000-SXUA-QCZA-FR-02-01-Final Inspection Report-Ex-V26I01

INSP. No.	FIR-01	Product Name	BACK NUT	Size	M20	Drawing No.	313003-01	Date:	31-10-2026
Wo No.	26100108	Total Quantity	120	Lot Quantity	120	Sample Size-	3	Variable & Gauging	3PCS

Sr. No.	Checking Parameter	REQUIRED PARAMETER			OBSERVED RESULTS					REJECTION REWORK DETAIL	REMARK	CHECKED BY
		PARAMETER	CRITERIA		1	2	3	-	-			
1	Visual	Surface	Fine, Clean		FINE	FINE	FINE	-	-		Measuring Instruments I.D No-	
		Sizewise No of Pcs. With Internal Parts	As per Drg. No. of Parts	16	16	16	16	-	-		(1) DV-55	
		Washing & Plating	Surface Finishing	NICKEL	OK	OK	OK	-	-		(2) PP-01	
		RUBBER MARKING	AS PER DRG.	NA	NA	NA	NA	-	-			
		Marking	WO Ref. No.	NA	NA	NA	NA	-	-		ASM-No-AEX261024-02	
		Assembly Perfection	As per Drg.		OK	OK	OK	-	-			
		Inner Packing	Labeling & Printine		OK	OK	OK	-	-			
		Outer Packing	Printing & Stamping		OK	OK	OK	-	-			
		All Dimensions Are In MM										
2	DIMENSION		VALUE	-	+	1	2	3	-	-			
		A/F	31.00	30.84	31.00	30.93	30.95	30.95	-	-			
		A/C	34.00	33.20	34.80	33.85	33.88	33.90	-	-			
		T.L	20.00	19.50	20.50	20.07	20.09	20.06	-	-			
		O.D	30.50	29.70	31.30	30.39	30.41	30.40	-	-			
		O.D.L	8.00	7.70	8.30	8.05	8.03	8.04	-	-			
		H.L	12.00	11.50	12.50	12.06	12.09	12.05	-	-			
		I.D	24.50	24.00	25.00	24.53	24.55	24.54	-	-			
		INT.THL	4.00	3.70	4.30	4.04	4.06	4.08	-	-			
		GR.ID	29.20	28.70	29.70	29.25	29.24	29.26	-	-			
		GR.LE	12.50	12.00	13.00	12.54	12.56	12.58	-	-			
		DEPTH	16.50	16.00	17.00	16.54	16.56	16.58	-	-			
		GR.ID	27.50	27.00	28.00	27.54	27.58	27.56	-	-			
		GR.LE	2.00	1.80	2.20	2.03	2.02	2.03	-	-			
		DEPTH	18.50	18.00	19.00	18.54	18.56	18.55	-	-			
		INT.THREAD	M29x1.5 AS PER P.G GO NOT GO			OK	OK	OK	-	-			
		CH.ANGLE	1x45° AS PER PP FOUND			OK	OK	OK	-	-			
		CH.ANGLE	0.5x45° AS PER PP FOUND			OK	OK	OK	-	-			
		CH.ANGLE	30° AS PER PP FOUND			OK	OK	OK	-	-			
		CH.ANGLE	45° AS PER PP FOUND			OK	OK	OK	-	-			

INSPECTED BY:	*Jay Hadiyal*	*APPROVED BY:*	*Shreekant*

Conclusion :

☑ **Accept** ☐ **Reject** ☐ **Hold**

METAL MECH ENGINEERS (I) PVT. LTD. CA PASSED

METAL MECA
THE SAFEST CONNECTIONS

MM-086000-SXUA-QCZA-FR-02-01-Final Inspection Report-Ex-V26I01

INSP. No.	FIR-01	**Product Name**	UNIVERSAL CLAMPING CONE	**Size**	M20	**Drawing No.**	313005-01	**Date:**	31-10-2026
Wo No.	26100108	**Total Quantity**	120	**Lot Quantity**	120	**Sample Size-**	3	Variable & Gauging	3PCS

Sr. No.	Checking Parameter	REQUIRED PARAMETER				OBSERVED RESULTS					REJECTION REWORK DETAIL	REMARK	CHECKED BY
		PARAMETER	CRITERIA			1	2	3	-	-			
1	Visual	Surface	Fine, Clean			FINE	FINE	FINE	-	-		Measuring Instruments LD No-	
		Sizewise No of Pcs. With Internal Parts	As per Drg. No. of Parts	16		16	16	16	-	-		(1) DV-55	
		Washing & Plating	Surface Finishing	NICKEL		OK	OK	OK	-	-		(2) PP-01	
		RUBBER MARKING	AS PER DRG.	NA		NA	NA	NA	-	-			
		Marking	WO Ref. No.	NA		NA	NA	NA	-	-		ASM-No-AEX261024-02	
		Assembly Perfection	As per Drg.			OK	OK	OK	-	-			
		Inner Packing	Labeling & Printing			OK	OK	OK	-	-			
		Outer Packing	Printing & Stamping			OK	OK	OK	-	-			
		All Dimensions Are In MM											
2	DIMENSION		VALUE	-	+	1	2	3	-	-			
		T.L	22.00	21.50	22.50	22.12	22.11	22.13	-	-			
		O.D	16.50	16.00	17.00	16.59	16.60	16.59	-	-			
		O.D.L	4.00	3.70	4.30	4.06	4.09	4.05	-	-			
		O.D	17.80	17.30	18.30	17.75	17.74	17.76	-	-			
		O.D.L	2.50	2.30	2.70	2.60	2.59	2.58	-	-			
		GR.LENGTH	0.50	0.30	0.70	0.54	0.53	0.56	-	-			
		O.D	18.80	18.30	19.30	18.86	18.85	18.83	-	-			
		O.D.L	7.50	7.20	7.80	7.56	7.58	7.55	-	-			
		O.D	22.00	21.50	22.50	22.05	22.08	22.06	-	-			
		O.D.L	7.00	6.70	7.30	7.04	7.06	7.08	-	-			
		O.D	16.50	16.00	17.00	16.60	16.59	16.58	-	-			
		O.D.L	4.50	4.20	4.80	4.55	4.54	4.53	-	-			
		O.D	17.00	16.50	17.50	16.96	16.95	16.94	-	-			
		O.D	17.50	17.00	18.00	17.55	17.58	17.56	-	-			
		O.D	18.00	17.50	18.50	18.03	18.05	18.05	-	-			
		O.D.L	7.50	7.20	7.80	7.59	7.54	7.56	-	-			
		I.D	14.00	13.50	14.50	14.04	14.06	14.08	-	-			
		RADIUS	0.5 MM AS PER PP FOUND			OK	OK	OK	-	-			
		RADIUS	0.3 AS PER PP FOUND			OK	OK	OK	-	-			

INSPECTED BY:	*Jay Hadiyal*	*APPROVED BY:*	*Shreekant*

Conclusion :

☑ **Accept** ☐ **Reject** ☐ **Hold**

METAL MECA ENGINEERS (INDIA) CA PASSED

METAL MECA®
THE SAFEST CONNECTIONS

MM-086000-SXUA-QCZA-FR-02-01-Final Inspection Report-Ex-V26I01

INSP. No.	FIR-01	Product Name	REVERSIBLE ARMOUR RING	Size	M20	Drawing No.	313004-01	Date:	31-10-2026
Wo No.	26100108	Total Quantity	120	Lot Quantity	120	Sample Size-	3	Variable & Gauging	3PCS

Sr. No.	Checking Parameter	REQUIRED PARAMETER			OBSERVED RESULTS					REJECTION REWORK DETAIL	REMARK	CHECKED BY
		PARAMETER	CRITERIA		1	2	3	-	-			
1	Visual	Surface	Fine, Clean		FINE	FINE	FINE	-	-		Measuring Instruments I.D No-	
		Sizewise No of Pcs. With Internal Parts	As per Drg. No. of Parts	16	16	16	16	-	-		(1) DV-55	
		Washing & Plating	Surface Finishing	NICKEL	OK	OK	OK	-	-		(2) PP-01	
		RUBBER MARKING	AS PER DRG.	NA	NA	NA	NA	-	-			
		Marking	WO Ref. No.	NA	NA	NA	NA	-	-		ASM-No-AEX261024-02	
		Assembly Perfection	As per Drg.		OK	OK	OK	-	-			
		Inner Packing	Labeling & Printing		OK	OK	OK	-	-			
		Outer Packing	Printing & Stamping		OK	OK	OK	-	-			
		All Dimensions Are In MM										

2	DIMENSION		VALUE	-	+	1	2	3	-	-			
		T.L	6.00	5.70	6.30	6.05	6.04	6.06	-	-			
		O.D	23.50	23.00	24.00	23.55	23.56	23.54	-	-			
		I.D	18.50	18.00	19.00	18.54	18.55	18.54	-	-			
		I.D	19.50	19.00	20.00	19.53	19.55	19.55	-	-			

INSPECTED BY:	*Jay Hadiyal*	*APPROVED BY:*	*Shreekant*

Conclusion :

☑ **Accept** ☐ **Reject** ☐ **Hold**

METALMECH ENGINEERING QA PASSED

MM-086000-SXUA-QCZA-FR-02-01-Final Inspection Report-Ex-V26I01

INSP. No.	FIR-01	**Product Name**	O-RING	**Size**	M20	**Drawing No.**	OR-1M	**Date:**	31-10-2026
Wo No.	26100108	**Total Quantity**	120	**Lot Quantity**	120	**Sample Size-**	3	**Variable & Gauging**	3PCS

Sr. No.	**Checking Parameter**	**REQUIRED PARAMETER**			**OBSERVED RESULTS**					**REJECTION REWORK DETAIL**	**REMARK**	**CHECKED BY**
		PARAMETER	**CRITERIA**		**1**	**2**	**3**	**-**	**-**			
1	Visual	Surface	Fine, Clean		FINE	FINE	FINE	-	-		Measuring Instruments I.D No-	
		Sizewise No of Pcs. With Internal Parts	As per Drg. No. of Parts	16	16	16	16	-	-		**(1) DV-55**	
		Washing & Plating	Surface Finishing	NA	NA	NA	NA	-	-		**(2) PP-01**	
		RUBBER MARKING	AS PER DRG.	NA	NA	NA	NA	-	-			
		Marking	WO Ref. No.	NA	NA	NA	NA	-	-		**ASM-No-AEX261024-02**	
		Assembly Perfection	As per Drg.		OK	OK	OK	-	-			
		Inner Packing	Labeling & Printing		OK	OK	OK	-	-			
		Outer Packing	Printing & Stamping		OK	OK	OK	-	-			
		All Dimensions Are In MM										
2	DIMENSION		VALUE	-	+	1	2	3	-	-			
		THICKNESS	2.50	2.00	2.50	2.09	2.08	2.06	-	-		
		I.D	16.00	15.50	16.50	16.05	16.04	16.03	-	-		

INSPECTED BY:	*Jay Hadiyal*	*APPROVED BY:*	*Shreekant*

Conclusion :

☑ **Accept** ☐ **Reject** ☐ **Hold**

METALMECH ENGINEERING QA PASSED

MM-086000-SXUA-QCZA-FR-02-01-Final Inspection Report-Ex-V26I01

INSP. No.	FIR-01	**Product Name**	COMPRESSIBLE INNER SEAL	**Size**	M20	**Drawing No.**	GI-01	**Date:**	31-10-2026
Wo No.	26100108	**Total Quantity**	120	**Lot Quantity**	120	**Sample Size-**	3	Variable & Gauging	3PCS

Sr. No.	Checking Parameter	REQUIRED PARAMETER			OBSERVED RESULTS					REJECTION REWORK DETAIL	REMARK	CHECKED BY
		PARAMETER	CRITERIA		1	2	3	-	-			
1	Visual	Surface	Fine, Clean		FINE	FINE	FINE	-	-		Measuring Instruments I.D No-	
		Sizewise No of Pcs. With Internal Parts	As per Drg. No. of Parts	16	16	16	16	-	-		(1) DV-55	
		Washing & Plating	Surface Finishing	NA	NA	NA	NA	-	-		(2) PP-01	
		RUBBER MARKING	AS PER DRG.	OK	OK	OK	OK	-	-			
		Marking	WO Ref. No.	NA	NA	NA	NA	-	-		ASM-No-AEX261024-02	
		Assembly Perfection	As per Drg.		OK	OK	OK	-	-			
		Inner Packing	Labeling & Printing		OK	OK	OK	-	-			
		Outer Packing	Printing & Stamping		OK	OK	OK	-	-			
		All Dimensions Are In MM										
2	DIMENSION		VALUE	-	+	1	2	3	-	-			
		T.L	10.50	10.00	11.00	10.55	10.54	10.53	-	-			
		O.D.L	4.00	3.70	4.30	4.04	4.06	4.08	-	-			
		O.D	22.50	22.30	22.50	22.45	22.43	22.46	-	-			
		O.D.L	6.50	6.20	6.80	6.55	6.54	6.53	-	-			
		I.D	14.00	14.00	14.20	14.08	14.07	14.08	-	-			

INSPECTED BY:	*Jay Hadiyal*	*APPROVED BY:*	*Shreekant*

Conclusion :

☑ **Accept** ☐ **Reject** ☐ **Hold**

METALMECH ENGINEERING CA PASSED

MM-086000-SXUA-QCZA-FR-02-01-Final Inspection Report-Ex-V26I01

INSP. No.	FIR-01	Product Name	COMPRESSIBLE OUTER SEAL	Size	M20	Drawing No.	GE-01	Date:	31-10-2026
Wo No.	26100108	Total Quantity	120	Lot Quantity	120	Sample Size-	3	Variable & Gauging	3PCS

Sr. No.	Checking Parameter	REQUIRED PARAMETER			OBSERVED RESULTS					REJECTION REWORK DETAIL	REMARK	CHECKED BY
		PARAMETER	CRITERIA		1	2	3	-	-			
1	Visual	Surface	Fine, Clean		FINE	FINE	FINE	-	-		Measuring Instruments I.D No-	
		Sizewise No of Pcs. With Internal Parts	As per Drg. No. of Parts	16	16	16	16	-	-		(1) DV-55	
		Washing & Plating	Surface Finishing	NA	NA	NA	NA	-	-		(2) PP-01	
		RUBBER MARKING	AS PER DRG.	OK	OK	OK	OK	-	-			
		Marking	WO Ref. No.	NA	NA	NA	NA	-	-		ASM-No-AEX261024-02	
		Assembly Perfection	As per Drg.		OK	OK	OK	-	-			
		Inner Packing	Labeling & Printing		OK	OK	OK	-	-			
		Outer Packing	Printing & Stamping		OK	OK	OK	-	-			
		All Dimensions Are In MM										
2	DIMENSION		VALUE	- +	1	2	3	-	-			
		T.L	11.00	10.50 11.50	11.05	11.07	11.09	-	-			
		O.D	28.50	28.30 28.50	28.48	28.50	28.49	-	-			
		GR.LENGTH	3.50	3.20 3.80	3.54	3.56	3.58	-	-			
		I.D	20.90	20.90 21.00	20.93	20.95	20.95	-	-			

INSPECTED BY:	*Jay Hadiyal*	*APPROVED BY:*	*Shreekant*

Conclusion :

☑ **Accept** ☐ **Reject** ☐ **Hold**



METAL MECH®
THE SAFEST CONNECTIONS

MM-086000-SXUA-QCZA-FR-02-01-Final Inspection Report-Ex-V26I01

INSP. No.	FIR-01	Product Name	INNER SKID WASHER	Size	M20	Drawing No.	IW-01	Date:	31-10-2026
Wo No.	26100108	Total Quantity	120	Lot Quantity	120	Sample Size-	3	Variable & Gauging	3PCS

Sr. No.	Checking Parameter	REQUIRED PARAMETER			OBSERVED RESULTS					REJECTION REWORK DETAIL	REMARK	CHECKED BY
		PARAMETER	CRITERIA		1	2	3	-	-			
1	Visual	Surface	Fine, Clean		FINE	FINE	FINE	-	-		Measuring Instruments I.D No-	
		Sizewise No of Pcs. With Internal Parts	As per Drg. No. of Parts	16	16	16	16	-	-		(1) DV-55	
		Washing & Plating	Surface Finishing	NA	NA	NA	NA	-	-		(2) PP-01	
		RUBBER MARKING	AS PER DRG.	OK	OK	OK	OK	-	-			
		Marking	WO Ref. No.	NA	NA	NA	NA	-	-		ASM-No-AEX261024-02	
		Assembly Perfection	As per Drg.		OK	OK	OK	-	-			
		Inner Packing	Labeling & Printing		OK	OK	OK	-	-			
		Outer Packing	Printing & Stamping		OK	OK	OK	-	-			
		All Dimensions Are In MM										
2	DIMENSION		VALUE	-	+	1	2	3	-	-			
		T.L	5.00	4.70	5.30	4.96	4.95	4.94	-	-			
		O.D	22.00	21.80	22.00	21.88	21.85	21.86	-	-			
		O.D	19.50	19.30	19.50	19.43	19.45	19.44	-	-			
		O.D.L	3.00	3.00	3.20	3.05	3.04	3.03	-	-			
		I.D	14.00	14.00	14.20	14.09	14.08	14.08	-	-			

INSPECTED BY:	Jay Hadiyal	APPROVED BY:	Shreekant

Conclusion :

☑ **Accept** ☐ **Reject** ☐ **Hold**

METALMECH ENGINEERING CA PASSED

METAL MECA® THE SAFEST CONNECTIONS

MM-086000-SXUA-QCZA-FR-02-01-Final Inspection Report-Ex-V26I01

INSP. No.	FIR-01	Product Name	OUTER SKID WASHER	Size	M20	Drawing No.	OW-01	Date:	31-10-2026
Wo No.	26100108	Total Quantity	120	Lot Quantity	120	Sample Size-	3	Variable & Gauging	3PCS

Sr. No.	Checking Parameter	REQUIRED PARAMETER			OBSERVED RESULTS					REJECTION REWORK DETAIL	REMARK	CHECKED BY
		PARAMETER	CRITERIA		1	2	3	-	-			
1	Visual	Surface	Fine, Clean		FINE	FINE	FINE	-	-		Measuring Instruments I.D No-	
		Sizewise No of Pcs. With Internal Parts	As per Drg. No. of Parts	16	16	16	16	-	-		(1) DV-55	
		Washing & Plating	Surface Finishing	NA	NA	NA	NA	-	-		(2) PP-01	
		RUBBER MARKING	AS PER DRG.	OK	OK	OK	OK	-	-			
		Marking	WO Ref. No.	NA	NA	NA	NA	-	-		ASM-No-AEX261024-02	
		Assembly Perfection	As per Drg.		OK	OK	OK	-	-			
		Inner Packing	Labeling & Printing		OK	OK	OK	-	-			
		Outer Packing	Printing & Stamping		OK	OK	OK	-	-			
		All Dimensions Are In MM										

			VALUE	-	+	1	2	3	-	-			
2	DIMENSION	T.L	6.50	6.20	6.80	6.54	6.56	6.58	-	-			
		O.D	27.00	27.00	27.10	27.05	27.04	27.03	-	-			
		O.D	24.50	24.30	24.50	24.43	24.45	24.49	-	-			
		O.D.L	4.00	4.00	4.10	4.05	4.07	4.09	-	-			
		I.D	6.50	6.50	6.60	6.56	6.55	6.54	-	-			

INSPECTED BY:	*Jay Hadiyal*	*APPROVED BY:*	*Shreekant*

Conclusion :

☑ **Accept** ☐ **Reject** ☐ **Hold**



MM-086000-SXUA-QCZA-FR-02-01-Final Inspection Report-Ex-V26I01

INSP. No.	FIR-01	**Product Name**	SHROUD	**Size**	C-2032	**Drawing No.**			**Date:**	31-10-2026
Wo No.	26100108	**Total Quantity**	120	**Lot Quantity**	120	**Sample Size-**	3		Variable & Gauging	3PCS

Sr. No.	Checking Parameter	REQUIRED PARAMETER			OBSERVED RESULTS					REJECTION REWORK DETAIL	REMARK	CHECKED BY
		PARAMETER	CRITERIA		1	2	3	-	-			
1	Visual	Surface	Fine, Clean		FINE	FINE	FINE	-	-		Measuring Instruments I.D No-	
		Sizewise No of Pcs. With Internal Parts	As per Drg. No. of Parts	16	16	16	16	-	-		(1) DV-55	
		Washing & Plating	Surface Finishing	NA	NA	NA	NA	-	-		(2) PP-01	
		RUBBER MARKING	AS PER DRG.	NA	NA	NA	NA	-	-			
		Marking	WO Ref. No.	NA	NA	NA	NA	-	-		ASM-No-AEX261024-02	
		Assembly Perfection	As per Drg.		OK	OK	OK	-	-			
		Inner Packing	Labeling & Printing		OK	OK	OK	-	-			
		Outer Packing	Printing & Stamping		OK	OK	OK	-	-			
		All Dimensions Are In MM										
2	DIMENSION		VALUE	-	+	1	2	3	-	-			
		T.L	130.00	129.20	130.80	130.25	130.28	130.23	-	-		
		I.D	32.00	31.20	32.80	32.11	32.13	32.12	-	-		

INSPECTED BY:	*Jay Hadiyal*	*APPROVED BY:*	*Shreekant*

Conclusion :

☑ **Accept** ☐ **Reject** ☐ **Hold**

METALMECH ENGINEERING CA PASSED

METAL MECH®
THE SAFEST CONNECTIONS

MM-086000-SXUA-QCZA-FR-02-01-Final Inspection Report-Ex-V26I01

INSP. No.	FIR-01	Product Name	EARTH TAG	Size	M20	Drawing No.	-	Date:	31-10-2026
Wo No.	26100108	Total Quantity	120	Lot Quantity	120	Sample Size-	3	Variable & Gauging	3PCS

Sr. No.	Checking Parameter	REQUIRED PARAMETER			OBSERVED RESULTS					REJECTION REWORK DETAIL	REMARK	CHECKED BY
		PARAMETER	CRITERIA		1	2	3	-	-			
1	Visual	Surface	Fine, Clean		FINE	FINE	FINE	-	-		Measuring Instruments I.D No-	
		Sizewise No of Pcs. With Internal Parts	As per Drg. No. of Parts	16	16	16	16	-	-		(1) DV-55	
		Washing & Plating	Surface Finishing	NICKEL	OK	OK	OK	-	-		(2) PP-01	
		RUBBER MARKING	AS PER DRG.	NA	NA	NA	NA	-	-			
		Marking	WO Ref. No.	NA	NA	NA	NA	-	-		ASM-No-AEX261024-02	
		Assembly Perfection	As per Drg.		OK	OK	OK	-	-			
		Inner Packing	Labeling & Printing		OK	OK	OK	-	-			
		Outer Packing	Printing & Stamping		OK	OK	OK	-	-			
		All Dimensions Are In MM										
2	DIMENSION		VALUE	-	+	1	2	3	-	-			
		THICKNESS	1.00	0.80	1.20	1.01	1.03	1.02	-	-		
		O.D	29.20	28.70	29.70	29.18	29.20	29.19	-	-		
		O.D	13.00	12.50	13.50	13.02	13.01	13.03	-	-		
		I.D	20.20	19.70	20.70	20.23	20.25	20.24	-	-		
		I.D	6.20	5.90	6.50	6.25	6.24	6.23	-	-		

INSPECTED BY:	Jay Hadiyal	APPROVED BY:	Shreekant

Conclusion :

☑ **Accept** ☐ **Reject** ☐ **Hold**

METALMECH ENGINEERING CA PASSED

MM-086000-SXUA-QCZA-FR-02-01-Final Inspection Report-Ex-V26I01

INSP. No.	FIR-01	Product Name	NYLON WASHER	Size	M20	Drawing No.	-	Date:	31-10-2026
Wo No.	26100108	Total Quantity	120	Lot Quantity	120	Sample Size-	3	Variable & Gauging	3PCS

Sr. No.	Checking Parameter	REQUIRED PARAMETER			OBSERVED RESULTS					REJECTION REWORK DETAIL	REMARK	CHECKED BY
		PARAMETER	CRITERIA		1	2	3	-	-			
1	Visual	Surface	Fine, Clean		FINE	FINE	FINE	-	-		Measuring Instruments I.D No-	
		Sizewise No of Pcs. With Internal Parts	As per Drg. No. of Parts	16	16	16	16	-	-		(1) DV-55	
		Washing & Plating	Surface Finishing	NA	NA	NA	NA	-	-		(2) PP-01	
		RUBBER MARKING	AS PER DRG.	NA	NA	NA	NA	-	-			
		Marking	WO Ref. No.	NA	NA	NA	NA	-	-		ASM-No-AEX261024-02	
		Assembly Perfection	As per Drg.		OK	OK	OK	-	-			
		Inner Packing	Labeling & Printing		OK	OK	OK	-	-			
		Outer Packing	Printing & Stamping		OK	OK	OK	-	-			
		All Dimensions Are In MM										
2	DIMENSION		VALUE	-	+	1	2	3	-	-			
		THICKNESS	1.50	1.30	1.70	1.45	1.49	1.48	-	-		
		I.D	20.20	19.70	20.70	20.29	20.30	20.31	-	-		

INSPECTED BY:	Jay Hadiyal	APPROVED BY:	Shreekant

Conclusion :

☑ **Accept** ☐ **Reject** ☐ **Hold**



MM-086000-SXUA-QCZA-FR-02-01-Final Inspection Report-Ex-V26I01

INSP. No.	FIR-01	**Product Name**	STAR WASHER	**Size**	M20	**Drawing No.**	-	**Date:**	31-10-2026
Wo No.	26100108	**Total Quantity**	120	**Lot Quantity**	120	**Sample Size-**	3	Variable & Gauging	3PCS

Sr. No.	Checking Parameter	REQUIRED PARAMETER			OBSERVED RESULTS					REJECTION REWORK DETAIL	REMARK	CHECKED BY
		PARAMETER	CRITERIA		1	2	3	-	-			
1	Visual	Surface	Fine, Clean		FINE	FINE	FINE	-	-		Measuring Instruments I.D No-	
		Sizewise No of Pcs. With Internal Parts	As per Drg. No. of Parts	16	16	16	16	-	-		(1) DV-55	
		Washing & Plating	Surface Finishing	NA	NA	NA	NA	-	-		(2) PP-01	
		RUBBER MARKING	AS PER DRG.	NA	NA	NA	NA	-	-			
		Marking	WO Ref. No.	NA	NA	NA	NA	-	-		ASM-No-AEX261024-02	
		Assembly Perfection	As per Drg.		OK	OK	OK	-	-			
		Inner Packing	Labeling & Printing		OK	OK	OK	-	-			
		Outer Packing	Printing & Stamping		OK	OK	OK	-	-			
		All Dimensions Are In MM										

			VALUE	-	+	1	2	3	-	-			
2	DIMENSION	O.D	33.00	32.70	33.30	33.06	33.05	33.04	-	-			
		I.D	21.00	20.50	21.50	21.36	21.35	21.33	-	-			
		T.L	4.00	3.70	4.30	4.06	4.05	4.08	-	-			

INSPECTED BY:	*Jay Hadiyal*	*APPROVED BY:*	*Shreekant*

Conclusion :

☑ **Accept** ☐ **Reject** ☐ **Hold**

METALMECH ENGINEERING CA PASSED