

MetalMech-08500-FR-QX-08-Final Inspection Report-EX

INSP. No.	FIR-09	Product Name	LOCK NUT		Size	M50		Drawing No.	DL5IB		Date:	19-09-2026	
Wo No.	26000219	Total Quantity	1		Lot Quantity	1		Sample Size	1		Variable & Gauging	1PCS	
Sr. No.	Checking Parameter	REQUIRED PARAMETER				OBSERVED RESULTS				REJECTION REWORK DETAIL	REMARK	CHECKED BY	
		PARAMETER	CRITERIA			1	-	-	-				-
1	Visual	Surface	Fine, Clean			FINE	-	-	-	-			
		Sizewise No of Pcs. With Internal Parts	As per Drg. No. of Parts	12	12	-	-	-	-		Measuring Instruments I.D No-		
		Washing & Plating	Surface Finishing	NICKEL	OK	-	-	-	-		(1) DV-55		
		RUBBER MARKING	AS PER DRG.	NA	NA	-	-	-	-		(2) PP-01		
		Marking	WO Ref. No.	NA	NA	-	-	-	-		ASM No :- AEX260914-08		
		Assembly Perfection	As per Drg.			OK	-	-	-	-			
		Inner Packing	Labeling & Printing		OK	-	-	-	-				
		Outer Packing	Printing & Stamping			OK	-	-	-	-			
		All Dimensions Are In MM											
2	DIMENSION		VALUE	-	+	1	-	-	-	-			
		A/F	55.00	54.81	55.00	54.95	-	-	-	-			
		A/C	60.00	59.20	60.80	60.01	-	-	-	-			
		T.L	7.00	6.70	7.30	7.02	-	-	-	-			
		THREAD	M50x1.5 AS PER P.G GO NOT GO			OK	-	-	-	-			
		CH.ANGLE	30° AS PER PP FOUND			OK	-	-	-	-			
INSPECTED BY:		Jay Hadiyal			APPROVED BY:				Shreekant				

Conclusion :



Accept



Reject



Hold





MetalMech-08500-FR-QX-08-Final Inspection Report-EX

INSP. No.	FIR-09	Product Name		ENTRY COMPONENT		Size		M50		Drawing No.		313001M-05	Date:	19-09-2026
Wo No.	26000219	Total Quantity		1		Lot Quantity		1		Sample Size		1	Variable & Gauging	1PCS
Sr. No.	Checking Parameter	REQUIRED PARAMETER				OBSERVED RESULTS				REJECTION REWORK DETAIL	REMARK	CHECKED BY		
		PARAMETER	CRITERIA		1	-	-	-	-					
1	Visual	Surface	Fine, Clean		FINE	-	-	-	-	Measuring Instruments I/F No.	(1) DV-55			
		Sizewise No of Pcs. With Internal Parts	As per Drg. No. of Parts	12	12	-	-	-	-					
		Washing & Plating	Surface Finishing	NICKEL	OK	-	-	-	-	(2) PP-01				
		RUBBER MARKING	AS PER DRG.	NA	NA	-	-	-	-					
		Marking	WO Ref. No.	Metalmech Logo MM-EX- E1FUNV505MB2 2026 CE Logo 2460 Ex Logo II 2 GD Ex db IIC	OK	-	-	-	-	ASM No :- AEX260914-08				
		Assembly Perfection	As per Drg.		OK	-	-	-	-					
		Inner Packing	Labeling & Printing		OK	-	-	-	-					
		Outer Packing	Printing & Stamping		OK	-	-	-	-					
		All Dimensions Are In MM												
2	DIMENSION		VALUE	-	+	1	-	-	-	-				
		A/F	60.00	59.81	60.00	59.95	-	-	-	-				
		A/C	65.00	64.20	65.80	65.00	-	-	-	-				
		T.L	38.00	38.00	38.50	38.08	-	-	-	-				
		TH.L	13.00	12.50	13.50	13.05	-	-	-	-				
		LENGTH	17.00	17.00	17.50	17.07	-	-	-	-				
		GR.OD	48.00	47.20	48.80	47.95	-	-	-	-				
		GR.LE	2.50	2.30	2.70	2.53	-	-	-	-				
		O.D	59.00	58.20	59.80	58.99	-	-	-	-				
		O.D.L	12.00	11.50	12.50	12.01	-	-	-	-				
		H.L	9.00	8.50	9.50	9.09	-	-	-	-				
		LD	44.50	43.70	45.30	44.58	-	-	-	-				
		DEPTH	15.00	14.50	15.50	15.03	-	-	-	-				
		THREAD	M50x1.5 AS PER T.R.G GO NOT GO			OK	-	-	-	-				
		INT.THREAD	M56x1.5 AS PER P.G GO NOT GO			OK	-	-	-	-				
		CH.ANGLE	1x45° AS PER PP FOUND			OK	-	-	-	-				
		CH.ANGLE	1.5x45° AS PER PP FOUND			OK	-	-	-	-				
		CH.ANGLE	20° AS PER PP FOUND			OK	-	-	-	-				
		ANGLE	90° AS PER PP FOUND			OK	-	-	-	-				
		INSPECTED BY:		Jay Hadiyal			APPROVED BY:				Shreekant			

Conclusion :

☒ Accept

☐ Reject

☐ Hold



		MetalMech-08500-FR-QX-08-Final Inspection Report-EX												
INSP. No.	FIR-09	Product Name	INTERMEDIATE BODY			Size		M50		Drawing No.		313002U-05	Date:	19-09-2026
Wo No.	26000219	Total Quantity	1			Lot Quantity		1		Sample Size		1	Variable & Grouping	1PCS
Sr. No.	Checking Parameter	REQUIRED PARAMETER				OBSERVED RESULTS				REJECTION REWORK DETAIL	REMARK	CHECKED BY		
		PARAMETER	CRITERIA			1	-	-	-				-	
1	Visual	Surface	Fine, Clean			FINE	-	-	-	-		Measuring Instruments I.D. No.		
		Size wise No of Pcs. With Internal Parts	As per Drg. No. of Parts	12	12	-	-	-	-		(1) DV-55			
		Washing & Plating	Surface Finishing	NICKEL	OK	-	-	-	-		(2) PP-01			
		RUBBER MARKING	AS PER DRG.	NA	NA	-	-	-	-					
		Marking	WO Ref. No.	NA	NA	-	-	-	-		ASM No > AEX260914-08			
		Assembly Perfection	As per Drg.			OK	-	-	-	-				
		Inner Packing	Labeling & Printing		OK	-	-	-	-					
		Outer Packing	Printing & Stamping			OK	-	-	-	-				
		All Dimensions Are In MM												
		2	DIMENSION		VALUE	-	+	1	-	-	-	-		
A/F	65.00			64.81	65.00	64.93	-	-	-	-				
A/C	70.00			69.20	70.80	70.05	-	-	-	-				
T.L	34.00			33.20	34.80	34.11	-	-	-	-				
TH.L	13.50			13.00	14.00	13.56	-	-	-	-				
GR.OD	54.00			53.20	54.80	53.92	-	-	-	-				
GR.LE	1.00			0.80	1.20	1.01	-	-	-	-				
H.L	7.50			7.20	7.80	7.55	-	-	-	-				
TH.L	13.00			12.50	13.50	13.03	-	-	-	-				
GR.OD	62.00			61.20	62.80	61.55	-	-	-	-				
GR.LE	1.00			0.80	1.20	1.01	-	-	-	-				
I.D	49.50			48.70	50.30	49.56	-	-	-	-				
I.D	57.50			56.70	58.30	57.47	-	-	-	-				
DEPTH	4.00			3.70	4.30	4.09	-	-	-	-				
I.D	54.50			53.70	55.30	54.48	-	-	-	-				
I.D.LE	14.50			14.00	15.00	14.46	-	-	-	-				
DEPTH	18.50			18.00	19.00	18.55	-	-	-	-				
THREAD	M50x1.5 AS PER T.R.G GO NOT GO				OK	-	-	-	-					
THREAD	M64x2 AS PER T.R.G GO NOT GO				OK	-	-	-	-					
CHANGLE	2x45° AS PER PP FOUND				OK	-	-	-	-					
CHANGLE	1.5x45° AS PER PP FOUND				OK	-	-	-	-					
CHANGLE	20° AS PER PP FOUND				OK	-	-	-	-					
CHANGLE	0.5x45° AS PER PP FOUND				OK	-	-	-	-					
INSPECTED BY:		Jay Hadiyal				APPROVED BY:				Shreekant				

Conclusion :



Accept



Reject



Hold



		MetalMech-08500-FR-QX-08-Final Inspection Report-EX												
INSP. No.	FIR-09	Product Name	MIDDLE BODY			Size	M50		Drawing No.	313002-05	Date:	19-09-2026		
Wo No.	26000219	Total Quantity	1			Lot Quantity	1		Sample Size	1	Variable & Gauging	1PCS		
Sr. No.	Checking Parameter	REQUIRED PARAMETER				OBSERVED RESULTS				REJECTION REWORK DETAIL	REMARK	CHECKED BY		
		PARAMETER	CRITERIA			1	-	-	-				-	
1	Visual	Surface	Fine, Clean			FINE	-	-	-	-		Measuring Instrument ID No.		
		Size wise No of Pcs. With Internal Parts	As per Drg. No. of Parts			12	-	-	-	-		(1) DV-55		
		Washing & Plating	Surface Finishing			NICKEL	OK	-	-	-	-	(2) PP-01		
		RUBBER MARKING	AS PER DRG.			NA	NA	-	-	-	-			
		Marking	WO Ref. No.			NA	NA	-	-	-	-		ASM No :- AEX260914-08	
		Assembly Perfection	As per Drg.			OK	-	-	-	-				
		Inner Packing	Labeling & Printing				OK	-	-	-	-			
		Outer Packing	Printing & Stamping			OK	-	-	-	-				
		All Dimensions Are In MM												
		2	DIMENSION	VALUE	-	+	1	-	-	-	-			
A/F	70.00			69.81	70.00	69.93	-	-	-	-				
A/C	76.00			75.20	76.80	75.89	-	-	-	-				
T.L	35.00			34.20	35.80	35.07	-	-	-	-				
TH.L	18.00			17.50	18.50	18.05	-	-	-	-				
GR.OD	65.00			64.20	65.80	64.50	-	-	-	-				
GR.LE	1.00			0.80	1.20	1.01	-	-	-	-				
H.L	8.00			7.70	8.30	8.05	-	-	-	-				
O.D	68.00			67.20	68.80	68.04	-	-	-	-				
O.D.L	9.00			8.50	9.50	9.06	-	-	-	-				
I.D	54.00			53.20	54.80	54.03	-	-	-	-				
I.D	55.00			54.20	55.80	55.07	-	-	-	-				
I.D.LE	5.00			4.70	5.30	5.03	-	-	-	-				
INT.TH.L	15.50			14.70	16.30	15.56	-	-	-	-				
GR.ID	60.50			59.70	61.30	60.47	-	-	-	-				
GR.LE	9.50			9.00	10.00	9.59	-	-	-	-				
DEPTH	25.00			24.50	25.50	25.15	-	-	-	-				
THREAD	M67x2 AS PER T.R.G GO NOT GO				OK	-	-	-	-					
INT.THREAD	M64x2 AS PER P.G GO NOT GO				OK	-	-	-	-					
CH.ANGLE	0.5x45° AS PER PP FOUND				OK	-	-	-	-					
CH.ANGLE	2x45° AS PER PP FOUND				OK	-	-	-	-					
CH.ANGLE	30° AS PER PP FOUND				OK	-	-	-	-					
INSPECTED BY:		Jay Hadiyal				APPROVED BY:				Shreekant				

Conclusion :



Accept



Reiect



Hold



		MetalMech-08500-FR-QX-08-Final Inspection Report-EX												
INSP. No.	FIR-09	Product Name	BACK NUT			Size		M50		Drawing No.		313003-05	Date:	19-09-2026
Wo No.	26000219	Total Quantity	1			Lot Quantity		1		Sample Size		1	Variable & Gauging	1PCS
Sr. No.	Checking Parameter	REQUIRED PARAMETER				OBSERVED RESULTS				REJECTION REWORK DETAIL	REMARK	CHECKED BY		
		PARAMETER	CRITERIA			1	-	-	-				-	
1	Visual	Surface	Fine, Clean			FINE	-	-	-	-				
		Sizewise No of Pcs. With Internal Parts	As per Drg. No. of Parts	12		12	-	-	-	-				
		Washing & Plating	Surface Finishing	NICKEL	OK	-	-	-	-					
		RUBBER MARKING	AS PER DRG.	NA	NA	-	-	-	-					
		Marking	WO Ref. No.	NA	NA	-	-	-	-					
		Assembly Perfection	As per Drg.			OK	-	-	-	-				
		Inner Packing	Labeling & Printing		OK	-	-	-	-					
		Outer Packing	Printing & Stamping			OK	-	-	-	-				
		All Dimensions Are In MM												
2	DIMENSION		VALUE	-	+	1	-	-	-	-				
		A/F	70.00	69.81	70.00	69.94	-	-	-	-				
		A/C	76.00	75.20	76.80	75.91	-	-	-	-				
		T.L	25.00	24.50	25.50	25.06	-	-	-	-				
		O.D	69.50	68.70	70.30	69.43	-	-	-	-				
		O.D.L	12.00	11.50	12.50	12.05	-	-	-	-				
		H.L	13.00	12.50	13.50	13.07	-	-	-	-				
		LD	60.50	59.70	61.30	60.55	-	-	-	-				
		INT.THL	5.00	4.70	5.30	5.03	-	-	-	-				
		GR.ID	67.20	66.40	68.00	67.25	-	-	-	-				
		GR.LE	15.00	14.50	15.50	15.05	-	-	-	-				
		DEPTH	20.00	19.50	20.50	20.04	-	-	-	-				
		GR.ID	65.00	64.20	65.80	65.03	-	-	-	-				
		GR.LE	3.00	2.80	3.20	3.02	-	-	-	-				
		DEPTH	23.00	22.50	23.50	23.03	-	-	-	-				
		INT.THREAD	M67x2 AS PER P.G GO NOT GO			OK	-	-	-	-				
		CH.ANGLE	0.5x45° AS PER PP FOUND			OK	-	-	-	-				
		CH.ANGLE	1.5x45° AS PER PP FOUND			OK	-	-	-	-				
		CH.ANGLE	45° AS PER PP FOUND			OK	-	-	-	-				
INSPECTED BY:		Jay Hadiyal				APPROVED BY:				Shreekant				

Conclusion :

☒ Accept

☐ Reject

☐ Hold



		MetalMech-08500-FR-QX-08-Final Inspection Report-EX											
INSP. No.	FIR-09	Product Name	UNIVERSAL CLAMPING CONE		Size	M50		Drawing No.	313005-05		Date:	19-09-2026	
Wo No.	26000219	Total Quantity	1		Lot Quantity	1		Sample Size	1		Variable & Gauging	1PCS	
Sr. No.	Checking Parameter	REQUIRED PARAMETER				OBSERVED RESULTS				REJECTION Rework Detail	REMARK	CHECKED BY	
		PARAMETER	CRITERIA		1	-	-	-	-				
1	Visual	Surface	Fine, Clean		FINE	-	-	-	-				
		Size wise No of Pcs. With Internal Parts	As per Drg. No. of Parts	12	12	-	-	-	-			(1) DV-55	
		Washing & Plating	Surface Finishing	NA	NA	-	-	-	-			(2) PP-01	
		RUBBER MARKING	AS PER DRG.	NA	NA	-	-	-	-				
		Marking	WO Ref. No.	NA	NA	-	-	-	-			ASM No :- AEX260914-08	
		Assembly Perfection	As per Drg.		OK	-	-	-	-				
		Inner Packing	Labeling & Printing		OK	-	-	-	-				
		Outer Packing	Printing & Stamping		OK	-	-	-	-				
		All Dimensions Are In MM											
		2	DIMENSION	VALUE	-	+	1	-	-	-	-		
T.L	32.00			31.20	32.80	32.13	-	-	-	-			
O.D	49.00			48.20	49.80	48.98	-	-	-	-			
O.D.L	6.50			6.20	6.80	6.57	-	-	-	-			
O.D	52.80			52.00	53.60	52.77	-	-	-	-			
O.D	54.00			53.20	54.80	54.07	-	-	-	-			
GR.LE	2.50			2.30	2.70	2.52	-	-	-	-			
O.D.L	14.00			13.50	14.50	14.00	-	-	-	-			
O.D	57.00			56.20	57.80	57.07	-	-	-	-			
O.D.L	4.00			3.70	4.30	4.09	-	-	-	-			
O.D	47.00			46.20	47.80	47.09	-	-	-	-			
O.D	49.00			48.20	49.80	49.07	-	-	-	-			
O.D	50.00			49.20	50.80	50.11	-	-	-	-			
O.D	51.50			50.70	52.30	51.55	-	-	-	-			
O.D.L	8.50			8.00	9.00	8.58	-	-	-	-			
O.D.L	14.00			13.50	14.50	14.11	-	-	-	-			
LD	44.10			43.30	44.90	44.22	-	-	-	-			
GROOVE STEP LE	0.5 MM AS PER PP FOUND			OK	-	-	-	-					
RADIUS	0.50 MM AS PER PP FOUND			OK	-	-	-	-					
RADIUS	0.3 MM AS PER PP FOUND			OK	-	-	-	-					
INSPECTED BY:		Jay Hadiyal			APPROVED BY:				Shreekant				

Conclusion :



Accept



Reject



Hold





MetalMech-08500-FR-QX-08-Final Inspection Report-EX

INSP. No.	FIR-09	Product Name	REVERSIBLE ARMoured RING		Size		M50		Drawing No.		313004-05	Date:	19-09-2026	
Wo No.	26000219	Total Quantity	1		Lot Quantity		1		Sample Size		1	Variable & Gauging	1PCS	
Sr. No.	Checking Parameter	REQUIRED PARAMETER					OBSERVED RESULTS					REJECTION REWORK DETAIL	REMARK	CHECKED BY
		PARAMETER	CRITERIA		1	-	-	-	-					
1	Visual	Surface	Fine, Clean		FINE	-	-	-	-					
		Sizewise No of Pcs. With Internal Parts	As per Drg. No. of Parts	12	12	-	-	-	-		Measuring Instruments I.D No-			
		Washing & Plating	Surface Finishing	NA	NA	-	-	-	-		(1) DV-55			
		RUBBER MARKING	AS PER DRG.	NA	NA	-	-	-	-		(2) PP-01			
		Marking	WO Ref. No.	NA	NA	-	-	-	-		ASM No :- AEX260914-08			
		Assembly Perfection	As per Drg.		OK	-	-	-	-					
		Inner Packing	Labeling & Printing		OK	-	-	-	-					
		Outer Packing	Printing & Stamping		OK	-	-	-	-					
		All Dimensions Are In MM												
2	DIMENSION		VALUE	-	+	1	-	-	-	-				
		T.L	12.00	11.50	12.50	12.05	-	-	-	-				
		O.D	59.50	58.70	60.30	59.45	-	-	-	-				
		I.D	54.50	53.70	55.30	54.53	-	-	-	-				
		I.D	53.00	52.20	53.80	53.05	-	-	-	-				
INSPECTED BY:		Jay Hadiyal			APPROVED BY:				Shreekant					

Conclusion : ☒ Accept ☐ Reject ☐ Hold



MetalMech-08500-FR-QX-08-Final Inspection Report-EX

INSP. No.	FIR-09	Product Name	COMPRESSIBLE INNER SEAL		Size		M50		Drawing No.		GI-05	Date:	19-09-2026
Wo No.	26000219	Total Quantity	1		Lot Quantity		1		Sample Size		1	Variable & Gauging	1PCS
Sr. No.	Checking Parameter	REQUIRED PARAMETER				OBSERVED RESULTS					REJECTION REWORK DETAIL	REMARK	CHECKED BY
		PARAMETER	CRITERIA			1	-	-	-	-			
1	Visual	Surface	Fine, Clean			FINE	-	-	-	-		Measuring Instruments I.D No-	
		Sizewise No of Pcs. With Internal Parts	As per Drg. No. of Parts	12	12	-	-	-	-		(1) DV-55		
		Washing & Plating	Surface Finishing	NA	NA	-	-	-	-		(2) PP-01		
		RUBBER MARKING	AS PER DRG.	OK	OK	-	-	-	-				
		Marking	WO Ref. No.	NA	NA	-	-	-	-		ASM No :- AEX260914-08		
		Assembly Perfection	As per Drg.			OK	-	-	-	-			
		Inner Packing	Labeling & Printing		OK	-	-	-	-				
		Outer Packing	Printing & Stamping			OK	-	-	-	-			
		All Dimensions Are In MM											
2	DIMENSION		VALUE	-	+	1	-	-	-	-			
		T.L	15.50	15.00	16.00	15.59	-	-	-	-			
		O.D.L	5.50	5.20	5.80	5.51	-	-	-	-			
		O.D	54.50	54.30	54.50	54.41	-	-	-	-			
		O.D.L	10.00	9.50	10.50	10.02	-	-	-	-			
		I.D	43.90	43.90	44.10	43.92	-	-	-	-			
INSPECTED BY:		Jay Hadiyal			APPROVED BY:				Shreekant				

Conclusion :



Accept



Reject



Hold





MetalMech-08500-FR-QX-08-Final Inspection Report-EX

INSP. No.	FIR-09	Product Name	O-RING	Size	M50	Drawing No.	OR-5M	Date:	19-09-2026			
Wo No.	26000219	Total Quantity	1	Lot Quantity	1	Sample Size	1	Variable & Gauging	1PCS			
Sr. No.	Checking Parameter	REQUIRED PARAMETER			OBSERVED RESULTS					REJECTION REWORK DETAIL	REMARK	CHECKED BY
		PARAMETER	CRITERIA		1	-	-	-	-			
1	Visual	Surface	Fine, Clean		FINE	-	-	-	-		Measuring Instruments I.D No-	
		Sizewise No of Pcs. With Internal Parts	As per Drg. No. of Parts	12	12	-	-	-	-		(1) DV-55	
		Washing & Plating	Surface Finishing	NA	NA	-	-	-	-		(2) PP-01	
		RUBBER MARKING	AS PER DRG.	NA	NA	-	-	-	-			
		Marking	WO Ref. No.	NA	NA	-	-	-	-		ASM No :- AEX260914-08	
		Assembly Perfection	As per Drg.		OK	-	-	-	-			
		Inner Packing	Labeling & Printing		OK	-	-	-	-			
		Outer Packing	Printing & Stamping		OK	-	-	-	-			
		All Dimensions Are In MM										
2	DIMENSION		VALUE	-	+	1	-	-	-	-		
		THICKNESS	2.50	2.00	2.50	2.08	-	-	-	-		
		I.D	45.00	44.20	45.80	45.03	-	-	-	-		
INSPECTED BY:		Jay Hadiyal			APPROVED BY:				Shreekant			

Conclusion : ☒ Accept ☐ Reject ☐ Hold





MetalMech-08500-FR-QX-08-Final Inspection Report-EX

INSP. No.	FIR-09	Product Name	COMPRESSIBLE OUTER SEAL		Size		M50		Drawing No.		GE-05	Date:	19-09-2026
Wo No.	26000219	Total Quantity	1		Lot Quantity		1		Sample Size		1	Variable & Gauging	1PCS
Sr. No.	Checking Parameter	REQUIRED PARAMETER				OBSERVED RESULTS				REJECTION REWORK DETAIL	REMARK	CHECKED BY	
		PARAMETER	CRITERIA			1	-	-	-				-
1	Visual	Surface	Fine, Clean			FINE	-	-	-	-		Measuring Instruments I.D No-	
		Sizewise No of Pcs. With Internal Parts	As per Drg. No. of Parts	12	12	-	-	-	-		(1) DV-55		
		Washing & Plating	Surface Finishing	NA	NA	-	-	-	-		(2) PP-01		
		RUBBER MARKING	AS PER DRG.	OK	OK	-	-	-	-				
		Marking	WO Ref. No.	NA	NA	-	-	-	-		ASM No :- AEX260914-08		
		Assembly Perfection	As per Drg.			OK	-	-	-	-			
		Inner Packing	Labeling & Printing		OK	-	-	-	-				
		Outer Packing	Printing & Stamping			OK	-	-	-	-			
		All Dimensions Are In MM											
2	DIMENSION		VALUE	-	+	1	-	-	-	-			
		T.L	15.00	14.50	15.50	15.05	-	-	-	-			
		O.D	67.20	67.00	67.20	67.12	-	-	-	-			
		GR.LENGTH	5.50	5.20	5.80	5.52	-	-	-	-			
		I.D	53.00	52.90	53.10	52.98	-	-	-	-			
INSPECTED BY:		Jay Hadiyal			APPROVED BY:				Shreekant				

Conclusion :



Accept



Reject



Hold



MetalMech-08500-FR-QX-08-Final Inspection Report-EX

INSP. No.	FIR-09	Product Name	INNER SKID WASHER		Size	M50		Drawing No.	IW-05		Date:	19-09-2026
Wo No.	26000219	Total Quantity	1		Lot Quantity	1		Sample Size	1		Variable & Gauging	1PCS
Sr. No.	Checking Parameter	REQUIRED PARAMETER				OBSERVED RESULTS				REJECTION REWORK DETAIL	REMARK	CHECKED BY
		PARAMETER	CRITERIA			1	-	-	-			
1	Visual	Surface	Fine, Clean			FINE	-	-	-	-		
		Sizewise No of Pcs. With Internal Parts	As per Drg. No. of Parts	12	12	-	-	-	-		Measuring Instruments I.D No-	
		Washing & Plating	Surface Finishing	NA	NA	-	-	-	-		(1) DV-55	
		RUBBER MARKING	AS PER DRG.	NA	NA	-	-	-	-		(2) PP-01	
		Marking	WO Ref. No.	NA	NA	-	-	-	-		ASM No :- AEX260914-08	
		Assembly Perfection	As per Drg.		OK	-	-	-	-			
		Inner Packing	Labeling & Printing		OK	-	-	-	-			
		Outer Packing	Printing & Stamping		OK	-	-	-	-			
		All Dimensions Are In MM										
2	DIMENSION		VALUE	-	+	1	-	-	-	-		
		T.L	5.50	5.20	5.80	5.46	-	-	-	-		
		O.D	53.00	52.80	53.00	52.92	-	-	-	-		
		O.D	48.50	48.30	48.50	48.40	-	-	-	-		
		O.D.L	3.50	3.50	3.70	3.47	-	-	-	-		
		I.D	44.00	44.00	44.20	44.05	-	-	-	-		
INSPECTED BY:		<i>Jay Hadiyal</i>			APPROVED BY:				<i>Shreekant</i>			

Conclusion :



Accept



Reject



Hold



MetalMech-08500-FR-QX-08-Final Inspection Report-EX

INSP. No.	FIR-09	Product Name	OUTER SKID WASHER		Size		M50		Drawing No.		OW-05	Date:	19-09-2026
Wo No.	26000219	Total Quantity	1		Lot Quantity		1		Sample Size		1	Variable & Gauging	1PCS
Sr. No.	Checking Parameter	REQUIRED PARAMETER				OBSERVED RESULTS					REJECTION REWORK DETAIL	REMARK	CHECKED BY
		PARAMETER	CRITERIA			1	-	-	-	-			
1	Visual	Surface	Fine, Clean			FINE	-	-	-	-		Measuring Instruments I.D No-	
		Sizewise No of Pcs. With Internal Parts	As per Drg. No. of Parts	12	12	-	-	-	-		(1) DV-55		
		Washing & Plating	Surface Finishing	NA	NA	-	-	-	-		(2) PP-01		
		RUBBER MARKING	AS PER DRG.	NA	NA	-	-	-	-				
		Marking	WO Ref. No.	NA	NA	-	-	-	-		ASM No :- AEX260914-08		
		Assembly Perfection	As per Drg.			OK	-	-	-	-			
		Inner Packing	Labeling & Printing		OK	-	-	-	-				
		Outer Packing	Printing & Stamping			OK	-	-	-	-			
		All Dimensions Are In MM											
2	DIMENSION		VALUE	-	+	1	-	-	-	-			
		T.L	6.50	6.20	6.80	6.52	-	-	-	-			
		O.D	64.00	64.00	64.10	64.01	-	-	-	-			
		O.D	59.50	59.30	59.50	59.41	-	-	-	-			
		O.D.L	4.00	4.00	4.10	4.02	-	-	-	-			
		I.D	53.00	53.00	53.20	53.05	-	-	-	-			
INSPECTED BY:		Jay Hadiyal			APPROVED BY:				Shreekant				

Conclusion :



Accept



Reject



Hold

