MetalMech-08500-FR-QX-08-Final Inspection Report-EX

INSP. No.	FIR-04	Product Name	LOCK NUT	Size	M32	Drawing No.	DL3M	Date:	11-10-2026
Wo No.	26100092	Total Quantity	66	Lot Quantity	66	Sample Size-	3	Variable & Gauging	3PCS

Sr. No.	Checking Parameter	REQUIRED PARAMETER			OBSERVED RESULTS					REJECTION REWORK DETAIL	REMARK	CHECKED BY
		PARAMETER	CRITERIA		1	2	3	-	-			
1	Visual	Surface	Fine, Clean		FINE	FINE	FINE	-	-		Measuring Instruments I.D No-	
		Sizewise No of Pcs. With Internal Parts	As per Drg. No. of Parts	11	11	11	11	-	-		(1) DV-55	
		Washing & Plating	Surface Finishing	NICKEL	OK	OK	OK	-	-		(2) PP-01	
		RUBBER MARKING	AS PER DRG.	NA	NA	NA	NA	-	-			
		Marking	WO Ref. No.	NA	NA	NA	NA	-	-		ASM No - AEX261006-05	
		Assembly Perfection	As per Drg.		OK	OK	OK	-	-			
		Inner Packing	Labeling & Printing		OK	OK	OK	-	-			
		Outer Packing	Printing & Stamping		OK	OK	OK	-	-			
		All Dimensions Are In MM										

			VALUE	-	+	1	2	3	-	-			
2	DIMENSION	A/F	36.00	35.84	36.00	35.94	35.96	35.95	-	-			
		A/C	39.00	38.20	39.80	39.01	39.03	39.02	-	-			
		T.L	4.00	3.70	4.30	4.04	4.06	4.05	-	-			
		THREAD	M32x1.5 AS PER P.G GO NOT GO			OK	OK	OK	-	-			
		CH.ANGLE	30° AS PER PP FOUND			OK	OK	OK	-	-			

INSPECTED BY:	*Jay Hadiyal*	*APPROVED BY:*	*Shreekant*

Conclusion :

☑ **Accept** ☐ **Reject** ☐ **Hold**

METALMECH ENGINEERING QA PASSED

MetalMech-08500-FR-QX-08-Final Inspection Report-EX

INSP. No.	FIR-04	Product Name	ENTRY COMPONENT	Size	M32	Drawing No.	313001M-03	Date:	11-10-2026
Wo No.	26100092	Total Quantity	66	Lot Quantity	66	Sample Size-	3	Variable & Gauging	3PCS

Sr. No.	Checking Parameter	REQUIRED PARAMETER			OBSERVED RESULTS					REJECTION REWORK DETAIL	REMARK	CHECKED BY
		PARAMETER	CRITERIA		1	2	3	-	-			
1	Visual	Surface	Fine, Clean		FINE	FINE	FINE	-	-		Measuring Instruments I.D No-	
		Sizewise No of Pcs. With Internal Parts	As per Drg. No. of Parts	11	11	11	11	-	-		(1) DV-55	
		Washing & Plating	Surface Finishing	NA	NA	NA	NA	-	-		(2) PP-01	
		RUBBER MARKING	AS PER DRG.	NA	NA	NA	NA	-	-			
		Marking	WO Ref. No.	Metalmech Logo MM-EX-A2F323MB2 2026 CE Logo 2460 Ex Logo II 2 GD Ex db IIC Gb, Ex eb	OK	OK	OK	-	-		ASM No - AEX261006-05	
		Assembly Perfection	As per Drg.		OK	OK	OK	-	-			
		Inner Packing	Labeling & Printing		OK	OK	OK	-	-			
		Outer Packing	Printing & Stamping		OK	OK	OK	-	-			
		All Dimensions Are In MM										
2	DIMENSION		VALUE	- +	1	2	3	-	-			
		A/F	42.00	41.84 42.00	41.95	41.94	41.93	-	-			
		A/C	46.00	45.20 46.80	45.99	45.98	45.95	-	-			
		T.L	38.00	38.00 38.50	38.09	38.07	38.09	-	-			
		TH.L	13.00	12.50 13.50	13.03	13.02	13.06	-	-			
		LENGTH	17.00	17.00 17.50	17.07	17.09	17.08	-	-			
		GR.OD	30.00	29.50 30.50	29.93	29.95	29.94	-	-			
		GR.LE	2.50	2.30 2.70	2.53	2.53	2.55	-	-			
		O.D	41.00	40.20 41.80	40.97	40.99	40.98	-	-			
		O.D.L	12.00	11.50 12.50	12.02	12.04	12.03	-	-			
		H.L	9.00	8.50 9.50	9.05	9.04	9.06	-	-			
		I.D	26.50	26.00 27.00	26.55	26.54	26.56	-	-			
		INT.THL	14.50	14.00 15.00	14.55	14.53	14.55	-	-			
		THREAD	M32x1.5 AS PER T.R.G GO NOT GO		OK	OK	OK	-	-			
		INT.THREAD	M38x1.5 AS PER P.G GO NOT GO		OK	OK	OK	-	-			
		CH.ANGLE	1.5x45° AS PER PP FOUND		OK	OK	OK	-	-			
		CH.ANGLE	0.5x45° AS PER PP FOUND		OK	OK	OK	-	-			
		CH.ANGLE	20° AS PER PP FOUND		OK	OK	OK	-	-			
		ANGLE	90° AS PER PP FOUND		OK	OK	OK	-	-			

INSPECTED BY:	*Jay Hadiyal*	*APPROVED BY:*	*Shreekant*

Conclusion :

☑ **Accept** ☐ **Reject** ☐ **Hold**

METALMECH ENGINEERS QA PASSED

MetalMech-08500-FR-QX-08-Final Inspection Report-EX

INSP. No.	FIR-04	**Product Name**	BACK NUT	**Size**	M32	**Drawing No.**	314006-03	**Date:**	11-10-2026
Wo No.	26100092	**Total Quantity**	66	**Lot Quantity**	66	**Sample Size-**	3	**Variable & Gauging**	3PCS

Sr. No.	**Checking Parameter**	**REQUIRED PARAMETER**		**OBSERVED RESULTS**					**REJECTION REWORK DETAIL**	**REMARK**	**CHECKED BY**
		PARAMETER	**CRITERIA**	**1**	**2**	**3**	-	-			
1	Visual	Surface	Fine, Clean	FINE	FINE	FINE	-	-		Measuring Instruments I.D No-	
		Sizewise No of Pcs. With Internal Parts	As per Drg. No. of Parts 11	11	11	11	-	-		(1) DV-55	
		Washing & Plating	Surface Finishing NA	NA	NA	NA	-	-		(2) PP-01	
		RUBBER MARKING	AS PER DRG. NA	NA	NA	NA	-	-			
		Marking	WO Ref. No. NA	NA	NA	NA	-	-		ASM No - AEX261006-05	
		Assembly Perfection	As per Drg.	OK	OK	OK	-	-			
		Inner Packing	Labeling & Printing	OK	OK	OK	-	-			
		Outer Packing	Printing & Stamping	OK	OK	OK	-	-			
		All Dimensions Are In MM									

			VALUE	-	+	1	2	3	-	-			
2	DIMENSION	A/F	42.00	41.84	42.00	41.95	41.98	41.94	-	-			
		A/C	46.00	45.20	46.80	45.93	45.95	45.94	-	-			
		T.L	18.00	17.50	18.50	18.06	18.05	18.04	-	-			
		TH.L	13.50	13.00	14.00	13.47	13.49	13.48	-	-			
		GR.DIA	36.00	35.50	36.50	36.04	36.06	36.05	-	-			
		GR.LE	1.50	1.30	1.70	1.55	1.54	1.53	-	-			
		H.L	4.50	4.20	4.80	4.55	4.54	4.56	-	-			
		I.D	32.50	31.70	33.30	32.54	32.53	32.55	-	-			
		THREAD	M38x1.5 AS PER T.R.G GO NOT GO			OK	OK	OK	-	-			
		CH.ANGLE	0.5x45° AS PER PP FOUND			OK	OK	OK	-	-			
		CH.ANGLE	1.5x45° AS PER PP FOUND			OK	OK	OK	-	-			
		RADIUS	3 MM AS PER PP FOUND			OK	OK	OK	-	-			
		CH.ANGLE	20° AS PER PP FOUND			OK	OK	OK	-	-			

INSPECTED BY:	*Jay Hadiyal*	*APPROVED BY:*	*Shreekant*

Conclusion :

☑ **Accept** ☐ **Reject** ☐ **Hold**

METALMECH ENGINEERING CA PASSED

MetalMech-08500-FR-QX-08-Final Inspection Report-EX

INSP. No.	FIR-04	Product Name	COMPRESSIBLE INNER SEAL	Size	M32	Drawing No.	GI-03	Date:	11-10-2026
Wo No.	26100092	Total Quantity	66	Lot Quantity	66	Sample Size-	3	Variable & Gauging	3PCS

Sr. No.	Checking Parameter	REQUIRED PARAMETER			OBSERVED RESULTS					REJECTION REWORK DETAIL	REMARK	CHECKED BY
		PARAMETER	CRITERIA		1	2	3	-	-			
1	Visual	Surface	Fine, Clean		FINE	FINE	FINE	-	-		Measuring Instruments I.D No-	
		Sizewise No of Pcs. With Internal Parts	As per Drg. No. of Parts	11	11	11	11	-	-		(1) DV-55	
		Washing & Plating	Surface Finishing	NA	NA	NA	NA	-	-		(2) PP-01	
		RUBBER MARKING	AS PER DRG.	OK	OK	OK	OK	-	-			
		Marking	WO Ref. No.	NA	NA	NA	NA	-	-		ASM No - AEX261006-05	
		Assembly Perfection	As per Drg.		OK	OK	OK	-	-			
		Inner Packing	Labeling & Printing		OK	OK	OK	-	-			
		Outer Packing	Printing & Stamping		OK	OK	OK	-	-			
		All Dimensions Are In MM										
2	DIMENSION		VALUE	-	+	1	2	3	-	-			
		T.L	14.00	13.50	14.50	14.04	14.06	14.08	-	-			
		O.D.L	5.00	4.70	5.30	5.05	5.04	5.03	-	-			
		O.D	36.50	36.30	36.50	36.40	36.39	36.38	-	-			
		O.D.L	9.00	8.50	9.50	9.04	9.06	9.08	-	-			
		I.D	26.30	26.30	26.50	26.35	26.34	26.35	-	-			

INSPECTED BY:	*Jay Hadiyal*	*APPROVED BY:*	*Shreekant*

Conclusion :

☑ **Accept** ☐ **Reject** ☐ **Hold**



MetalMech-08500-FR-QX-08-Final Inspection Report-EX

INSP. No.	FIR-04	Product Name	INNER SKID WASHER	Size	M32	Drawing No.	IW-03	Date:	11-10-2026
Wo No.	26100092	Total Quantity	66	Lot Quantity	66	Sample Size-	3	Variable & Gauging	3PCS

Sr. No.	Checking Parameter	REQUIRED PARAMETER			OBSERVED RESULTS					REJECTION REWORK DETAIL	REMARK	CHECKED BY
		PARAMETER	CRITERIA		1	2	3	-	-			
1	Visual	Surface	Fine, Clean		FINE	FINE	FINE	-	-		Measuring Instruments I.D No-	
		Sizewise No of Pcs. With Internal Parts	As per Drg. No. of Parts	11	11	11	11	-	-		(1) DV-55	
		Washing & Plating	Surface Finishing	NA	NA	NA	NA	-	-		(2) PP-01	
		RUBBER MARKING	AS PER DRG.	OK	OK	OK	OK	-	-			
		Marking	WO Ref. No.	NA	NA	NA	NA	-	-		ASM No - AEX261006-05	
		Assembly Perfection	As per Drg.		OK	OK	OK	-	-			
		Inner Packing	Labeling & Printing		OK	OK	OK	-	-			
		Outer Packing	Printing & Stamping		OK	OK	OK	-	-			
		All Dimensions Are In MM										
2	DIMENSION		VALUE	-	+	1	2	3	-	-			
		T.L	5.00	4.70	5.30	5.04	5.06	5.08	-	-			
		O.D	35.50	35.30	35.50	35.40	35.39	35.38	-	-			
		O.D	32.00	31.80	32.00	31.93	31.95	31.94	-	-			
		O.D.L	3.00	3.00	3.20	3.02	3.01	3.03	-	-			
		I.D	26.20	26.20	26.40	26.24	26.26	26.28	-	-			

INSPECTED BY:	Jay Hadiyal	APPROVED BY:	Shreekant

Conclusion :

☑ **Accept** ☐ **Reject** ☐ **Hold**

METALMECH ENGINEERING CA PASSED

MetalMech-08500-FR-QX-08-Final Inspection Report-EX

INSP. No.	FIR-04	**Product Name**	O-RING	**Size**	M32	**Drawing No.**	OR-3M	**Date:**	11-10-2026
Wo No.	26100092	**Total Quantity**	66	**Lot Quantity**	66	**Sample Size-**	3	**Variable & Gauging**	3PCS

Sr. No.	**Checking Parameter**	**REQUIRED PARAMETER**			**OBSERVED RESULTS**					**REJECTION REWORK DETAIL**	**REMARK**	**CHECKED BY**
		PARAMETER	**CRITERIA**		**1**	**2**	**3**	**-**	**-**			
1	Visual	Surface	Fine, Clean		FINE	FINE	FINE	-	-		Measuring Instruments I.D No-	
		Sizewise No of Pcs. With Internal Parts	As per Drg. No. of Parts	11	11	11	11	-	-		**(1) DV-55**	
		Washing & Plating	Surface Finishing	NA	NA	NA	NA	-	-		**(2) PP-01**	
		RUBBER MARKING	AS PER DRG.	NA	NA	NA	NA	-	-			
		Marking	WO Ref. No.	NA	NA	NA	NA	-	-		**ASM No - AEX261006-05**	
		Assembly Perfection	As per Drg.		OK	OK	OK	-	-			
		Inner Packing	Labeling & Printing		OK	OK	OK	-	-			
		Outer Packing	Printing & Stamping		OK	OK	OK	-	-			
		All Dimensions Are In MM										
2	DIMENSION		VALUE	-	+	1	2	3	-	-			
		THICKNESS	2.50	2.00	2.50	2.07	2.09	2.05	-	-		
		I.D	29.00	28.50	29.50	29.06	29.05	29.04	-	-		

INSPECTED BY:	*Jay Hadiyal*	*APPROVED BY:*	*Shreekant*

Conclusion :

☑ **Accept** ☐ **Reject** ☐ **Hold**

METALMECH ENGINEERING QA PASSED

MetalMech-08500-FR-QX-08-Final Inspection Report-EX

INSP. No.	FIR-04	Product Name	EARTH TAG	Size	M32	Drawing No.	-	Date:	11-10-2026
Wo No.	26100092	Total Quantity	66	Lot Quantity	66	Sample Size-	3	Variable & Gauging	3PCS

Sr. No.	Checking Parameter	REQUIRED PARAMETER			OBSERVED RESULTS					REJECTION REWORK DETAIL	REMARK	CHECKED BY
		PARAMETER	CRITERIA		1	2	3	-	-			
1	Visual	Surface	Fine, Clean		FINE	FINE	FINE	-	-		Measuring Instruments I.D No-	
		Sizewise No of Pcs. With Internal Parts	As per Drg. No. of Parts	11	11	11	11	-	-		(1) DV-55	
		Washing & Plating	Surface Finishing	NICKEL	OK	OK	OK	-	-		(2) PP-01	
		RUBBER MARKING	AS PER DRG.	NA	NA	NA	NA	-	-			
		Marking	WO Ref. No.	NA	NA	NA	NA	-	-		ASM No - AEX261006-05	
		Assembly Perfection	As per Drg.		OK	OK	OK	-	-			
		Inner Packing	Labeling & Printing		OK	OK	OK	-	-			
		Outer Packing	Printing & Stamping		OK	OK	OK	-	-			
		All Dimensions Are In MM										
2	DIMENSION		VALUE	-	+	1	2	3	-	-			
		THICKNESS	1.00	0.80	1.20	1.01	1.03	1.02	-	-		
		O.D	44.00	43.20	44.80	43.75	43.72	43.73	-	-		
		O.D	16.00	15.50	16.50	16.05	16.04	16.03	-	-		
		I.D	32.20	31.40	33.00	32.26	32.25	32.24	-	-		
		I.D	7.50	7.20	7.80	7.55	7.54	7.53	-	-		

INSPECTED BY:	*Jay Hadiyal*	*APPROVED BY:*	*Shreekant*

Conclusion :

☑ **Accept** ☐ **Reject** ☐ **Hold**

METALMECH ENGINEERING QA PASSED

MetalMech-08500-FR-QX-08-Final Inspection Report-EX

INSP. No.	FIR-04	**Product Name**	SHROUD	**Size**	B-3246	**Drawing No.**	-	**Date:**	11-10-2026
Wo No.	26100092	**Total Quantity**	66	**Lot Quantity**	66	**Sample Size-**	3	Variable & Gauging	3PCS

Sr. No.	**Checking Parameter**	**REQUIRED PARAMETER**			**OBSERVED RESULTS**					**REJECTION REWORK DETAIL**	**REMARK**	**CHECKED BY**
		PARAMETER	**CRITERIA**		**1**	**2**	**3**	**-**	**-**			
1	Visual	Surface	Fine, Clean		FINE	FINE	FINE	-	-		Measuring Instruments I.D No-	
		Sizewise No of Pcs. With Internal Parts	As per Drg. No. of Parts	11	11	11	11	-	-		**(1) DV-55**	
		Washing & Plating	Surface Finishing	NA	NA	NA	NA	-	-		**(2) PP-01**	
		RUBBER MARKING	AS PER DRG.	NA	NA	NA	NA	-	-			
		Marking	WO Ref. No.	NA	NA	NA	NA	-	-		**ASM No - AEX261006-05**	
		Assembly Perfection	As per Drg.		OK	OK	OK	-	-			
		Inner Packing	Labeling & Printing		OK	OK	OK	-	-			
		Outer Packing	Printing & Stamping		OK	OK	OK	-	-			
		All Dimensions Are In MM										
2	DIMENSION		VALUE	-	+	1	2	3	-	-			
		T.L	110.00	109.20	110.80	110.15	110.19	110.16	-	-		
		I.D	46.00	45.20	46.80	46.11	46.13	46.12	-	-		

INSPECTED BY:	*Jay Hadiyal*	*APPROVED BY:*	*Shreekant*

Conclusion :

☑ **Accept** ☐ **Reject** ☐ **Hold**

METALMECH ENGINEERING QA PASSED

MetalMech-08500-FR-QX-08-Final Inspection Report-EX

INSP. No.	FIR-04	**Product Name**	NYLON WASHER	**Size**	M32	**Drawing No.**	-	**Date:**	11-10-2026
Wo No.	26100092	**Total Quantity**	66	**Lot Quantity**	66	**Sample Size-**	3	Variable & Gauging	3PCS

Sr. No.	Checking Parameter	REQUIRED PARAMETER			OBSERVED RESULTS					REJECTION REWORK DETAIL	REMARK	CHECKED BY
		PARAMETER	CRITERIA		1	2	3	-	-			
1	Visual	Surface	Fine, Clean		FINE	FINE	FINE	-	-		Measuring Instruments I.D No-	
		Sizewise No of Pcs. With Internal Parts	As per Drg. No. of Parts	11	11	11	11	-	-		(1) DV-55	
		Washing & Plating	Surface Finishing	NA	NA	NA	NA	-	-		(2) PP-01	
		RUBBER MARKING	AS PER DRG.	NA	NA	NA	NA	-	-			
		Marking	WO Ref. No.	NA	NA	NA	NA	-	-		ASM No - AEX261006-05	
		Assembly Perfection	As per Drg.		OK	OK	OK	-	-			
		Inner Packing	Labeling & Printing		OK	OK	OK	-	-			
		Outer Packing	Printing & Stamping		OK	OK	OK	-	-			
		All Dimensions Are In MM										
2	DIMENSION		VALUE	-	+	1	2	3	-	-			
		THICKNESS	1.50	1.30	1.70	1.45	1.48	1.49	-	-		
		I.D	32.00	31.20	32.80	32.29	32.30	32.28	-	-		

INSPECTED BY:	*Jay Hadiyal*	*APPROVED BY:*	*Shreekant*

Conclusion :

☑ **Accept** ☐ **Reject** ☐ **Hold**

METALMECH ENGINEERING QA PASSED

MetalMech-08500-FR-QX-08-Final Inspection Report-EX

INSP. No.	FIR-04	Product Name	STAR WASHER	Size	M32	Drawing No.	-	Date:	11-10-2026
Wo No.	26100092	Total Quantity	66	Lot Quantity	66	Sample Size-	3	Variable & Gauging	3PCS

Sr. No.	Checking Parameter	REQUIRED PARAMETER			OBSERVED RESULTS					REJECTION REWORK DETAIL	REMARK	CHECKED BY
		PARAMETER	CRITERIA		1	2	3	-	-			
1	Visual	Surface	Fine, Clean		FINE	FINE	FINE	-	-		Measuring Instruments I.D No-	
		Sizewise No of Pcs. With Internal Parts	As per Drg. No. of Parts	11	11	11	11	-	-		(1) DV-55	
		Washing & Plating	Surface Finishing	NA	NA	NA	NA	-	-		(2) PP-01	
		RUBBER MARKING	AS PER DRG.	NA	NA	NA	NA	-	-			
		Marking	WO Ref. No.	NA	NA	NA	NA	-	-		ASM No - AEX261006-05	
		Assembly Perfection	As per Drg.		OK	OK	OK	-	-			
		Inner Packing	Labeling & Printing		OK	OK	OK	-	-			
		Outer Packing	Printing & Stamping		OK	OK	OK	-	-			
		All Dimensions Are In MM										
2	DIMENSION		VALUE	-	+	1	2	3	-	-			
		T.L	4.00	3.80	4.20	4.04	4.06	4.08	-	-			
		O.D	48.00	47.80	48.20	48.05	48.09	48.07	-	-			
		I.D	33.00	32.80	33.20	33.07	33.05	33.03	-	-			

INSPECTED BY:	Jay Hadiyal	APPROVED BY:	Shreekant

Conclusion :

☑ **Accept** ☐ **Reject** ☐ **Hold**

METALMECH ENGINEERING QA PASSED