MM-086000-SXUA-QCZA-FR-02-01-Final Inspection Report-Ex-V26I01

INSP. No.	FIR-01	Product Name	LOCK NUT	Size	1/2" NPT	Drawing No.	DL1NB	Date:	19-10-2026
Wo No.	26000324	Total Quantity	100	Lot Quantity	100	Sample Size-	3	Variable & Gauging	3PCS

Sr. No.	Checking Parameter	REQUIRED PARAMETER			OBSERVED RESULTS					REJECTION REWORK DETAIL	REMARK	CHECKED BY
		PARAMETER	CRITERIA		1	2	3	-	-			
1	Visual	Surface	Fine, Clean		FINE	FINE	FINE	-	-		Measuring Instruments I.D No-	
		Sizewise No of Pcs. With Internal Parts	As per Drg. No. of Parts	12	12	12	12	-	-		(1) DV-55	
		Washing & Plating	Surface Finishing	NICKEL	OK	OK	OK	-	-		(2) PP-01	
		RUBBER MARKING	AS PER DRG.	NA	NA	NA	NA	-	-			
		Marking	WO Ref. No.	NA	NA	NA	NA	-	-		ASM No :- AEX261015-05	
		Assembly Perfection	As per Drg.		OK	OK	OK	-	-			
		Inner Packing	Labeling & Printing		OK	OK	OK	-	-			
		Outer Packing	Printing & Stamping		OK	OK	OK	-	-			
		All Dimensions Are In MM										
2	DIMENSION		VALUE	-	+	1	2	3	-	-			
		A/F	25.00	24.87	25.00	24.96	24.95	24.93	-	-		
		A/C	28.00	27.50	28.50	28.02	28.01	28.03	-	-		
		T.L	4.00	3.70	4.30	4.04	4.06	4.05	-	-		
		THREAD	1/2" NPT AS PER P.G GO NOT GO			OK	OK	OK	-	-		
		CH.ANGLE	30° AS PER PP FOUND			OK	OK	OK	-	-		

INSPECTED BY:	Jay Hadiyal	APPROVED BY:	Shreekant

Conclusion :

☑ **Accept** ☐ **Reject** ☐ **Hold**

METAL MECH ENGINEERING QA PASSED

METAL MECH
THE SAFEST CONNECTIONS

MM-086000-SXUA-QCZA-FR-02-01-Final Inspection Report-Ex-V26I01

INSP. No.	FIR-01	**Product Name**	ENTRY COMPONENT	**Size**	1/2" NPT	**Drawing No.**	313001M-01	**Date:**	19-10-2026
Wo No.	26000324	**Total Quantity**	100	**Lot Quantity**	100	**Sample Size-**	3	Variable & Gauging	3PCS

Sr. No.	Checking Parameter	REQUIRED PARAMETER		OBSERVED RESULTS					REJECTION REWORK DETAIL	REMARK	CHECKED BY
		PARAMETER	CRITERIA	1	2	3	-	-			
1	Visual	Surface	Fine, Clean	FINE	FINE	FINE	-	-		Measuring Instruments I.D No-	
		Sizewise No of Pcs. With Internal Parts	As per Drg. No. of Parts 12	12	12	12	-	-		(1) DV-55	
		Washing & Plating	Surface Finishing NICKEL	OK	OK	OK	-	-		(2) PP-01	
		RUBBER MARKING	AS PER DRG. NA	NA	NA	NA	-	-			
		Marking	WO Ref. No. Metalmech Logo MM-EX-E1FUNV201NB2 2026 CE Logo 2460 Ex Logo II 2 GD Ex db IIC Gb, Ex eb IIC Gb, Ex tb IIIC Db, IP66/68 -55°C ≤ Ta ≤ +160°C Presafe 20 ATEX 48906X IECEx PRE 20.0124X	-	-		ASM No :- AEX261015-05	
		Assembly Perfection	As per Drg.	OK	OK	OK	-	-			
		Inner Packing	Labeling & Printing	OK	OK	OK	-	-			
		Outer Packing	Printing & Stamping	OK	OK	OK	-	-			
		All Dimensions Are In MM									
2	DIMENSION		VALUE - +	1	2	3	-	-			
		A/F	27.00 26.87 27.20	26.95	26.94	26.95	-	-			
		A/C	30.00 29.50 30.50	30.07	30.09	30.06	-	-			
		T.L	36.00 36.00 36.50	36.09	36.10	36.08	-	-			
		LENGTH	20.00 20.00 20.50	20.13	20.15	20.12	-	-			
		O.D	26.50 26.00 27.00	26.40	26.42	26.41	-	-			
		O.D.L	9.00 8.50 9.50	9.01	8.99	9.01	-	-			
		H.L	7.00 6.70 7.30	7.09	7.05	7.06	-	-			
		I.D	14.10 13.60 14.60	14.15	14.14	14.13	-	-			
		DEPTH	11.50 11.00 12.00	11.55	11.54	11.53	-	-			
		THREAD	1/2" NPT AS PER T.R.G GO NOT GO	OK	OK	OK	-	-			
		INT.THREAD	M24x1.5 AS PER P.G GO NOT GO	OK	OK	OK	-	-			
		CH.ANGLE	1x45° AS PER PP FOUND	OK	OK	OK	-	-			
		CH.ANGLE	1.6x45° AS PER PP FOUND	OK	OK	OK	-	-			
		CH.ANGLE	0.5x45° AS PER PP FOUND	OK	OK	OK	-	-			
		CH.ANGLE	20° AS PER PP FOUND	OK	OK	OK	-	-			
		ANGLE	90° AS PER PP FOUND	OK	OK	OK	-	-			

INSPECTED BY:	*Jay Hadiyal*	*APPROVED BY:*	*Shreekant*

Conclusion :

☑ **Accept** ☐ **Reject** ☐ **Hold**

METAL MECH ENGINEERING QA PASSED

METAL MECA
THE SAFEST CONNECTIONS

MM-086000-SXUA-QCZA-FR-02-01-Final Inspection Report-Ex-V26I01

INSP. No.	FIR-01	Product Name	INTERMIDIATE BODY	Size	1/2" NPT	Drawing No.	313002U-01	Date:	19-10-2026
Wo No.	26000324	Total Quantity	100	Lot Quantity	100	Sample Size-	3	Variable & Gauging	3PCS

Sr. No.	Checking Parameter	REQUIRED PARAMETER			OBSERVED RESULTS					REJECTION REWORK DETAIL	REMARK	CHECKED BY
		PARAMETER	CRITERIA		1	2	3	-	-			
1	Visual	Surface	Fine, Clean		FINE	FINE	FINE	-	-		Measuring Instruments I.D No-	
		Sizewise No of Pcs. With Internal Parts	As per Drg. No. of Parts	12	12	12	12	-	-		(1) DV-55	
		Washing & Plating	Surface Finishing	NICKEL	OK	OK	OK	-	-		(2) PP-01	
		RUBBER MARKING	AS PER DRG.	NA	NA	NA	NA	-	-			
		Marking	WO Ref. No.	NA	NA	NA	NA	-	-		ASM No :- AEX261015-05	
		Assembly Perfection	As per Drg.		OK	OK	OK	-	-			
		Inner Packing	Labeling & Printing		OK	OK	OK	-	-			
		Outer Packing	Printing & Stamping		OK	OK	OK	-	-			
		All Dimensions Are In MM										
2	DIMENSION		VALUE	-	+	1	2	3	-	-			
		A/F	31.00	30.84	31.00	30.93	30.95	30.94	-	-			
		A/C	34.00	33.20	34.80	34.00	33.99	34.01	-	-			
		T.L	25.00	24.50	25.50	25.04	25.06	25.08	-	-			
		TH.L	10.50	10.00	11.00	10.50	10.49	10.48	-	-			
		GR.OD	22.00	21.50	22.50	22.04	22.03	22.02	-	-			
		GR.LE	1.00	0.80	1.20	1.02	1.01	1.01	-	-			
		H.L	5.00	4.70	5.30	4.96	4.98	4.95	-	-			
		TH.L	9.50	9.00	10.00	9.50	9.49	9.48	-	-			
		GR.OD	26.00	25.50	26.50	26.05	26.04	26.03	-	-			
		GR.LE	1.00	0.80	1.20	1.03	1.02	1.01	-	-			
		I.D	20.00	19.50	20.50	20.05	20.04	20.03	-	-			
		I.D	22.50	22.00	23.00	22.51	22.52	22.51	-	-			
		DEPTH	7.00	6.70	7.30	6.98	6.97	6.97	-	-			
		I.D	20.50	20.00	21.00	20.54	20.56	20.55	-	-			
		I.D.LE	6.00	5.70	6.30	6.05	6.04	6.03	-	-			
		DEPTH	13.00	12.50	13.50	12.95	12.97	12.98	-	-			
		THREAD	M24x1.5 AS PER T.R.G GO NOT GO			OK	OK	OK	-	-			
		THREAD	M28x1.5 AS PER T.R.G GO NOT GO			OK	OK	OK	-	-			
		CH.ANGLE	1x45° AS PER PP FOUND			OK	OK	OK	-	-			
		CH.ANGLE	20° AS PER PP FOUND			OK	OK	OK	-	-			

INSPECTED BY:	Jay Hadiyal	APPROVED BY:	Shreekant

Conclusion :

☑ **Accept** ☐ **Reject** ☐ **Hold**

METAMECH ENGINEERS PVT. LTD. CA PASSED

METAL MECH®
THE SAFEST CONNECTIONS

MM-086000-SXUA-QCZA-FR-02-01-Final Inspection Report-Ex-V26I01

INSP. No.	FIR-01	Product Name	MIDDLE BODY	Size	1/2" NPT	Drawing No.	313002-01	Date:	19-10-2026
Wo No.	26000324	Total Quantity	100	Lot Quantity	100	Sample Size-	3	Variable & Gauging	3PCS

Sr. No.	Checking Parameter	REQUIRED PARAMETER			OBSERVED RESULTS					REJECTION REWORK DETAIL	REMARK	CHECKED BY
		PARAMETER	CRITERIA		1	2	3	-	-			
1	Visual	Surface	Fine, Clean		FINE	FINE	FINE	-	-		Measuring Instruments I.D No.	
		Sizewise No of Pcs. With Internal Parts	As per Drg. No. of Parts	12	12	12	12	-	-		(1) DV-55	
		Washing & Plating	Surface Finishing	NICKEL	OK	OK	OK	-	-		(2) PP-01	
		RUBBER MARKING	AS PER DRG.	NA	NA	NA	NA	-	-			
		Marking	WO Ref. No.	NA	NA	NA	NA	-	-		ASM No :- AEX261015-05	
		Assembly Perfection	As per Drg.		OK	OK	OK	-	-			
		Inner Packing	Labeling & Printing		OK	OK	OK	-	-			
		Outer Packing	Printing & Stamping		OK	OK	OK	-	-			
		All Dimensions Are In MM										
2	DIMENSION		VALUE	-	+	1	2	3	-	-			
		A/F	31.00	30.84	31.00	30.93	30.95	30.94	-	-			
		A/C	34.00	33.20	34.80	34.03	34.02	34.02	-	-			
		T.L	27.00	26.50	27.50	27.15	27.17	27.13	-	-			
		TH.L	14.00	13.50	14.50	14.02	14.04	14.06	-	-			
		GR.OD	27.00	26.50	27.50	27.02	27.01	27.03	-	-			
		GR.LE	1.00	0.80	1.20	1.02	1.01	1.00	-	-			
		O.D	30.00	29.50	30.50	30.05	30.03	30.04	-	-			
		O.D.L	6.00	5.70	6.30	6.08	6.09	6.07	-	-			
		H.L	7.00	6.70	7.30	7.10	7.09	7.07	-	-			
		I.D	21.00	20.50	21.50	21.03	21.05	21.06	-	-			
		INT.THL	11.50	11.00	12.00	11.42	11.45	11.46	-	-			
		I.D	24.00	23.50	24.50	24.32	24.33	24.35	-	-			
		DEPTH	15.50	15.00	16.00	15.47	15.49	15.49	-	-			
		THREAD	M29x1.5 AS PER T.R.G GO NOT GO			OK	OK	OK	-	-			
		INT.THREAD	M28x1.5 AS PER P.G GO NOT GO			OK	OK	OK	-	-			
		CH.ANGLE	1x45° AS PER PP FOUND			OK	OK	OK	-	-			
		CH.ANGLE	20° AS PER PP FOUND			OK	OK	OK	-	-			

INSPECTED BY:	*Jay Hadiyal*	*APPROVED BY:*	*Shreekant*

Conclusion :

☑ **Accept** ☐ **Reject** ☐ **Hold**

METAL MECH ENGINEERING CA PASSED

METAL MECA
THE SAFEST CONNECTIONS

MM-086000-SXUA-QCZA-FR-02-01-Final Inspection Report-Ex-V26I01

INSP. No.	FIR-01	Product Name	BACK NUT	Size	1/2" NPT	Drawing No.	313003-01	Date:	19-10-2026
Wo No.	26000324	Total Quantity	100	Lot Quantity	100	Sample Size-	3	Variable & Gauging	3PCS

Sr. No.	Checking Parameter	REQUIRED PARAMETER		OBSERVED RESULTS					REJECTION REWORK DETAIL	REMARK	CHECKED BY
		PARAMETER	CRITERIA	1	2	3	-	-			
1	Visual	Surface	Fine, Clean	FINE	FINE	FINE	-	-		Measuring Instruments I.D No-	
		Sizewise No of Pcs. With Internal Parts	As per Drg. No. of Parts 12	12	12	12	-	-		(1) DV-55	
		Washing & Plating	Surface Finishing NICKEL	OK	OK	OK	-	-		(2) PP-01	
		RUBBER MARKING	AS PER DRG. NA	NA	NA	NA	-	-			
		Marking	WO Ref. No. NA	NA	NA	NA	-	-		ASM No :- AEX261015-05	
		Assembly Perfection	As per Drg.	OK	OK	OK	-	-			
		Inner Packing	Labeling & Printing	OK	OK	OK	-	-			
		Outer Packing	Printing & Stamping	OK	OK	OK	-	-			
		All Dimensions Are In MM									

			VALUE	-	+	1	2	3	-	-			
2	DIMENSION	A/F	31.00	30.84	31.00	30.95	30.92	30.93	-	-			
		A/C	34.00	33.20	34.80	33.93	33.95	33.94	-	-			
		T.L	20.00	19.50	20.50	20.03	20.02	20.04	-	-			
		O.D	30.50	29.70	31.30	30.43	30.42	30.45	-	-			
		O.D.L	8.00	7.70	8.30	8.00	7.99	8.01	-	-			
		H.L	12.00	11.50	12.50	12.04	12.06	12.08	-	-			
		I.D	24.50	24.00	25.00	24.55	24.54	24.53	-	-			
		INT.THL	4.00	3.70	4.30	4.04	4.06	4.08	-	-			
		GR.ID	29.20	28.70	29.70	29.25	29.24	29.23	-	-			
		GR.LE	12.50	12.00	13.00	12.54	12.56	12.58	-	-			
		DEPTH	16.50	16.00	17.00	16.54	16.56	16.55	-	-			
		GR.ID	27.50	27.00	28.00	27.54	27.60	27.59	-	-			
		GR.LE	2.00	1.80	2.20	2.03	2.02	2.03	-	-			
		DEPTH	18.50	18.00	19.00	18.54	18.56	18.58	-	-			
		INT.THREAD	M29x1.5 AS PER P.G GO NOT GO			OK	OK	OK	-	-			
		CH.ANGLE	1x45° AS PER PP FOUND			OK	OK	OK	-	-			
		CH.ANGLE	0.5x45° AS PER PP FOUND			OK	OK	OK	-	-			
		CH.ANGLE	30° AS PER PP FOUND			OK	OK	OK	-	-			
		CH.ANGLE	45° AS PER PP FOUND			OK	OK	OK	-	-			

INSPECTED BY:	*Jay Hadiyal*	*APPROVED BY:*	*Shreekant*

Conclusion :

☑ **Accept** ☐ **Reject** ☐ **Hold**

METAMECH ENGINEERS CA PASSED

METAL MECH®
THE SAFEST CONNECTIONS

MM-086000-SXUA-QCZA-FR-02-01-Final Inspection Report-Ex-V26I01

INSP. No.	FIR-01	**Product Name**	UNIVERSAL CLAMPING CONE	**Size**	1/2" NPT	**Drawing No.**	313005-01	**Date:**	19-10-2026
Wo No.	26000324	**Total Quantity**	100	**Lot Quantity**	100	**Sample Size-**	3	Variable & Gauging	3PCS

Sr. No.	Checking Parameter	REQUIRED PARAMETER				OBSERVED RESULTS					REJECTION REWORK DETAIL	REMARK	CHECKED BY
		PARAMETER	CRITERIA			1	2	3	-	-			
1	Visual	Surface	Fine, Clean			FINE	FINE	FINE	-	-		Measuring Instruments I.D No-	
		Sizewise No of Pcs. With Internal Parts	As per Drg. No. of Parts	12		12	12	12	-	-		(1) DV-55	
		Washing & Plating	Surface Finishing	NICKEL		OK	OK	OK	-	-		(2) PP-01	
		RUBBER MARKING	AS PER DRG.	NA		NA	NA	NA	-	-			
		Marking	WO Ref. No.	NA		NA	NA	NA	-	-		ASM No :- AEX261015-05	
		Assembly Perfection	As per Drg.			OK	OK	OK	-	-			
		Inner Packing	Labeling & Printing			OK	OK	OK	-	-			
		Outer Packing	Printing & Stamping			OK	OK	OK	-	-			
		All Dimensions Are In MM											
2	DIMENSION		VALUE	-	+	1	2	3	-	-			
		T.L	22.00	21.50	22.50	22.00	21.99	22.01	-	-			
		O.D	16.50	16.00	17.00	16.55	16.54	16.53	-	-			
		O.D.L	4.00	3.70	4.30	4.11	4.13	4.12	-	-			
		O.D	17.80	17.30	18.30	17.87	17.86	17.89	-	-			
		O.D.L	2.50	2.30	2.70	2.55	2.54	2.53	-	-			
		GR.LENGTH	0.50	0.30	0.70	0.54	0.56	0.55	-	-			
		O.D	18.80	18.30	19.30	18.78	18.80	18.79	-	-			
		O.D.L	7.50	7.20	7.80	7.55	7.54	7.53	-	-			
		O.D	22.00	21.50	22.50	21.93	21.95	21.94	-	-			
		O.D.L	7.00	6.70	7.30	7.11	7.12	7.11	-	-			
		O.D	16.50	16.00	17.00	16.54	16.56	16.58	-	-			
		O.D.L	4.50	4.20	4.80	4.50	4.49	4.48	-	-			
		O.D	17.00	16.50	17.50	17.03	17.05	17.04	-	-			
		O.D	17.50	17.00	18.00	17.49	17.45	17.46	-	-			
		O.D	18.00	17.50	18.50	17.98	17.99	17.97	-	-			
		O.D.L	7.50	7.20	7.80	7.54	7.56	7.58	-	-			
		I.D	14.00	13.50	14.50	14.04	14.06	14.08	-	-			
		RADIUS	0.5 MM AS PER PP FOUND			OK	OK	OK	-	-			
		RADIUS	0.3 AS PER PP FOUND			OK	OK	OK	-	-			

INSPECTED BY:	*Jay Hadiyal*	*APPROVED BY:*	*Shreekant*

Conclusion :

☑ **Accept** ☐ **Reject** ☐ **Hold**

METAL MECH ENGINEERS CA PASSED

MM-086000-SXUA-QCZA-FR-02-01-Final Inspection Report-Ex-V26I01

INSP. No.	FIR-01	Product Name	REVERSIBLE ARMOUR RING	Size	1/2" NPT	Drawing No.	313004-01	Date:	19-10-2026
Wo No.	26000324	Total Quantity	100	Lot Quantity	100	Sample Size-	3	Variable & Gauging	3PCS

Sr. No.	Checking Parameter	REQUIRED PARAMETER			OBSERVED RESULTS					REJECTION REWORK DETAIL	REMARK	CHECKED BY
		PARAMETER	CRITERIA		1	2	3	-	-			
1	Visual	Surface	Fine, Clean		FINE	FINE	FINE	-	-		Measuring Instruments I.D No-	
		Sizewise No of Pcs. With Internal Parts	As per Drg. No. of Parts	12	12	12	12	-	-		(1) DV-55	
		Washing & Plating	Surface Finishing	NICKEL	OK	OK	OK	-	-		(2) PP-01	
		RUBBER MARKING	AS PER DRG.	NA	NA	NA	NA	-	-			
		Marking	WO Ref. No.	NA	NA	NA	NA	-	-		ASM No :- AEX261015-05	
		Assembly Perfection	As per Drg.		OK	OK	OK	-	-			
		Inner Packing	Labeling & Printing		OK	OK	OK	-	-			
		Outer Packing	Printing & Stamping		OK	OK	OK	-	-			
		All Dimensions Are In MM										

			VALUE	-	+	1	2	3	-	-			
2	DIMENSION	T.L	6.00	5.70	6.30	5.98	6.00	5.99	-	-			
		O.D	23.50	23.00	24.00	23.46	23.45	23.44	-	-			
		I.D	18.50	18.00	19.00	18.44	18.46	18.48	-	-			
		I.D	19.50	19.00	20.00	19.42	19.45	19.46	-	-			

INSPECTED BY:	*Jay Hadiyal*	*APPROVED BY:*	*Shreekant*

Conclusion :

☑ **Accept** ☐ **Reject** ☐ **Hold**

METAL MECH ENGINEERING QA PASSED

MM-086000-SXUA-QCZA-FR-02-01-Final Inspection Report-Ex-V26I01

INSP. No.	FIR-01	**Product Name**	COMPRESSIBLE INNER SEAL	**Size**	1/2" NPT	**Drawing No.**	GI-01	**Date:**	19-10-2026
Wo No.	26000324	**Total Quantity**	100	**Lot Quantity**	100	**Sample Size-**	3	**Variable & Gauging**	3PCS

Sr. No.	**Checking Parameter**	**REQUIRED PARAMETER**			**OBSERVED RESULTS**					**REJECTION REWORK DETAIL**	**REMARK**	**CHECKED BY**
		PARAMETER	**CRITERIA**		**1**	**2**	**3**	**-**	**-**			
1	Visual	Surface	Fine, Clean		FINE	FINE	FINE	-	-		Measuring Instruments I.D No-	
		Sizewise No of Pcs. With Internal Parts	As per Drg. No. of Parts	12	12	12	12	-	-		**(1) DV-55**	
		Washing & Plating	Surface Finishing	NA	NA	NA	NA	-	-		**(2) PP-01**	
		RUBBER MARKING	AS PER DRG.	OK	OK	OK	OK	-	-			
		Marking	WO Ref. No.	NA	NA	NA	NA	-	-		**ASM No :- AEX261015-05**	
		Assembly Perfection	As per Drg.		OK	OK	OK	-	-			
		Inner Packing	Labeling & Printing		OK	OK	OK	-	-			
		Outer Packing	Printing & Stamping		OK	OK	OK	-	-			
		All Dimensions Are In MM										
2	DIMENSION		VALUE	- / +	1	2	3	-	-			
		T.L	10.50	10.00 / 11.00	10.50	10.51	10.52	-	-			
		O.D.L	4.00	3.70 / 4.30	3.94	3.96	3.95	-	-			
		O.D	22.50	22.30 / 22.50	22.41	22.39	22.40	-	-			
		O.D.L	6.50	6.20 / 6.80	6.50	6.49	6.49	-	-			
		I.D	14.00	14.00 / 14.20	14.07	14.09	14.08	-	-			

INSPECTED BY:	*Jay Hadiyal*	*APPROVED BY:*	*Shreekant*

Conclusion :

☑ **Accept** ☐ **Reject** ☐ **Hold**

METAL MECA®
THE SAFEST CONNECTIONS

MM-086000-SXUA-QCZA-FR-02-01-Final Inspection Report-Ex-V26I01

INSP. No.	FIR-01	Product Name	COMPRESSIBLE OUTER SEAL	Size	1/2" NPT	Drawing No.	GE-01	Date:	19-10-2026
Wo No.	26000324	Total Quantity	100	Lot Quantity	100	Sample Size-	3	Variable & Gauging	3PCS

Sr. No.	Checking Parameter	REQUIRED PARAMETER			OBSERVED RESULTS					REJECTION REWORK DETAIL	REMARK	CHECKED BY
		PARAMETER	CRITERIA		1	2	3	-	-			
1	Visual	Surface	Fine, Clean		FINE	FINE	FINE	-	-		Measuring Instruments I.D No-	
		Sizewise No of Pcs. With Internal Parts	As per Drg. No. of Parts	12	12	12	12	-	-		(1) DV-55	
		Washing & Plating	Surface Finishing	NA	NA	NA	NA	-	-		(2) PP-01	
		RUBBER MARKING	AS PER DRG.	OK	OK	OK	OK	-	-			
		Marking	WO Ref. No.	NA	NA	NA	NA	-	-		ASM No :- AEX261015-05	
		Assembly Perfection	As per Drg.		OK	OK	OK	-	-			
		Inner Packing	Labeling & Printing		OK	OK	OK	-	-			
		Outer Packing	Printing & Stamping		OK	OK	OK	-	-			
		All Dimensions Are In MM										
2	DIMENSION		VALUE	-	+	1	2	3	-	-			
		T.L	11.00	10.50	11.50	11.01	11.03	11.02	-	-			
		O.D	28.50	28.30	28.50	28.41	28.43	28.45	-	-			
		GR.LENGTH	3.50	3.20	3.80	3.50	3.48	3.49	-	-			
		I.D	20.90	20.90	21.00	20.92	20.93	20.94	-	-			

INSPECTED BY:	Jay Hadiyal	APPROVED BY:	Shreekant

Conclusion :

☑ Accept ☐ Reject ☐ Hold

METAL MECA®
THE SAFEST CONNECTIONS

MM-086000-SXUA-QCZA-FR-02-01-Final Inspection Report-Ex-V26I01

INSP. No.	FIR-01	Product Name	INNER SKID WASHER	Size	1/2" NPT	Drawing No.	IW-01	Date:	19-10-2026
Wo No.	26000324	Total Quantity	100	Lot Quantity	100	Sample Size-	3	Variable & Gauging	3PCS

Sr. No.	Checking Parameter	REQUIRED PARAMETER			OBSERVED RESULTS					REJECTION REWORK DETAIL	REMARK	CHECKED BY
		PARAMETER	CRITERIA		1	2	3	-	-			
1	Visual	Surface	Fine, Clean		FINE	FINE	FINE	-	-		Measuring Instruments I.D No-	
		Sizewise No of Pcs. With Internal Parts	As per Drg. No. of Parts	12	12	12	12	-	-		(1) DV-55	
		Washing & Plating	Surface Finishing	NA	NA	NA	NA	-	-		(2) PP-01	
		RUBBER MARKING	AS PER DRG.	NA	NA	NA	NA	-	-			
		Marking	WO Ref. No.	NA	NA	NA	NA	-	-		ASM No :- AEX261015-05	
		Assembly Perfection	As per Drg.		OK	OK	OK	-	-			
		Inner Packing	Labeling & Printing		OK	OK	OK	-	-			
		Outer Packing	Printing & Stamping		OK	OK	OK	-	-			
		All Dimensions Are In MM										

			VALUE	-	+	1	2	3	-	-			
2	DIMENSION	T.L	5.00	4.70	5.30	5.03	5.02	5.02	-	-			
		O.D	22.00	21.80	22.00	21.90	21.89	21.91	-	-			
		O.D	19.50	19.00	5.00	19.42	19.39	19.41	-	-			
		O.D.L	3.00	3.00	3.20	3.02	3.00	3.01	-	-			
		I.D	14.00	14.00	14.20	14.10	14.09	14.08	-	-			

INSPECTED BY:	*Jay Hadiyal*	*APPROVED BY:*	*Shreekant*

Conclusion :

☑ **Accept** ☐ **Reject** ☐ **Hold**

MM-086000-SXUA-QCZA-FR-02-01-Final Inspection Report-Ex-V26I01

INSP. No.	FIR-01	Product Name	OUTER SKID WASHER	Size	1/2" NPT	Drawing No.	OW-01	Date:	19-10-2026
Wo No.	26000324	Total Quantity	100	Lot Quantity	100	Sample Size-	3	Variable & Gauging	3PCS

Sr. No.	Checking Parameter	REQUIRED PARAMETER			OBSERVED RESULTS					REJECTION REWORK DETAIL	REMARK	CHECKED BY
		PARAMETER	CRITERIA		1	2	3	-	-			
1	Visual	Surface	Fine, Clean		FINE	FINE	FINE	-	-		Measuring Instruments I.D No-	
		Sizewise No of Pcs. With Internal Parts	As per Drg. No. of Parts	12	12	12	12	-	-		(1) DV-55	
		Washing & Plating	Surface Finishing	NA	NA	NA	NA	-	-		(2) PP-01	
		RUBBER MARKING	AS PER DRG.	NA	NA	NA	NA	-	-			
		Marking	WO Ref. No.	NA	NA	NA	NA	-	-		ASM No :- AEX261015-05	
		Assembly Perfection	As per Drg.		OK	OK	OK	-	-			
		Inner Packing	Labeling & Printing		OK	OK	OK	-	-			
		Outer Packing	Printing & Stamping		OK	OK	OK	-	-			
		All Dimensions Are In MM										

			VALUE	-	+	1	2	3	-	-			
2	DIMENSION	T.L	6.50	6.20	6.80	6.50	6.49	6.50	-	-			
		O.D	27.00	27.00	27.10	27.00	27.01	27.03	-	-			
		O.D	24.50	24.30	24.50	24.39	24.38	24.37	-	-			
		O.D.L	4.00	4.00	4.10	4.02	4.01	4.02	-	-			
		I.D	6.50	6.50	6.60	6.52	6.54	6.55	-	-			

INSPECTED BY:	*Jay Hadiyal*	*APPROVED BY:*	*Shreekant*

Conclusion :

☑ **Accept** ☐ **Reject** ☐ **Hold**

METAL MECA®
THE SAFEST CONNECTIONS

MM-086000-SXUA-QCZA-FR-02-01-Final Inspection Report-Ex-V26I01

INSP. No.	FIR-01	Product Name	NYLON WASHER	Size	1/2" NPT	Drawing No.	-	Date:	19-10-2026
Wo No.	26000324	Total Quantity	100	Lot Quantity	100	Sample Size-	3	Variable & Gauging	3PCS

Sr. No.	Checking Parameter	REQUIRED PARAMETER			OBSERVED RESULTS					REJECTION REWORK DETAIL	REMARK	CHECKED BY
		PARAMETER	CRITERIA		1	2	3	-	-			
1	Visual	Surface	Fine, Clean		FINE	FINE	FINE	-	-		Measuring Instruments I.D No-	
		Sizewise No of Pcs. With Internal Parts	As per Drg. No. of Parts	12	12	12	12	-	-		(1) DV-55	
		Washing & Plating	Surface Finishing	NA	NA	NA	NA	-	-		(2) PP-01	
		RUBBER MARKING	AS PER DRG.	NA	NA	NA	NA	-	-			
		Marking	WO Ref. No.	NA	NA	NA	NA	-	-		ASM No :- AEX261015-05	
		Assembly Perfection	As per Drg.		OK	OK	OK	-	-			
		Inner Packing	Labeling & Printing		OK	OK	OK	-	-			
		Outer Packing	Printing & Stamping		OK	OK	OK	-	-			
		All Dimensions Are In MM										

			VALUE	-	+	1	2	3	-	-			
2	DIMENSION	THICKNESS	1.50	1.30	1.70	1.45	1.49	1.48	-	-			
		I.D	22.20	22.00	22.40	22.33	22.32	22.33	-	-			

INSPECTED BY:	Jay Hadiyal	APPROVED BY:	Shreekant

Conclusion :

☑ **Accept** ☐ **Reject** ☐ **Hold**