MM-086000-SXUA-QCZA-FR-02-01-Final Inspection Report-Ex-V26I01

INSP. No.	FIR-07	Product Name	LOCK NUT	Size	M32	Drawing No.	DL3M	Date:	01-11-2026
Wo No.	26100122	Total Quantity	160	Lot Quantity	160	Sample Size-	3	Variable & Gauging	3PCS

Sr. No.	Checking Parameter	REQUIRED PARAMETER			OBSERVED RESULTS					REJECTION REWORK DETAIL	REMARK	CHECKED BY
		PARAMETER	CRITERIA		1	2	3	-	-			
1	Visual	Surface	Fine, Clean		FINE	FINE	FINE	-	-		Measuring Instruments I.D No-	
		Sizewise No of Pcs. With Internal Parts	As per Drg. No. of Parts	16	16	16	16	-	-		(1) DV-55	
		Washing & Plating	Surface Finishing	NICKEL	OK	OK	OK	-	-		(2) PP-01	
		RUBBER MARKING	AS PER DRG.	NA	NA	NA	NA	-	-			
		Marking	WO Ref. No.	NA	NA	NA	NA	-	-		ASM No - AEX261024-05	
		Assembly Perfection	As per Drg.		OK	OK	OK	-	-			
		Inner Packing	Labeling & Printing		OK	OK	OK	-	-			
		Outer Packing	Printing & Stamping		OK	OK	OK	-	-			
		All Dimensions Are In MM										
2	DIMENSION		VALUE	-	+	1	2	3	-	-			
		A/F	36.00	35.84	36.00	35.94	35.96	35.95	-	-			
		A/C	39.00	38.20	39.80	39.01	39.03	39.02	-	-			
		T.L	4.00	3.70	4.30	4.04	4.06	4.08	-	-			
		THREAD	M32x1.5 AS PER P.G GO NOT GO			OK	OK	OK	-	-			
		CH.ANGLE	30° AS PER PP FOUND			OK	OK	OK	-	-			

INSPECTED BY:	Jay Hadiyal	APPROVED BY:	Shreekant

Conclusion :

☑ **Accept** ☐ **Reject** ☐ **Hold**

METALMECH ENGINEERING QA PASSED

MM-086000-SXUA-QCZA-FR-02-01-Final Inspection Report-Ex-V26I01

INSP. No.	FIR-07	Product Name	ENTRY COMPONENT	Size	M32	Drawing No.	313001M-03	Date:	01-11-2026
Wo No.	26100122	Total Quantity	160	Lot Quantity	160	Sample Size-	3	Variable & Gauging	3PCS

Sr. No.	Checking Parameter	REQUIRED PARAMETER		OBSERVED RESULTS					REJECTION REWORK DETAIL	REMARK	CHECKED BY
		PARAMETER	CRITERIA	1	2	3	-	-			
1	Visual	Surface	Fine, Clean	FINE	FINE	FINE	-	-		Measuring Instruments I.D No-	
		Sizewise No of Pcs. With Internal Parts	As per Drg. No. of Parts: 16	16	16	16	-	-		(1) DV-55	
		Washing & Plating	Surface Finishing: NICKEL	OK	OK	OK	-	-		(2) PP-01	
		RUBBER MARKING	AS PER DRG. / NA	NA	NA	NA	-	-			
		Marking	WO Ref. No. / Metalmech Logo MM-EX-E1FUNV323MB2 2026 CE Logo 2460 Ex Logo II 2 GD Ex db IIC Gb, Ex eb IIC Gb, Ex tb IIIC Db, IP66/68 -55°C ≤ Ta ≤ +160°C Presafe 20 ATEX 48906X IECEx PRE 20.0124X	-	-		ASM No - AEX261024-05	
		Assembly Perfection	As per Drg.	OK	OK	OK	-	-			
		Inner Packing	Labeling & Printing	OK	OK	OK	-	-			
		Outer Packing	Printing & Stamping	OK	OK	OK	-	-			
		All Dimensions Are In MM									

			VALUE	-	+	1	2	3	-	-			
2	DIMENSION	A/F	42.00	41.84	42.00	41.95	41.94	41.93	-	-			
		A/C	46.00	45.20	46.80	45.93	45.95	45.97	-	-			
		T.L	38.00	38.00	38.50	38.21	38.19	38.20	-	-			
		TH.L	13.00	12.50	13.50	13.05	13.03	13.04	-	-			
		LENGTH	17.00	17.00	17.50	17.08	17.07	17.06	-	-			
		GR.OD	30.00	29.50	30.50	29.93	29.95	29.94	-	-			
		GR.LE	2.50	2.30	2.70	2.53	2.55	2.54	-	-			
		O.D	41.00	40.20	41.80	40.97	40.99	40.98	-	-			
		O.D.L	12.00	11.50	12.50	12.05	12.04	12.06	-	-			
		H.L	9.00	8.50	9.50	9.07	9.06	9.05	-	-			
		I.D	26.50	26.00	27.00	26.52	26.51	26.53	-	-			
		INT.THL	14.50	14.00	15.00	14.55	14.58	14.59	-	-			
		THREAD	M32x1.5 AS PER T.R.G GO NOT GO			OK	OK	OK	-	-			
		INT.THREAD	M38x1.5 AS PER P.G GO NOT GO			OK	OK	OK	-	-			
		CH.ANGLE	1.5x45° AS PER PP FOUND			OK	OK	OK	-	-			
		CH.ANGLE	0.5x45° AS PER PP FOUND			OK	OK	OK	-	-			
		CH.ANGLE	20° AS PER PP FOUND			OK	OK	OK	-	-			
		ANGLE	90° AS PER PP FOUND			OK	OK	OK	-	-			

INSPECTED BY:	Jay Hadiyal	APPROVED BY:	Shreekant

Conclusion :

☑ **Accept** ☐ **Reject** ☐ **Hold**

METALMECH ENGINEERS CA PASSED

MM-086000-SXUA-QCZA-FR-02-01-Final Inspection Report-Ex-V26I01

INSP. No.	FIR-07	**Product Name**	INTERMIDIATE BODY	**Size**	M32	**Drawing No.**	313002U-03	**Date:**	01-11-2026
Wo No.	26100122	**Total Quantity**	160	**Lot Quantity**	160	**Sample Size-**	3	Variable & Gauging	3PCS

Sr. No.	Checking Parameter	REQUIRED PARAMETER				OBSERVED RESULTS					REJECTION REWORK DETAIL	REMARK	CHECKED BY
		PARAMETER	CRITERIA			1	2	3	-	-			
1	Visual	Surface	Fine, Clean			FINE	FINE	FINE	-	-		Measuring Instruments I.D.No.	
		Sizewise No of Pcs. With Internal Parts	As per Drg. No. of Parts	16		16	16	16	-	-		(1) DV-55	
		Washing & Plating	Surface Finishing	NICKEL		OK	OK	OK	-	-		(2) PP-01	
		RUBBER MARKING	AS PER DRG.	NA		NA	NA	NA	-	-			
		Marking	WO Ref. No.	NA		NA	NA	NA	-	-		ASM No - AEX261024-05	
		Assembly Perfection	As per Drg.			OK	OK	OK	-	-			
		Inner Packing	Labeling & Printing			OK	OK	OK	-	-			
		Outer Packing	Printing & Stamping			OK	OK	OK	-	-			
		All Dimensions Are In MM											
2	DIMENSION		VALUE	-	+	1	2	3	-	-			
		A/F	42.00	41.84	42.00	41.93	41.95	41.94	-	-			
		A/C	46.00	45.20	46.80	45.93	45.95	45.97	-	-			
		T.L	29.00	28.50	29.50	29.06	29.09	29.08	-	-			
		TH.L	13.50	13.00	14.00	13.55	13.54	13.53	-	-			
		GR.OD	36.00	35.20	36.80	36.05	36.03	36.04	-	-			
		GR.LE	1.00	0.80	1.20	1.00	0.99	1.00	-	-			
		H.L	6.00	5.70	6.30	6.03	6.06	6.10	-	-			
		TH.L	9.50	9.00	10.00	9.55	9.54	9.53	-	-			
		GR.OD	38.00	37.20	38.80	38.03	38.05	38.04	-	-			
		GR.LE	1.50	1.30	1.70	1.52	1.54	1.52	-	-			
		I.D	32.50	31.70	33.30	32.58	32.56	32.54	-	-			
		I.D	35.00	34.20	35.80	35.05	35.04	35.03	-	-			
		DEPTH	8.00	7.50	8.50	7.93	7.95	7.97	-	-			
		I.D	33.20	32.40	34.00	33.17	33.15	33.12	-	-			
		I.D.LE	10.00	9.50	10.50	10.02	10.00	10.02	-	-			
		THREAD	M38x1.5 AS PER T.R.G GO NOT GO			OK	OK	OK	-	-			
		THREAD	M40x1.5 AS PER T.R.G GO NOT GO			OK	OK	OK	-	-			
		CH.ANGLE	1x45° AS PER PP FOUND			OK	OK	OK	-	-			
		CH.ANGLE	20° AS PER PP FOUND			OK	OK	OK	-	-			
		CH.ANGLE	0.5x45° AS PER PP FOUND			OK	OK	OK	-	-			

INSPECTED BY:	*Jay Hadiyal*	*APPROVED BY:*	*Shreekant*

Conclusion :

☑ **Accept** ☐ **Reject** ☐ **Hold**

METAMECH ENGINEERING QA PASSED

METAL MECA
THE SAFEST CONNECTIONS

MM-086000-SXUA-QCZA-FR-02-01-Final Inspection Report-Ex-V26I01

INSP. No.	FIR-07	**Product Name**	MIDDLE BODY		**Size**	M32		**Drawing No.**	313002-03	**Date:**	01-11-2026
Wo No.	26100122	**Total Quantity**	160		**Lot Quantity**	160		**Sample Size-**	3	Variable & Gauging	3PCS

Sr. No.	**Checking Parameter**	**REQUIRED PARAMETER**			**OBSERVED RESULTS**					**REJECTION REWORK DETAIL**	**REMARK**	**CHECKED BY**
		PARAMETER	**CRITERIA**		**1**	**2**	**3**	-	-			
1	Visual	Surface	Fine, Clean		FINE	FINE	FINE	-	-		Measuring Instruments I.D No-	
		Sizewise No of Pcs. With Internal Parts	As per Drg. No. of Parts	16	16	16	16	-	-		**(1) DV-55**	
		Washing & Plating	Surface Finishing	NICKEL	OK	OK	OK	-	-		**(2) PP-01**	
		RUBBER MARKING	AS PER DRG.	NA	NA	NA	NA	-	-			
		Marking	WO Ref. No.	NA	NA	NA	NA	-	-		**ASM No - AEX261024-05**	
		Assembly Perfection	As per Drg.		OK	OK	OK	-	-			
		Inner Packing	Labeling & Printing		OK	OK	OK	-	-			
		Outer Packing	Printing & Stamping		OK	OK	OK	-	-			
		All Dimensions Are In MM										
2	DIMENSION		VALUE	-	+	1	2	3	-	-			
		A/F	46.00	45.84	46.00	45.89	45.91	45.93	-	-		
		A/C	51.00	50.20	51.80	50.90	50.89	50.91	-	-		
		T.L	30.00	29.50	30.50	30.05	30.04	30.03	-	-		
		TH.L	15.00	14.50	15.50	15.04	15.06	15.08	-	-		
		GR.OD	41.00	40.20	41.80	41.03	41.06	41.09	-	-		
		GR.LE	1.50	1.30	1.70	1.52	1.49	1.51	-	-		
		O.D	44.00	43.20	44.80	44.08	44.07	44.06	-	-		
		O.D.L	7.00	6.70	7.30	6.98	6.95	6.97	-	-		
		H.L	8.00	7.50	8.50	8.05	8.08	8.06	-	-		
		I.D	34.00	33.20	34.80	34.04	34.06	34.08	-	-		
		I.D	35.00	34.20	35.80	35.02	35.05	35.09	-	-		
		I.D.LE	5.00	4.70	5.30	5.01	4.99	5.01	-	-		
		INT.THL	11.50	11.00	12.00	11.52	11.54	11.55	-	-		
		GR.ID	37.50	36.70	38.30	37.97	37.99	37.98	-	-		
		GR.LE	7.00	6.70	7.30	7.01	6.99	7.01	-	-		
		DEPTH	18.50	18.00	19.00	18.52	18.54	18.55	-	-		
		THREAD	M43x1.5 AS PER T.R.G GO NOT GO			OK	OK	OK	-	-		
		INT.THREAD	M40x1.5 AS PER P.G GO NOT GO			OK	OK	OK	-	-		
		CH.ANGLE	1x45° AS PER PP FOUND			OK	OK	OK	-	-		
		CH.ANGLE	30° AS PER PP FOUND			OK	OK	OK	-	-		

INSPECTED BY:	*Jay Hadiyal*	*APPROVED BY:*	*Shreekant*

Conclusion :

☑ **Accept** ☐ **Reject** ☐ **Hold**

METAL MECA ENGINEERS PVT. LTD. CA PASSED

MM-086000-SXUA-QCZA-FR-02-01-Final Inspection Report-Ex-V26I01

INSP. No.	FIR-07	**Product Name**	BACK NUT	**Size**	M32	**Drawing No.**	313003-03	**Date:**	01-11-2026
Wo No.	26100122	**Total Quantity**	160	**Lot Quantity**	160	**Sample Size-**	3	Variable & Gauging	3PCS

Sr. No.	Checking Parameter	REQUIRED PARAMETER			OBSERVED RESULTS					REJECTION REWORK DETAIL	REMARK	CHECKED BY
		PARAMETER	CRITERIA		1	2	3	-	-			
1	Visual	Surface	Fine, Clean		FINE	FINE	FINE	-	-		Measuring Instruments LD No-	
		Sizewise No of Pcs. With Internal Parts	As per Drg. No. of Parts	16	16	16	16	-	-		(1) DV-55	
		Washing & Plating	Surface Finishing	NICKEL	OK	OK	OK	-	-		(2) PP-01	
		RUBBER MARKING	AS PER DRG.	NA	NA	NA	NA	-	-			
		Marking	WO Ref. No.	NA	NA	NA	NA	-	-		ASM No - AEX261024-05	
		Assembly Perfection	As per Drg.		OK	OK	OK	-	-			
		Inner Packing	Labeling & Printing		OK	OK	OK	-	-			
		Outer Packing	Printing & Stamping		OK	OK	OK	-	-			
		All Dimensions Are In MM										
2	DIMENSION		VALUE	- / +	1	2	3	-	-			
		A/F	46.00	45.84 / 46.00	45.89	45.90	45.91	-	-			
		A/C	51.00	50.20 / 51.80	50.89	50.90	50.90	-	-			
		T.L	23.00	22.50 / 23.50	23.06	23.08	23.05	-	-			
		O.D	45.20	44.40 / 46.00	45.22	45.25	45.28	-	-			
		O.D.L	10.00	9.50 / 10.50	10.08	10.09	10.04	-	-			
		H.L	13.00	12.50 / 13.50	13.07	13.09	13.05	-	-			
		I.D	38.50	37.70 / 39.30	38.52	38.54	38.56	-	-			
		INT.THL	4.00	3.70 / 4.30	4.01	3.99	4.00	-	-			
		GR.ID	43.20	42.40 / 44.00	43.25	43.21	43.23	-	-			
		GR.LE	14.50	14.00 / 15.00	14.52	14.50	14.51	-	-			
		DEPTH	18.00	17.50 / 18.50	18.01	18.03	18.02	-	-			
		GR.ID	41.50	40.70 / 42.30	41.52	41.54	41.56	-	-			
		GR.LE	3.00	2.80 / 3.20	3.02	3.00	3.01	-	-			
		DEPTH	21.00	20.50 / 21.50	21.03	21.01	21.04	-	-			
		INT.THREAD	M43x1.5 AS PER P.G GO NOT GO		OK	OK	OK	-	-			
		CH.ANGLE	0.5x45° AS PER PP FOUND		OK	OK	OK	-	-			
		CH.ANGLE	1x45° AS PER PP FOUND		OK	OK	OK	-	-			
		CH.ANGLE	45° AS PER PP FOUND		OK	OK	OK	-	-			

INSPECTED BY:	*Jay Hadiyal*	*APPROVED BY:*	*Shreekant*

Conclusion :

☑ **Accept** ☐ **Reject** ☐ **Hold**

METAL MECH ENGINEERS PVT. LTD. CA PASSED

MM-086000-SXUA-QCZA-FR-02-01-Final Inspection Report-Ex-V26I01

INSP. No.	FIR-07	**Product Name**	UNIVERSAL CLAMPING CONE	**Size**	M32	**Drawing No.**	313005-03	**Date:**	01-11-2026
Wo No.	26100122	**Total Quantity**	160	**Lot Quantity**	160	**Sample Size-**	3	Variable & Gauging	3PCS

Sr. No.	Checking Parameter	REQUIRED PARAMETER			OBSERVED RESULTS					REJECTION REWORK DETAIL	REMARK	CHECKED BY
		PARAMETER	CRITERIA		1	2	3	-	-			
1	Visual	Surface	Fine, Clean		FINE	FINE	FINE	-	-		Measuring Instruments I.D No-	
		Sizewise No of Pcs. With Internal Parts	As per Drg. No. of Parts	16	16	16	16	-	-		(1) DV-55	
		Washing & Plating	Surface Finishing	NICKEL	OK	OK	OK	-	-		(2) PP-01	
		RUBBER MARKING	AS PER DRG.	NA	NA	NA	NA	-	-			
		Marking	WO Ref. No.	NA	NA	NA	NA	-	-		ASM No - AEX261024-05	
		Assembly Perfection	As per Drg.		OK	OK	OK	-	-			
		Inner Packing	Labeling & Printing		OK	OK	OK	-	-			
		Outer Packing	Printing & Stamping		OK	OK	OK	-	-			
		All Dimensions Are In MM										

			VALUE	-	+	1	2	3	-	-			
2	DIMENSION	T.L	30.00	29.50	30.50	30.09	30.08	30.06	-	-			
		O.D	29.70	29.20	30.20	29.73	29.75	29.76	-	-			
		O.D.L	5.50	5.20	5.80	5.56	5.55	5.54	-	-			
		O.D	31.50	30.70	32.30	31.55	31.53	31.56	-	-			
		O.D.L	2.50	2.30	2.70	2.54	2.53	2.56	-	-			
		GR.LENGTH	0.50	0.30	0.70	0.50	0.49	0.51	-	-			
		O.D	33.00	32.20	33.80	33.03	33.01	33.02	-	-			
		O.D.L	11.00	10.50	11.50	11.01	10.99	11.00	-	-			
		O.D	34.50	33.70	35.30	34.54	34.56	34.58	-	-			
		O.D.L	8.00	7.70	8.30	8.00	7.99	8.01	-	-			
		O.D	29.00	28.50	29.50	29.06	29.05	29.04	-	-			
		O.D.L	6.50	6.20	6.80	6.52	6.49	6.51	-	-			
		O.D	29.50	29.00	30.00	29.55	29.54	29.53	-	-			
		O.D	30.00	29.50	30.50	29.99	29.97	29.95	-	-			
		O.D	31.00	30.20	31.80	31.01	31.03	31.04	-	-			
		O.D.L	11.00	10.50	11.50	11.03	11.01	11.02	-	-			
		I.D	26.50	26.00	27.00	26.53	26.55	26.56	-	-			
		RADIUS	0.50 MM AS PER PP FOUND			OK	OK	OK	-	-			
		RADIUS	0.3 MM AS PER PP FOUND			OK	OK	OK	-	-			

INSPECTED BY:	*Jay Hadiyal*	*APPROVED BY:*	*Shreekant*

Conclusion :

☑ **Accept** ☐ **Reject** ☐ **Hold**

METALTECH ENGINEERS CA PASSED

MM-086000-SXUA-QCZA-FR-02-01-Final Inspection Report-Ex-V26I01

INSP. No.	FIR-07	**Product Name**	REVERSIBLE ARMOUR RING	**Size**	M32	**Drawing No.**	313004-03	**Date:**	01-11-2026
Wo No.	26100122	**Total Quantity**	160	**Lot Quantity**	160	**Sample Size-**	3	**Variable & Gauging**	3PCS

Sr. No.	**Checking Parameter**	**REQUIRED PARAMETER**			**OBSERVED RESULTS**					**REJECTION REWORK DETAIL**	**REMARK**	**CHECKED BY**
		PARAMETER	**CRITERIA**		**1**	**2**	**3**	**-**	**-**			
1	Visual	Surface	Fine, Clean		FINE	FINE	FINE	-	-		Measuring Instruments I.D No-	
		Sizewise No of Pcs. With Internal Parts	As per Drg. No. of Parts	16	16	16	16	-	-		**(1) DV-55**	
		Washing & Plating	Surface Finishing	NICKEL	OK	OK	OK	-	-		**(2) PP-01**	
		RUBBER MARKING	AS PER DRG.	NA	NA	NA	NA	-	-			
		Marking	WO Ref. No.	NA	NA	NA	NA	-	-		**ASM No - AEX261024-05**	
		Assembly Perfection	As per Drg.		OK	OK	OK	-	-			
		Inner Packing	Labeling & Printing		OK	OK	OK	-	-			
		Outer Packing	Printing & Stamping		OK	OK	OK	-	-			
		All Dimensions Are In MM										
2	DIMENSION		VALUE	-	+	1	2	3	-	-			
		T.L	9.00	8.50	9.50	9.01	9.03	9.02	-	-			
		O.D	37.00	36.20	37.80	37.07	37.09	37.06	-	-			
		I.D	32.50	31.70	33.30	32.53	32.55	32.54	-	-			
		I.D	33.50	32.70	34.30	33.55	33.54	33.56	-	-			

INSPECTED BY:	*Jay Hadiyal*	*APPROVED BY:*	*Shreekant*

Conclusion :

☑ **Accept** ☐ **Reject** ☐ **Hold**

METALMECH ENGINEERING QA PASSED

MM-086000-SXUA-QCZA-FR-02-01-Final Inspection Report-Ex-V26I01

INSP. No.	FIR-07	**Product Name**	COMPRESSIBLE INNER SEAL	**Size**	M32	**Drawing No.**	GI-03	**Date:**	01-11-2026
Wo No.	26100122	**Total Quantity**	160	**Lot Quantity**	160	**Sample Size-**	3	**Variable & Gauging**	3PCS

Sr. No.	Checking Parameter	REQUIRED PARAMETER			OBSERVED RESULTS					REJECTION REWORK DETAIL	REMARK	CHECKED BY
		PARAMETER	CRITERIA		1	2	3	-	-			
1	Visual	Surface	Fine, Clean		FINE	FINE	FINE	-	-		Measuring Instruments I.D No-	
		Sizewise No of Pcs. With Internal Parts	As per Drg. No. of Parts	16	16	16	16	-	-		(1) DV-55	
		Washing & Plating	Surface Finishing	NA	NA	NA	NA	-	-		(2) PP-01	
		RUBBER MARKING	AS PER DRG.	OK	OK	OK	OK	-	-			
		Marking	WO Ref. No.	NA	NA	NA	NA	-	-		ASM No - AEX261024-05	
		Assembly Perfection	As per Drg.		OK	OK	OK	-	-			
		Inner Packing	Labeling & Printing		OK	OK	OK	-	-			
		Outer Packing	Printing & Stamping		OK	OK	OK	-	-			
		All Dimensions Are In MM										
2	DIMENSION		VALUE	-	+	1	2	3	-	-			
		T.L	14.00	13.50	14.50	14.04	14.06	14.08	-	-			
		O.D.L	5.00	4.70	5.30	5.05	5.04	5.03	-	-			
		O.D	36.50	36.30	36.50	36.40	36.39	36.41	-	-			
		O.D.L	9.00	8.50	9.50	9.04	9.06	9.08	-	-			
		I.D	26.30	26.30	26.50	26.35	26.34	26.36	-	-			

INSPECTED BY:	*Jay Hadiyal*	*APPROVED BY:*	*Shreekant*

Conclusion :

☑ **Accept** ☐ **Reject** ☐ **Hold**

METALMECH ENGINEERING QA PASSED

MM-086000-SXUA-QCZA-FR-02-01-Final Inspection Report-Ex-V26I01

INSP. No.	FIR-07	**Product Name**	O-RING	**Size**	M32	**Drawing No.**	OR-3M	**Date:**	01-11-2026
Wo No.	26100122	**Total Quantity**	160	**Lot Quantity**	160	**Sample Size-**	3	**Variable & Gauging**	3PCS

Sr. No.	**Checking Parameter**	**REQUIRED PARAMETER**			**OBSERVED RESULTS**					**REJECTION REWORK DETAIL**	**REMARK**	**CHECKED BY**
		PARAMETER	**CRITERIA**		**1**	**2**	**3**	**-**	**-**			
1	Visual	Surface	Fine, Clean		FINE	FINE	FINE	-	-		Measuring Instruments I.D No-	
		Sizewise No of Pcs. With Internal Parts	As per Drg. No. of Parts	16	16	16	16	-	-		**(1) DV-55**	
		Washing & Plating	Surface Finishing	NA	NA	NA	NA	-	-		**(2) PP-01**	
		RUBBER MARKING	AS PER DRG.	NA	NA	NA	NA	-	-			
		Marking	WO Ref. No.	NA	NA	NA	NA	-	-		**ASM No - AEX261024-05**	
		Assembly Perfection	As per Drg.		OK	OK	OK	-	-			
		Inner Packing	Labeling & Printing		OK	OK	OK	-	-			
		Outer Packing	Printing & Stamping		OK	OK	OK	-	-			
		All Dimensions Are In MM										
2	DIMENSION		VALUE	-	+	1	2	3	-	-			
		THICKNESS	2.50	2.00	2.50	2.05	2.09	2.06	-	-		
		I.D	29.00	28.50	29.50	29.06	29.05	29.04	-	-		

INSPECTED BY:	*Jay Hadiyal*	*APPROVED BY:*	*Shreekant*

Conclusion :

☑ **Accept** ☐ **Reject** ☐ **Hold**

METALMECH ENGINEERING QA PASSED

MM-086000-SXUA-QCZA-FR-02-01-Final Inspection Report-Ex-V26I01

INSP. No.	FIR-07	**Product Name**	COMPRESSIBLE OUTER SEAL	**Size**	M32	**Drawing No.**	GE-03	**Date:**	01-11-2026
Wo No.	26100122	**Total Quantity**	160	**Lot Quantity**	160	**Sample Size-**	3	**Variable & Gauging**	3PCS

Sr. No.	**Checking Parameter**	**REQUIRED PARAMETER**			**OBSERVED RESULTS**					**REJECTION REWORK DETAIL**	**REMARK**	**CHECKED BY**
		PARAMETER	**CRITERIA**		**1**	**2**	**3**	**-**	**-**			
1	Visual	Surface	Fine, Clean		FINE	FINE	FINE	-	-		Measuring Instruments I.D No-	
		Sizewise No of Pcs. With Internal Parts	As per Drg. No. of Parts	16	16	16	16	-	-		**(1) DV-55**	
		Washing & Plating	Surface Finishing	NA	NA	NA	NA	-	-		**(2) PP-01**	
		RUBBER MARKING	AS PER DRG.	OK	OK	OK	OK	-	-			
		Marking	WO Ref. No.	NA	NA	NA	NA	-	-		**ASM No - AEX261024-05**	
		Assembly Perfection	As per Drg.		OK	OK	OK	-	-			
		Inner Packing	Labeling & Printing		OK	OK	OK	-	-			
		Outer Packing	Printing & Stamping		OK	OK	OK	-	-			
		All Dimensions Are In MM										
2	DIMENSION		VALUE	-	+	1	2	3	-	-			
		T.L	15.00	14.50	15.50	15.04	15.06	15.08	-	-		
		O.D	43.20	43.00	43.20	43.11	43.13	43.12	-	-		
		GR.LENGTH	3.50	3.20	3.80	3.53	3.55	3.54	-	-		
		I.D	33.70	33.60	33.80	33.74	33.76	33.79	-	-		

INSPECTED BY:	*Jay Hadiyal*	*APPROVED BY:*	*Shreekant*

Conclusion :

☑ **Accept** ☐ **Reject** ☐ **Hold**

METALMECH ENGINEERING CA PASSED

MM-086000-SXUA-QCZA-FR-02-01-Final Inspection Report-Ex-V26I01

INSP. No.	FIR-07	Product Name	INNER SKID WASHER	Size	M32	Drawing No.	IW-03	Date:	01-11-2026
Wo No.	26100122	Total Quantity	160	Lot Quantity	160	Sample Size-	3	Variable & Gauging	3PCS

Sr. No.	Checking Parameter	REQUIRED PARAMETER			OBSERVED RESULTS					REJECTION REWORK DETAIL	REMARK	CHECKED BY
		PARAMETER	CRITERIA		1	2	3	-	-			
1	Visual	Surface	Fine, Clean		FINE	FINE	FINE	-	-		Measuring Instruments I.D No-	
		Sizewise No of Pcs. With Internal Parts	As per Drg. No. of Parts	16	16	16	16	-	-		(1) DV-55	
		Washing & Plating	Surface Finishing	NA	NA	NA	NA	-	-		(2) PP-01	
		RUBBER MARKING	AS PER DRG.	OK	OK	OK	OK	-	-			
		Marking	WO Ref. No.	NA	NA	NA	NA	-	-		ASM No - AEX261024-05	
		Assembly Perfection	As per Drg.		OK	OK	OK	-	-			
		Inner Packing	Labeling & Printing		OK	OK	OK	-	-			
		Outer Packing	Printing & Stamping		OK	OK	OK	-	-			
		All Dimensions Are In MM										
2	DIMENSION		VALUE	-	+	1	2	3	-	-			
		T.L	5.00	4.70	5.30	5.11	5.13	5.12	-	-			
		O.D	35.50	35.30	35.50	35.40	35.39	35.41	-	-			
		O.D	32.00	31.80	32.00	31.93	31.95	31.94	-	-			
		O.D.L	3.00	3.00	3.20	3.02	3.01	3.03	-	-			
		I.D	26.20	26.20	26.40	26.24	26.26	26.28	-	-			

INSPECTED BY:	Jay Hadiyal	APPROVED BY:	Shreekant

Conclusion :

☑ **Accept** ☐ **Reject** ☐ **Hold**

METALMECH ENGINEERING QA PASSED

MM-086000-SXUA-QCZA-FR-02-01-Final Inspection Report-Ex-V26I01

INSP. No.	FIR-07	Product Name	OUTER SKID WASHER	Size	M32	Drawing No.	OW-03	Date:	01-11-2026
Wo No.	26100122	Total Quantity	160	Lot Quantity	160	Sample Size-	3	Variable & Gauging	3PCS

Sr. No.	Checking Parameter	REQUIRED PARAMETER			OBSERVED RESULTS					REJECTION REWORK DETAIL	REMARK	CHECKED BY
		PARAMETER	CRITERIA		1	2	3	-	-			
1	Visual	Surface	Fine, Clean		FINE	FINE	FINE	-	-		Measuring Instruments I.D No-	
		Sizewise No of Pcs. With Internal Parts	As per Drg. No. of Parts	16	16	16	16	-	-		(1) DV-55	
		Washing & Plating	Surface Finishing	NA	NA	NA	NA	-	-		(2) PP-01	
		RUBBER MARKING	AS PER DRG.	OK	OK	OK	OK	-	-			
		Marking	WO Ref. No.	NA	NA	NA	NA	-	-		ASM No - AEX261024-05	
		Assembly Perfection	As per Drg.		OK	OK	OK	-	-			
		Inner Packing	Labeling & Printing		OK	OK	OK	-	-			
		Outer Packing	Printing & Stamping		OK	OK	OK	-	-			
		All Dimensions Are In MM										
2	DIMENSION		VALUE	-	+	1	2	3	-	-			
		T.L	6.00	5.70	6.30	6.04	6.06	6.08	-	-			
		O.D	41.00	41.00	41.10	41.05	41.04	41.03	-	-			
		O.D	37.50	37.30	37.50	37.45	37.47	37.46	-	-			
		O.D.L	4.00	4.00	4.10	4.03	4.05	4.04	-	-			
		I.D	34.00	34.00	34.20	34.06	34.05	34.04	-	-			

INSPECTED BY:	Jay Hadiyal	APPROVED BY:	Shreekant

Conclusion :

☑ **Accept** ☐ **Reject** ☐ **Hold**

METALMECH ENGINEERING QA PASSED

MM-086000-SXUA-QCZA-FR-02-01-Final Inspection Report-Ex-V26I01

INSP. No.	FIR-07	Product Name	EARTH TAG	Size	M32	Drawing No.	-	Date:	01-11-2026
Wo No.	26100122	Total Quantity	160	Lot Quantity	160	Sample Size-	3	Variable & Gauging	3PCS

Sr. No.	Checking Parameter	REQUIRED PARAMETER			OBSERVED RESULTS					REJECTION REWORK DETAIL	REMARK	CHECKED BY
		PARAMETER	CRITERIA		1	2	3	-	-			
1	Visual	Surface	Fine, Clean		FINE	FINE	FINE	-	-		Measuring Instruments I.D No-	
		Sizewise No of Pcs. With Internal Parts	As per Drg. No. of Parts	16	16	16	16	-	-		(1) DV-55	
		Washing & Plating	Surface Finishing	NICKEL	OK	OK	OK	-	-		(2) PP-01	
		RUBBER MARKING	AS PER DRG.	NA	NA	NA	NA	-	-			
		Marking	WO Ref. No.	NA	NA	NA	NA	-	-		ASM No - AEX261024-05	
		Assembly Perfection	As per Drg.		OK	OK	OK	-	-			
		Inner Packing	Labeling & Printing		OK	OK	OK	-	-			
		Outer Packing	Printing & Stamping		OK	OK	OK	-	-			
		All Dimensions Are In MM										
2	DIMENSION		VALUE	-	+	1	2	3	-	-			
		THICKNESS	1.00	0.80	1.20	1.01	1.03	1.02	-	-		
		O.D	44.00	43.20	44.80	43.75	43.72	43.73	-	-		
		O.D	16.00	15.50	16.50	16.05	16.04	16.06	-	-		
		I.D	32.00	31.20	32.80	32.26	32.25	32.24	-	-		
		I.D	7.50	7.20	7.80	7.55	7.54	7.53	-	-		

INSPECTED BY:	*Jay Hadiyal*	*APPROVED BY:*	*Shreekant*

Conclusion :

☑ **Accept** ☐ **Reject** ☐ **Hold**



MM-086000-SXUA-QCZA-FR-02-01-Final Inspection Report-Ex-V26I01

INSP. No.	FIR-07	**Product Name**	SHROUD	**Size**	M32	**Drawing No.**	-	**Date:**	01-11-2026
Wo No.	26100122	**Total Quantity**	160	**Lot Quantity**	160	**Sample Size-**	3	Variable & Gauging	3PCS

Sr. No.	Checking Parameter	REQUIRED PARAMETER			OBSERVED RESULTS					REJECTION REWORK DETAIL	REMARK	CHECKED BY
		PARAMETER	CRITERIA		1	2	3	-	-			
1	Visual	Surface	Fine, Clean		FINE	FINE	FINE	-	-		Measuring Instruments I.D No-	
		Sizewise No of Pcs. With Internal Parts	As per Drg. No. of Parts	16	16	16	16	-	-		(1) DV-55	
		Washing & Plating	Surface Finishing	NA	NA	NA	NA	-	-		(2) PP-01	
		RUBBER MARKING	AS PER DRG.	NA	NA	NA	NA	-	-			
		Marking	WO Ref. No.	NA	NA	NA	NA	-	-		ASM No - AEX261024-05	
		Assembly Perfection	As per Drg.		OK	OK	OK	-	-			
		Inner Packing	Labeling & Printing		OK	OK	OK	-	-			
		Outer Packing	Printing & Stamping		OK	OK	OK	-	-			
		All Dimensions Are In MM										
2	DIMENSION		VALUE	-	+	1	2	3	-	-			
		T.L	145.00	144.20	145.80	145.15	145.19	145.16	-	-		
		I.D	51.00	50.20	51.80	51.08	51.06	51.04	-	-		

INSPECTED BY:	*Jay Hadiyal*	*APPROVED BY:*	*Shreekant*

Conclusion :

☑ **Accept** ☐ **Reject** ☐ **Hold**

METALMECH ENGINEERING QA PASSED

MM-086000-SXUA-QCZA-FR-02-01-Final Inspection Report-Ex-V26I01

INSP. No.	FIR-07	Product Name	NYLON WASHER	Size	M32	Drawing No.	-	Date:	01-11-2026
Wo No.	26100122	Total Quantity	160	Lot Quantity	160	Sample Size-	3	Variable & Gauging	3PCS

Sr. No.	Checking Parameter	REQUIRED PARAMETER			OBSERVED RESULTS					REJECTION REWORK DETAIL	REMARK	CHECKED BY
		PARAMETER	CRITERIA		1	2	3	-	-			
1	Visual	Surface	Fine, Clean		FINE	FINE	FINE	-	-		Measuring Instruments I.D No-	
		Sizewise No of Pcs. With Internal Parts	As per Drg. No. of Parts	16	16	16	16	-	-		(1) DV-55	
		Washing & Plating	Surface Finishing	NA	NA	NA	NA	-	-		(2) PP-01	
		RUBBER MARKING	AS PER DRG.	NA	NA	NA	NA	-	-			
		Marking	WO Ref. No.	NA	NA	NA	NA	-	-		ASM No - AEX261024-05	
		Assembly Perfection	As per Drg.		OK	OK	OK	-	-			
		Inner Packing	Labeling & Printing		OK	OK	OK	-	-			
		Outer Packing	Printing & Stamping		OK	OK	OK	-	-			
		All Dimensions Are In MM										

2	DIMENSION		VALUE	-	+	1	2	3	-	-			
		THICKNESS	1.50	1.30	1.70	1.45	1.48	1.49	-	-			
		I.D	32.00	31.20	32.80	32.29	32.30	32.31	-	-			

INSPECTED BY:	*Jay Hadiyal*	*APPROVED BY:*	*Shreekant*

Conclusion :

☑ **Accept** ☐ **Reject** ☐ **Hold**

METALMECH ENGINEERING CA PASSED

MM-086000-SXUA-QCZA-FR-02-01-Final Inspection Report-Ex-V26I01

INSP. No.	FIR-07	**Product Name**	STAR WASHER	**Size**	M32	**Drawing No.**	-	**Date:**	01-11-2026
Wo No.	26100122	**Total Quantity**	160	**Lot Quantity**	160	**Sample Size-**	3	**Variable & Gauging**	3PCS

Sr. No.	**Checking Parameter**	**REQUIRED PARAMETER**			**OBSERVED RESULTS**					**REJECTION REWORK DETAIL**	**REMARK**	**CHECKED BY**
		PARAMETER	**CRITERIA**		**1**	**2**	**3**	**-**	**-**			
1	Visual	Surface	Fine, Clean		FINE	FINE	FINE	-	-		Measuring Instruments I.D No-	
		Sizewise No of Pcs. With Internal Parts	As per Drg. No. of Parts	16	16	16	16	-	-		**(1) DV-55**	
		Washing & Plating	Surface Finishing	NA	NA	NA	NA	-	-		**(2) PP-01**	
		RUBBER MARKING	AS PER DRG.	NA	NA	NA	NA	-	-			
		Marking	WO Ref. No.	NA	NA	NA	NA	-	-		**ASM No - AEX261024-05**	
		Assembly Perfection	As per Drg.		OK	OK	OK	-	-			
		Inner Packing	Labeling & Printing		OK	OK	OK	-	-			
		Outer Packing	Printing & Stamping		OK	OK	OK	-	-			
		All Dimensions Are In MM										
2	DIMENSION		VALUE	- / +	1	2	3	-	-			
		T.L	4.00	3.80 / 4.20	4.04	4.06	4.08	-	-			
		O.D	48.00	47.80 / 48.20	48.05	48.09	48.06	-	-			
		I.D	33.00	32.80 / 33.20	33.07	33.05	33.03	-	-			

INSPECTED BY:	*Jay Hadiyal*	*APPROVED BY:*	*Shreekant*

Conclusion :

☑ **Accept** ☐ **Reject** ☐ **Hold**

METALMECH ENGINEERING QA PASSED