MM-086000-SXUA-QCZA-FR-02-01-Final Inspection Report-Ex-V26I01

INSP. No.	FIR-01	**Product Name**	ENTRY COMPONENT	**Size**	M63	**Drawing No.**	313001M-06s	**Date:**	18-10-2026
Wo No.	26000327	**Total Quantity**	2	**Lot Quantity**	2	**Sample Size-**	2	Variable & Gauging	2PCS

Sr. No.	Checking Parameter	REQUIRED PARAMETER			OBSERVED RESULTS					REJECTION REWORK DETAIL	REMARK	CHECKED BY
		PARAMETER	CRITERIA		1	2	-	-	-			
1	Visual	Surface	Fine, Clean		FINE	FINE	-	-	-		Measuring Instruments I.D No-	
		Sizewise No of Pcs. With Internal Parts	As per Drg. No. of Parts	11	11	11	-	-	-		(1) DV-55	
		Washing & Plating	Surface Finishing	NICKEL	OK	OK	-	-	-		(2) PP-01	
		RUBBER MARKING	AS PER DRG.	NA	NA	NA	-	-	-			
		Marking	WO Ref. No.	Metalmech Logo MM-EX-E1FUNV63s6MB2 2026 CE Logo 2460 Ex Logo II 2 GD Ex db IIC Gb, Ex eb IIC Gb, Ex tb IIIC Db, IP66/68 -55°C ≤ Ta ≤ +160°C Presafe 20 ATEX 48906X IECEx PRE 20.0124X	-	-	-		ASM No :- AEX261008-09	
		Assembly Perfection	As per Drg.		OK	OK	-	-	-			
		Inner Packing	Labeling & Printing		OK	OK	-	-	-			
		Outer Packing	Printing & Stamping		OK	OK	-	-	-			
		All Dimensions Are In MM										
2	DIMENSION		VALUE	-	+	1	2	-	-	-		
		A/F	70.00	69.81	70.00	69.95	69.94	-	-	-		
		A/C	77.00	76.20	77.80	77.01	77.03	-	-	-		
		T.L	34.00	34.00	34.50	34.11	34.09	-	-	-		
		TH.L	13.00	12.50	13.50	12.99	13.00	-	-	-		
		LENGTH	17.00	17.00	17.50	17.07	17.09	-	-	-		
		GR.OD	61.00	60.20	61.80	60.98	60.97	-	-	-		
		GR.LE	2.50	2.30	2.70	2.55	2.54	-	-	-		
		O.D	68.00	67.20	68.80	67.97	68.00	-	-	-		
		O.D.L	8.00	7.70	8.30	8.01	8.03	-	-	-		
		H.L	9.00	8.50	9.50	9.02	9.05	-	-	-		
		I.D	50.00	49.20	50.80	50.05	50.08	-	-	-		
		INT.THL	15.00	14.50	15.50	15.08	15.07	-	-	-		
		THREAD	M63x1.5 AS PER T.R.G GO NOT GO			OK	OK	-	-	-		
		INT.THREAD	M63x1.5 AS PER P.G GO NOT GO			OK	OK	-	-	-		
		CH.ANGLE	1x45° AS PER PP FOUND			OK	OK	-	-	-		
		CH.ANGLE	1.5x45° AS PER PP FOUND			OK	OK	-	-	-		
		CH.ANGLE	20° AS PER PP FOUND			OK	OK	-	-	-		
		ANGLE	90° AS PER PP FOUND			OK	OK	-	-	-		

INSPECTED BY:	*Jay Hadiyal*	*APPROVED BY:*	*Shreekant*

Conclusion :

☑ **Accept** ☐ **Reject** ☐ **Hold**

METALMECH ENGINEERS QA PASSED

MM-086000-SXUA-QCZA-FR-02-01-Final Inspection Report-Ex-V26I01

INSP. No.	FIR-01	**Product Name**	INTERMIDIATE BODY	**Size**	M63	**Drawing No.**	313002U-06s	**Date:**	18-10-2026
Wo No.	26000327	**Total Quantity**	2	**Lot Quantity**	2	**Sample Size-**	2	Variable & Gauging	2PCS

Sr. No.	Checking Parameter	REQUIRED PARAMETER				OBSERVED RESULTS					REJECTION REWORK DETAIL	REMARK	CHECKED BY
		PARAMETER	CRITERIA			1	2	-	-	-			
1	Visual	Surface	Fine, Clean			FINE	FINE	-	-	-		Measuring Instruments LD No-	
		Sizewise No of Pcs. With Internal Parts	As per Drg. No. of Parts	11		11	11	-	-	-		(1) DV-55	
		Washing & Plating	Surface Finishing	NICKEL		OK	OK	-	-	-		(2) PP-01	
		RUBBER MARKING	AS PER DRG.	NA		NA	NA	-	-	-			
		Marking	WO Ref. No.	NA		NA	NA	-	-	-		ASM No :- AEX261008-09	
		Assembly Perfection	As per Drg.			OK	OK	-	-	-			
		Inner Packing	Labeling & Printing			OK	OK	-	-	-			
		Outer Packing	Printing & Stamping			OK	OK	-	-	-			
		All Dimensions Are In MM											
2	DIMENSION		VALUE	-	+	1	2	-	-	-			
		A/F	70.50	70.31	70.50	70.43	70.45	-	-	-			
		A/C	77.00	76.20	77.80	77.06	77.08	-	-	-			
		T.L	38.00	37.20	38.80	38.08	38.07	-	-	-			
		TH.L	14.00	13.50	14.50	14.05	14.08	-	-	-			
		GR.OD	61.00	60.20	61.80	60.97	60.99	-	-	-			
		GR.LE	1.00	0.80	1.20	1.01	1.03	-	-	-			
		H.L	8.00	7.70	8.30	8.00	8.02	-	-	-			
		TH.L	16.00	15.50	16.50	16.03	16.05	-	-	-			
		GR.OD	68.00	67.20	68.80	67.97	67.99	-	-	-			
		GR.LE	1.00	0.80	1.20	1.01	1.03	-	-	-			
		I.D	56.00	55.20	56.80	56.06	56.08	-	-	-			
		I.D	61.50	60.70	62.30	61.54	61.56	-	-	-			
		DEPTH	7.00	6.70	7.30	7.01	7.05	-	-	-			
		I.D	59.00	58.20	59.80	59.05	59.08	-	-	-			
		I.D.LE	15.00	14.50	15.50	15.03	15.05	-	-	-			
		DEPTH	22.00	21.50	22.50	22.01	22.03	-	-	-			
		THREAD	M63x1.5 AS PER T.R.G GO NOT GO			OK	OK	-	-	-			
		THREAD	M70x1.5 AS PER T.R.G GO NOT GO			OK	OK	-	-	-			
		CH.ANGLE	1.5x45° AS PER PP FOUND			OK	OK	-	-	-			
		CH.ANGLE	20° AS PER PP FOUND			OK	OK	-	-	-			
		CH.ANGLE	0.5x45° AS PER PP FOUND			OK	OK	-	-	-			

INSPECTED BY:	*Jay Hadiyal*	*APPROVED BY:*	*Shreekant*

Conclusion :

☑ **Accent** ☐ **Reiect** ☐ **Hold**

METALMECH ENGINEERING CA PASSED

MM-086000-SXUA-QCZA-FR-02-01-Final Inspection Report-Ex-V26I01

INSP. No.	FIR-01	**Product Name**	MIDDLE BODY	**Size**	M63	**Drawing No.**	313002-06s	**Date:**	18-10-2026
Wo No.	26000327	**Total Quantity**	2	**Lot Quantity**	2	**Sample Size-**	2	Variable & Gauging	2PCS

Sr. No.	Checking Parameter	REQUIRED PARAMETER				OBSERVED RESULTS					REJECTION REWORK DETAIL	REMARK	CHECKED BY
		PARAMETER	CRITERIA			1	2	-	-	-			
1	Visual	Surface	Fine, Clean			FINE	FINE	-	-	-		Measuring Instruments LD No-	
		Sizewise No of Pcs. With Internal Parts	As per Drg. No. of Parts	11		11	11	-	-	-		(1) DV-55	
		Washing & Plating	Surface Finishing	NICKEL		OK	OK	-	-	-		(2) PP-01	
		RUBBER MARKING	AS PER DRG.	NA		NA	NA	-	-	-			
		Marking	WO Ref. No.	NA		NA	NA	-	-	-		ASM No :- AEX261008-09	
		Assembly Perfection	As per Drg.			OK	OK	-	-	-			
		Inner Packing	Labeling & Printing			OK	OK	-	-	-			
		Outer Packing	Printing & Stamping			OK	OK	-	-	-			
		All Dimensions Are In MM											
2	DIMENSION		VALUE	-	+	1	2	-	-	-			
		A/F	75.00	74.81	75.00	74.91	74.93	-	-	-			
		A/C	83.00	82.20	83.80	83.05	83.04	-	-	-			
		T.L	45.00	44.20	45.80	45.03	45.05	-	-	-			
		TH.L	16.00	15.50	16.50	16.04	16.06	-	-	-			
		GR.OD	70.00	69.20	70.80	69.97	69.99	-	-	-			
		GR.LE	1.00	0.80	1.20	1.01	1.03	-	-	-			
		H.L	17.00	16.50	17.50	17.03	17.05	-	-	-			
		O.D	74.00	73.20	74.80	73.97	73.99	-	-	-			
		O.D.L	12.00	11.70	12.30	12.02	12.04	-	-	-			
		I.D	60.00	59.20	60.80	60.05	60.03	-	-	-			
		I.D	61.50	60.70	62.30	61.54	61.56	-	-	-			
		I.D.LE	7.00	6.80	7.20	7.02	7.05	-	-	-			
		INT.THL	17.00	16.50	17.50	17.03	17.06	-	-	-			
		GR.ID	67.00	66.20	67.80	67.04	67.06	-	-	-			
		GR.LE	11.00	10.70	11.30	11.02	11.05	-	-	-			
		DEPTH	28.00	27.50	28.50	28.01	28.03	-	-	-			
		THREAD	M70x1.5 AS PER T.R.G GO NOT GO			OK	OK	-	-	-			
		INT.THREAD	M72x1.5 AS PER P.G GO NOT GO			OK	OK	-	-	-			
		CH.ANGLE	0.5x45° AS PER PP FOUND			OK	OK	-	-	-			
		CH.ANGLE	1.5x45° AS PER PP FOUND			OK	OK	-	-	-			
		CH.ANGLE	30° AS PER PP FOUND			OK	OK	-	-	-			

INSPECTED BY:	*Jay Hadiyal*	*APPROVED BY:*	*Shreekant*

Conclusion :

☑ **Accent** ☐ **Reiect** ☐ **Hold**

METALMECH ENGINEERING CA PASSED

METAL MECA
THE SAFEST CONNECTIONS

MM-086000-SXUA-QCZA-FR-02-01-Final Inspection Report-Ex-V26I01

INSP. No.	FIR-01	Product Name	BACK NUT	Size	M63	Drawing No.	313003-068	Date:	18-10-2026
Wo No.	26000327	Total Quantity	2	Lot Quantity	2	Sample Size-	2	Variable & Gauging	2PCS

Sr. No.	Checking Parameter	REQUIRED PARAMETER		OBSERVED RESULTS					REJECTION REWORK DETAIL	REMARK	CHECKED BY
		PARAMETER	CRITERIA	1	2	-	-	-			
1	Visual	Surface	Fine, Clean	FINE	FINE	-	-	-		Measuring Instruments I.D No-	
		Sizewise No of Pcs. With Internal Parts	As per Drg. No. of Parts: 11	11	11	-	-	-		(1) DV-55	
		Washing & Plating	Surface Finishing: NICKEL	OK	OK	-	-	-		(2) PP-01	
		RUBBER MARKING	AS PER DRG. / NA	NA	NA	-	-	-			
		Marking	WO Ref. No. / NA	NA	NA	-	-	-		ASM No :- AEX261008-09	
		Assembly Perfection	As per Drg.	OK	OK	-	-	-			
		Inner Packing	Labeling & Printing	OK	OK	-	-	-			
		Outer Packing	Printing & Stamping	OK	OK	-	-	-			
		All Dimensions Are In MM									
2	DIMENSION		VALUE / - / +	1	2	-	-	-			
		A/F	75.00 / 74.81 / 75.00	74.96	74.93	-	-	-			
		A/C	83.00 / 82.20 / 83.80	83.02	83.05	-	-	-			
		T.L	24.00 / 23.50 / 24.50	24.05	24.04	-	-	-			
		O.D	74.50 / 73.70 / 75.30	74.48	74.47	-	-	-			
		O.D.L	12.00 / 11.50 / 12.50	12.02	12.05	-	-	-			
		H.L	12.00 / 11.50 / 12.50	12.01	12.03	-	-	-			
		I.D	66.00 / 65.20 / 66.80	66.05	66.08	-	-	-			
		INT.THL	4.00 / 3.70 / 4.30	4.03	4.05	-	-	-			
		GR.ID	72.20 / 71.40 / 73.00	72.25	72.23	-	-	-			
		GR.LE	15.00 / 14.50 / 15.50	15.03	15.05	-	-	-			
		DEPTH	19.00 / 18.50 / 19.50	19.04	19.06	-	-	-			
		GR.ID	70.50 / 69.70 / 71.30	70.53	70.55	-	-	-			
		GR.LE	3.00 / 2.80 / 3.20	3.02	3.04	-	-	-			
		DEPTH	22.00 / 21.50 / 22.50	22.03	22.05	-	-	-			
		INT.THREAD	M72x1.5 AS PER P.G GO NOT GO	OK	OK	-	-	-			
		CH.ANGLE	0.5x45° AS PER PP FOUND	OK	OK	-	-	-			
		CH.ANGLE	1x45° AS PER PP FOUND	OK	OK	-	-	-			
		CH.ANGLE	45° AS PER PP FOUND	OK	OK	-	-	-			

INSPECTED BY:	*Jay Hadiyal*	*APPROVED BY:*	*Shreekant*

Conclusion :

☑ **Accept** ☐ **Reject** ☐ **Hold**

METAMECH ENGINEERS QA PASSED

METAL MECA®
THE SAFEST CONNECTIONS

MM-086000-SXUA-QCZA-FR-02-01-Final Inspection Report-Ex-V26I01

INSP. No.	FIR-01	Product Name	UNIVERSAL CLAMPING CONE	Size	M63	Drawing No.	313005-06s	Date:	18-10-2026
Wo No.	26000327	Total Quantity	2	Lot Quantity	2	Sample Size-	2	Variable & Gauging	2PCS

Sr. No.	Checking Parameter	REQUIRED PARAMETER				OBSERVED RESULTS					REJECTION REWORK DETAIL	REMARK	CHECKED BY
		PARAMETER	CRITERIA			1	2	-	-	-			
1	Visual	Surface	Fine, Clean			FINE	FINE	-	-	-		Measuring Instruments I.D No-	
		Sizewise No of Pcs. With Internal Parts	As per Drg. No. of Parts	11		11	11	-	-	-		(1) DV-55	
		Washing & Plating	Surface Finishing	NICKEL		OK	OK	-	-	-		(2) PP-01	
		RUBBER MARKING	AS PER DRG.	NA		NA	NA	-	-	-			
		Marking	WO Ref. No.	NA		NA	NA	-	-	-		ASM No :- AEX261008-09	
		Assembly Perfection	As per Drg.			OK	OK	-	-	-			
		Inner Packing	Labeling & Printing			OK	OK	-	-	-			
		Outer Packing	Printing & Stamping			OK	OK	-	-	-			
		All Dimensions Are In MM											
2	DIMENSION		VALUE	-	+	1	2	-	-	-			
		T.L	35.00	34.20	35.80	35.04	35.06	-	-	-			
		O.D	56.00	55.20	56.80	55.95	55.94	-	-	-			
		O.D.L	7.50	7.00	8.00	7.53	7.55	-	-	-			
		O.D	57.20	56.40	58.00	57.21	57.23	-	-	-			
		O.D	58.20	57.40	59.00	58.18	58.17	-	-	-			
		GR.LE	2.50	2.30	2.70	2.53	2.55	-	-	-			
		O.D.L	14.00	13.50	14.50	14.01	14.03	-	-	-			
		O.D	52.50	51.70	53.30	52.48	52.50	-	-	-			
		O.D.L	8.00	7.70	8.30	8.01	8.03	-	-	-			
		O.D	53.50	52.70	54.30	53.48	53.49	-	-	-			
		O.D	54.00	53.20	54.80	54.01	54.03	-	-	-			
		O.D	55.50	54.70	56.30	55.45	55.43	-	-	-			
		O.D	61.00	60.20	61.80	61.01	61.03	-	-	-			
		O.D.L	7.00	6.50	7.50	7.02	7.05	-	-	-			
		O.D.L	14.00	13.50	14.50	14.01	14.06	-	-	-			
		I.D	50.00	49.20	50.80	50.04	50.06	-	-	-			
		GROOVE.STEP.LE	0.5 MM AS PER PP FOUND			OK	OK	-	-	-			
		RADIUS	0.50 MM AS PER PP FOUND			OK	OK	-	-	-			
		RADIUS	0.3 MM AS PER PP FOUND			OK	OK	-	-	-			

INSPECTED BY:	Jay Hadiyal	APPROVED BY:	Shreekant

Conclusion :

☑ **Accept** ☐ **Reject** ☐ **Hold**

METAL MECH ENGINEERS (INDIA) CA PASSED

METAL MECA®
THE SAFEST CONNECTIONS

MM-086000-SXUA-QCZA-FR-02-01-Final Inspection Report-Ex-V26I01

INSP. No.	FIR-01	**Product Name**	REVERSIBLE ARMOURED RING	**Size**	M63	**Drawing No.**	313004-06s	**Date:**	18-10-2026
Wo No.	26000327	**Total Quantity**	2	**Lot Quantity**	2	**Sample Size-**	2	**Variable & Gauging**	2PCS

Sr. No.	**Checking Parameter**	**REQUIRED PARAMETER**			**OBSERVED RESULTS**					**REJECTION REWORK DETAIL**	**REMARK**	**CHECKED BY**
		PARAMETER	**CRITERIA**		**1**	**2**	**-**	**-**	**-**			
1	Visual	Surface	Fine, Clean		FINE	FINE	-	-	-		Measuring Instruments I.D No-	
		Sizewise No of Pcs. With Internal Parts	As per Drg. No. of Parts	11	11	11	-	-	-		**(1) DV-55**	
		Washing & Plating	Surface Finishing	NICKEL	OK	OK	-	-	-		**(2) PP-01**	
		RUBBER MARKING	AS PER DRG.	NA	NA	NA	-	-	-			
		Marking	WO Ref. No.	NA	NA	NA	-	-	-		**ASM No :- AEX261008-09**	
		Assembly Perfection	As per Drg.		OK	OK	-	-	-			
		Inner Packing	Labeling & Printing		OK	OK	-	-	-			
		Outer Packing	Printing & Stamping		OK	OK	-	-	-			
		All Dimensions Are In MM										
2	DIMENSION		VALUE	-	+	1	2	-	-	-			
		T.L	12.00	11.50	12.50	12.02	12.01	-	-	-		
		O.D	64.00	63.20	64.80	63.97	63.99	-	-	-		
		I.D	57.50	56.70	58.30	57.53	57.55	-	-	-		
		I.D	58.50	57.70	59.30	58.54	58.56	-	-	-		

INSPECTED BY:	*Jay Hadiyal*	*APPROVED BY:*	*Shreekant*

Conclusion :

☑ **Accept** ☐ **Reject** ☐ **Hold**

METALMECH ENGINEERING CA PASSED

MM-086000-SXUA-QCZA-FR-02-01-Final Inspection Report-Ex-V26I01

INSP. No.	FIR-01	**Product Name**	COMPRESSIBLE INNER SEAL	**Size**	M63	**Drawing No.**	GI-06s	**Date:**	18-10-2026
Wo No.	26000327	**Total Quantity**	2	**Lot Quantity**	2	**Sample Size-**	2	**Variable & Gauging**	2PCS

Sr. No.	Checking Parameter	REQUIRED PARAMETER			OBSERVED RESULTS					REJECTION REWORK DETAIL	REMARK	CHECKED BY
		PARAMETER	**CRITERIA**		**1**	**2**	**-**	**-**	**-**			
1	Visual	Surface	Fine, Clean		FINE	FINE	-	-	-		Measuring Instruments I.D No-	
		Sizewise No of Pcs. With Internal Parts	As per Drg. No. of Parts	11	11	11	-	-	-		**(1) DV-55**	
		Washing & Plating	Surface Finishing	NA	NA	NA	-	-	-		**(2) PP-01**	
		RUBBER MARKING	AS PER DRG.	OK	OK	OK	-	-	-			
		Marking	WO Ref. No.	NA	NA	NA	-	-	-		**ASM No :- AEX261008-09**	
		Assembly Perfection	As per Drg.		OK	OK	-	-	-			
		Inner Packing	Labeling & Printing		OK	OK	-	-	-			
		Outer Packing	Printing & Stamping		OK	OK	-	-	-			
		All Dimensions Are In MM										
2	DIMENSION		VALUE	- / +	1	2	-	-	-			
		T.L	15.50	15.00 / 16.00	15.53	15.55	-	-	-			
		O.D.L	5.50	5.20 / 5.80	5.45	5.48	-	-	-			
		O.D	61.50	61.30 / 61.50	61.45	61.43	-	-	-			
		O.D.L	10.00	9.50 / 10.50	10.02	10.01	-	-	-			
		I.D	49.70	49.70 / 49.90	49.75	49.73	-	-	-			

INSPECTED BY:	*Jay Hadiyal*	*APPROVED BY:*	*Shreekant*

Conclusion :

☑ **Accept** ☐ **Reject** ☐ **Hold**

METALMECH ENGINEERING QA PASSED

METAL MECH®
THE SAFEST CONNECTIONS

MM-086000-SXUA-QCZA-FR-02-01-Final Inspection Report-Ex-V26I01

INSP. No.	FIR-01	Product Name	O-RING	Size	M63	Drawing No.	OR-6M	Date:	18-10-2026
Wo No.	26000327	Total Quantity	2	Lot Quantity	2	Sample Size-	2	Variable & Gauging	2PCS

Sr. No.	Checking Parameter	REQUIRED PARAMETER			OBSERVED RESULTS					REJECTION REWORK DETAIL	REMARK	CHECKED BY
		PARAMETER	CRITERIA		1	2	-	-	-			
1	Visual	Surface	Fine, Clean		FINE	FINE	-	-	-		Measuring Instruments I.D No-	
		Sizewise No of Pcs. With Internal Parts	As per Drg. No. of Parts	11	11	11	-	-	-		(1) DV-55	
		Washing & Plating	Surface Finishing	NA	NA	NA	-	-	-		(2) PP-01	
		RUBBER MARKING	AS PER DRG.	NA	NA	NA	-	-	-			
		Marking	WO Ref. No.	NA	NA	NA	-	-	-		ASM No :- AEX261008-09	
		Assembly Perfection	As per Drg.		OK	OK	-	-	-			
		Inner Packing	Labeling & Printing		OK	OK	-	-	-			
		Outer Packing	Printing & Stamping		OK	OK	-	-	-			
		All Dimensions Are In MM										
2	DIMENSION		VALUE	-	+	1	2	-	-	-		
		THICKNESS	2.50	2.00	2.50	2.04	2.03	-	-	-		
		I.D	55.00	54.20	55.80	55.03	55.05	-	-	-		

INSPECTED BY:	Jay Hadiyal	APPROVED BY:	Shreekant

Conclusion :

☑ **Accept** ☐ **Reject** ☐ **Hold**

METALMECH ENGINEERING CA PASSED

MM-086000-SXUA-QCZA-FR-02-01-Final Inspection Report-Ex-V26I01

INSP. No.	FIR-01	**Product Name**	COMPRESSIBLE OUTER SEAL	**Size**	M63	**Drawing No.**	GE-06s	**Date:**	18-10-2026
Wo No.	26000327	**Total Quantity**	2	**Lot Quantity**	2	**Sample Size-**	2	Variable & Gauging	2PCS

Sr. No.	Checking Parameter	REQUIRED PARAMETER			OBSERVED RESULTS					REJECTION REWORK DETAIL	REMARK	CHECKED BY
		PARAMETER	CRITERIA		1	2	-	-	-			
1	Visual	Surface	Fine, Clean		FINE	FINE	-	-	-		Measuring Instruments I.D No-	
		Sizewise No of Pcs. With Internal Parts	As per Drg. No. of Parts	11	11	11	-	-	-		(1) DV-55	
		Washing & Plating	Surface Finishing	NA	NA	NA	-	-	-		(2) PP-01	
		RUBBER MARKING	AS PER DRG.	OK	OK	OK	-	-	-			
		Marking	WO Ref. No.	NA	NA	NA	-	-	-		ASM No :- AEX261008-09	
		Assembly Perfection	As per Drg.		OK	OK	-	-	-			
		Inner Packing	Labeling & Printing		OK	OK	-	-	-			
		Outer Packing	Printing & Stamping		OK	OK	-	-	-			
		All Dimensions Are In MM										
2	DIMENSION		VALUE	-	+	1	2	-	-	-			
		T.L	15.50	15.00	16.00	15.45	15.43	-	-	-		
		O.D	72.20	72.00	72.20	72.14	72.18	-	-	-		
		GR.LENGTH	5.50	5.20	5.80	5.54	5.56	-	-	-		
		I.D	59.20	59.10	59.30	59.23	59.25	-	-	-		

INSPECTED BY:	*Jay Hadiyal*	*APPROVED BY:*	*Shreekant*

Conclusion :

☑ **Accept** ☐ **Reject** ☐ **Hold**

METALMECH ENGINEERING CA PASSED

METAL MECA®
THE SAFEST CONNECTIONS

MM-086000-SXUA-QCZA-FR-02-01-Final Inspection Report-Ex-V26I01

INSP. No.	FIR-01	Product Name	INNER SKID WASHER	Size	M63	Drawing No.	IW-06s	Date:	18-10-2026
Wo No.	26000327	Total Quantity	2	Lot Quantity	2	Sample Size-	2	Variable & Gauging	2PCS

Sr. No.	Checking Parameter	REQUIRED PARAMETER			OBSERVED RESULTS					REJECTION REWORK DETAIL	REMARK	CHECKED BY
		PARAMETER	CRITERIA		1	2	-	-	-			
1	Visual	Surface	Fine, Clean		FINE	FINE	-	-	-		Measuring Instruments I.D No-	
		Sizewise No of Pcs. With Internal Parts	As per Drg. No. of Parts	11	11	11	-	-	-		(1) DV-55	
		Washing & Plating	Surface Finishing	NA	NA	NA	-	-	-		(2) PP-01	
		RUBBER MARKING	AS PER DRG.	NA	NA	NA	-	-	-			
		Marking	WO Ref. No.	NA	NA	NA	-	-	-		ASM No :- AEX261008-09	
		Assembly Perfection	As per Drg.		OK	OK	-	-	-			
		Inner Packing	Labeling & Printing		OK	OK	-	-	-			
		Outer Packing	Printing & Stamping		OK	OK	-	-	-			
		All Dimensions Are In MM										

			VALUE	-	+	1	2	-	-	-			
2	DIMENSION	T.L	5.50	5.20	5.80	5.53	5.55	-	-	-			
		O.D	60.00	59.80	60.00	59.91	59.93	-	-	-			
		O.D	55.00	54.80	55.00	54.89	54.91	-	-	-			
		O.D.L	4.00	4.00	4.20	4.01	4.03	-	-	-			
		I.D	49.70	49.70	49.90	49.75	49.77	-	-	-			

INSPECTED BY:	*Jay Hadiyal*	*APPROVED BY:*	*Shreekant*

Conclusion :

☑ **Accept** ☐ **Reject** ☐ **Hold**



METAL MECA®
THE SAFEST CONNECTIONS

MM-086000-SXUA-QCZA-FR-02-01-Final Inspection Report-Ex-V26I01

INSP. No.	FIR-01	Product Name	OUTER SKID WASHER	Size	M63	Drawing No.	IW-06s	Date:	18-10-2026
Wo No.	26000327	Total Quantity	2	Lot Quantity	2	Sample Size-	2	Variable & Gauging	2PCS

Sr. No.	Checking Parameter	REQUIRED PARAMETER			OBSERVED RESULTS					REJECTION REWORK DETAIL	REMARK	CHECKED BY
		PARAMETER	CRITERIA		1	2	-	-	-			
1	Visual	Surface	Fine, Clean		FINE	FINE	-	-	-		Measuring Instruments I.D No-	
		Sizewise No of Pcs. With Internal Parts	As per Drg. No. of Parts	11	11	11	-	-	-		(1) DV-55	
		Washing & Plating	Surface Finishing	NA	NA	NA	-	-	-		(2) PP-01	
		RUBBER MARKING	AS PER DRG.	NA	NA	NA	-	-	-			
		Marking	WO Ref. No.	NA	NA	NA	-	-	-		ASM No :- AEX261008-09	
		Assembly Perfection	As per Drg.		OK	OK	-	-	-			
		Inner Packing	Labeling & Printing		OK	OK	-	-	-			
		Outer Packing	Printing & Stamping		OK	OK	-	-	-			
		All Dimensions Are In MM										
2	DIMENSION		VALUE	-	+	1	2	-	-	-			
		T.L	6.50	6.20	6.80	6.54	6.56	-	-	-		
		O.D	69.50	69.50	69.60	69.53	69.55	-	-	-		
		O.D	65.50	65.30	65.50	65.41	65.43	-	-	-		
		O.D.L	4.00	4.00	4.10	4.02	4.04	-	-	-		
		I.D	59.20	59.20	59.40	59.23	59.25	-	-	-		

INSPECTED BY:	Jay Hadiyal	APPROVED BY:	Shreekant

Conclusion :

☑ **Accept** ☐ **Reject** ☐ **Hold**

METALMECH ENGINEERING CA PASSED