

|  |                    | <h2 style="text-align: center;">MetalMech-08500-FR-QX-08-Final Inspection Report-EX</h2> |                              |        |              |                  |       |       |              |       |                               |                               |            |
|---------------------------------------------------------------------------------|--------------------|------------------------------------------------------------------------------------------|------------------------------|--------|--------------|------------------|-------|-------|--------------|-------|-------------------------------|-------------------------------|------------|
| INSP. No.                                                                       | FIR-01             | Product Name                                                                             | LOCK NUT                     |        | Size         |                  | M20   |       | Drawing No.  |       | DL1M                          | Date:                         | 26-08-2026 |
| Wo No.                                                                          | 26100073           | Total Quantity                                                                           | 520                          |        | Lot Quantity |                  | 520   |       | Sample Size- |       | 5                             | Variable & Gauging            | 5PCS       |
| Sr. No.                                                                         | Checking Parameter | REQUIRED PARAMETER                                                                       |                              |        |              | OBSERVED RESULTS |       |       |              |       | REJECTION<br>REWORK<br>DETAIL | REMARK                        | CHECKED BY |
|                                                                                 |                    | PARAMETER                                                                                | CRITERIA                     |        |              | 1                | 2     | 3     | 4            | 5     |                               |                               |            |
| 1                                                                               | Visual             | Surface                                                                                  | Fine, Clean                  |        |              | FINE             | FINE  | FINE  | FINE         | FINE  |                               |                               |            |
|                                                                                 |                    | Sizewise No of Pcs. With Internal Parts                                                  | As per Drg. No. of Parts     | 16     | 16           | 16               | 16    | 16    | 16           | 16    |                               | Measuring Instruments I.D No- |            |
|                                                                                 |                    | Washing & Plating                                                                        | Surface Finishing            | NICKEL | OK           | OK               | OK    | OK    | OK           | OK    |                               | (1) DV-55                     |            |
|                                                                                 |                    | RUBBER MARKING                                                                           | AS PER DRG.                  | NA     | NA           | NA               | NA    | NA    | NA           | NA    |                               |                               |            |
|                                                                                 |                    | Marking                                                                                  | WO Ref. No.                  | NA     | NA           | NA               | NA    | NA    | NA           | NA    |                               | ASM No :- AEX260802-01        |            |
|                                                                                 |                    | Assembly Perfection                                                                      | As per Drg.                  |        |              | OK               | OK    | OK    | OK           | OK    |                               |                               |            |
|                                                                                 |                    | Inner Packing                                                                            | Labeling & Printing          |        | OK           | OK               | OK    | OK    | OK           | OK    |                               |                               |            |
|                                                                                 |                    | Outer Packing                                                                            | Printing & Stamping          |        |              | OK               | OK    | OK    | OK           | OK    |                               |                               |            |
|                                                                                 |                    | All Dimensions Are In MM                                                                 |                              |        |              |                  |       |       |              |       |                               |                               |            |
| 2                                                                               | DIMENSION          |                                                                                          | VALUE                        | -      | +            | 1                | 2     | 3     | 4            | 5     |                               |                               |            |
|                                                                                 |                    | A/F                                                                                      | 24.00                        | 23.87  | 24.00        | 23.97            | 23.94 | 23.95 | 23.95        | 23.94 |                               |                               |            |
|                                                                                 |                    | A/C                                                                                      | 26.00                        | 25.50  | 26.50        | 26.00            | 25.99 | 25.98 | 25.97        | 25.99 |                               |                               |            |
|                                                                                 |                    | T.L                                                                                      | 3.50                         | 3.20   | 3.80         | 3.53             | 3.55  | 3.54  | 3.54         | 3.56  |                               |                               |            |
|                                                                                 |                    | THREAD                                                                                   | M20x1.5 AS PER P.G GO NOT GO |        |              | OK               | OK    | OK    | OK           | OK    |                               |                               |            |
|                                                                                 |                    | CH.ANGLE                                                                                 | 30° AS PER PP FOUND          |        |              | OK               | OK    | OK    | OK           | OK    |                               |                               |            |
|                                                                                 |                    |                                                                                          |                              |        |              |                  |       |       |              |       |                               |                               |            |
| INSPECTED BY:                                                                   |                    | Jay Hadiyal                                                                              |                              |        | APPROVED BY: |                  |       |       | Shreekant    |       |                               |                               |            |

Conclusion :

☒

Accept

☐

Reject

☐

Hold



| INSF. No.     |  | FIR-01             |  | Product Name                            |  | ENTRY COMPONENT                |  | Size                                                                               |  | M20   |  | Drawing No.  |                         | 313001M-01s |        | Date:              |            | 26-08-2026 |  |                              |  |  |  |
|---------------|--|--------------------|--|-----------------------------------------|--|--------------------------------|--|------------------------------------------------------------------------------------|--|-------|--|--------------|-------------------------|-------------|--------|--------------------|------------|------------|--|------------------------------|--|--|--|
| Wo No.        |  | 26100073           |  | Total Quantity                          |  | 520                            |  | Lot Quantity                                                                       |  | 520   |  | Sample Size- |                         | 5           |        | Variable & Gauging |            | SPCS       |  |                              |  |  |  |
| Sr. No.       |  | Checking Parameter |  | REQUIRED PARAMETER                      |  |                                |  | OBSERVED RESULTS                                                                   |  |       |  |              | REJECTION Rework Detail |             | REMARK |                    | CHECKED BY |            |  |                              |  |  |  |
|               |  |                    |  | PARAMETER                               |  | CRITERIA                       |  | 1                                                                                  |  | 2     |  | 3            |                         | 4           |        | 5                  |            |            |  |                              |  |  |  |
| 1             |  | Visual             |  | Surface                                 |  | Fine, Clean                    |  | FINE                                                                               |  | FINE  |  | FINE         |                         | FINE        |        | FINE               |            |            |  |                              |  |  |  |
|               |  |                    |  | Sizewise No of Pcs. With Internal Parts |  | As per Drg. No. of Parts       |  | 16                                                                                 |  | 16    |  | 16           |                         | 16          |        | 16                 |            | 16         |  | Measuring Instruments ID No. |  |  |  |
|               |  |                    |  | Washing & Plating                       |  | Surface Finishing              |  | NICKEL                                                                             |  | OK    |  | OK           |                         | OK          |        | OK                 |            | OK         |  | (1) DV-55                    |  |  |  |
|               |  |                    |  | RUBBER MARKING                          |  | AS PER DRG.                    |  | NA                                                                                 |  | NA    |  | NA           |                         | NA          |        | NA                 |            | NA         |  | (2) PP-01                    |  |  |  |
|               |  |                    |  | Marking                                 |  | WO Ref. No.                    |  | Metalmach Logo MM-EX- FIFUNV20161MB2 2026 CT I Logo 2460 Ex Logo II 2 GD Ex db IIC |  | OK    |  | OK           |                         | OK          |        | OK                 |            | OK         |  | ASM No :- AEX260802-01       |  |  |  |
|               |  |                    |  | Assembly Perfection                     |  | As per Drg.                    |  |                                                                                    |  | OK    |  | OK           |                         | OK          |        | OK                 |            | OK         |  |                              |  |  |  |
|               |  |                    |  | Inner Packing                           |  | Labeling & Printing            |  |                                                                                    |  | OK    |  | OK           |                         | OK          |        | OK                 |            | OK         |  |                              |  |  |  |
|               |  |                    |  | Outer Packing                           |  | Printing & Stamping            |  |                                                                                    |  | OK    |  | OK           |                         | OK          |        | OK                 |            | OK         |  |                              |  |  |  |
|               |  |                    |  |                                         |  |                                |  | All Dimensions Are In MM                                                           |  |       |  |              |                         |             |        |                    |            |            |  |                              |  |  |  |
| 2             |  | DIMENSION          |  | VALUE                                   |  | -                              |  | +                                                                                  |  | 1     |  | 2            |                         | 3           |        | 4                  |            | 5          |  |                              |  |  |  |
|               |  |                    |  |                                         |  |                                |  |                                                                                    |  |       |  |              |                         |             |        |                    |            |            |  |                              |  |  |  |
|               |  |                    |  | A/F                                     |  | 25.00                          |  | 24.87                                                                              |  | 25.00 |  | 24.93        |                         | 24.92       |        | 24.95              |            | 24.93      |  | 24.95                        |  |  |  |
|               |  |                    |  | A/C                                     |  | 27.50                          |  | 27.00                                                                              |  | 28.00 |  | 27.54        |                         | 27.56       |        | 27.55              |            | 27.54      |  | 27.56                        |  |  |  |
|               |  |                    |  | T.L                                     |  | 32.00                          |  | 32.00                                                                              |  | 32.50 |  | 32.11        |                         | 32.13       |        | 32.12              |            | 32.11      |  | 32.13                        |  |  |  |
|               |  |                    |  | TH.L                                    |  | 13.00                          |  | 12.50                                                                              |  | 13.50 |  | 13.03        |                         | 13.02       |        | 13.06              |            | 13.05      |  | 13.09                        |  |  |  |
|               |  |                    |  | LENGTH                                  |  | 17.00                          |  | 17.00                                                                              |  | 17.50 |  | 17.08        |                         | 17.06       |        | 17.04              |            | 17.06      |  | 17.05                        |  |  |  |
|               |  |                    |  | GR.OD                                   |  | 18.00                          |  | 18.00                                                                              |  | 18.50 |  | 18.00        |                         | 17.99       |        | 18.01              |            | 18.01      |  | 18.00                        |  |  |  |
|               |  |                    |  | GR.LE                                   |  | 2.50                           |  | 2.30                                                                               |  | 2.70  |  | 2.52         |                         | 2.55        |        | 2.58               |            | 2.55       |  | 2.59                         |  |  |  |
|               |  |                    |  | O.D                                     |  | 24.50                          |  | 24.00                                                                              |  | 25.00 |  | 24.50        |                         | 24.49       |        | 24.48              |            | 24.49      |  | 24.48                        |  |  |  |
|               |  |                    |  | O.D.L                                   |  | 9.00                           |  | 8.50                                                                               |  | 9.50  |  | 9.02         |                         | 9.01        |        | 9.03               |            | 9.05       |  | 9.03                         |  |  |  |
|               |  |                    |  | H.L                                     |  | 6.00                           |  | 5.70                                                                               |  | 6.30  |  | 6.07         |                         | 6.06        |        | 6.05               |            | 6.03       |  | 6.06                         |  |  |  |
|               |  |                    |  | I.D                                     |  | 9.00                           |  | 8.50                                                                               |  | 9.50  |  | 9.04         |                         | 9.03        |        | 9.05               |            | 9.04       |  | 9.05                         |  |  |  |
|               |  |                    |  | DEPTH                                   |  | 11.50                          |  | 11.00                                                                              |  | 12.00 |  | 11.55        |                         | 11.54       |        | 11.53              |            | 11.56      |  | 11.55                        |  |  |  |
|               |  |                    |  | THREAD                                  |  | M20x1.5 AS PER T.R.G GO NOT GO |  |                                                                                    |  |       |  | OK           |                         | OK          |        | OK                 |            | OK         |  | OK                           |  |  |  |
|               |  |                    |  | INT.THREAD                              |  | M20x1.5 AS PER P.G GO NOT GO   |  |                                                                                    |  |       |  | OK           |                         | OK          |        | OK                 |            | OK         |  | OK                           |  |  |  |
|               |  |                    |  | CH.ANGLE                                |  | 0.5x45° AS PER PP FOUND        |  |                                                                                    |  |       |  | OK           |                         | OK          |        | OK                 |            | OK         |  | OK                           |  |  |  |
|               |  |                    |  | CH.ANGLE                                |  | 1.5x45° AS PER PP FOUND        |  |                                                                                    |  |       |  | OK           |                         | OK          |        | OK                 |            | OK         |  | OK                           |  |  |  |
|               |  |                    |  | CH.ANGLE                                |  | 20° AS PER PP FOUND            |  |                                                                                    |  |       |  | OK           |                         | OK          |        | OK                 |            | OK         |  | OK                           |  |  |  |
|               |  |                    |  | ANGLE                                   |  | 90° AS PER PP FOUND            |  |                                                                                    |  |       |  | OK           |                         | OK          |        | OK                 |            | OK         |  | OK                           |  |  |  |
|               |  |                    |  |                                         |  |                                |  |                                                                                    |  |       |  |              |                         |             |        |                    |            |            |  |                              |  |  |  |
| INSPECTED BY: |  |                    |  | Jay Hadiyal                             |  |                                |  | APPROVED BY:                                                                       |  |       |  | Shreekant    |                         |             |        |                    |            |            |  |                              |  |  |  |

Conclusion : ☒ Accept ☐ Reject ☐ Hold





MetalMech-08500-FR-QX-08-Final Inspection Report-EX

| INSP. No.     | FIR-01             | Product Name                                | INTERMEDIATE BODY              |        | Size             |       | M20   |       | Drawing No.  |                               | 313002U-018                      | Date:              | 26-08-2026 |  |
|---------------|--------------------|---------------------------------------------|--------------------------------|--------|------------------|-------|-------|-------|--------------|-------------------------------|----------------------------------|--------------------|------------|--|
| Wo No.        | 26100073           | Total Quantity                              | 520                            |        | Lot Quantity     |       | 520   |       | Sample Size- |                               | 5                                | Variable & Gauging | 5PCS       |  |
| Sr. No.       | Checking Parameter | REQUIRED PARAMETER                          |                                |        | OBSERVED RESULTS |       |       |       |              | REJECTION<br>REWORK<br>DETAIL | REMARK                           | CHECKED BY         |            |  |
|               |                    | PARAMETER                                   | CRITERIA                       |        | 1                | 2     | 3     | 4     | 5            |                               |                                  |                    |            |  |
| 1             | Visual             | Surface                                     | Fine, Clean                    |        | FINE             | FINE  | FINE  | FINE  | FINE         |                               | Measuring<br>Instruments I.D No. |                    |            |  |
|               |                    | Size/wise No of Pcs.<br>With Internal Parts | As per Drg. No.<br>of Parts    | 16     | 16               | 16    | 16    | 16    | 16           |                               | (1) DV-55                        |                    |            |  |
|               |                    | Washing & Plating                           | Surface<br>Finishing           | NICKEL | OK               | OK    | OK    | OK    | OK           |                               | (2) PP-01                        |                    |            |  |
|               |                    | RUBBER MARKING                              | AS PER DRG.                    | NA     | NA               | NA    | NA    | NA    | NA           |                               |                                  |                    |            |  |
|               |                    | Marking                                     | WO Ref. No.                    | NA     | NA               | NA    | NA    | NA    | NA           |                               | ASM No :-<br>AEX260802-01        |                    |            |  |
|               |                    | Assembly Perfection                         | As per Drg.                    |        | OK               | OK    | OK    | OK    | OK           |                               |                                  |                    |            |  |
|               |                    | Inner Packing                               | Labeling &<br>Printing         |        | OK               | OK    | OK    | OK    | OK           |                               |                                  |                    |            |  |
|               |                    | Outer Packing                               | Printing & Stamping            |        | OK               | OK    | OK    | OK    | OK           |                               |                                  |                    |            |  |
|               |                    | All Dimensions Are In MM                    |                                |        |                  |       |       |       |              |                               |                                  |                    |            |  |
|               |                    |                                             | VALUE                          | -      | +                | 1     | 2     | 3     | 4            | 5                             |                                  |                    |            |  |
| 2             | DIMENSION          | A/F                                         | 25.00                          | 24.87  | 25.00            | 24.96 | 24.95 | 24.94 | 24.96        | 24.95                         |                                  |                    |            |  |
|               |                    | A/C                                         | 27.50                          | 27.00  | 28.00            | 27.43 | 27.45 | 27.46 | 27.49        | 27.48                         |                                  |                    |            |  |
|               |                    | T.L                                         | 22.00                          | 21.50  | 22.50            | 22.15 | 22.16 | 22.13 | 22.12        | 22.11                         |                                  |                    |            |  |
|               |                    | TH.L                                        | 10.00                          | 9.50   | 10.50            | 10.13 | 10.15 | 10.13 | 10.12        | 10.11                         |                                  |                    |            |  |
|               |                    | GR.OD                                       | 18.00                          | 17.50  | 18.50            | 18.11 | 18.12 | 18.15 | 18.13        | 18.15                         |                                  |                    |            |  |
|               |                    | GR.LE                                       | 1.00                           | 0.80   | 1.20             | 1.01  | 1.00  | 1.01  | 1.02         | 1.01                          |                                  |                    |            |  |
|               |                    | H.L                                         | 4.00                           | 3.70   | 4.30             | 3.93  | 3.91  | 3.95  | 3.98         | 3.96                          |                                  |                    |            |  |
|               |                    | TH.L                                        | 8.00                           | 7.70   | 8.30             | 8.12  | 8.11  | 8.13  | 8.12         | 8.11                          |                                  |                    |            |  |
|               |                    | GR.OD                                       | 20.00                          | 19.50  | 20.50            | 20.03 | 20.05 | 20.04 | 20.05        | 20.04                         |                                  |                    |            |  |
|               |                    | GR.LE                                       | 1.00                           | 0.80   | 1.20             | 1.01  | 1.00  | 1.01  | 1.02         | 1.01                          |                                  |                    |            |  |
|               |                    | LD                                          | 16.00                          | 15.50  | 16.50            | 16.03 | 16.02 | 16.05 | 16.04        | 16.06                         |                                  |                    |            |  |
|               |                    | LD                                          | 18.00                          | 17.50  | 18.50            | 18.03 | 18.01 | 18.03 | 18.02        | 18.01                         |                                  |                    |            |  |
|               |                    | DEPTH                                       | 7.00                           | 6.70   | 7.30             | 7.00  | 7.00  | 7.01  | 7.02         | 7.01                          |                                  |                    |            |  |
|               |                    | LD                                          | 17.00                          | 16.50  | 17.50            | 17.03 | 17.02 | 17.05 | 17.04        | 17.06                         |                                  |                    |            |  |
|               |                    | LD.LE                                       | 4.50                           | 4.20   | 4.80             | 4.49  | 4.51  | 4.50  | 4.51         | 4.50                          |                                  |                    |            |  |
|               |                    | DEPTH                                       | 11.50                          | 11.00  | 12.00            | 11.51 | 11.53 | 11.52 | 11.53        | 11.52                         |                                  |                    |            |  |
|               |                    | THREAD                                      | M20x1.5 AS PER T.R.G GO NOT GO |        |                  | OK    | OK    | OK    | OK           | OK                            |                                  |                    |            |  |
|               |                    | THREAD                                      | M22x1.5 AS PER T.R.G GO NOT GO |        |                  | OK    | OK    | OK    | OK           | OK                            |                                  |                    |            |  |
|               |                    | CH.ANGLE                                    | 1.5x45° AS PER PP FOUND        |        |                  | OK    | OK    | OK    | OK           | OK                            |                                  |                    |            |  |
|               |                    | CH.ANGLE                                    | 0.5x45° AS PER PP FOUND        |        |                  | OK    | OK    | OK    | OK           | OK                            |                                  |                    |            |  |
|               |                    | CH.ANGLE                                    | 20° AS PER PP FOUND            |        |                  | OK    | OK    | OK    | OK           | OK                            |                                  |                    |            |  |
|               |                    |                                             |                                |        |                  |       |       |       |              |                               |                                  |                    |            |  |
| INSPECTED BY: |                    | Jay Hadiyal                                 |                                |        | APPROVED BY:     |       |       |       | Shreekant    |                               |                                  |                    |            |  |

Conclusion :



Accept



Reject



Hold



|  |                              | MetalMech-08500-FR-QX-08-Final Inspection Report-EX |                          |        |                  |       |       |       |              |                         |            |                        |            |  |  |
|----------------------------------------------------------------------------------|------------------------------|-----------------------------------------------------|--------------------------|--------|------------------|-------|-------|-------|--------------|-------------------------|------------|------------------------|------------|--|--|
| INSP. No.                                                                        | FIR-01                       | Product Name                                        | MIDDLE BODY              |        | Size             |       | M20   |       | Drawing No.  |                         | 313002-018 | Date:                  | 26-08-2026 |  |  |
| Wo No.                                                                           | 26100073                     | Total Quantity                                      | 520                      |        | Lot Quantity     |       | 520   |       | Sample Size: |                         | 5          | Variable & Gauging     | 5PCS       |  |  |
| Sr. No.                                                                          | Checking Parameter           | REQUIRED PARAMETER                                  |                          |        | OBSERVED RESULTS |       |       |       |              | REJECTION REWORK DETAIL | REMARK     | CHECKED BY             |            |  |  |
|                                                                                  |                              | PARAMETER                                           | CRITERIA                 |        | 1                | 2     | 3     | 4     | 5            |                         |            |                        |            |  |  |
| 1                                                                                | Visual                       | Surface                                             | Fine, Clean              |        | FINE             | FINE  | FINE  | FINE  | FINE         |                         |            |                        |            |  |  |
|                                                                                  |                              | Size-wise No of Pcs. With Internal Parts            | As per Drg. No. of Parts | 16     | 16               | 16    | 16    | 16    |              |                         |            |                        |            |  |  |
|                                                                                  |                              | Washing & Plating                                   | Surface Finishing        | NICKEL | OK               | OK    | OK    | OK    | OK           |                         |            | (1) DV-55<br>(2) PP-01 |            |  |  |
|                                                                                  |                              | RUBBER MARKING                                      | AS PER DRG.              | NA     | NA               | NA    | NA    | NA    |              |                         |            |                        |            |  |  |
|                                                                                  |                              | Marking                                             | WO Ref. No.              | NA     | NA               | NA    | NA    | NA    |              |                         |            | ASM No :- AEX260802-01 |            |  |  |
|                                                                                  |                              | Assembly Perfection                                 | As per Drg.              |        | OK               | OK    | OK    | OK    | OK           |                         |            |                        |            |  |  |
|                                                                                  |                              | Inner Packing                                       | Labeling & Printing      |        | OK               | OK    | OK    | OK    | OK           |                         |            |                        |            |  |  |
|                                                                                  |                              | Outer Packing                                       | Printing & Stamping      |        | OK               | OK    | OK    | OK    | OK           |                         |            |                        |            |  |  |
|                                                                                  |                              | All Dimensions Are In MM                            |                          |        |                  |       |       |       |              |                         |            |                        |            |  |  |
|                                                                                  |                              | 2                                                   | DIMENSION                |        | VALUE            | -     | +     | 1     | 2            | 3                       | 4          | 5                      |            |  |  |
| A/F                                                                              | 25.00                        |                                                     |                          | 24.87  | 25.00            | 24.96 | 24.95 | 24.94 | 24.93        | 24.95                   |            |                        |            |  |  |
| A/C                                                                              | 27.50                        |                                                     |                          | 27.00  | 28.00            | 27.50 | 27.49 | 27.48 | 27.49        | 27.48                   |            |                        |            |  |  |
| T.L                                                                              | 28.00                        |                                                     |                          | 27.50  | 28.50            | 28.07 | 28.06 | 28.03 | 28.04        | 28.03                   |            |                        |            |  |  |
| TH.L                                                                             | 12.00                        |                                                     |                          | 11.50  | 12.50            | 12.03 | 12.02 | 12.04 | 12.05        | 12.04                   |            |                        |            |  |  |
| GR.OD                                                                            | 20.50                        |                                                     |                          | 20.00  | 21.00            | 20.55 | 20.54 | 20.53 | 20.55        | 20.53                   |            |                        |            |  |  |
| GR.LE                                                                            | 1.00                         |                                                     |                          | 0.80   | 1.20             | 1.01  | 1.00  | 1.01  | 1.02         | 1.01                    |            |                        |            |  |  |
| O.D                                                                              | 24.50                        |                                                     |                          | 24.00  | 25.00            | 24.52 | 24.51 | 24.53 | 24.56        | 24.55                   |            |                        |            |  |  |
| O.D.L                                                                            | 8.00                         |                                                     |                          | 7.70   | 8.30             | 8.02  | 8.01  | 8.03  | 8.05         | 8.04                    |            |                        |            |  |  |
| H.L                                                                              | 8.00                         |                                                     |                          | 7.70   | 8.30             | 7.99  | 8.00  | 7.98  | 8.00         | 7.99                    |            |                        |            |  |  |
| LD                                                                               | 16.00                        |                                                     |                          | 15.50  | 16.50            | 16.03 | 16.02 | 16.04 | 16.05        | 16.04                   |            |                        |            |  |  |
| LD                                                                               | 17.00                        |                                                     |                          | 16.50  | 17.50            | 17.02 | 17.04 | 17.05 | 17.06        | 17.05                   |            |                        |            |  |  |
| LD.LE                                                                            | 4.00                         |                                                     |                          | 3.70   | 4.30             | 4.01  | 4.03  | 4.02  | 4.05         | 4.03                    |            |                        |            |  |  |
| INT.TH.L                                                                         | 9.50                         |                                                     |                          | 9.00   | 10.00            | 9.51  | 9.49  | 9.50  | 9.50         | 9.49                    |            |                        |            |  |  |
| LD                                                                               | 20.00                        |                                                     |                          | 19.50  | 20.50            | 20.03 | 20.04 | 20.05 | 20.04        | 20.06                   |            |                        |            |  |  |
| DEPTH                                                                            | 14.00                        |                                                     |                          | 13.50  | 14.50            | 14.00 | 13.99 | 14.01 | 14.00        | 13.99                   |            |                        |            |  |  |
| THREAD                                                                           | M22x1 AS PER T.R.G GO NOT GO |                                                     |                          | OK     | OK               | OK    | OK    | OK    |              |                         |            |                        |            |  |  |
| INT.THREAD                                                                       | M22x1.5 AS PER P.G GO NOT GO |                                                     |                          | OK     | OK               | OK    | OK    | OK    |              |                         |            |                        |            |  |  |
| CH.ANGLE                                                                         | 0.5x45° AS PER PP FOUND      |                                                     |                          | OK     | OK               | OK    | OK    | OK    |              |                         |            |                        |            |  |  |
| CH.ANGLE                                                                         | 1x45° AS PER PP FOUND        |                                                     |                          | OK     | OK               | OK    | OK    | OK    |              |                         |            |                        |            |  |  |
| CH.ANGLE                                                                         | 1.5x45° AS PER PP FOUND      |                                                     |                          | OK     | OK               | OK    | OK    | OK    |              |                         |            |                        |            |  |  |
| CH.ANGLE                                                                         | 30° AS PER PP FOUND          |                                                     |                          | OK     | OK               | OK    | OK    | OK    |              |                         |            |                        |            |  |  |
| INSPECTED BY:                                                                    |                              | Jay Hadiyal                                         |                          |        | APPROVED BY:     |       |       |       | Shreekant    |                         |            |                        |            |  |  |

Conclusion :



Accept



Reject



Hold



| INSF. No.     |  | FIR-01             |  | Product Name                             |  | BACK NUT                   |                  | Size         |  | M20   |  | Drawing No.             |  | 313003-018 |  | Date:              |  | 26-08-2026 |  |
|---------------|--|--------------------|--|------------------------------------------|--|----------------------------|------------------|--------------|--|-------|--|-------------------------|--|------------|--|--------------------|--|------------|--|
| Wo No.        |  | 26100073           |  | Total Quantity                           |  | 520                        |                  | Lot Quantity |  | 520   |  | Sample Size-            |  | 5          |  | Variable & Gauging |  | 5PCS       |  |
| Sr. No.       |  | Checking Parameter |  | REQUIRED PARAMETER                       |  |                            | OBSERVED RESULTS |              |  |       |  | REJECTION REWORK DETAIL |  | REMARK     |  | CHECKED BY         |  |            |  |
|               |  |                    |  | PARAMETER                                |  | CRITERIA                   |                  | 1            |  | 2     |  | 3                       |  | 4          |  | 5                  |  |            |  |
|               |  |                    |  | Surface                                  |  | Fine, Clean                |                  | FINE         |  | FINE  |  | FINE                    |  | FINE       |  | FINE               |  |            |  |
|               |  |                    |  | Size wise No of Pcs. With Internal Parts |  | As per Drg. No. of Parts   |                  | 16           |  | 16    |  | 16                      |  | 16         |  | 16                 |  |            |  |
|               |  |                    |  | Washing & Plating                        |  | Surface Finishing          |                  | OK           |  | OK    |  | OK                      |  | OK         |  | OK                 |  |            |  |
|               |  |                    |  | RUBBER MARKING                           |  | AS PER DRG.                |                  | NA           |  | NA    |  | NA                      |  | NA         |  | NA                 |  |            |  |
|               |  |                    |  | Marking                                  |  | WO Ref. No.                |                  | NA           |  | NA    |  | NA                      |  | NA         |  | NA                 |  |            |  |
|               |  |                    |  | Assembly Perfection                      |  | As per Drg.                |                  | OK           |  | OK    |  | OK                      |  | OK         |  | OK                 |  |            |  |
|               |  |                    |  | Inner Packing                            |  | Labeling & Printing        |                  | OK           |  | OK    |  | OK                      |  | OK         |  | OK                 |  |            |  |
|               |  |                    |  | Outer Packing                            |  | Printing & Stamping        |                  | OK           |  | OK    |  | OK                      |  | OK         |  | OK                 |  |            |  |
|               |  |                    |  | All Dimensions Are In MM                 |  |                            |                  |              |  |       |  |                         |  |            |  |                    |  |            |  |
|               |  |                    |  | VALUE                                    |  | -                          |                  | +            |  | 1     |  | 2                       |  | 3          |  | 4                  |  | 5          |  |
|               |  |                    |  | A/F                                      |  | 25.00                      |                  | 24.87        |  | 25.00 |  | 24.92                   |  | 24.91      |  | 24.93              |  | 24.95      |  |
|               |  |                    |  | A/C                                      |  | 27.50                      |                  | 27.00        |  | 28.00 |  | 27.41                   |  | 27.39      |  | 27.42              |  | 27.46      |  |
|               |  |                    |  | T.L                                      |  | 17.00                      |                  | 16.50        |  | 17.50 |  | 17.11                   |  | 17.13      |  | 17.12              |  | 17.12      |  |
|               |  |                    |  | O.D                                      |  | 24.00                      |                  | 23.50        |  | 24.50 |  | 24.02                   |  | 24.01      |  | 24.03              |  | 24.06      |  |
|               |  |                    |  | O.D.L                                    |  | 8.00                       |                  | 7.70         |  | 8.30  |  | 8.02                    |  | 8.01       |  | 8.03               |  | 8.05       |  |
|               |  |                    |  | H.L                                      |  | 9.00                       |                  | 8.50         |  | 9.50  |  | 9.01                    |  | 9.03       |  | 9.02               |  | 9.01       |  |
|               |  |                    |  | I.D                                      |  | 19.00                      |                  | 18.50        |  | 19.50 |  | 19.03                   |  | 19.02      |  | 19.05              |  | 19.04      |  |
|               |  |                    |  | INT.THL                                  |  | 3.00                       |                  | 2.80         |  | 3.20  |  | 3.02                    |  | 3.01       |  | 3.03               |  | 3.05       |  |
|               |  |                    |  | GR.ID                                    |  | 22.20                      |                  | 21.70        |  | 22.70 |  | 22.25                   |  | 22.24      |  | 22.26              |  | 22.25      |  |
|               |  |                    |  | GR.LE                                    |  | 10.50                      |                  | 10.00        |  | 11.00 |  | 10.51                   |  | 10.53      |  | 10.52              |  | 10.53      |  |
|               |  |                    |  | DEPTH                                    |  | 13.50                      |                  | 13.00        |  | 14.00 |  | 13.52                   |  | 13.51      |  | 13.53              |  | 13.55      |  |
|               |  |                    |  | GR.ID                                    |  | 21.00                      |                  | 20.50        |  | 21.50 |  | 21.03                   |  | 21.02      |  | 21.04              |  | 21.06      |  |
|               |  |                    |  | GR.LE                                    |  | 2.50                       |                  | 2.30         |  | 2.70  |  | 2.52                    |  | 2.50       |  | 2.51               |  | 2.53       |  |
|               |  |                    |  | DEPTH                                    |  | 16.00                      |                  | 15.50        |  | 16.50 |  | 16.03                   |  | 16.02      |  | 16.05              |  | 16.04      |  |
|               |  |                    |  | INT.THREAD                               |  | M22x1 AS PER P.G GO NOT GO |                  | OK           |  | OK    |  | OK                      |  | OK         |  | OK                 |  | OK         |  |
|               |  |                    |  | CH.ANGLE                                 |  | 1x45° AS PER PP FOUND      |                  | OK           |  | OK    |  | OK                      |  | OK         |  | OK                 |  | OK         |  |
|               |  |                    |  | CH.ANGLE                                 |  | 0.5x45° AS PER PP FOUND    |                  | OK           |  | OK    |  | OK                      |  | OK         |  | OK                 |  | OK         |  |
|               |  |                    |  | CH.ANGLE                                 |  | 45° AS PER PP FOUND        |                  | OK           |  | OK    |  | OK                      |  | OK         |  | OK                 |  | OK         |  |
|               |  |                    |  |                                          |  |                            |                  |              |  |       |  |                         |  |            |  |                    |  |            |  |
| INSPECTED BY: |  |                    |  | Jay Hadiyal                              |  |                            |                  | APPROVED BY: |  |       |  | Shreekant               |  |            |  |                    |  |            |  |

Conclusion : ☒ Accept ☐ Reject ☐ Hold





MetalMech-08500-FR-QX-08-Final Inspection Report-EX

|               |                    |                                          |                          |        |                  |       |       |              |            |                         |                              |            |  |
|---------------|--------------------|------------------------------------------|--------------------------|--------|------------------|-------|-------|--------------|------------|-------------------------|------------------------------|------------|--|
| INSP. No.     | FIR-01             | Product Name                             | UNIVERSAL CLAMPING CONE  |        | Size             | M20   |       | Drawing No.  | 313005-018 | Date:                   | 26-08-2026                   |            |  |
| Wo No.        | 26100073           | Total Quantity                           | 520                      |        | Lot Quantity     | 520   |       | Sample Size- | 5          | Variable & Gauging      | 5PCS                         |            |  |
| Sr. No.       | Checking Parameter | REQUIRED PARAMETER                       |                          |        | OBSERVED RESULTS |       |       |              |            | REJECTION Rework Detail | REMARK                       | CHECKED BY |  |
|               |                    | PARAMETER                                | CRITERIA                 |        | 1                | 2     | 3     | 4            | 5          |                         |                              |            |  |
|               |                    | Surface                                  | Fine, Clean              |        | FINE             | FINE  | FINE  | FINE         | FINE       |                         | Measuring Instruments ID No: |            |  |
|               |                    | Size wise No of Pcs. With Internal Parts | As per Drg. No. of Parts | 16     | 16               | 16    | 16    | 16           | 16         |                         | (1) DV-55                    |            |  |
|               |                    | Washing & Plating                        | Surface Finishing        | NICKEL | OK               | OK    | OK    | OK           | OK         |                         | (2) PP-01                    |            |  |
|               |                    | RUBBER MARKING                           | AS PER DRG.              | NA     | NA               | NA    | NA    | NA           | NA         |                         |                              |            |  |
|               |                    | Marking                                  | WO Ref. No.              | NA     | NA               | NA    | NA    | NA           | NA         |                         | ASM No :- AEX260802-01       |            |  |
|               |                    | Assembly Perfection                      | As per Drg.              |        | OK               | OK    | OK    | OK           | OK         |                         |                              |            |  |
|               |                    | Inner Packing                            | Labeling & Printing      |        | OK               | OK    | OK    | OK           | OK         |                         |                              |            |  |
|               |                    | Outer Packing                            | Printing & Stamping      |        | OK               | OK    | OK    | OK           | OK         |                         |                              |            |  |
|               |                    | All Dimensions Are In MM                 |                          |        |                  |       |       |              |            |                         |                              |            |  |
|               |                    |                                          | VALUE                    | -      | +                | 1     | 2     | 3            | 4          | 5                       |                              |            |  |
|               |                    | T.L                                      | 22.00                    | 21.50  | 22.50            | 22.01 | 22.00 | 22.01        | 22.01      | 22.03                   |                              |            |  |
|               |                    | O.D                                      | 14.00                    | 13.50  | 14.50            | 14.00 | 13.99 | 14.01        | 14.00      | 13.99                   |                              |            |  |
|               |                    | O.D.L                                    | 3.50                     | 3.20   | 3.80             | 3.52  | 3.51  | 3.53         | 3.53       | 3.56                    |                              |            |  |
|               |                    | GR.OD                                    | 15.50                    | 15.00  | 16.00            | 15.51 | 15.49 | 15.50        | 15.49      | 15.48                   |                              |            |  |
|               |                    | GR.LE                                    | 2.50                     | 2.30   | 2.70             | 2.52  | 2.51  | 2.53         | 2.56       | 2.55                    |                              |            |  |
|               |                    | O.D                                      | 16.20                    | 15.70  | 16.70            | 16.20 | 16.19 | 16.21        | 16.23      | 16.25                   |                              |            |  |
|               |                    | O.D.L                                    | 7.50                     | 7.20   | 7.80             | 7.52  | 7.49  | 7.51         | 7.50       | 7.51                    |                              |            |  |
|               |                    | O.D                                      | 17.50                    | 17.00  | 18.00            | 17.46 | 17.45 | 17.45        | 17.46      | 17.45                   |                              |            |  |
|               |                    | O.D.L                                    | 7.00                     | 6.70   | 7.30             | 7.02  | 6.99  | 7.01         | 7.01       | 7.00                    |                              |            |  |
|               |                    | O.D                                      | 14.00                    | 13.50  | 14.50            | 14.00 | 13.99 | 14.02        | 14.00      | 14.01                   |                              |            |  |
|               |                    | O.D.L                                    | 4.50                     | 4.20   | 4.80             | 4.51  | 4.50  | 4.50         | 4.50       | 4.49                    |                              |            |  |
|               |                    | O.D                                      | 14.50                    | 14.00  | 15.00            | 14.52 | 14.51 | 14.53        | 14.56      | 14.55                   |                              |            |  |
|               |                    | O.D                                      | 15.00                    | 14.50  | 15.50            | 15.02 | 15.01 | 15.03        | 15.06      | 15.04                   |                              |            |  |
|               |                    | O.D                                      | 15.50                    | 15.00  | 16.00            | 15.51 | 15.49 | 15.48        | 15.49      | 15.48                   |                              |            |  |
|               |                    | O.D.L                                    | 7.50                     | 7.20   | 7.80             | 7.49  | 7.51  | 7.50         | 7.50       | 7.49                    |                              |            |  |
|               |                    | I.D                                      | 12.00                    | 11.50  | 12.50            | 12.05 | 12.04 | 12.03        | 12.05      | 12.04                   |                              |            |  |
|               |                    | GROOVE.STEP.LE                           | 0.50                     | 0.30   | 0.70             | 0.50  | 0.49  | 0.49         | 0.50       | 0.49                    |                              |            |  |
|               |                    | RADIUS                                   | 0.5 MM AS PER PP FOUND   |        |                  | OK    | OK    | OK           | OK         | OK                      |                              |            |  |
|               |                    | RADIUS                                   | 0.3 AS PER PP FOUND      |        |                  | OK    | OK    | OK           | OK         | OK                      |                              |            |  |
|               |                    |                                          |                          |        |                  |       |       |              |            |                         |                              |            |  |
| INSPECTED BY: |                    | Jay Hadiyal                              |                          |        | APPROVED BY:     |       |       |              | Shreekant  |                         |                              |            |  |

Conclusion :

☒ Accept ☐ Reject ☐ Hold



|  |                    | <h2 style="text-align: center;">MetalMech-08500-FR-QX-08-Final Inspection Report-EX</h2> |                          |        |       |                  |       |       |       |              |                               |                               |                    |            |
|---------------------------------------------------------------------------------|--------------------|------------------------------------------------------------------------------------------|--------------------------|--------|-------|------------------|-------|-------|-------|--------------|-------------------------------|-------------------------------|--------------------|------------|
| INSP. No.                                                                       | FIR-01             | Product Name                                                                             | REVERSIBLE ARMOUR RING   |        |       | Size             |       | M20   |       | Drawing No.  |                               | 313004-01S                    | Date:              | 26-08-2026 |
| Wo No.                                                                          | 26100073           | Total Quantity                                                                           | 520                      |        |       | Lot Quantity     |       | 520   |       | Sample Size- |                               | 5                             | Variable & Gauging | 5PCS       |
| Sr. No.                                                                         | Checking Parameter | REQUIRED PARAMETER                                                                       |                          |        |       | OBSERVED RESULTS |       |       |       |              | REJECTION<br>REWORK<br>DETAIL | REMARK                        | CHECKED BY         |            |
|                                                                                 |                    | PARAMETER                                                                                | CRITERIA                 |        |       | 1                | 2     | 3     | 4     | 5            |                               |                               |                    |            |
| 1                                                                               | Visual             | Surface                                                                                  | Fine, Clean              |        |       | FINE             | FINE  | FINE  | FINE  | FINE         |                               |                               |                    |            |
|                                                                                 |                    | Sizewise No of Pcs. With Internal Parts                                                  | As per Drg. No. of Parts | 16     | 16    | 16               | 16    | 16    | 16    | 16           |                               | Measuring Instruments I.D No- |                    |            |
|                                                                                 |                    | Washing & Plating                                                                        | Surface Finishing        | NICKEL | OK    | OK               | OK    | OK    | OK    | OK           |                               | (1) DV-55                     |                    |            |
|                                                                                 |                    | RUBBER MARKING                                                                           | AS PER DRG.              | NA     | NA    | NA               | NA    | NA    | NA    | NA           |                               | (2) PP-01                     |                    |            |
|                                                                                 |                    | Marking                                                                                  | WO Ref. No.              | NA     | NA    | NA               | NA    | NA    | NA    | NA           |                               | ASM No :- AEX260802-01        |                    |            |
|                                                                                 |                    | Assembly Perfection                                                                      | As per Drg.              |        |       | OK               | OK    | OK    | OK    | OK           |                               |                               |                    |            |
|                                                                                 |                    | Inner Packing                                                                            | Labeling & Printing      |        | OK    | OK               | OK    | OK    | OK    | OK           |                               |                               |                    |            |
|                                                                                 |                    | Outer Packing                                                                            | Printing & Stamping      |        |       | OK               | OK    | OK    | OK    | OK           | OK                            |                               |                    |            |
|                                                                                 |                    | All Dimensions Are In MM                                                                 |                          |        |       |                  |       |       |       |              |                               |                               |                    |            |
| 2                                                                               | DIMENSION          |                                                                                          | VALUE                    | -      | +     | 1                | 2     | 3     | 4     | 5            |                               |                               |                    |            |
|                                                                                 |                    | T.L                                                                                      | 6.00                     | 5.70   | 6.30  | 6.13             | 6.15  | 6.12  | 6.11  | 6.12         |                               |                               |                    |            |
|                                                                                 |                    | O.D                                                                                      | 18.50                    | 18.00  | 19.00 | 18.45            | 18.44 | 18.46 | 18.45 | 18.49        |                               |                               |                    |            |
|                                                                                 |                    | I.D                                                                                      | 16.00                    | 15.50  | 16.50 | 16.03            | 16.05 | 16.04 | 16.06 | 16.05        |                               |                               |                    |            |
|                                                                                 |                    | I.D                                                                                      | 16.50                    | 16.00  | 17.00 | 16.52            | 16.54 | 16.55 | 16.54 | 16.56        |                               |                               |                    |            |
|                                                                                 |                    |                                                                                          |                          |        |       |                  |       |       |       |              |                               |                               |                    |            |
| INSPECTED BY:                                                                   |                    | Jay Hadiyal                                                                              |                          |        |       | APPROVED BY:     |       |       |       | Shreekant    |                               |                               |                    |            |

Conclusion :



Accept



Reject



Hold



|  |                    | <h2 style="text-align: center;">MetalMech-08500-FR-QX-08-Final Inspection Report-EX</h2> |                             |       |       |                  |       |       |       |              |                               |                                  |                    |            |
|----------------------------------------------------------------------------------|--------------------|------------------------------------------------------------------------------------------|-----------------------------|-------|-------|------------------|-------|-------|-------|--------------|-------------------------------|----------------------------------|--------------------|------------|
| INSP. No.                                                                        | FIR-01             | Product Name                                                                             | O-RING                      |       |       | Size             | M20   |       |       | Drawing No.  | OR-1M                         |                                  | Date:              | 26-08-2026 |
| Wo No.                                                                           | 26100073           | Total Quantity                                                                           | 520                         |       |       | Lot Quantity     | 520   |       |       | Sample Size- | 5                             |                                  | Variable & Gauging | 5PCS       |
| Sr. No.                                                                          | Checking Parameter | REQUIRED PARAMETER                                                                       |                             |       |       | OBSERVED RESULTS |       |       |       |              | REJECTION<br>REWORK<br>DETAIL | REMARK                           | CHECKED BY         |            |
|                                                                                  |                    | PARAMETER                                                                                | CRITERIA                    |       |       | 1                | 2     | 3     | 4     | 5            |                               |                                  |                    |            |
| 1                                                                                | Visual             | Surface                                                                                  | Fine, Clean                 |       |       | FINE             | FINE  | FINE  | FINE  | FINE         |                               | Measuring<br>Instruments I.D No- |                    |            |
|                                                                                  |                    | Sizewise No of Pcs.<br>With Internal Parts                                               | As per Drg. No.<br>of Parts | 16    | 16    | 16               | 16    | 16    | 16    | 16           |                               | (1) DV-55                        |                    |            |
|                                                                                  |                    | Washing & Plating                                                                        | Surface<br>Finishing        | NA    | NA    | NA               | NA    | NA    | NA    | NA           |                               | (2) PP-01                        |                    |            |
|                                                                                  |                    | RUBBER MARKING                                                                           | AS PER DRG.                 | NA    | NA    | NA               | NA    | NA    | NA    | NA           |                               |                                  |                    |            |
|                                                                                  |                    | Marking                                                                                  | WO Ref. No.                 | NA    | NA    | NA               | NA    | NA    | NA    | NA           |                               | ASM No :-<br>AEX260802-01        |                    |            |
|                                                                                  |                    | Assembly Perfection                                                                      | As per Drg.                 |       |       | OK               | OK    | OK    | OK    | OK           |                               |                                  |                    |            |
|                                                                                  |                    | Inner Packing                                                                            | Labeling &<br>Printing      |       | OK    | OK               | OK    | OK    | OK    | OK           |                               |                                  |                    |            |
|                                                                                  |                    | Outer Packing                                                                            | Printing & Stamping         |       |       | OK               | OK    | OK    | OK    | OK           | OK                            |                                  |                    |            |
|                                                                                  |                    | All Dimensions Are In MM                                                                 |                             |       |       |                  |       |       |       |              |                               |                                  |                    |            |
| 2                                                                                | DIMENSION          |                                                                                          | VALUE                       | -     | +     | 1                | 2     | 3     | 4     | 5            |                               |                                  |                    |            |
|                                                                                  |                    | THICKNESS                                                                                | 2.50                        | 2.00  | 2.50  | 2.05             | 2.04  | 2.06  | 2.05  | 2.04         |                               |                                  |                    |            |
|                                                                                  |                    | I.D                                                                                      | 16.00                       | 15.50 | 16.50 | 16.03            | 16.02 | 16.04 | 16.06 | 16.05        |                               |                                  |                    |            |
|                                                                                  |                    |                                                                                          |                             |       |       |                  |       |       |       |              |                               |                                  |                    |            |
| INSPECTED BY:                                                                    |                    | Jay Hadiyal                                                                              |                             |       |       | APPROVED BY:     |       |       |       | Shreekant    |                               |                                  |                    |            |

Conclusion :



Accept



Reject



Hold



|  |                    | <h2 style="text-align: center;">MetalMech-08500-FR-QX-08-Final Inspection Report-EX</h2> |                             |       |              |                  |       |       |           |              |                               |                                  |                    |            |
|---------------------------------------------------------------------------------|--------------------|------------------------------------------------------------------------------------------|-----------------------------|-------|--------------|------------------|-------|-------|-----------|--------------|-------------------------------|----------------------------------|--------------------|------------|
| INSP. No.                                                                       | FIR-01             | Product Name                                                                             | COMPRESSIBLE INNER SEAL     |       |              | Size             |       | M20   |           | Drawing No.  |                               | GI-00                            | Date:              | 26-08-2026 |
| Wo No.                                                                          | 26100073           | Total Quantity                                                                           | 520                         |       |              | Lot Quantity     |       | 520   |           | Sample Size- |                               | 5                                | Variable & Gauging | 5PCS       |
| Sr. No.                                                                         | Checking Parameter | REQUIRED PARAMETER                                                                       |                             |       |              | OBSERVED RESULTS |       |       |           |              | REJECTION<br>REWORK<br>DETAIL | REMARK                           | CHECKED BY         |            |
|                                                                                 |                    | PARAMETER                                                                                | CRITERIA                    |       |              | 1                | 2     | 3     | 4         | 5            |                               |                                  |                    |            |
| 1                                                                               | Visual             | Surface                                                                                  | Fine, Clean                 |       |              | FINE             | FINE  | FINE  | FINE      | FINE         |                               | Measuring<br>Instruments I.D No- |                    |            |
|                                                                                 |                    | Sizewise No of Pcs.<br>With Internal Parts                                               | As per Drg. No.<br>of Parts | 16    | 16           | 16               | 16    | 16    | 16        |              | (1) DV-55                     |                                  |                    |            |
|                                                                                 |                    | Washing & Plating                                                                        | Surface<br>Finishing        | NA    | NA           | NA               | NA    | NA    | NA        |              | (2) PP-01                     |                                  |                    |            |
|                                                                                 |                    | RUBBER MARKING                                                                           | AS PER DRG.                 | OK    | OK           | OK               | OK    | OK    | OK        |              |                               |                                  |                    |            |
|                                                                                 |                    | Marking                                                                                  | WO Ref. No.                 | NA    | NA           | NA               | NA    | NA    | NA        |              | ASM No :-<br>AEX260802-01     |                                  |                    |            |
|                                                                                 |                    | Assembly Perfection                                                                      | As per Drg.                 |       |              | OK               | OK    | OK    | OK        | OK           |                               |                                  |                    |            |
|                                                                                 |                    | Inner Packing                                                                            | Labeling &<br>Printing      |       | OK           | OK               | OK    | OK    | OK        |              |                               |                                  |                    |            |
|                                                                                 |                    | Outer Packing                                                                            | Printing & Stamping         |       |              | OK               | OK    | OK    | OK        | OK           |                               |                                  |                    |            |
|                                                                                 |                    | All Dimensions Are In MM                                                                 |                             |       |              |                  |       |       |           |              |                               |                                  |                    |            |
| 2                                                                               | DIMENSION          |                                                                                          | VALUE                       | -     | +            | 1                | 2     | 3     | 4         | 5            |                               |                                  |                    |            |
|                                                                                 |                    | T.L                                                                                      | 9.50                        | 9.00  | 10.00        | 9.54             | 9.56  | 9.55  | 9.55      | 9.54         |                               |                                  |                    |            |
|                                                                                 |                    | O.D.L                                                                                    | 6.50                        | 6.20  | 6.80         | 6.52             | 6.51  | 6.53  | 6.56      | 6.55         |                               |                                  |                    |            |
|                                                                                 |                    | O.D                                                                                      | 18.50                       | 18.30 | 18.50        | 18.45            | 18.43 | 18.46 | 18.45     | 18.48        |                               |                                  |                    |            |
|                                                                                 |                    | O.D.L                                                                                    | 3.00                        | 2.80  | 3.20         | 3.02             | 3.01  | 3.03  | 3.04      | 3.06         |                               |                                  |                    |            |
|                                                                                 |                    | I.D                                                                                      | 8.70                        | 8.70  | 8.90         | 8.75             | 8.77  | 8.76  | 8.75      | 8.77         |                               |                                  |                    |            |
|                                                                                 |                    |                                                                                          |                             |       |              |                  |       |       |           |              |                               |                                  |                    |            |
| INSPECTED BY:                                                                   |                    | Jay Hadiyal                                                                              |                             |       | APPROVED BY: |                  |       |       | Shreekant |              |                               |                                  |                    |            |

Conclusion :



Accept



Reject



Hold



|  |                    | <h2 style="text-align: center;">MetalMech-08500-FR-QX-08-Final Inspection Report-EX</h2> |                             |       |       |                  |       |       |       |              |                               |                                  |                    |            |
|---------------------------------------------------------------------------------|--------------------|------------------------------------------------------------------------------------------|-----------------------------|-------|-------|------------------|-------|-------|-------|--------------|-------------------------------|----------------------------------|--------------------|------------|
| INSP. No.                                                                       | FIR-01             | Product Name                                                                             | COMPRESSIBLE OUTER SEAL     |       |       | Size             |       | M20   |       | Drawing No.  |                               | GE-00                            | Date:              | 26-08-2026 |
| Wo No.                                                                          | 26100073           | Total Quantity                                                                           | 520                         |       |       | Lot Quantity     |       | 520   |       | Sample Size- |                               | 5                                | Variable & Gauging | 5PCS       |
| Sr. No.                                                                         | Checking Parameter | REQUIRED PARAMETER                                                                       |                             |       |       | OBSERVED RESULTS |       |       |       |              | REJECTION<br>REWORK<br>DETAIL | REMARK                           | CHECKED BY         |            |
|                                                                                 |                    | PARAMETER                                                                                | CRITERIA                    |       |       | 1                | 2     | 3     | 4     | 5            |                               |                                  |                    |            |
| 1                                                                               | Visual             | Surface                                                                                  | Fine, Clean                 |       |       | FINE             | FINE  | FINE  | FINE  | FINE         |                               | Measuring<br>Instruments I.D No- |                    |            |
|                                                                                 |                    | Size wise No of Pcs.<br>With Internal Parts                                              | As per Drg. No.<br>of Parts | 16    | 16    | 16               | 16    | 16    | 16    | 16           |                               | (1) DV-55                        |                    |            |
|                                                                                 |                    | Washing & Plating                                                                        | Surface<br>Finishing        | NA    | NA    | NA               | NA    | NA    | NA    | NA           |                               | (2) PP-01                        |                    |            |
|                                                                                 |                    | RUBBER MARKING                                                                           | AS PER DRG.                 | OK    | OK    | OK               | OK    | OK    | OK    | OK           |                               |                                  |                    |            |
|                                                                                 |                    | Marking                                                                                  | WO Ref. No.                 | NA    | NA    | NA               | NA    | NA    | NA    | NA           |                               | ASM No :-<br>AEX260802-01        |                    |            |
|                                                                                 |                    | Assembly Perfection                                                                      | As per Drg.                 |       |       | OK               | OK    | OK    | OK    | OK           | OK                            |                                  |                    |            |
|                                                                                 |                    | Inner Packing                                                                            | Labeling &<br>Printing      |       | OK    | OK               | OK    | OK    | OK    | OK           |                               |                                  |                    |            |
|                                                                                 |                    | Outer Packing                                                                            | Printing & Stamping         |       |       | OK               | OK    | OK    | OK    | OK           | OK                            |                                  |                    |            |
|                                                                                 |                    | All Dimensions Are In MM                                                                 |                             |       |       |                  |       |       |       |              |                               |                                  |                    |            |
| 2                                                                               | DIMENSION          |                                                                                          | VALUE                       | -     | +     | 1                | 2     | 3     | 4     | 5            |                               |                                  |                    |            |
|                                                                                 |                    | T.L                                                                                      | 10.00                       | 9.50  | 10.50 | 10.03            | 10.05 | 10.04 | 10.04 | 10.03        |                               |                                  |                    |            |
|                                                                                 |                    | O.D                                                                                      | 22.20                       | 22.00 | 22.20 | 22.14            | 22.13 | 22.13 | 22.12 | 22.11        |                               |                                  |                    |            |
|                                                                                 |                    | GR.LENGTH                                                                                | 3.00                        | 2.70  | 3.30  | 3.02             | 3.04  | 3.05  | 3.04  | 3.06         |                               |                                  |                    |            |
|                                                                                 |                    | I.D                                                                                      | 13.10                       | 13.10 | 13.20 | 13.15            | 13.17 | 13.16 | 13.13 | 13.12        |                               |                                  |                    |            |
|                                                                                 |                    |                                                                                          |                             |       |       |                  |       |       |       |              |                               |                                  |                    |            |
| INSPECTED BY:                                                                   |                    | Jay Hadiyal                                                                              |                             |       |       | APPROVED BY:     |       |       |       | Shreekant    |                               |                                  |                    |            |

Conclusion :



Accept



Reject



Hold



|  |                    | <h2 style="text-align: center;">MetalMech-08500-FR-QX-08-Final Inspection Report-EX</h2> |                          |       |       |                  |       |       |       |              |                               |                               |                    |            |
|---------------------------------------------------------------------------------|--------------------|------------------------------------------------------------------------------------------|--------------------------|-------|-------|------------------|-------|-------|-------|--------------|-------------------------------|-------------------------------|--------------------|------------|
| INSP. No.                                                                       | FIR-01             | Product Name                                                                             | INNER SKID WASHER        |       |       | Size             |       | M20   |       | Drawing No.  |                               | IW-01s                        | Date:              | 26-08-2026 |
| Wo No.                                                                          | 26100073           | Total Quantity                                                                           | 520                      |       |       | Lot Quantity     |       | 520   |       | Sample Size- |                               | 5                             | Variable & Gauging | 5PCS       |
| Sr. No.                                                                         | Checking Parameter | REQUIRED PARAMETER                                                                       |                          |       |       | OBSERVED RESULTS |       |       |       |              | REJECTION<br>REWORK<br>DETAIL | REMARK                        | CHECKED BY         |            |
|                                                                                 |                    | PARAMETER                                                                                | CRITERIA                 |       |       | 1                | 2     | 3     | 4     | 5            |                               |                               |                    |            |
| 1                                                                               | Visual             | Surface                                                                                  | Fine, Clean              |       |       | FINE             | FINE  | FINE  | FINE  | FINE         |                               |                               |                    |            |
|                                                                                 |                    | Sizewise No of Pcs. With Internal Parts                                                  | As per Drg. No. of Parts | 16    | 16    | 16               | 16    | 16    | 16    | 16           |                               | Measuring Instruments I.D No- |                    |            |
|                                                                                 |                    | Washing & Plating                                                                        | Surface Finishing        | NA    | NA    | NA               | NA    | NA    | NA    | NA           |                               | (1) DV-55                     |                    |            |
|                                                                                 |                    | RUBBER MARKING                                                                           | AS PER DRG.              | OK    | OK    | OK               | OK    | OK    | OK    | OK           |                               | (2) PP-01                     |                    |            |
|                                                                                 |                    | Marking                                                                                  | WO Ref. No.              | NA    | NA    | NA               | NA    | NA    | NA    | NA           |                               | ASM No :- AEX260802-01        |                    |            |
|                                                                                 |                    | Assembly Perfection                                                                      | As per Drg.              |       |       | OK               | OK    | OK    | OK    | OK           | OK                            |                               |                    |            |
|                                                                                 |                    | Inner Packing                                                                            | Labeling & Printing      |       | OK    | OK               | OK    | OK    | OK    | OK           |                               |                               |                    |            |
|                                                                                 |                    | Outer Packing                                                                            | Printing & Stamping      |       |       | OK               | OK    | OK    | OK    | OK           | OK                            |                               |                    |            |
|                                                                                 |                    | All Dimensions Are In MM                                                                 |                          |       |       |                  |       |       |       |              |                               |                               |                    |            |
| 2                                                                               | DIMENSION          |                                                                                          | VALUE                    | -     | +     | 1                | 2     | 3     | 4     | 5            |                               |                               |                    |            |
|                                                                                 |                    | T.L                                                                                      | 4.50                     | 4.20  | 4.80  | 4.49             | 4.51  | 4.50  | 4.49  | 4.48         |                               |                               |                    |            |
|                                                                                 |                    | O.D                                                                                      | 18.00                    | 17.80 | 18.00 | 17.90            | 17.92 | 17.91 | 17.93 | 17.92        |                               |                               |                    |            |
|                                                                                 |                    | O.D                                                                                      | 15.50                    | 15.30 | 15.50 | 15.42            | 15.40 | 15.41 | 15.43 | 15.42        |                               |                               |                    |            |
|                                                                                 |                    | O.D.L                                                                                    | 2.50                     | 2.50  | 2.70  | 2.52             | 2.54  | 2.55  | 2.54  | 2.56         |                               |                               |                    |            |
|                                                                                 |                    | I.D                                                                                      | 12.00                    | 12.00 | 12.20 | 12.05            | 12.04 | 12.03 | 12.05 | 12.04        |                               |                               |                    |            |
|                                                                                 |                    |                                                                                          |                          |       |       |                  |       |       |       |              |                               |                               |                    |            |
| INSPECTED BY:                                                                   |                    | Jay Hadiyal                                                                              |                          |       |       | APPROVED BY:     |       |       |       | Shreekant    |                               |                               |                    |            |

Conclusion : ☒ Accept ☐ Reject ☐ Hold



|  |                    | <h2 style="text-align: center;">MetalMech-08500-FR-QX-08-Final Inspection Report-EX</h2> |                          |       |              |                  |       |       |           |              |                               |                    |            |
|---------------------------------------------------------------------------------|--------------------|------------------------------------------------------------------------------------------|--------------------------|-------|--------------|------------------|-------|-------|-----------|--------------|-------------------------------|--------------------|------------|
| INSP. No.                                                                       | FIR-01             | Product Name                                                                             | OUTER SKID WASHER        |       |              | Size             | M20   |       |           | Drawing No.  | OW-01s                        | Date:              | 26-08-2026 |
| Wo No.                                                                          | 26100073           | Total Quantity                                                                           | 520                      |       |              | Lot Quantity     | 520   |       |           | Sample Size- | 5                             | Variable & Gauging | 5PCS       |
| Sr. No.                                                                         | Checking Parameter | REQUIRED PARAMETER                                                                       |                          |       |              | OBSERVED RESULTS |       |       |           |              | REJECTION<br>REWORK<br>DETAIL | REMARK             | CHECKED BY |
|                                                                                 |                    | PARAMETER                                                                                | CRITERIA                 |       |              | 1                | 2     | 3     | 4         | 5            |                               |                    |            |
| 1                                                                               | Visual             | Surface                                                                                  | Fine, Clean              |       |              | FINE             | FINE  | FINE  | FINE      | FINE         |                               |                    |            |
|                                                                                 |                    | Sizewise No of Pcs. With Internal Parts                                                  | As per Drg. No. of Parts | 16    | 16           | 16               | 16    | 16    | 16        |              |                               |                    |            |
|                                                                                 |                    | Washing & Plating                                                                        | Surface Finishing        | NA    | NA           | NA               | NA    | NA    | NA        |              |                               |                    |            |
|                                                                                 |                    | RUBBER MARKING                                                                           | AS PER DRG.              | NA    | NA           | NA               | NA    | NA    | NA        |              |                               |                    |            |
|                                                                                 |                    | Marking                                                                                  | WO Ref. No.              | NA    | NA           | NA               | NA    | NA    | NA        |              | ASM No :- AEX260802-01        |                    |            |
|                                                                                 |                    | Assembly Perfection                                                                      | As per Drg.              |       |              | OK               | OK    | OK    | OK        | OK           |                               |                    |            |
|                                                                                 |                    | Inner Packing                                                                            | Labeling & Printing      |       | OK           | OK               | OK    | OK    | OK        |              |                               |                    |            |
|                                                                                 |                    | Outer Packing                                                                            | Printing & Stamping      |       |              | OK               | OK    | OK    | OK        | OK           |                               |                    |            |
|                                                                                 |                    | All Dimensions Are In MM                                                                 |                          |       |              |                  |       |       |           |              |                               |                    |            |
| 2                                                                               | DIMENSION          |                                                                                          | VALUE                    | -     | +            | 1                | 2     | 3     | 4         | 5            |                               |                    |            |
|                                                                                 |                    | T.L                                                                                      | 6.50                     | 6.20  | 6.80         | 6.52             | 6.51  | 6.53  | 6.55      | 6.51         |                               |                    |            |
|                                                                                 |                    | O.D                                                                                      | 20.50                    | 20.50 | 20.60        | 20.52            | 20.55 | 20.54 | 20.53     | 20.55        |                               |                    |            |
|                                                                                 |                    | O.D                                                                                      | 18.50                    | 18.30 | 18.50        | 18.40            | 18.39 | 18.41 | 18.43     | 18.42        |                               |                    |            |
|                                                                                 |                    | O.D.L                                                                                    | 4.00                     | 4.00  | 4.10         | 4.02             | 4.01  | 4.03  | 4.05      | 4.04         |                               |                    |            |
|                                                                                 |                    | I.D                                                                                      | 16.00                    | 16.00 | 16.20        | 16.03            | 16.05 | 16.04 | 16.05     | 16.03        |                               |                    |            |
|                                                                                 |                    |                                                                                          |                          |       |              |                  |       |       |           |              |                               |                    |            |
| INSPECTED BY:                                                                   |                    | Jay Hadiyal                                                                              |                          |       | APPROVED BY: |                  |       |       | Shreekant |              |                               |                    |            |

Conclusion :

☒ Accept
 ☐ Reject
 ☐ Hold



|  |                    | <h2 style="text-align: center;">MetalMech-08500-FR-QX-08-Final Inspection Report-EX</h2> |                             |        |        |                  |        |        |        |              |                               |                                  |            |                    |            |  |
|----------------------------------------------------------------------------------|--------------------|------------------------------------------------------------------------------------------|-----------------------------|--------|--------|------------------|--------|--------|--------|--------------|-------------------------------|----------------------------------|------------|--------------------|------------|--|
| INSP. No.                                                                        | FIR-01             | Product Name                                                                             | SHROUD                      |        |        | Size             | C-2027 |        |        | Drawing No.  | -                             |                                  |            | Date:              | 26-08-2026 |  |
| Wo No.                                                                           | 26100073           | Total Quantity                                                                           | 520                         |        |        | Lot Quantity     | 520    |        |        | Sample Size- | 5                             |                                  |            | Variable & Gauging | 5PCS       |  |
| Sr. No.                                                                          | Checking Parameter | REQUIRED PARAMETER                                                                       |                             |        |        | OBSERVED RESULTS |        |        |        |              | REJECTION<br>REWORK<br>DETAIL | REMARK                           | CHECKED BY |                    |            |  |
|                                                                                  |                    | PARAMETER                                                                                | CRITERIA                    |        |        | 1                | 2      | 3      | 4      | 5            |                               |                                  |            |                    |            |  |
| 1                                                                                | Visual             | Surface                                                                                  | Fine, Clean                 |        |        | FINE             | FINE   | FINE   | FINE   | FINE         |                               | Measuring<br>Instruments I.D No- |            |                    |            |  |
|                                                                                  |                    | Sizewise No of Pcs.<br>With Internal Parts                                               | As per Drg. No.<br>of Parts | 16     | 16     | 16               | 16     | 16     | 16     | 16           |                               | (1) DV-55                        |            |                    |            |  |
|                                                                                  |                    | Washing & Plating                                                                        | Surface<br>Finishing        | NA     | NA     | NA               | NA     | NA     | NA     | NA           |                               | (2) PP-01                        |            |                    |            |  |
|                                                                                  |                    | RUBBER MARKING                                                                           | AS PER DRG.                 | NA     | NA     | NA               | NA     | NA     | NA     | NA           |                               |                                  |            |                    |            |  |
|                                                                                  |                    | Marking                                                                                  | WO Ref. No.                 | NA     | NA     | NA               | NA     | NA     | NA     | NA           |                               | ASM No :-<br>AEX260802-01        |            |                    |            |  |
|                                                                                  |                    | Assembly Perfection                                                                      | As per Drg.                 |        |        | OK               | OK     | OK     | OK     | OK           |                               |                                  |            |                    |            |  |
|                                                                                  |                    | Inner Packing                                                                            | Labeling &<br>Printing      |        | OK     | OK               | OK     | OK     | OK     | OK           |                               |                                  |            |                    |            |  |
|                                                                                  |                    | Outer Packing                                                                            | Printing & Stamping         |        |        | OK               | OK     | OK     | OK     | OK           | OK                            |                                  |            |                    |            |  |
|                                                                                  |                    | All Dimensions Are In MM                                                                 |                             |        |        |                  |        |        |        |              |                               |                                  |            |                    |            |  |
| 2                                                                                | DIMENSION          |                                                                                          | VALUE                       | -      | +      | 1                | 2      | 3      | 4      | 5            |                               |                                  |            |                    |            |  |
|                                                                                  |                    | T.L                                                                                      | 125.00                      | 124.20 | 125.80 | 125.19           | 125.17 | 125.16 | 125.11 | 125.13       |                               |                                  |            |                    |            |  |
|                                                                                  |                    | I.D                                                                                      | 27.00                       | 26.50  | 27.50  | 27.09            | 27.08  | 27.04  | 27.05  | 27.09        |                               |                                  |            |                    |            |  |
|                                                                                  |                    |                                                                                          |                             |        |        |                  |        |        |        |              |                               |                                  |            |                    |            |  |
| INSPECTED BY:                                                                    |                    | Jay Hadiyal                                                                              |                             |        |        | APPROVED BY:     |        |        |        | Shreekant    |                               |                                  |            |                    |            |  |

Conclusion :



Accept



Reject



Hold



|  |                    | <h2 style="text-align: center;">MetalMech-08500-FR-QX-08-Final Inspection Report-EX</h2> |                          |       |              |                  |       |       |           |              |                               |        |                    |            |
|---------------------------------------------------------------------------------|--------------------|------------------------------------------------------------------------------------------|--------------------------|-------|--------------|------------------|-------|-------|-----------|--------------|-------------------------------|--------|--------------------|------------|
| INSP. No.                                                                       | FIR-01             | Product Name                                                                             | EARTH TAG                |       |              | Size             |       | M20   |           | Drawing No.  |                               | -      | Date:              | 26-08-2026 |
| Wo No.                                                                          | 26100073           | Total Quantity                                                                           | 520                      |       |              | Lot Quantity     |       | 520   |           | Sample Size- |                               | 5      | Variable & Gauging | 5PCS       |
| Sr. No.                                                                         | Checking Parameter | REQUIRED PARAMETER                                                                       |                          |       |              | OBSERVED RESULTS |       |       |           |              | REJECTION<br>REWORK<br>DETAIL | REMARK | CHECKED BY         |            |
|                                                                                 |                    | PARAMETER                                                                                | CRITERIA                 |       |              | 1                | 2     | 3     | 4         | 5            |                               |        |                    |            |
| 1                                                                               | Visual             | Surface                                                                                  | Fine, Clean              |       |              | FINE             | FINE  | FINE  | FINE      | FINE         |                               |        |                    |            |
|                                                                                 |                    | Sizewise No of Pcs. With Internal Parts                                                  | As per Drg. No. of Parts | 16    | 16           | 16               | 16    | 16    | 16        |              | Measuring Instruments I.D No- |        |                    |            |
|                                                                                 |                    | Washing & Plating                                                                        | Surface Finishing        | NA    | NA           | NA               | NA    | NA    | NA        |              | (1) DV-55                     |        |                    |            |
|                                                                                 |                    | RUBBER MARKING                                                                           | AS PER DRG.              | NA    | NA           | NA               | NA    | NA    | NA        |              | (2) PP-01                     |        |                    |            |
|                                                                                 |                    | Marking                                                                                  | WO Ref. No.              | NA    | NA           | NA               | NA    | NA    | NA        |              | ASM No :- AEX260802-01        |        |                    |            |
|                                                                                 |                    | Assembly Perfection                                                                      | As per Drg.              |       |              | OK               | OK    | OK    | OK        | OK           |                               |        |                    |            |
|                                                                                 |                    | Inner Packing                                                                            | Labeling & Printing      |       | OK           | OK               | OK    | OK    | OK        |              |                               |        |                    |            |
|                                                                                 |                    | Outer Packing                                                                            | Printing & Stamping      |       |              | OK               | OK    | OK    | OK        | OK           |                               |        |                    |            |
|                                                                                 |                    | All Dimensions Are In MM                                                                 |                          |       |              |                  |       |       |           |              |                               |        |                    |            |
| 2                                                                               | DIMENSION          |                                                                                          | VALUE                    | -     | +            | 1                | 2     | 3     | 4         | 5            |                               |        |                    |            |
|                                                                                 |                    | THICKNESS                                                                                | 1.00                     | 0.80  | 1.20         | 1.01             | 1.03  | 1.02  | 1.02      | 1.01         |                               |        |                    |            |
|                                                                                 |                    | O.D                                                                                      | 29.20                    | 28.70 | 29.70        | 29.18            | 29.20 | 29.19 | 29.19     | 29.18        |                               |        |                    |            |
|                                                                                 |                    | O.D                                                                                      | 13.00                    | 12.50 | 13.50        | 13.02            | 13.01 | 13.05 | 13.05     | 13.04        |                               |        |                    |            |
|                                                                                 |                    | I.D                                                                                      | 20.20                    | 19.70 | 20.70        | 20.23            | 20.25 | 20.26 | 20.25     | 20.28        |                               |        |                    |            |
|                                                                                 |                    | I.D                                                                                      | 6.20                     | 5.90  | 6.50         | 6.25             | 6.24  | 6.23  | 6.26      | 6.25         |                               |        |                    |            |
|                                                                                 |                    |                                                                                          |                          |       |              |                  |       |       |           |              |                               |        |                    |            |
| INSPECTED BY:                                                                   |                    | Jay Hadiyal                                                                              |                          |       | APPROVED BY: |                  |       |       | Shreekant |              |                               |        |                    |            |

Conclusion : ☒ Accept ☐ Reject ☐ Hold



|  |                    | <h2 style="text-align: center;">MetalMech-08500-FR-QX-08-Final Inspection Report-EX</h2> |                             |       |       |                  |       |       |       |              |                               |                                  |            |                    |            |  |
|----------------------------------------------------------------------------------|--------------------|------------------------------------------------------------------------------------------|-----------------------------|-------|-------|------------------|-------|-------|-------|--------------|-------------------------------|----------------------------------|------------|--------------------|------------|--|
| INSP. No.                                                                        | FIR-01             | Product Name                                                                             | NYLON WASHER                |       |       | Size             | M20   |       |       | Drawing No.  | -                             |                                  |            | Date:              | 26-08-2026 |  |
| Wo No.                                                                           | 26100073           | Total Quantity                                                                           | 520                         |       |       | Lot Quantity     | 520   |       |       | Sample Size- | 5                             |                                  |            | Variable & Gauging | 5PCS       |  |
| Sr. No.                                                                          | Checking Parameter | REQUIRED PARAMETER                                                                       |                             |       |       | OBSERVED RESULTS |       |       |       |              | REJECTION<br>REWORK<br>DETAIL | REMARK                           | CHECKED BY |                    |            |  |
|                                                                                  |                    | PARAMETER                                                                                | CRITERIA                    |       |       | 1                | 2     | 3     | 4     | 5            |                               |                                  |            |                    |            |  |
| 1                                                                                | Visual             | Surface                                                                                  | Fine, Clean                 |       |       | FINE             | FINE  | FINE  | FINE  | FINE         |                               | Measuring<br>Instruments I.D No- |            |                    |            |  |
|                                                                                  |                    | Sizewise No of Pcs.<br>With Internal Parts                                               | As per Drg. No.<br>of Parts | 16    | 16    | 16               | 16    | 16    | 16    | 16           |                               | (1) DV-55                        |            |                    |            |  |
|                                                                                  |                    | Washing & Plating                                                                        | Surface<br>Finishing        | NA    | NA    | NA               | NA    | NA    | NA    | NA           |                               | (2) PP-01                        |            |                    |            |  |
|                                                                                  |                    | RUBBER MARKING                                                                           | AS PER DRG.                 | NA    | NA    | NA               | NA    | NA    | NA    | NA           |                               |                                  |            |                    |            |  |
|                                                                                  |                    | Marking                                                                                  | WO Ref. No.                 | NA    | NA    | NA               | NA    | NA    | NA    | NA           |                               | ASM No :-<br>AEX260802-01        |            |                    |            |  |
|                                                                                  |                    | Assembly Perfection                                                                      | As per Drg.                 |       |       | OK               | OK    | OK    | OK    | OK           |                               |                                  |            |                    |            |  |
|                                                                                  |                    | Inner Packing                                                                            | Labeling &<br>Printing      |       | OK    | OK               | OK    | OK    | OK    | OK           |                               |                                  |            |                    |            |  |
|                                                                                  |                    | Outer Packing                                                                            | Printing & Stamping         |       |       | OK               | OK    | OK    | OK    | OK           | OK                            |                                  |            |                    |            |  |
|                                                                                  |                    | All Dimensions Are In MM                                                                 |                             |       |       |                  |       |       |       |              |                               |                                  |            |                    |            |  |
| 2                                                                                | DIMENSION          |                                                                                          | VALUE                       | -     | +     | 1                | 2     | 3     | 4     | 5            |                               |                                  |            |                    |            |  |
|                                                                                  |                    | THICKNESS                                                                                | 1.50                        | 1.30  | 1.70  | 1.45             | 1.49  | 1.48  | 1.49  | 1.48         |                               |                                  |            |                    |            |  |
|                                                                                  |                    | I.D                                                                                      | 20.20                       | 19.70 | 20.70 | 20.29            | 20.30 | 20.28 | 20.27 | 20.29        |                               |                                  |            |                    |            |  |
|                                                                                  |                    |                                                                                          |                             |       |       |                  |       |       |       |              |                               |                                  |            |                    |            |  |
| INSPECTED BY:                                                                    |                    | Jay Hadiyal                                                                              |                             |       |       | APPROVED BY:     |       |       |       | Shreekant    |                               |                                  |            |                    |            |  |

Conclusion :



Accept



Reject



Hold



|  |                    | <h2 style="text-align: center;">MetalMech-08500-FR-QX-08-Final Inspection Report-EX</h2> |                             |       |              |                  |       |              |           |       |                               |                                  |            |
|----------------------------------------------------------------------------------|--------------------|------------------------------------------------------------------------------------------|-----------------------------|-------|--------------|------------------|-------|--------------|-----------|-------|-------------------------------|----------------------------------|------------|
| INSP. No.                                                                        | FIR-01             | Product Name                                                                             | STAR WASHER                 |       | Size         | M20              |       | Drawing No.  | -         |       | Date:                         | 26-08-2026                       |            |
| Wo No.                                                                           | 26100073           | Total Quantity                                                                           | 520                         |       | Lot Quantity | 520              |       | Sample Size- | 5         |       | Variable & Gauging            | 5PCS                             |            |
| Sr. No.                                                                          | Checking Parameter | REQUIRED PARAMETER                                                                       |                             |       |              | OBSERVED RESULTS |       |              |           |       | REJECTION<br>REWORK<br>DETAIL | REMARK                           | CHECKED BY |
|                                                                                  |                    | PARAMETER                                                                                | CRITERIA                    |       |              | 1                | 2     | 3            | 4         | 5     |                               |                                  |            |
| 1                                                                                | Visual             | Surface                                                                                  | Fine, Clean                 |       |              | FINE             | FINE  | FINE         | FINE      | FINE  |                               | Measuring<br>Instruments I.D No- |            |
|                                                                                  |                    | Sizewise No of Pcs.<br>With Internal Parts                                               | As per Drg. No.<br>of Parts | 16    | 16           | 16               | 16    | 16           | 16        |       | (1) DV-55                     |                                  |            |
|                                                                                  |                    | Washing & Plating                                                                        | Surface<br>Finishing        | NA    | NA           | NA               | NA    | NA           | NA        |       | (2) PP-01                     |                                  |            |
|                                                                                  |                    | RUBBER MARKING                                                                           | AS PER DRG.                 | NA    | NA           | NA               | NA    | NA           | NA        |       |                               |                                  |            |
|                                                                                  |                    | Marking                                                                                  | WO Ref. No.                 | NA    | NA           | NA               | NA    | NA           | NA        |       | ASM No :-<br>AEX260802-01     |                                  |            |
|                                                                                  |                    | Assembly Perfection                                                                      | As per Drg.                 |       |              | OK               | OK    | OK           | OK        | OK    |                               |                                  |            |
|                                                                                  |                    | Inner Packing                                                                            | Labeling &<br>Printing      |       | OK           | OK               | OK    | OK           | OK        |       |                               |                                  |            |
|                                                                                  |                    | Outer Packing                                                                            | Printing & Stamping         |       |              | OK               | OK    | OK           | OK        | OK    |                               |                                  |            |
|                                                                                  |                    | All Dimensions Are In MM                                                                 |                             |       |              |                  |       |              |           |       |                               |                                  |            |
| 2                                                                                | DIMENSION          |                                                                                          | VALUE                       | -     | +            | 1                | 2     | 3            | 4         | 5     |                               |                                  |            |
|                                                                                  |                    | O.D                                                                                      | 33.00                       | 32.70 | 33.30        | 33.06            | 33.05 | 33.04        | 33.06     | 33.05 |                               |                                  |            |
|                                                                                  |                    | I.D                                                                                      | 21.00                       | 20.50 | 21.50        | 21.36            | 21.35 | 21.36        | 21.33     | 21.35 |                               |                                  |            |
|                                                                                  |                    | T.L                                                                                      | 4.00                        | 3.70  | 4.30         | 4.06             | 4.05  | 4.05         | 4.04      | 4.09  |                               |                                  |            |
|                                                                                  |                    |                                                                                          |                             |       |              |                  |       |              |           |       |                               |                                  |            |
| INSPECTED BY:                                                                    |                    | Jay Hadiyal                                                                              |                             |       | APPROVED BY: |                  |       |              | Shreekant |       |                               |                                  |            |

Conclusion :



Accept



Reject



Hold

