



MetalMech-08500-FR-QX-08-Final Inspection Report-EX

INSP. No.		FIR-01		Product Name		ENTRY COMPONENT		Size		M20		Drawing No.		313001M-01s		Date:		05-08-2026	
Wo No.		26000156		Total Quantity		200		Lot Quantity		200		Sample Size-		3		Variable & Gauging		3PCS	
Sr. No.	Checking Parameter	REQUIRED PARAMETER						OBSERVED RESULTS						REJECTION REWORK DETAIL	REMARK	CHECKED BY			
		PARAMETER	CRITERIA			1	2	3	-	-									
1	Visual	Surface	Fine, Clean			FINE	FINE	FINE	-	-									
		Size/size No of Pes. With Internal Parts	As per Drg. No. of Parts	11		11	11	11	-	-					(1) DV-55				
		Washing & Plating	Surface Finishing	NICKEL		OK	OK	OK	-	-					(2) PP-01				
		RUBBER MARKING	AS PER DRG.	NA		NA	NA	NA	-	-									
		Marking	WO Ref. No.	Metalmech Logo MM-EX- E1FUNV20s1MB2 2026 CE Logo 2460 Ex Logo II 2 GD Ex db IIC		OK	OK	OK	-	-					ASM No :- AEX260719-03				
		Assembly Perfection	As per Drg.			OK	OK	OK	-	-									
		Inner Packing	Labeling & Printing			OK	OK	OK	-	-									
		Outer Packing	Printing & Stamping			OK	OK	OK	-	-									
		All Dimensions Are In MM																	
		2	DIMENSION	VALUE	-	+	1	2	3	-	-								
A/F	25.00			24.87	25.00	24.96	24.95	24.94	-	-									
A/C	27.50			27.00	28.00	27.53	27.55	27.54	-	-									
T.L	32.00			32.00	32.50	32.15	32.14	32.16	-	-									
TH.L	13.00			12.50	13.50	13.05	13.06	13.05	-	-									
LENGTH	17.00			17.00	17.50	17.04	17.06	17.05	-	-									
GR.OD	18.00			18.00	18.50	18.08	18.07	18.09	-	-									
GR.LE	2.50			2.30	2.70	2.53	2.54	2.55	-	-									
O.D	24.50			24.00	25.00	24.49	24.48	24.47	-	-									
O.D.L	9.00			8.50	9.50	9.04	9.01	9.03	-	-									
H.L	6.00			5.70	6.30	6.06	6.09	6.05	-	-									
LD	12.00			11.50	12.50	12.09	12.08	12.07	-	-									
DEPTH	11.50			11.00	12.00	11.54	11.55	11.54	-	-									
THREAD	M20x1.5 AS PER T.R.G GO NOT GO			OK	OK	OK	-	-											
INT.THREAD	M20x1.5 AS PER P.G GO NOT GO			OK	OK	OK	-	-											
CHANGLE	0.5x45° AS PER PP FOUND			OK	OK	OK	-	-											
CHANGLE	1.5x45° AS PER PP FOUND			OK	OK	OK	-	-											
CHANGLE	20° AS PER PP FOUND			OK	OK	OK	-	-											
ANGLE	90° AS PER PP FOUND			OK	OK	OK	-	-											
INSPECTED BY:		Jay Hadiyal				APPROVED BY:				Shreekant									

Conclusion :



Accept



Reject



Hold





MetalMech-08500-FR-QX-08-Final Inspection Report-EX

INSP. No.		FIR-01		Product Name		INTERMEDIATE BODY		Size		M20		Drawing No.		313002U-018		Date:		05-08-2026							
Wo No.		26000156		Total Quantity		200		Lot Quantity		200		Sample Size-		3		Variable & Gauging		3PCS							
Sr. No.		Checking Parameter		REQUIRED PARAMETER				OBSERVED RESULTS						REJECTION REWORK DETAIL		REMARK		CHECKED BY							
				PARAMETER		CRITERIA		1		2		3								-		-			
1		Visual		Surface		Fine, Clean		FINE		FINE		FINE		-		-		Measuring Instruments ID No:- (1) DV-55 (2) PP-01 ASM No :- AEN260719-03							
				Size/wise No of Pcs. With Internal Parts		As per Drg. No. of Parts		11		11		11		-		-									
				Washing & Plating		Surface Finishing		NICKEL		OK		OK		OK		-						-			
				RUBBER MARKING		AS PER DRG.		NA		NA		NA		NA		-						-			
				Marking		WO Ref. No.		NA		NA		NA		NA		-						-			
				Assembly Perfection		As per Drg.				OK		OK		OK		-						-			
				Inner Packing		Labeling & Printing				OK		OK		OK		-						-			
				Outer Packing		Printing & Stamping				OK		OK		OK		-						-			
				All Dimensions Are In MM																					
				2		DIMENSION		VALUE		-		+		1		2						3		-	
A/F		25.00						24.87		25.00		24.96		24.95		24.94		-		-					
A/C		27.50						27.00		28.00		27.49		27.48		27.47		-		-					
T.L		22.00						21.50		22.50		22.11		22.10		22.11		-		-					
TH.L		10.00						9.50		10.50		10.02		10.01		10.03		-		-					
GR.OD		18.00						17.50		18.50		18.02		18.01		18.03		-		-					
GR.LE		1.00						0.80		1.20		1.03		1.02		1.03		-		-					
H.L		4.00						3.70		4.30		4.06		4.05		4.05		-		-					
TH.L		8.00						7.70		8.30		8.11		8.13		8.12		-		-					
GR.OD		20.00						19.50		20.50		20.15		20.14		20.16		-		-					
GR.LE		1.00						0.80		1.20		1.02		1.01		1.03		-		-					
LD		16.00						15.50		16.50		16.08		16.07		16.05		-		-					
LD		18.00						17.50		18.50		18.05		18.06		18.05		-		-					
DEPTH		7.00						6.70		7.30		7.02		7.01		7.05		-		-					
LD		17.00						16.50		17.50		17.04		17.06		17.07		-		-					
LD.LE		4.50						4.20		4.80		4.53		4.55		4.55		-		-					
DEPTH		11.50						11.00		12.00		11.55		11.54		11.53		-		-					
THREAD		M20x1.5 AS PER T.R.G GO NOT GO										OK		OK		OK		-		-					
THREAD		M22x1.5 AS PER T.R.G GO NOT GO										OK		OK		OK		-		-					
CH.ANGLE		1.5x45° AS PER PP FOUND										OK		OK		OK		-		-					
CH.ANGLE		0.5x45° AS PER PP FOUND						OK		OK		OK		-		-									
CH.ANGLE		20° AS PER PP FOUND						OK		OK		OK		-		-									
INSPECTED BY:		Jay Hadiyal						APPROVED BY:						Shreekant											

Conclusion :



Accept



Reject



Hold



INSP. No.		FIR-01		Product Name		MIDDLE BODY		Size		M20		Drawing No.		313002-018		Date:		05-08-2026			
Wo No.		26000156		Total Quantity		200		Lot Quantity		200		Sample Size-		3		Variable & Gauging		3PCS			
Sr. No.		Checking Parameter		REQUIRED PARAMETER				OBSERVED RESULTS				REJECTION REWORK DETAIL		REMARK		CHECKED BY					
				PARAMETER		CRITERIA		1		2		3									
1		Visual		Surface		Fine, Clean		FINE		FINE		FINE		-		-					
				Size/wise No of Pcs. With Internal Parts		As per Drg. No. of Parts		11		11		11		11		-		-		(1) DV-55	
				Washing & Plating		Surface Finishing		NICKEL		OK		OK		OK		-		-		(2) PP-01	
				RUBBER MARKING		AS PER DRG.		NA		NA		NA		NA		-		-			
				Marking		WO Ref. No.		NA		NA		NA		NA		-		-		ASM No > AEX260719-03	
				Assembly Perfection		As per Drg.				OK		OK		OK		-		-			
				Inner Packing		Labeling & Printing				OK		OK		OK		-		-			
				Outer Packing		Printing & Stamping				OK		OK		OK		-		-			
				All Dimensions Are In MM																	
						VALUE		-		+		1		2		3		-		-	
		A/F		25.00		24.87		25.00		24.95		24.94		24.96		-		-			
		A/C		27.50		27.00		28.00		27.45		27.48		27.46		-		-			
		T.L		28.00		27.50		28.50		28.09		28.08		28.05		-		-			
		TH.L		12.00		11.50		12.50		12.06		12.09		12.08		-		-			
		GR.OD		20.50		20.00		21.00		20.55		20.54		20.53		-		-			
		GR.LE		1.00		0.80		1.20		1.02		1.01		1.03		-		-			
		O.D		24.50		24.00		25.00		24.51		24.50		24.51		-		-			
		O.D.L		8.00		7.70		8.30		8.04		8.03		8.05		-		-			
		H.L		8.00		7.70		8.30		8.05		8.04		8.06		-		-			
		LD		16.00		15.50		16.50		16.05		16.04		16.03		-		-			
		LD		17.00		16.50		17.50		17.06		17.05		17.04		-		-			
		LD.LE		4.00		3.70		4.30		4.03		4.05		4.04		-		-			
		INT.TH.L		9.50		9.00		10.00		9.53		9.55		9.54		-		-			
		LD		20.00		19.50		20.50		20.04		20.03		20.05		-		-			
		DEPTH		14.00		13.50		14.50		14.11		14.12		14.11		-		-			
		THREAD		M22x1 AS PER T.R.G GO NOT GO				OK		OK		OK		-		-					
		INT.THREAD		M22x1.5 AS PER P.G GO NOT GO				OK		OK		OK		-		-					
		CHANGLE		0.5x45° AS PER PP FOUND				OK		OK		OK		-		-					
		CHANGLE		1x45° AS PER PP FOUND				OK		OK		OK		-		-					
		CHANGLE		1.5x45° AS PER PP FOUND				OK		OK		OK		-		-					
		CHANGLE		30° AS PER PP FOUND				OK		OK		OK		-		-					

INSPECTED BY: Jay Hadiyal

APPROVED BY: Shreekant

Conclusion : ☒ Accept ☐ Reject ☐ Hold



		MetalMech-08500-FR-QX-08-Final Inspection Report-EX											
INSP. No.	FIR-01	Product Name	BACK NUT		Size		M20		Drawing No.		313003-018	Date:	05-08-2026
Wo No.	26000156	Total Quantity	200		Lot Quantity		200		Sample Size-		3	Variable & Gauging	3PCS
Sr. No.	Checking Parameter	REQUIRED PARAMETER				OBSERVED RESULTS				REJECTION REWORK DETAIL	REMARK	CHECKED BY	
		PARAMETER	CRITERIA			1	2	3	-				-
1	Visual	Surface	Fine, Clean			FINE	FINE	FINE	-	-		Measuring Instruments I.D. No.	
		Size wise No of Pcs. With Internal Parts	As per Drg. No. of Parts	11		11	11	11	-	-		(1) DV-55	
		Washing & Plating	Surface Finishing	NICKEL		OK	OK	OK	-	-		(2) PP-01	
		RUBBER MARKING	AS PER DRG.	NA		NA	NA	NA	-	-			
		Marking	WO Ref. No.	NA		NA	NA	NA	-	-		ASM No :- AEX260719-03	
		Assembly Perfection	As per Drg.			OK	OK	OK	-	-			
		Inner Packing	Labeling & Printing			OK	OK	OK	-	-			
		Outer Packing	Printing & Stamping			OK	OK	OK	-	-			
		All Dimensions Are In MM											
2	DIMENSION		VALUE	-	+	1	2	3	-	-			
		A/F	25.00	24.87	25.00	24.95	24.94	24.93	-	-			
		A/C	27.50	27.00	28.00	27.45	27.48	27.47	-	-			
		T.L	17.00	16.50	17.50	17.07	17.06	17.09	-	-			
		O.D	24.00	23.50	24.50	24.07	24.06	24.05	-	-			
		O.D.L	8.00	7.70	8.30	8.02	8.01	8.03	-	-			
		H.L	9.00	8.50	9.50	9.06	9.05	9.04	-	-			
		LD	19.00	18.50	19.50	19.03	19.02	19.05	-	-			
		INT.THL	3.00	2.80	3.20	3.02	3.01	3.03	-	-			
		GR.ID	22.20	21.70	22.70	22.25	22.24	22.26	-	-			
		GR.LE	10.50	10.00	11.00	10.51	10.53	10.52	-	-			
		DEPTH	13.50	13.00	14.00	13.52	13.51	13.53	-	-			
		GR.ID	21.00	20.50	21.50	21.03	21.02	21.05	-	-			
		GR.LE	2.50	2.30	2.70	2.52	2.51	2.53	-	-			
		DEPTH	16.00	15.50	16.50	16.03	16.05	16.04	-	-			
		INT.THREAD	M22x1 AS PER P.G GO NOT GO			OK	OK	OK	-	-			
		CH.ANGLE	1x45° AS PER PP FOUND			OK	OK	OK	-	-			
		CH.ANGLE	0.5x45° AS PER PP FOUND			OK	OK	OK	-	-			
		CH.ANGLE	45° AS PER PP FOUND			OK	OK	OK	-	-			
INSPECTED BY:		Jay Hadiyal				APPROVED BY:				Shreekant			

Conclusion :



Accept



Reject



Hold





MetalMech-08500-FR-QX-08-Final Inspection Report-EX

INSP. No.	FIR-01	Product Name	UNIVERSAL CLAMPING CONE	Size	M20	Drawing No.	313005-01s	Date:	05-08-2026			
Wo No.	26000156	Total Quantity	200	Lot Quantity	200	Sample Size-	3	Variable & Gauging	3PCS			
Sr. No.	Checking Parameter	REQUIRED PARAMETER			OBSERVED RESULTS				REJECTION REWORK DETAIL	REMARK	CHECKED BY	
		PARAMETER	CRITERIA	1	2	3	-	-				
		Surface	Fine, Clean	FINE	FINE	FINE	-	-				
		Size/wise No of Pcs. With Internal Parts	As per Drg. No. of Parts	11	11	11	-	-		(1) DV-55		
		Washing & Plating	Surface Finishing	NICKEL	OK	OK	OK	-	-		(2) PP-01	
		RUBBER MARKING	AS PER DRG.	NA	NA	NA	NA	-	-			
		Marking	WO Ref. No.	NA	NA	NA	NA	-	-		ASM No :- AEN260719-03	
		Assembly Perfection	As per Drg.	OK	OK	OK	-	-				
		Inner Packing	Labeling & Printing	OK	OK	OK	-	-				
		Outer Packing	Printing & Stamping	OK	OK	OK	-	-				
		All Dimensions Are In MM										
		VALUE	-	+	1	2	3	-	-			
		T.L	22.00	21.50	22.50	22.05	22.04	22.03	-	-		
		O.D	14.00	13.50	14.50	14.05	14.04	14.03	-	-		
		O.D.L	3.50	3.20	3.80	3.45	3.48	3.47	-	-		
		GR.OD	15.50	15.00	16.00	15.51	15.49	15.46	-	-		
		GR.LE	2.50	2.30	2.70	2.52	2.51	2.53	-	-		
		O.D	16.20	15.70	16.70	16.23	16.22	16.26	-	-		
		O.D.L	7.50	7.20	7.80	7.51	7.53	7.54	-	-		
		O.D	17.50	17.00	18.00	17.55	17.54	17.57	-	-		
		O.D.L	7.00	6.70	7.30	7.06	7.05	7.04	-	-		
		O.D	14.00	13.50	14.50	14.08	14.06	14.05	-	-		
		O.D.L	4.50	4.20	4.80	4.45	4.48	4.46	-	-		
		O.D	14.50	14.00	15.00	14.52	14.55	14.58	-	-		
		O.D	15.00	14.50	15.50	15.05	15.04	15.03	-	-		
		O.D	15.50	15.00	16.00	15.53	15.55	15.54	-	-		
		O.D.L	7.50	7.20	7.80	7.53	7.55	7.54	-	-		
		L.D	12.00	11.50	12.50	12.06	12.09	12.05	-	-		
		GROOVE,STEP,LE	0.50	0.30	0.70	0.48	0.50	0.49	-	-		
		RADIUS	0.5 MM AS PER PP FOUND		OK	OK	OK	-	-			
		RADIUS	0.3 AS PER PP FOUND		OK	OK	OK	-	-			
INSPECTED BY:		Jay Hadiyal			APPROVED BY:			Shreekant				

Conclusion :



Accept



Reject



Hold



MetalMech-08500-FR-QX-08-Final Inspection Report-EX

INSP. No.	FIR-01	Product Name	REVERSIBLE ARMOUR RING		Size	M20		Drawing No.	313004-01S		Date:	05-08-2026	
Wo No.	26000156	Total Quantity	200		Lot Quantity	200		Sample Size-	3		Variable & Gauging	3PCS	
Sr. No.	Checking Parameter	REQUIRED PARAMETER			OBSERVED RESULTS					REJECTION REWORK DETAIL	REMARK	CHECKED BY	
		PARAMETER	CRITERIA		1	2	3	-	-				
1	Visual	Surface	Fine, Clean		FINE	FINE	FINE	-	-				
		Sizewise No of Pcs. With Internal Parts	As per Drg. No. of Parts	11	11	11	11	-	-		Measuring Instruments I.D No-		
		Washing & Plating	Surface Finishing	NICKEL	OK	OK	OK	-	-		(1) DV-55		
		RUBBER MARKING	AS PER DRG.	NA	NA	NA	NA	-	-		(2) PP-01		
		Marking	WO Ref. No.	NA	NA	NA	NA	-	-		ASM No :- AEX260719-03		
		Assembly Perfection	As per Drg.		OK	OK	OK	-	-				
		Inner Packing	Labeling & Printing		OK	OK	OK	-	-				
		Outer Packing	Printing & Stamping		OK	OK	OK	-	-				
		All Dimensions Are In MM											
2	DIMENSION		VALUE	-	+	1	2	3	-	-			
		T.L	6.00	5.70	6.30	5.97	5.96	5.98	-	-			
		O.D	18.50	18.00	19.00	18.73	18.75	18.76	-	-			
		I.D	16.00	15.50	16.50	16.16	16.15	16.12	-	-			
		I.D	16.50	16.00	17.00	16.65	16.64	16.65	-	-			
INSPECTED BY:		Jay Hadiyal			APPROVED BY:				Shreekant				

Conclusion :



Accept



Reject



Hold



		MetalMech-08500-FR-QX-08-Final Inspection Report-EX											
INSP. No.	FIR-01	Product Name	O-RING		Size		M20		Drawing No.		OR-1M	Date:	05-08-2026
Wo No.	26000156	Total Quantity	200		Lot Quantity		200		Sample Size-		3	Variable & Gauging	3PCS
Sr. No.	Checking Parameter	REQUIRED PARAMETER				OBSERVED RESULTS					REJECTION REWORK DETAIL	REMARK	CHECKED BY
		PARAMETER	CRITERIA			1	2	3	-	-			
1	Visual	Surface	Fine, Clean			FINE	FINE	FINE	-	-			
		Sizewise No of Pcs. With Internal Parts	As per Drg. No. of Parts	11		11	11	11	-	-			Measuring Instruments I.D No-
		Washing & Plating	Surface Finishing	NA		NA	NA	NA	-	-			(1) DV-55
		RUBBER MARKING	AS PER DRG.	NA		NA	NA	NA	-	-			(2) PP-01
		Marking	WO Ref. No.	NA		NA	NA	NA	-	-			ASM No :- AEX260719-03
		Assembly Perfection	As per Drg.			OK	OK	OK	-	-			
		Inner Packing	Labeling & Printing			OK	OK	OK	-	-			
		Outer Packing	Printing & Stamping			OK	OK	OK	-	-			
		All Dimensions Are In MM											
2	DIMENSION		VALUE	-	+	1	2	3	-	-			
		THICKNESS	2.50	2.00	2.50	2.05	2.04	2.06	-	-			
		I.D	16.00	15.50	16.50	16.03	16.05	16.07	-	-			
INSPECTED BY:		Jay Hadiyal			APPROVED BY:				Shreekant				

Conclusion :



Accept



Reject



Hold



		MetalMech-08500-FR-QX-08-Final Inspection Report-EX												
INSP. No.	FIR-01	Product Name	COMPRESSIBLE INNER SEAL			Size		M20		Drawing No.		GI-01S	Date:	05-08-2026
Wo No.	26000156	Total Quantity	200			Lot Quantity		200		Sample Size-		3	Variable & Gauging	3PCS
Sr. No.	Checking Parameter	REQUIRED PARAMETER				OBSERVED RESULTS					REJECTION REWORK DETAIL	REMARK	CHECKED BY	
		PARAMETER	CRITERIA			1	2	3	-	-				
1	Visual	Surface	Fine, Clean			FINE	FINE	FINE	-	-				
		Sizewise No of Pcs. With Internal Parts	As per Drg. No. of Parts	11	11	11	11	-	-			Measuring Instruments I.D No-		
		Washing & Plating	Surface Finishing	NA	NA	NA	NA	-	-			(1) DV-55		
		RUBBER MARKING	AS PER DRG.	OK	OK	OK	OK	-	-			(2) PP-01		
		Marking	WO Ref. No.	NA	NA	NA	NA	-	-			ASM No :- AEX260719-03		
		Assembly Perfection	As per Drg.			OK	OK	OK	-	-				
		Inner Packing	Labeling & Printing		OK	OK	OK	-	-					
		Outer Packing	Printing & Stamping			OK	OK	OK	-	-				
		All Dimensions Are In MM												
2	DIMENSION		VALUE	-	+	1	2	3	-	-				
		T.L	9.50	9.00	10.00	9.53	9.52	9.55	-	-				
		O.D.L	3.00	2.70	3.30	3.01	3.03	3.05	-	-				
		O.D	18.50	18.30	18.50	18.42	18.44	18.45	-	-				
		O.D.L	6.50	6.20	6.80	6.52	6.53	6.55	-	-				
		I.D	11.70	11.70	11.90	11.77	11.76	11.75	-	-				
INSPECTED BY:		Jay Hadiyal			APPROVED BY:				Shreekant					

Conclusion : ☒ Accept ☐ Reject ☐ Hold



		MetalMech-08500-FR-QX-08-Final Inspection Report-EX											
INSP. No.	FIR-01	Product Name	COMPRESSIBLE OUTER SEAL		Size	M20		Drawing No.	GE-01s		Date:	05-08-2026	
Wo No.	26000156	Total Quantity	200		Lot Quantity	200		Sample Size-	3		Variable & Gauging	3PCS	
Sr. No.	Checking Parameter	REQUIRED PARAMETER				OBSERVED RESULTS					REJECTION REWORK DETAIL	REMARK	CHECKED BY
		PARAMETER	CRITERIA		1	2	3	-	-				
1	Visual	Surface	Fine, Clean		FINE	FINE	FINE	-	-				
		Size wise No of Pcs. With Internal Parts	As per Drg. No. of Parts	11	11	11	11	-	-			(1) DV-55	
		Washing & Plating	Surface Finishing	NA	NA	NA	NA	-	-			(2) PP-01	
		RUBBER MARKING	AS PER DRG.	OK	OK	OK	OK	-	-				
		Marking	WO Ref. No.	NA	NA	NA	NA	-	-			ASM No :- AEX260719-03	
		Assembly Perfection	As per Drg.		OK	OK	OK	-	-				
		Inner Packing	Labeling & Printing		OK	OK	OK	-	-				
		Outer Packing	Printing & Stamping		OK	OK	OK	-	-				
		All Dimensions Are In MM											
2	DIMENSION		VALUE	-	+	1	2	3	-	-			
		T.L	10.00	9.50	10.50	10.04	10.06	10.08	-	-			
		O.D	22.20	22.00	22.20	22.11	22.13	22.12	-	-			
		GR.LENGTH	3.50	3.20	3.80	3.53	3.52	3.55	-	-			
		I.D	15.70	15.70	15.80	15.74	15.76	15.76	-	-			
INSPECTED BY:		Jay Hadiyal			APPROVED BY:				Shreekant				

Conclusion : ☒ Accept ☐ Reject ☐ Hold



		MetalMech-08500-FR-QX-08-Final Inspection Report-EX											
INSP. No.	FIR-01	Product Name	INNER SKID WASHER			Size	M20			Drawing No.	IW-01s	Date:	05-08-2026
Wo No.	26000156	Total Quantity	200			Lot Quantity	200			Sample Size-	3	Variable & Gauging	3PCS
Sr. No.	Checking Parameter	REQUIRED PARAMETER				OBSERVED RESULTS					REJECTION REWORK DETAIL	REMARK	CHECKED BY
		PARAMETER	CRITERIA			1	2	3	-	-			
1	Visual	Surface	Fine, Clean			FINE	FINE	FINE	-	-			
		Sizewise No of Pcs. With Internal Parts	As per Drg. No. of Parts	11	11	11	11	-	-		Measuring Instruments I.D No-		
		Washing & Plating	Surface Finishing	NA	NA	NA	NA	-	-		(1) DV-55		
		RUBBER MARKING	AS PER DRG.	OK	OK	OK	OK	-	-		(2) PP-01		
		Marking	WO Ref. No.	NA	NA	NA	NA	-	-		ASM No :- AEX260719-03		
		Assembly Perfection	As per Drg.			OK	OK	OK	-	-			
		Inner Packing	Labeling & Printing		OK	OK	OK	-	-				
		Outer Packing	Printing & Stamping			OK	OK	OK	-	-			
		All Dimensions Are In MM											
2	DIMENSION		VALUE	-	+	1	2	3	-	-			
		T.L	4.50	4.20	4.80	4.48	4.47	4.45	-	-			
		O.D	18.00	17.80	18.00	17.95	17.92	17.93	-	-			
		O.D	15.50	15.30	15.50	15.43	15.42	15.45	-	-			
		O.D.L	2.50	2.50	2.70	2.52	2.54	2.55	-	-			
		I.D	12.00	12.00	12.20	12.05	12.04	12.03	-	-			
INSPECTED BY:		Jay Hadiyal			APPROVED BY:				Shreekant				

Conclusion :



Accept



Reject



Hold



MetalMech-08500-FR-QX-08-Final Inspection Report-EX

INSP. No.	FIR-01	Product Name	OUTER SKID WASHER		Size		M20		Drawing No.		OW-01s	Date:	05-08-2026
Wo No.	26000156	Total Quantity	200		Lot Quantity		200		Sample Size-		3	Variable & Gauging	3PCS
Sr. No.	Checking Parameter	REQUIRED PARAMETER				OBSERVED RESULTS					REJECTION REWORK DETAIL	REMARK	CHECKED BY
		PARAMETER	CRITERIA		1	2	3	-	-				
1	Visual	Surface	Fine, Clean		FINE	FINE	FINE	-	-		Measuring Instruments I.D No-		
		Sizewise No of Pcs. With Internal Parts	As per Drg. No. of Parts	11	11	11	11	-	-		(1) DV-55		
		Washing & Plating	Surface Finishing	NA	NA	NA	NA	-	-		(2) PP-01		
		RUBBER MARKING	AS PER DRG.	NA	NA	NA	NA	-	-				
		Marking	WO Ref. No.	NA	NA	NA	NA	-	-		ASM No :- AEX260719-03		
		Assembly Perfection	As per Drg.		OK	OK	OK	-	-				
		Inner Packing	Labeling & Printing		OK	OK	OK	-	-				
		Outer Packing	Printing & Stamping		OK	OK	OK	-	-				
		All Dimensions Are In MM											
2	DIMENSION		VALUE	-	+	1	2	3	-	-			
		T.L	6.50	6.20	6.80	6.52	6.53	6.54	-	-			
		O.D	20.50	20.50	20.60	20.52	20.55	20.54	-	-			
		O.D	18.50	18.30	18.50	18.40	18.39	18.41	-	-			
		O.D.L	4.00	4.00	4.10	4.02	4.01	4.03	-	-			
		I.D	16.00	16.00	16.20	16.03	16.05	16.04	-	-			
INSPECTED BY:		Jay Hadiyal			APPROVED BY:				Shreekant				

Conclusion :



Accept



Reject



Hold

