



## MetalMech-08500-FR-QX-08-Final Inspection Report-EX

|               |                    |                                         |                              |       |              |                  |       |   |              |                               |                               |            |
|---------------|--------------------|-----------------------------------------|------------------------------|-------|--------------|------------------|-------|---|--------------|-------------------------------|-------------------------------|------------|
| INSP. No.     | FIR-01             | Product Name                            | LOCK NUT                     |       | Size         | M63              |       |   | Drawing No   | DL6M                          | Date:                         | 19-09-2026 |
| Wo No.        | 26000219           | Total Quantity                          | 2                            |       | Lot Quantity | 2                |       |   | Sample Size- | 2                             | Variable & Gauging            | 2PCS       |
| Sr. No.       | Checking Parameter | REQUIRED PARAMETER                      |                              |       |              | OBSERVED RESULTS |       |   |              | REJECTION<br>REWORK<br>DETAIL | REMARK                        | CHECKED BY |
|               |                    | PARAMETER                               | CRITERIA                     |       | 1            | 2                | -     | - | -            |                               |                               |            |
| 1             | Visual             | Surface                                 | Fine, Clean                  |       | FINE         | FINE             | -     | - | -            |                               |                               |            |
|               |                    | Sizewise No of Pcs. With Internal Parts | As per Drg. No. of Parts     | 12    | 12           | 12               | -     | - | -            |                               | Measuring Instruments I.D No- |            |
|               |                    | Washing & Plating                       | Surface Finishing            | NA    | NA           | NA               | -     | - | -            |                               | (1) DV-55                     |            |
|               |                    | RUBBER MARKING                          | AS PER DRG.                  | NA    | NA           | NA               | -     | - | -            |                               | (2) PP-01                     |            |
|               |                    | Marking                                 | WO Ref. No.                  | NA    | NA           | NA               | -     | - | -            |                               | ASM No :- AEX260720-04        |            |
|               |                    | Assembly Perfection                     | As per Drg.                  |       | OK           | OK               | -     | - | -            |                               |                               |            |
|               |                    | Inner Packing                           | Labeling & Printing          |       | OK           | OK               | -     | - | -            |                               |                               |            |
|               |                    | Outer Packing                           | Printing & Stamping          |       | OK           | OK               | -     | - | -            |                               |                               |            |
|               |                    | All Dimensions Are In MM                |                              |       |              |                  |       |   |              |                               |                               |            |
| 2             | DIMENSION          |                                         | VALUE                        | -     | +            | 1                | 2     | - | -            | -                             |                               |            |
|               |                    | A/F                                     | 70.00                        | 69.81 | 70.00        | 69.92            | 69.95 | - | -            | -                             |                               |            |
|               |                    | A/C                                     | 76.00                        | 75.20 | 76.80        | 76.01            | 76.03 | - | -            | -                             |                               |            |
|               |                    | T.L                                     | 7.00                         | 6.70  | 7.30         | 7.02             | 7.05  | - | -            | -                             |                               |            |
|               |                    | THREAD                                  | M63x1.5 AS PER P.G GO NOT GO |       |              | OK               | OK    | - | -            | -                             |                               |            |
|               |                    | CH.ANGLE                                | 30° AS PER PP FOUND          |       |              | OK               | OK    | - | -            | -                             |                               |            |
|               |                    |                                         |                              |       |              |                  |       |   |              |                               |                               |            |
| INSPECTED BY: |                    | Jay Hadiyal                             |                              |       | APPROVED BY: |                  |       |   | Shreekant    |                               |                               |            |

Conclusion :



Accept



Reject



Hold





### MetalMech-08500-FR-QX-08-Final Inspection Report-EX

|               |                    |                                             |                                |                                                                                     |              |                  |       |    |              |                               |        |                                 |                    |            |
|---------------|--------------------|---------------------------------------------|--------------------------------|-------------------------------------------------------------------------------------|--------------|------------------|-------|----|--------------|-------------------------------|--------|---------------------------------|--------------------|------------|
| INSP. No.     | FIR-01             | Product Name                                | ENTRY COMPONENT                |                                                                                     | Size         |                  | M63   |    | Drawing No   |                               |        | 313001M-06                      | Date:              | 19-09-2026 |
| Wo No.        | 26000219           | Total Quantity                              | 2                              |                                                                                     | Lot Quantity |                  | 2     |    | Sample Size- |                               |        | 2                               | Variable & Gauging | 2PCS       |
| Sr. No.       | Checking Parameter | REQUIRED PARAMETER                          |                                |                                                                                     |              | OBSERVED RESULTS |       |    |              | REJECTION<br>REWORK<br>DETAIL | REMARK | CHECKED BY                      |                    |            |
|               |                    | PARAMETER                                   | CRITERIA                       |                                                                                     |              | 1                | 2     | -  | -            |                               |        |                                 | -                  |            |
| 1             | Visual             | Surface                                     | Fine, Clean                    |                                                                                     |              | FINE             | FINE  | -  | -            | -                             |        | Measuring<br>Instruments ID No- |                    |            |
|               |                    | Size wise No of Pcs.<br>With Internal Parts | As per Drg. No.<br>of Parts    | 12                                                                                  |              | 12               | 12    | -  | -            | -                             |        | (1) DV-55                       |                    |            |
|               |                    | Washing & Plating                           | Surface<br>Finishing           | NA                                                                                  |              | NA               | NA    | -  | -            | -                             |        | (2) PP-01                       |                    |            |
|               |                    | RUBBER MARKING                              | AS PER DRG.                    | NA                                                                                  |              | NA               | NA    | -  | -            | -                             |        |                                 |                    |            |
|               |                    | Marking                                     | WO Ref. No.                    | Metalmech Logo MM-EX-<br>E1FUNV636MB2 2026 CE Logo<br>2460 Ex Logo II 2 GD Ex db BC |              |                  | OK    | OK | -            | -                             | -      | ASM No :-<br>AEX260720-04       |                    |            |
|               |                    | Assembly Perfection                         | As per Drg.                    |                                                                                     |              | OK               | OK    | -  | -            | -                             |        |                                 |                    |            |
|               |                    | Inner Packing                               | Labeling &<br>Printing         |                                                                                     |              | OK               | OK    | -  | -            | -                             |        |                                 |                    |            |
|               |                    | Outer Packing                               | Printing & Stamping            |                                                                                     |              | OK               | OK    | -  | -            | -                             |        |                                 |                    |            |
|               |                    | All Dimensions Are In MM                    |                                |                                                                                     |              |                  |       |    |              |                               |        |                                 |                    |            |
| 2             | DIMENSION          |                                             | VALUE                          | -                                                                                   | +            | 1                | 2     | -  | -            | -                             |        |                                 |                    |            |
|               |                    | A/F                                         | 74.00                          | 73.81                                                                               | 74.00        | 73.94            | 73.96 | -  | -            | -                             |        |                                 |                    |            |
|               |                    | A/C                                         | 81.00                          | 80.20                                                                               | 81.80        | 81.07            | 81.09 | -  | -            | -                             |        |                                 |                    |            |
|               |                    | T.L                                         | 37.00                          | 37.00                                                                               | 37.50        | 37.19            | 37.18 | -  | -            | -                             |        |                                 |                    |            |
|               |                    | TH.L                                        | 13.00                          | 12.50                                                                               | 13.50        | 13.06            | 13.09 | -  | -            | -                             |        |                                 |                    |            |
|               |                    | LENGTH                                      | 17.00                          | 17.00                                                                               | 17.50        | 17.09            | 17.08 | -  | -            | -                             |        |                                 |                    |            |
|               |                    | GR.OD                                       | 61.00                          | 60.20                                                                               | 61.80        | 61.04            | 61.06 | -  | -            | -                             |        |                                 |                    |            |
|               |                    | GR.LE                                       | 2.50                           | 2.30                                                                                | 2.70         | 2.55             | 2.54  | -  | -            | -                             |        |                                 |                    |            |
|               |                    | O.D                                         | 73.00                          | 72.20                                                                               | 73.80        | 73.03            | 73.05 | -  | -            | -                             |        |                                 |                    |            |
|               |                    | O.D.L                                       | 11.00                          | 10.70                                                                               | 11.30        | 11.03            | 11.02 | -  | -            | -                             |        |                                 |                    |            |
|               |                    | H.L                                         | 9.00                           | 8.50                                                                                | 9.50         | 9.05             | 9.04  | -  | -            | -                             |        |                                 |                    |            |
|               |                    | I.D                                         | 56.50                          | 55.70                                                                               | 57.30        | 56.52            | 56.51 | -  | -            | -                             |        |                                 |                    |            |
|               |                    | DEPTH                                       | 15.00                          | 14.50                                                                               | 15.50        | 15.03            | 15.02 | -  | -            | -                             |        |                                 |                    |            |
|               |                    | THREAD                                      | M63x1.5 AS PER T.R.G GO NOT GO |                                                                                     |              | OK               | OK    | -  | -            | -                             |        |                                 |                    |            |
|               |                    | INT.THREAD                                  | M68x1.5 AS PER P.G GO NOT GO   |                                                                                     |              | OK               | OK    | -  | -            | -                             |        |                                 |                    |            |
|               |                    | CH.ANGLE                                    | 1x45° AS PER PP FOUND          |                                                                                     |              | OK               | OK    | -  | -            | -                             |        |                                 |                    |            |
|               |                    | CH.ANGLE                                    | 1.5x45° AS PER PP FOUND        |                                                                                     |              | OK               | OK    | -  | -            | -                             |        |                                 |                    |            |
|               |                    | CH.ANGLE                                    | 20° AS PER PP FOUND            |                                                                                     |              | OK               | OK    | -  | -            | -                             |        |                                 |                    |            |
|               |                    | ANGLE                                       | 90° AS PER PP FOUND            |                                                                                     |              | OK               | OK    | -  | -            | -                             |        |                                 |                    |            |
| INSPECTED BY: |                    | Jay Hadiyal                                 |                                |                                                                                     | APPROVED BY: |                  |       |    | Shreekant    |                               |        |                                 |                    |            |

Conclusion :

☐ Accept

☒ Reject

☐ Hold





MetalMech-08500-FR-QX-08-Final Inspection Report-EX

|               |                    |                                            |                                |       |              |                  |       |   |              |                               |                                |                    |            |
|---------------|--------------------|--------------------------------------------|--------------------------------|-------|--------------|------------------|-------|---|--------------|-------------------------------|--------------------------------|--------------------|------------|
| INSP. No.     | FIR-01             | Product Name                               | INTERMEDIATE BODY              |       | Size         |                  | M63   |   | Drawing No   |                               | 313002U-06                     | Date:              | 19-09-2026 |
| Wo No.        | 26000219           | Total Quantity                             | 2                              |       | Lot Quantity |                  | 2     |   | Sample Size- |                               | 2                              | Variable & Gauging | 2PCS       |
| Sr. No.       | Checking Parameter | REQUIRED PARAMETER                         |                                |       |              | OBSERVED RESULTS |       |   |              | REJECTION<br>REWORK<br>DETAIL | REMARK                         | CHECKED BY         |            |
|               |                    | PARAMETER                                  | CRITERIA                       |       | 1            | 2                | -     | - | -            |                               |                                |                    |            |
| 1             | Visual             | Surface                                    | Fine, Clean                    |       | FINE         | FINE             | -     | - | -            |                               | Measuring<br>Instrument ID No. |                    |            |
|               |                    | Sizewise No of Pcs.<br>With Internal Parts | As per Drg. No.<br>of Parts    | 12    | 12           | 12               | -     | - | -            |                               | (1) DV-55                      |                    |            |
|               |                    | Washing & Plating                          | Surface<br>Finishing           | NA    | NA           | NA               | -     | - | -            |                               | (2) PP-01                      |                    |            |
|               |                    | RUBBER MARKING                             | AS PER DRG.                    | NA    | NA           | NA               | -     | - | -            |                               |                                |                    |            |
|               |                    | Marking                                    | WO Ref. No.                    | NA    | NA           | NA               | -     | - | -            |                               | ASM No :-<br>AEX260720-04      |                    |            |
|               |                    | Assembly Perfection                        | As per Drg.                    |       | OK           | OK               | -     | - | -            |                               |                                |                    |            |
|               |                    | Inner Packing                              | Labeling &<br>Printing         |       | OK           | OK               | -     | - | -            |                               |                                |                    |            |
|               |                    | Outer Packing                              | Printing & Stamping            |       | OK           | OK               | -     | - | -            |                               |                                |                    |            |
|               |                    | All Dimensions Are in MM                   |                                |       |              |                  |       |   |              |                               |                                |                    |            |
| 2             | DIMENSION          |                                            | VALUE                          | -     | +            | 1                | 2     | - | -            | -                             |                                |                    |            |
|               |                    | A/F                                        | 76.00                          | 75.81 | 76.00        | 75.93            | 75.95 | - | -            | -                             |                                |                    |            |
|               |                    | A/C                                        | 83.00                          | 82.20 | 83.80        | 83.04            | 83.05 | - | -            | -                             |                                |                    |            |
|               |                    | T.L                                        | 38.00                          | 37.20 | 38.80        | 38.03            | 38.04 | - | -            | -                             |                                |                    |            |
|               |                    | TH.L                                       | 14.00                          | 13.50 | 14.50        | 14.02            | 14.01 | - | -            | -                             |                                |                    |            |
|               |                    | GR.OD                                      | 66.00                          | 65.20 | 66.80        | 65.96            | 65.95 | - | -            | -                             |                                |                    |            |
|               |                    | GR.LE                                      | 1.00                           | 0.80  | 1.20         | 1.01             | 1.03  | - | -            | -                             |                                |                    |            |
|               |                    | H.L                                        | 8.00                           | 7.70  | 8.30         | 8.03             | 8.05  | - | -            | -                             |                                |                    |            |
|               |                    | TH.L                                       | 16.00                          | 15.50 | 16.50        | 16.00            | 15.99 | - | -            | -                             |                                |                    |            |
|               |                    | GR.OD                                      | 73.00                          | 72.20 | 73.80        | 73.01            | 73.00 | - | -            | -                             |                                |                    |            |
|               |                    | GR.LE                                      | 1.00                           | 0.80  | 1.20         | 1.01             | 1.03  | - | -            | -                             |                                |                    |            |
|               |                    | I.D                                        | 60.00                          | 59.20 | 60.80        | 60.13            | 60.12 | - | -            | -                             |                                |                    |            |
|               |                    | I.D                                        | 67.50                          | 66.70 | 68.30        | 67.50            | 67.48 | - | -            | -                             |                                |                    |            |
|               |                    | DEPTH                                      | 7.00                           | 6.70  | 7.30         | 7.03             | 7.05  | - | -            | -                             |                                |                    |            |
|               |                    | I.D                                        | 64.00                          | 63.20 | 64.80        | 64.00            | 63.99 | - | -            | -                             |                                |                    |            |
|               |                    | I.D.LE                                     | 14.00                          | 13.50 | 14.50        | 14.04            | 14.06 | - | -            | -                             |                                |                    |            |
|               |                    | DEPTH                                      | 21.00                          | 20.50 | 21.50        | 21.09            | 21.08 | - | -            | -                             |                                |                    |            |
|               |                    | THREAD                                     | M68x1.5 AS PER T.R.G GO NOT GO |       |              | OK               | OK    | - | -            | -                             |                                |                    |            |
|               |                    | THREAD                                     | M75x1.5 AS PER T.R.G GO NOT GO |       |              | OK               | OK    | - | -            | -                             |                                |                    |            |
|               |                    | CHANGLE                                    | 1.5x45° AS PER PP FOUND        |       |              | OK               | OK    | - | -            | -                             |                                |                    |            |
|               |                    | CHANGLE                                    | 20° AS PER PP FOUND            |       |              | OK               | OK    | - | -            | -                             |                                |                    |            |
|               |                    | CHANGLE                                    | 0.5x45° AS PER PP FOUND        |       |              | OK               | OK    | - | -            | -                             |                                |                    |            |
| INSPECTED BY: |                    | Jay Hadiyal                                |                                |       | APPROVED BY: |                  |       |   | Shreekant    |                               |                                |                    |            |

Conclusion :

☒ Accept

☐ Reject

☐ Hold



|  |                                | MetalMech-08500-FR-QX-08-Final Inspection Report-EX |                          |       |                  |       |       |              |           |                               |            |            |  |  |  |
|----------------------------------------------------------------------------------|--------------------------------|-----------------------------------------------------|--------------------------|-------|------------------|-------|-------|--------------|-----------|-------------------------------|------------|------------|--|--|--|
| INSP. No.                                                                        | FIR-01                         | Product Name                                        | MIDDLE BODY              |       | Size             | M6g   |       | Drawing No   | 313002-06 | Date:                         | 19-09-2026 |            |  |  |  |
| Wo No.                                                                           | 26000219                       | Total Quantity                                      | 2                        |       | Lot Quantity     | 2     |       | Sample Size- | 2         | Variable & Gauging            | 2PCS       |            |  |  |  |
| Sr. No.                                                                          | Checking Parameter             | REQUIRED PARAMETER                                  |                          |       | OBSERVED RESULTS |       |       |              |           | REJECTION<br>REWORK<br>DETAIL | REMARK     | CHECKED BY |  |  |  |
|                                                                                  |                                | PARAMETER                                           | CRITERIA                 |       | 1                | 2     | -     | -            | -         |                               |            |            |  |  |  |
| 1                                                                                | Visual                         | Surface                                             | Fine, Clean              |       | FINE             | FINE  | -     | -            | -         |                               |            |            |  |  |  |
|                                                                                  |                                | Size wise No of Pcs. With Internal Parts            | As per Drg. No. of Parts |       | 12               | 12    | -     | -            | -         |                               |            |            |  |  |  |
|                                                                                  |                                | Washing & Plating                                   | Surface Finishing        |       | NA               | NA    | -     | -            | -         |                               |            |            |  |  |  |
|                                                                                  |                                | RUBBER MARKING                                      | AS PER DRG.              |       | NA               | NA    | -     | -            | -         |                               |            |            |  |  |  |
|                                                                                  |                                | Marking                                             | WO Ref. No.              |       | NA               | NA    | -     | -            | -         |                               |            |            |  |  |  |
|                                                                                  |                                | Assembly Perfection                                 | As per Drg.              |       | OK               | OK    | -     | -            | -         |                               |            |            |  |  |  |
|                                                                                  |                                | Inner Packing                                       | Labeling & Printing      |       | OK               | OK    | -     | -            | -         |                               |            |            |  |  |  |
|                                                                                  |                                | Outer Packing                                       | Printing & Stamping      |       | OK               | OK    | -     | -            | -         |                               |            |            |  |  |  |
|                                                                                  |                                | All Dimensions Are In MM                            |                          |       |                  |       |       |              |           |                               |            |            |  |  |  |
|                                                                                  |                                | 2                                                   | DIMENSION                | VALUE | -                | +     | 1     | 2            | -         | -                             | -          |            |  |  |  |
| A/F                                                                              | 80.00                          |                                                     |                          | 79.81 | 80.00            | 79.95 | 79.93 | -            | -         | -                             |            |            |  |  |  |
| A/C                                                                              | 89.00                          |                                                     |                          | 88.20 | 89.80            | 88.97 | 88.98 | -            | -         | -                             |            |            |  |  |  |
| T.L                                                                              | 46.00                          |                                                     |                          | 45.20 | 46.80            | 46.15 | 46.16 | -            | -         | -                             |            |            |  |  |  |
| TH.L                                                                             | 17.00                          |                                                     |                          | 16.50 | 17.50            | 17.05 | 17.04 | -            | -         | -                             |            |            |  |  |  |
| GR.OD                                                                            | 74.00                          |                                                     |                          | 73.20 | 74.80            | 73.50 | 73.49 | -            | -         | -                             |            |            |  |  |  |
| GR.LE                                                                            | 1.50                           |                                                     |                          | 1.30  | 1.70             | 1.53  | 1.55  | -            | -         | -                             |            |            |  |  |  |
| H.L                                                                              | 17.00                          |                                                     |                          | 16.50 | 17.50            | 17.06 | 17.05 | -            | -         | -                             |            |            |  |  |  |
| O.D                                                                              | 79.00                          |                                                     |                          | 78.20 | 79.80            | 78.97 | 78.99 | -            | -         | -                             |            |            |  |  |  |
| O.D.L                                                                            | 12.00                          |                                                     |                          | 11.70 | 12.30            | 11.95 | 11.93 | -            | -         | -                             |            |            |  |  |  |
| I.D                                                                              | 66.00                          |                                                     |                          | 65.20 | 66.80            | 66.01 | 66.00 | -            | -         | -                             |            |            |  |  |  |
| I.D                                                                              | 68.00                          |                                                     |                          | 67.20 | 68.80            | 68.05 | 68.04 | -            | -         | -                             |            |            |  |  |  |
| I.D.LE                                                                           | 10.00                          |                                                     |                          | 9.80  | 10.20            | 10.03 | 10.05 | -            | -         | -                             |            |            |  |  |  |
| INT.TH.L                                                                         | 18.00                          |                                                     |                          | 17.50 | 18.50            | 18.05 | 18.04 | -            | -         | -                             |            |            |  |  |  |
| GR.ID                                                                            | 72.00                          |                                                     |                          | 71.20 | 72.80            | 72.03 | 72.05 | -            | -         | -                             |            |            |  |  |  |
| GR.LE                                                                            | 10.00                          |                                                     |                          | 9.70  | 10.30            | 10.01 | 10.03 | -            | -         | -                             |            |            |  |  |  |
| DEPTH                                                                            | 28.00                          |                                                     |                          | 27.50 | 28.50            | 28.06 | 28.08 | -            | -         | -                             |            |            |  |  |  |
| THREAD                                                                           | M75x1.5 AS PER T.R.G GO NOT GO |                                                     |                          | OK    | OK               | -     | -     | -            |           |                               |            |            |  |  |  |
| INT.THREAD                                                                       | M76x2 AS PER P.G GO NOT GO     |                                                     |                          | OK    | OK               | -     | -     | -            |           |                               |            |            |  |  |  |
| CH.ANGLE                                                                         | 1.5x45° AS PER PP FOUND        |                                                     |                          | OK    | OK               | -     | -     | -            |           |                               |            |            |  |  |  |
| CH.ANGLE                                                                         | 2x45° AS PER PP FOUND          |                                                     |                          | OK    | OK               | -     | -     | -            |           |                               |            |            |  |  |  |
| CH.ANGLE                                                                         | 30° AS PER PP FOUND            |                                                     |                          | OK    | OK               | -     | -     | -            |           |                               |            |            |  |  |  |
| INSPECTED BY:                                                                    |                                | Jay Hadiyal                                         |                          |       | APPROVED BY:     |       |       | Shreekant    |           |                               |            |            |  |  |  |

Conclusion :



Accept



Reiect



Hold



|  |                    | MetalMech-08500-FR-QX-08-Final Inspection Report-EX |                            |       |       |                  |       |    |              |                         |                    |            |   |  |
|----------------------------------------------------------------------------------|--------------------|-----------------------------------------------------|----------------------------|-------|-------|------------------|-------|----|--------------|-------------------------|--------------------|------------|---|--|
| INSP. No.                                                                        | FIR-01             | Product Name                                        | BACK NUT                   |       |       | Size             | M63   |    | Drawing No   | 313003-06               | Date:              | 19-09-2026 |   |  |
| Wo No.                                                                           | 26000219           | Total Quantity                                      | 2                          |       |       | Lot Quantity     | 2     |    | Sample Size- | 2                       | Variable & Gauging | 2PCS       |   |  |
| Sr. No.                                                                          | Checking Parameter | REQUIRED PARAMETER                                  |                            |       |       | OBSERVED RESULTS |       |    |              | REJECTION REWORK DETAIL | REMARK             | CHECKED BY |   |  |
|                                                                                  |                    | PARAMETER                                           | CRITERIA                   |       |       | 1                | 2     | -  | -            |                         |                    |            | - |  |
| 1                                                                                | Visual             | Surface                                             | Fine, Clean                |       |       | FINE             | FINE  | -  | -            | -                       |                    |            |   |  |
|                                                                                  |                    | Size wise No of Pcs. With Internal Parts            | As per Drg. No. of Parts   | 12    | 12    | 12               | -     | -  | -            |                         |                    |            |   |  |
|                                                                                  |                    | Washing & Plating                                   | Surface Finishing          | NA    | NA    | NA               | -     | -  | -            |                         |                    |            |   |  |
|                                                                                  |                    | RUBBER MARKING                                      | AS PER DRG.                | NA    | NA    | NA               | -     | -  | -            |                         |                    |            |   |  |
|                                                                                  |                    | Marking                                             | WO Ref. No.                | NA    | NA    | NA               | -     | -  | -            |                         |                    |            |   |  |
|                                                                                  |                    | Assembly Perfection                                 | As per Drg.                |       |       | OK               | OK    | -  | -            | -                       |                    |            |   |  |
|                                                                                  |                    | Inner Packing                                       | Labeling & Printing        |       | OK    | OK               | -     | -  | -            |                         |                    |            |   |  |
|                                                                                  |                    | Outer Packing                                       | Printing & Stamping        |       |       | OK               | OK    | -  | -            | -                       |                    |            |   |  |
|                                                                                  |                    | All Dimensions Are In MM                            |                            |       |       |                  |       |    |              |                         |                    |            |   |  |
| 2                                                                                | DIMENSION          |                                                     | VALUE                      | -     | +     | 1                | 2     | -  | -            | -                       |                    |            |   |  |
|                                                                                  |                    | A/F                                                 | 80.00                      | 79.81 | 80.00 | 79.95            | 79.93 | -  | -            | -                       |                    |            |   |  |
|                                                                                  |                    | A/C                                                 | 89.00                      | 88.20 | 89.80 | 89.07            | 89.06 | -  | -            | -                       |                    |            |   |  |
|                                                                                  |                    | T.L                                                 | 24.00                      | 23.50 | 24.50 | 24.07            | 24.05 | -  | -            | -                       |                    |            |   |  |
|                                                                                  |                    | O.D                                                 | 79.00                      | 78.20 | 79.80 | 78.95            | 78.97 | -  | -            | -                       |                    |            |   |  |
|                                                                                  |                    | O.D.L                                               | 12.00                      | 11.50 | 12.50 | 12.06            | 12.05 | -  | -            | -                       |                    |            |   |  |
|                                                                                  |                    | H.L                                                 | 12.00                      | 11.50 | 12.50 | 12.05            | 12.08 | -  | -            | -                       |                    |            |   |  |
|                                                                                  |                    | LD                                                  | 70.00                      | 69.20 | 70.80 | 70.09            | 70.08 | -  | -            | -                       |                    |            |   |  |
|                                                                                  |                    | INT.THL                                             | 5.00                       | 4.70  | 5.30  | 5.01             | 5.03  | -  | -            | -                       |                    |            |   |  |
|                                                                                  |                    | GR.ID                                               | 76.20                      | 75.40 | 77.00 | 76.23            | 76.25 | -  | -            | -                       |                    |            |   |  |
|                                                                                  |                    | GR.LE                                               | 14.50                      | 14.00 | 15.00 | 14.53            | 14.58 | -  | -            | -                       |                    |            |   |  |
|                                                                                  |                    | DEPTH                                               | 19.50                      | 19.00 | 20.00 | 19.55            | 19.57 | -  | -            | -                       |                    |            |   |  |
|                                                                                  |                    | GR.ID                                               | 76.20                      | 75.40 | 77.00 | 76.24            | 76.26 | -  | -            | -                       |                    |            |   |  |
|                                                                                  |                    | GR.LE                                               | 2.50                       | 2.30  | 2.70  | 2.53             | 2.55  | -  | -            | -                       |                    |            |   |  |
|                                                                                  |                    | DEPTH                                               | 22.00                      | 21.50 | 22.50 | 21.94            | 21.96 | -  | -            | -                       |                    |            |   |  |
|                                                                                  |                    | INT.THREAD                                          | M76x2 AS PER P.G GO NOT GO |       |       |                  | OK    | OK | -            | -                       | -                  |            |   |  |
|                                                                                  |                    | CH.ANGLE                                            | 0.5x45° AS PER PP FOUND    |       |       |                  | OK    | OK | -            | -                       | -                  |            |   |  |
|                                                                                  |                    | CH.ANGLE                                            | 1.5x45° AS PER PP FOUND    |       |       |                  | OK    | OK | -            | -                       | -                  |            |   |  |
|                                                                                  |                    | CH.ANGLE                                            | 45° AS PER PP FOUND        |       |       |                  | OK    | OK | -            | -                       | -                  |            |   |  |
| INSPECTED BY:                                                                    |                    | Jay Hadiyal                                         |                            |       |       | APPROVED BY:     |       |    |              | Shreekant               |                    |            |   |  |

Conclusion :

☒ Accept

☐ Reject

☐ Hold



|  |                         | MetalMech-08500-FR-QX-08-Final Inspection Report-EX |                          |             |              |                  |              |   |              |                               |           |                        |            |  |  |
|----------------------------------------------------------------------------------|-------------------------|-----------------------------------------------------|--------------------------|-------------|--------------|------------------|--------------|---|--------------|-------------------------------|-----------|------------------------|------------|--|--|
| INSP. No.                                                                        | FIR-01                  | Product Name                                        | UNIVERSAL CLAMPING CONE  |             | Size         |                  | M63          |   | Drawing No   |                               | 313005-06 | Date:                  | 19-09-2026 |  |  |
| Wo No.                                                                           | 26000219                | Total Quantity                                      | 2                        |             | Lot Quantity |                  | 2            |   | Sample Size- |                               | 2         | Variable & Gauging     | 2PCS       |  |  |
| Sr. No.                                                                          | Checking Parameter      | REQUIRED PARAMETER                                  |                          |             |              | OBSERVED RESULTS |              |   |              | REJECTION<br>REWORK<br>DETAIL | REMARK    | CHECKED BY             |            |  |  |
|                                                                                  |                         | PARAMETER                                           | CRITERIA                 |             |              | 1                | 2            | - | -            |                               |           |                        | -          |  |  |
| 1                                                                                | Visual                  | Surface                                             | Fine, Clean              |             |              | FINE             | FINE         | - | -            | -                             |           |                        |            |  |  |
|                                                                                  |                         | Sizewise No of Pcs. With Internal Parts             | As per Drg. No. of Parts | 12          | 12           | 12               | -            | - | -            |                               |           |                        |            |  |  |
|                                                                                  |                         | Washing & Plating                                   | Surface Finishing        | NA          | NA           | NA               | -            | - | -            |                               |           | (1) DV-55              |            |  |  |
|                                                                                  |                         | RUBBER MARKING                                      | AS PER DRG.              | NA          | NA           | NA               | -            | - | -            |                               |           | (2) PP-01              |            |  |  |
|                                                                                  |                         | Marking                                             | WO Ref. No.              | NA          | NA           | NA               | -            | - | -            |                               |           | ASM No :- AEX260720-04 |            |  |  |
|                                                                                  |                         | Assembly Perfection                                 | As per Drg.              |             |              | OK               | OK           | - | -            | -                             |           |                        |            |  |  |
|                                                                                  |                         | Inner Packing                                       | Labeling & Printing      |             | OK           | OK               | -            | - | -            |                               |           |                        |            |  |  |
|                                                                                  |                         | Outer Packing                                       | Printing & Stamping      |             |              | OK               | OK           | - | -            | -                             |           |                        |            |  |  |
|                                                                                  |                         | All Dimensions Are In MM                            |                          |             |              |                  |              |   |              |                               |           |                        |            |  |  |
|                                                                                  |                         | 2                                                   | DIMENSION                | VALUE       | -            | +                | 1            | 2 | -            | -                             | -         |                        |            |  |  |
| T.L                                                                              | 35.00                   |                                                     |                          | 34.20       | 35.80        | 35.06            | 35.09        | - | -            | -                             |           |                        |            |  |  |
| O.D                                                                              | 59.50                   |                                                     |                          | 58.70       | 60.30        | 59.48            | 59.46        | - | -            | -                             |           |                        |            |  |  |
| O.D.L                                                                            | 7.50                    |                                                     |                          | 7.00        | 8.00         | 7.53             | 7.55         | - | -            | -                             |           |                        |            |  |  |
| O.D                                                                              | 62.00                   |                                                     |                          | 61.20       | 62.80        | 61.97            | 61.96        | - | -            | -                             |           |                        |            |  |  |
| O.D                                                                              | 63.50                   |                                                     |                          | 62.70       | 64.30        | 63.53            | 63.55        | - | -            | -                             |           |                        |            |  |  |
| GR.LE                                                                            | 2.50                    |                                                     |                          | 2.30        | 2.70         | 2.53             | 2.55         | - | -            | -                             |           |                        |            |  |  |
| O.D.L                                                                            | 14.00                   |                                                     |                          | 13.50       | 14.50        | 14.03            | 14.06        | - | -            | -                             |           |                        |            |  |  |
| O.D                                                                              | 58.50                   |                                                     |                          | 57.70       | 59.30        | 58.47            | 58.46        | - | -            | -                             |           |                        |            |  |  |
| O.D.L                                                                            | 8.00                    |                                                     |                          | 7.70        | 8.30         | 8.01             | 8.03         | - | -            | -                             |           |                        |            |  |  |
| O.D                                                                              | 59.00                   |                                                     |                          | 58.20       | 59.80        | 58.98            | 58.97        | - | -            | -                             |           |                        |            |  |  |
| O.D                                                                              | 59.50                   |                                                     |                          | 58.70       | 60.30        | 59.49            | 59.47        | - | -            | -                             |           |                        |            |  |  |
| O.D                                                                              | 61.00                   |                                                     |                          | 60.20       | 61.80        | 61.01            | 61.03        | - | -            | -                             |           |                        |            |  |  |
| O.D                                                                              | 67.00                   |                                                     |                          | 66.20       | 67.80        | 66.99            | 66.98        | - | -            | -                             |           |                        |            |  |  |
| O.D.L                                                                            | 7.00                    |                                                     |                          | 6.50        | 7.50         | 7.02             | 7.05         | - | -            | -                             |           |                        |            |  |  |
| O.D.L                                                                            | 14.00                   |                                                     |                          | 13.50       | 14.50        | 14.03            | 14.06        | - | -            | -                             |           |                        |            |  |  |
| LD                                                                               | 56.50                   |                                                     |                          | 55.70       | 57.30        | 56.56            | 56.59        | - | -            | -                             |           |                        |            |  |  |
| GROOVE,STEP,LE                                                                   | 0.5 MM AS PER PP FOUND  |                                                     |                          | OK          | OK           | -                | -            | - |              |                               |           |                        |            |  |  |
| RADIUS                                                                           | 0.50 MM AS PER PP FOUND |                                                     |                          | OK          | OK           | -                | -            | - |              |                               |           |                        |            |  |  |
| RADIUS                                                                           | 0.3 MM AS PER PP FOUND  |                                                     |                          | OK          | OK           | -                | -            | - |              |                               |           |                        |            |  |  |
|                                                                                  |                         |                                                     |                          |             |              |                  |              |   |              |                               |           |                        |            |  |  |
| INSPECTED BY:                                                                    |                         |                                                     |                          | Jay Hadiyal |              |                  | APPROVED BY: |   |              |                               | Shreekant |                        |            |  |  |

Conclusion :



Accept



Reject



Hold





MetalMech-08500-FR-QX-08-Final Inspection Report-EX

|               |                    |                                            |                             |       |              |                  |       |   |              |                               |                           |                                  |            |
|---------------|--------------------|--------------------------------------------|-----------------------------|-------|--------------|------------------|-------|---|--------------|-------------------------------|---------------------------|----------------------------------|------------|
| INSP. No.     | FIR-01             | Product Name                               | REVERSIBLE ARMoured RING    |       | Size         |                  | M63   |   | Drawing No   |                               | 313004-06                 | Date:                            | 19-09-2026 |
| Wo No.        | 26000219           | Total Quantity                             | 2                           |       | Lot Quantity |                  | 2     |   | Sample Size- |                               | 2                         | Variable & Gauging               | 2PCS       |
| Sr. No.       | Checking Parameter | REQUIRED PARAMETER                         |                             |       |              | OBSERVED RESULTS |       |   |              | REJECTION<br>REWORK<br>DETAIL | REMARK                    | CHECKED BY                       |            |
|               |                    | PARAMETER                                  | CRITERIA                    |       |              | 1                | 2     | - | -            |                               |                           |                                  | -          |
| 1             | Visual             | Surface                                    | Fine, Clean                 |       |              | FINE             | FINE  | - | -            | -                             |                           | Measuring<br>Instruments I.D No- |            |
|               |                    | Sizewise No of Pcs.<br>With Internal Parts | As per Drg. No.<br>of Parts | 12    | 12           | 12               | -     | - | -            |                               | (1) DV-55                 |                                  |            |
|               |                    | Washing & Plating                          | Surface<br>Finishing        | NA    | NA           | NA               | -     | - | -            |                               | (2) PP-01                 |                                  |            |
|               |                    | RUBBER MARKING                             | AS PER DRG.                 | NA    | NA           | NA               | -     | - | -            |                               |                           |                                  |            |
|               |                    | Marking                                    | WO Ref. No.                 | NA    | NA           | NA               | -     | - | -            |                               | ASM No :-<br>AEX260720-04 |                                  |            |
|               |                    | Assembly Perfection                        | As per Drg.                 |       |              | OK               | OK    | - | -            | -                             |                           |                                  |            |
|               |                    | Inner Packing                              | Labeling &<br>Printing      |       | OK           | OK               | -     | - | -            |                               |                           |                                  |            |
|               |                    | Outer Packing                              | Printing & Stamping         |       |              | OK               | OK    | - | -            | -                             |                           |                                  |            |
|               |                    | All Dimensions Are In MM                   |                             |       |              |                  |       |   |              |                               |                           |                                  |            |
| 2             | DIMENSION          |                                            | VALUE                       | -     | +            | 1                | 2     | - | -            | -                             |                           |                                  |            |
|               |                    | T.L                                        | 12.00                       | 11.50 | 12.50        | 12.07            | 12.09 | - | -            | -                             |                           |                                  |            |
|               |                    | O.D                                        | 70.00                       | 69.20 | 70.80        | 69.77            | 69.78 | - | -            | -                             |                           |                                  |            |
|               |                    | I.D                                        | 63.00                       | 62.20 | 63.80        | 63.05            | 63.04 | - | -            | -                             |                           |                                  |            |
|               |                    | I.D                                        | 64.50                       | 63.70 | 65.30        | 64.53            | 64.56 | - | -            | -                             |                           |                                  |            |
|               |                    |                                            |                             |       |              |                  |       |   |              |                               |                           |                                  |            |
| INSPECTED BY: |                    | Jay Hadiyal                                |                             |       | APPROVED BY: |                  |       |   | Shreekant    |                               |                           |                                  |            |

Conclusion :



Accept



Reject



Hold



## MetalMech-08500-FR-QX-08-Final Inspection Report-EX

|                      |                           |                                         |                          |       |                     |                     |                         |                     |          |                  |                               |                                        |                               |                   |
|----------------------|---------------------------|-----------------------------------------|--------------------------|-------|---------------------|---------------------|-------------------------|---------------------|----------|------------------|-------------------------------|----------------------------------------|-------------------------------|-------------------|
| <b>INSP. No.</b>     | FIR-01                    | <b>Product Name</b>                     | COMPRESSIBLE INNER SEAL  |       | <b>Size</b>         | M63                 |                         | <b>Drawing No</b>   | GI-06s   |                  | <b>Date:</b>                  | 19-09-2026                             |                               |                   |
| <b>Wo No.</b>        | 26000219                  | <b>Total Quantity</b>                   | 2                        |       | <b>Lot Quantity</b> | 2                   |                         | <b>Sample Size-</b> | 2        |                  | <b>Variable &amp; Gauging</b> | 2PCS                                   |                               |                   |
| <b>Sr. No.</b>       | <b>Checking Parameter</b> | <b>REQUIRED PARAMETER</b>               |                          |       |                     |                     | <b>OBSERVED RESULTS</b> |                     |          |                  |                               | <b>REJECTION<br/>REWORK<br/>DETAIL</b> | <b>REMARK</b>                 | <b>CHECKED BY</b> |
|                      |                           | <b>PARAMETER</b>                        | <b>CRITERIA</b>          |       |                     |                     | <b>1</b>                | <b>2</b>            | <b>-</b> | <b>-</b>         | <b>-</b>                      |                                        |                               |                   |
| 1                    | Visual                    | Surface                                 | Fine, Clean              |       |                     |                     | FINE                    | FINE                | -        | -                | -                             |                                        |                               |                   |
|                      |                           | Sizewise No of Pcs. With Internal Parts | As per Drg. No. of Parts | 12    |                     |                     | 12                      | 12                  | -        | -                | -                             |                                        | Measuring Instruments I.D No- |                   |
|                      |                           | Washing & Plating                       | Surface Finishing        | NA    |                     |                     | NA                      | NA                  | -        | -                | -                             |                                        | (1) DV-55                     |                   |
|                      |                           | RUBBER MARKING                          | AS PER DRG.              | OK    |                     |                     | OK                      | OK                  | -        | -                | -                             |                                        | (2) PP-01                     |                   |
|                      |                           | Marking                                 | WO Ref. No.              | NA    |                     |                     | NA                      | NA                  | -        | -                | -                             |                                        | ASM No :-<br>AEX260720-04     |                   |
|                      |                           | Assembly Perfection                     | As per Drg.              |       |                     |                     | OK                      | OK                  | -        | -                | -                             |                                        |                               |                   |
|                      |                           | Inner Packing                           | Labeling & Printing      |       |                     |                     | OK                      | OK                  | -        | -                | -                             |                                        |                               |                   |
|                      |                           | Outer Packing                           | Printing & Stamping      |       |                     |                     | OK                      | OK                  | -        | -                | -                             |                                        |                               |                   |
|                      |                           | All Dimensions Are In MM                |                          |       |                     |                     |                         |                     |          |                  |                               |                                        |                               |                   |
| 2                    | DIMENSION                 |                                         | VALUE                    | -     | +                   | 1                   | 2                       | -                   | -        | -                |                               |                                        |                               |                   |
|                      |                           | T.L                                     | 15.50                    | 15.00 | 16.00               | 15.52               | 15.55                   | -                   | -        | -                |                               |                                        |                               |                   |
|                      |                           | O.D.L                                   | 5.50                     | 5.20  | 5.80                | 5.55                | 5.58                    | -                   | -        | -                |                               |                                        |                               |                   |
|                      |                           | O.D                                     | 66.50                    | 66.30 | 66.50               | 66.43               | 66.46                   | -                   | -        | -                |                               |                                        |                               |                   |
|                      |                           | O.D.L                                   | 10.00                    | 9.50  | 10.50               | 10.02               | 10.05                   | -                   | -        | -                |                               |                                        |                               |                   |
|                      |                           | I.D                                     | 56.20                    | 56.20 | 56.40               | 56.23               | 56.28                   | -                   | -        | -                |                               |                                        |                               |                   |
|                      |                           |                                         |                          |       |                     |                     |                         |                     |          |                  |                               |                                        |                               |                   |
| <b>INSPECTED BY:</b> |                           | <i>Jay Hadiyal</i>                      |                          |       |                     | <b>APPROVED BY:</b> |                         |                     |          | <i>Shreekant</i> |                               |                                        |                               |                   |

Conclusion :



Accept



Reject



Hold







MetalMech-08500-FR-QX-08-Final Inspection Report-EX

|               |                    |                                            |                             |              |                  |              |       |                    |            |                               |                                  |            |  |
|---------------|--------------------|--------------------------------------------|-----------------------------|--------------|------------------|--------------|-------|--------------------|------------|-------------------------------|----------------------------------|------------|--|
| INSP. No.     | FIR-01             | Product Name                               | O-RING                      | Size         | M63              | Drawing No   | OR-6M | Date:              | 19-09-2026 |                               |                                  |            |  |
| Wo No.        | 26000219           | Total Quantity                             | 2                           | Lot Quantity | 2                | Sample Size- | 2     | Variable & Gauging | 2PCS       |                               |                                  |            |  |
| Sr. No.       | Checking Parameter | REQUIRED PARAMETER                         |                             |              | OBSERVED RESULTS |              |       |                    |            | REJECTION<br>REWORK<br>DETAIL | REMARK                           | CHECKED BY |  |
|               |                    | PARAMETER                                  | CRITERIA                    |              | 1                | 2            | -     | -                  | -          |                               |                                  |            |  |
| 1             | Visual             | Surface                                    | Fine, Clean                 |              | FINE             | FINE         | -     | -                  | -          |                               | Measuring<br>Instruments I.D No- |            |  |
|               |                    | Sizewise No of Pcs.<br>With Internal Parts | As per Drg. No.<br>of Parts | 12           | 12               | 12           | -     | -                  | -          |                               | (1) DV-55                        |            |  |
|               |                    | Washing & Plating                          | Surface<br>Finishing        | NA           | NA               | NA           | -     | -                  | -          |                               | (2) PP-01                        |            |  |
|               |                    | RUBBER MARKING                             | AS PER DRG.                 | NA           | NA               | NA           | -     | -                  | -          |                               |                                  |            |  |
|               |                    | Marking                                    | WO Ref. No.                 | NA           | NA               | NA           | -     | -                  | -          |                               | ASM No :-<br>AEX260720-04        |            |  |
|               |                    | Assembly Perfection                        | As per Drg.                 |              | OK               | OK           | -     | -                  | -          |                               |                                  |            |  |
|               |                    | Inner Packing                              | Labeling &<br>Printing      |              | OK               | OK           | -     | -                  | -          |                               |                                  |            |  |
|               |                    | Outer Packing                              | Printing & Stamping         |              | OK               | OK           | -     | -                  | -          |                               |                                  |            |  |
|               |                    | All Dimensions Are In MM                   |                             |              |                  |              |       |                    |            |                               |                                  |            |  |
| 2             | DIMENSION          |                                            | VALUE                       | -            | +                | 1            | 2     | -                  | -          | -                             |                                  |            |  |
|               |                    | THICKNESS                                  | 2.50                        | 2.00         | 2.50             | 2.04         | 2.06  | -                  | -          | -                             |                                  |            |  |
|               |                    | I.D                                        | 55.00                       | 54.20        | 55.80            | 55.08        | 55.07 | -                  | -          | -                             |                                  |            |  |
|               |                    |                                            |                             |              |                  |              |       |                    |            |                               |                                  |            |  |
| INSPECTED BY: |                    | Jay Hadiyal                                |                             |              | APPROVED BY:     |              |       |                    | Shreekant  |                               |                                  |            |  |

Conclusion :



Accept



Reject



Hold





## MetalMech-08500-FR-QX-08-Final Inspection Report-EX

|               |                    |                                         |                          |       |              |       |                  |   |              |   |                               |                               |            |            |
|---------------|--------------------|-----------------------------------------|--------------------------|-------|--------------|-------|------------------|---|--------------|---|-------------------------------|-------------------------------|------------|------------|
| INSP. No.     | FIR-01             | Product Name                            | COMPRESSIBLE OUTER SEAL  |       | Size         |       | M63              |   | Drawing No   |   | GE-06                         | Date:                         | 19-09-2026 |            |
| Wo No.        | 26000219           | Total Quantity                          | 2                        |       | Lot Quantity |       | 2                |   | Sample Size- |   | 2                             | Variable & Gauging            | 2PCS       |            |
| Sr. No.       | Checking Parameter | REQUIRED PARAMETER                      |                          |       |              |       | OBSERVED RESULTS |   |              |   |                               | REJECTION<br>REWORK<br>DETAIL | REMARK     | CHECKED BY |
|               |                    | PARAMETER                               | CRITERIA                 |       | 1            | 2     | -                | - | -            |   |                               |                               |            |            |
| 1             | Visual             | Surface                                 | Fine, Clean              |       | FINE         | FINE  | -                | - | -            |   |                               |                               |            |            |
|               |                    | Sizewise No of Pcs. With Internal Parts | As per Drg. No. of Parts | 12    | 12           | 12    | -                | - | -            |   | Measuring Instruments I.D No- |                               |            |            |
|               |                    | Washing & Plating                       | Surface Finishing        | NA    | NA           | NA    | -                | - | -            |   | (1) DV-55                     |                               |            |            |
|               |                    | RUBBER MARKING                          | AS PER DRG.              | OK    | OK           | OK    | -                | - | -            |   | (2) PP-01                     |                               |            |            |
|               |                    | Marking                                 | WO Ref. No.              | NA    | NA           | NA    | -                | - | -            |   | ASM No :-<br>AEX260720-04     |                               |            |            |
|               |                    | Assembly Perfection                     | As per Drg.              |       | OK           | OK    | -                | - | -            |   |                               |                               |            |            |
|               |                    | Inner Packing                           | Labeling & Printing      |       | OK           | OK    | -                | - | -            |   |                               |                               |            |            |
|               |                    | Outer Packing                           | Printing & Stamping      |       | OK           | OK    | -                | - | -            |   |                               |                               |            |            |
|               |                    | All Dimensions Are In MM                |                          |       |              |       |                  |   |              |   |                               |                               |            |            |
| 2             | DIMENSION          |                                         | VALUE                    | -     | +            | 1     | 2                | - | -            | - |                               |                               |            |            |
|               |                    | T.L                                     | 15.00                    | 14.50 | 15.50        | 15.02 | 15.05            | - | -            | - |                               |                               |            |            |
|               |                    | O.D                                     | 76.20                    | 76.00 | 76.20        | 76.14 | 76.13            | - | -            | - |                               |                               |            |            |
|               |                    | GR.LENGTH                               | 5.50                     | 5.20  | 5.80         | 5.53  | 5.55             | - | -            | - |                               |                               |            |            |
|               |                    | I.D                                     | 65.60                    | 65.50 | 65.70        | 65.65 | 65.67            | - | -            | - |                               |                               |            |            |
|               |                    |                                         |                          |       |              |       |                  |   |              |   |                               |                               |            |            |
| INSPECTED BY: |                    | Jay Hadiyal                             |                          |       | APPROVED BY: |       |                  |   | Shreekant    |   |                               |                               |            |            |

Conclusion :



Accept



Reject



Hold



## MetalMech-08500-FR-QX-08-Final Inspection Report-EX

|                      |                           |                                         |                          |       |                     |                         |          |                     |       |   |                                        |                               |                   |
|----------------------|---------------------------|-----------------------------------------|--------------------------|-------|---------------------|-------------------------|----------|---------------------|-------|---|----------------------------------------|-------------------------------|-------------------|
| <b>INSP. No.</b>     | FIR-01                    | <b>Product Name</b>                     | INNER SKID WASHER        |       | <b>Size</b>         | M63                     |          | <b>Drawing No</b>   | IW-06 |   | <b>Date:</b>                           | 19-09-2026                    |                   |
| <b>Wo No.</b>        | 26000219                  | <b>Total Quantity</b>                   | 2                        |       | <b>Lot Quantity</b> | 2                       |          | <b>Sample Size-</b> | 2     |   | <b>Variable &amp; Gauging</b>          | 2PCS                          |                   |
| <b>Sr. No.</b>       | <b>Checking Parameter</b> | <b>REQUIRED PARAMETER</b>               |                          |       |                     | <b>OBSERVED RESULTS</b> |          |                     |       |   | <b>REJECTION<br/>REWORK<br/>DETAIL</b> | <b>REMARK</b>                 | <b>CHECKED BY</b> |
|                      |                           | <b>PARAMETER</b>                        | <b>CRITERIA</b>          |       |                     | <b>1</b>                | <b>2</b> | -                   | -     | - |                                        |                               |                   |
| 1                    | Visual                    | Surface                                 | Fine, Clean              |       |                     | FINE                    | FINE     | -                   | -     | - |                                        | Measuring Instruments I.D No- |                   |
|                      |                           | Sizewise No of Pcs. With Internal Parts | As per Drg. No. of Parts | 12    | 12                  | 12                      | -        | -                   | -     |   | (1) DV-55                              |                               |                   |
|                      |                           | Washing & Plating                       | Surface Finishing        | NA    | NA                  | NA                      | -        | -                   | -     |   | (2) PP-01                              |                               |                   |
|                      |                           | RUBBER MARKING                          | AS PER DRG.              | NA    | NA                  | NA                      | -        | -                   | -     |   |                                        |                               |                   |
|                      |                           | Marking                                 | WO Ref. No.              | NA    | NA                  | NA                      | -        | -                   | -     |   | ASM No :- AEX260720-04                 |                               |                   |
|                      |                           | Assembly Perfection                     | As per Drg.              |       |                     | OK                      | OK       | -                   | -     | - |                                        |                               |                   |
|                      |                           | Inner Packing                           | Labeling & Printing      |       | OK                  | OK                      | -        | -                   | -     |   |                                        |                               |                   |
|                      |                           | Outer Packing                           | Printing & Stamping      |       |                     | OK                      | OK       | -                   | -     | - |                                        |                               |                   |
|                      |                           | All Dimensions Are In MM                |                          |       |                     |                         |          |                     |       |   |                                        |                               |                   |
| 2                    | DIMENSION                 |                                         | VALUE                    | -     | +                   | 1                       | 2        | -                   | -     | - |                                        |                               |                   |
|                      |                           | T.L                                     | 5.50                     | 5.20  | 5.80                | 5.52                    | 5.55     | -                   | -     | - |                                        |                               |                   |
|                      |                           | O.D                                     | 65.00                    | 64.80 | 65.00               | 64.90                   | 64.93    | -                   | -     | - |                                        |                               |                   |
|                      |                           | O.D                                     | 59.50                    | 59.30 | 59.50               | 59.45                   | 59.48    | -                   | -     | - |                                        |                               |                   |
|                      |                           | O.D.L                                   | 4.00                     | 4.00  | 4.20                | 4.02                    | 4.05     | -                   | -     | - |                                        |                               |                   |
|                      |                           | I.D                                     | 56.50                    | 56.50 | 56.70               | 56.53                   | 56.56    | -                   | -     | - |                                        |                               |                   |
|                      |                           |                                         |                          |       |                     |                         |          |                     |       |   |                                        |                               |                   |
| <b>INSPECTED BY:</b> |                           | Jay Hadiyal                             |                          |       | <b>APPROVED BY:</b> |                         |          | Shreekant           |       |   |                                        |                               |                   |

Conclusion :



Accept



Reject



Hold



## MetalMech-08500-FR-QX-08-Final Inspection Report-EX

|                      |                           |                                         |                          |       |                     |                         |          |                     |       |   |                                        |                               |                   |
|----------------------|---------------------------|-----------------------------------------|--------------------------|-------|---------------------|-------------------------|----------|---------------------|-------|---|----------------------------------------|-------------------------------|-------------------|
| <b>INSP. No.</b>     | FIR-01                    | <b>Product Name</b>                     | OUTER SKID WASHER        |       | <b>Size</b>         | M63                     |          | <b>Drawing No</b>   | OW-06 |   | <b>Date:</b>                           | 19-09-2026                    |                   |
| <b>Wo No.</b>        | 26000219                  | <b>Total Quantity</b>                   | 2                        |       | <b>Lot Quantity</b> | 2                       |          | <b>Sample Size-</b> | 2     |   | <b>Variable &amp; Gauging</b>          | 2PCS                          |                   |
| <b>Sr. No.</b>       | <b>Checking Parameter</b> | <b>REQUIRED PARAMETER</b>               |                          |       |                     | <b>OBSERVED RESULTS</b> |          |                     |       |   | <b>REJECTION<br/>REWORK<br/>DETAIL</b> | <b>REMARK</b>                 | <b>CHECKED BY</b> |
|                      |                           | <b>PARAMETER</b>                        | <b>CRITERIA</b>          |       |                     | <b>1</b>                | <b>2</b> | -                   | -     | - |                                        |                               |                   |
| 1                    | Visual                    | Surface                                 | Fine, Clean              |       |                     | FINE                    | FINE     | -                   | -     | - |                                        | Measuring Instruments I.D No- |                   |
|                      |                           | Sizewise No of Pcs. With Internal Parts | As per Drg. No. of Parts | 12    | 12                  | 12                      | -        | -                   | -     |   | (1) DV-55                              |                               |                   |
|                      |                           | Washing & Plating                       | Surface Finishing        | NA    | NA                  | NA                      | -        | -                   | -     |   | (2) PP-01                              |                               |                   |
|                      |                           | RUBBER MARKING                          | AS PER DRG.              | NA    | NA                  | NA                      | -        | -                   | -     |   |                                        |                               |                   |
|                      |                           | Marking                                 | WO Ref. No.              | NA    | NA                  | NA                      | -        | -                   | -     |   | ASM No :- AEX260720-04                 |                               |                   |
|                      |                           | Assembly Perfection                     | As per Drg.              |       |                     | OK                      | OK       | -                   | -     | - |                                        |                               |                   |
|                      |                           | Inner Packing                           | Labeling & Printing      |       | OK                  | OK                      | -        | -                   | -     |   |                                        |                               |                   |
|                      |                           | Outer Packing                           | Printing & Stamping      |       |                     | OK                      | OK       | -                   | -     | - |                                        |                               |                   |
|                      |                           | All Dimensions Are In MM                |                          |       |                     |                         |          |                     |       |   |                                        |                               |                   |
| 2                    | DIMENSION                 |                                         | VALUE                    | -     | +                   | 1                       | 2        | -                   | -     | - |                                        |                               |                   |
|                      |                           | T.L                                     | 7.00                     | 6.70  | 7.30                | 7.01                    | 7.03     | -                   | -     | - |                                        |                               |                   |
|                      |                           | O.D                                     | 73.00                    | 73.00 | 73.10               | 73.02                   | 73.06    | -                   | -     | - |                                        |                               |                   |
|                      |                           | O.D                                     | 69.50                    | 69.30 | 69.50               | 69.43                   | 69.48    | -                   | -     | - |                                        |                               |                   |
|                      |                           | O.D.L                                   | 4.50                     | 4.50  | 4.60                | 4.55                    | 4.54     | -                   | -     | - |                                        |                               |                   |
|                      |                           | I.D                                     | 66.00                    | 66.00 | 66.20               | 66.04                   | 66.08    | -                   | -     | - |                                        |                               |                   |
|                      |                           |                                         |                          |       |                     |                         |          |                     |       |   |                                        |                               |                   |
| <b>INSPECTED BY:</b> |                           | Jay Hadiyal                             |                          |       | <b>APPROVED BY:</b> |                         |          | Shreekant           |       |   |                                        |                               |                   |

Conclusion :



Accept



Reject



Hold

