



MetalMech-08500-FR-QX-08-Final Inspection Report-EX

INSP. No.	FIR-01	Product Name	ENTRY COMPONENT		Size		M40		Drawing No.		313001M-04	Date:	16/09/2026
Wo No.	26000210	Total Quantity	10		Lot Quantity		10		Sample Size-		2	Variable & Gauging	2PCS
Sr. No.	Checking Parameter	REQUIRED PARAMETER				OBSERVED RESULTS				REJECTION REWORK DETAIL	REMARK	CHECKED BY	
		PARAMETER	CRITERIA		1	2	-	-	-				
1	Visual	Surface	Fine, Clean		FINE	FINE	-	-	-				
		Size wise No of Pcs. With Internal Parts	As per Drg. No. of Parts	11	11	11	-	-	-		Measuring Instruments (If No.)		
		Washing & Plating	Surface Finishing	NICKEL	OK	OK	-	-	-		(1) DV-55		
		RUBBER MARKING	AS PER DRG.	NA	NA	NA	-	-	-		(2) PP-01		
		Marking	WO Ref. No.	Metalmech Logo MM-EX- E1FUNV404MB2 2026 CE Logo 2460 Ex Logo II 2 GD Ex db IIC	OK	OK	-	-	-		ASM No :- AEX260811-06		
		Assembly Perfection	As per Drg.		OK	OK	-	-	-				
		Inner Packing	Labeling & Printing		OK	OK	-	-	-				
		Outer Packing	Printing & Stamping		OK	OK	-	-	-				
		All Dimensions Are In MM											
		2	DIMENSION		VALUE	-	+	1	2	-	-	-	
A/F	50.00			49.81	50.00	49.97	49.96	-	-	-			
A/C	55.00			54.20	55.80	54.83	54.85	-	-	-			
T.L	37.00			37.00	37.50	37.11	37.13	-	-	-			
TH.L	13.00			12.50	13.50	13.09	13.07	-	-	-			
LENGTH	17.00			17.00	17.50	17.07	17.06	-	-	-			
GR.OD	38.00			37.20	38.80	37.99	37.97	-	-	-			
GR.LE	2.50			2.30	2.70	2.55	2.54	-	-	-			
O.D	49.00			48.20	49.80	48.97	48.97	-	-	-			
O.D.L	11.00			10.50	11.50	11.01	11.00	-	-	-			
H.L	9.00			8.50	9.50	9.05	9.04	-	-	-			
I.D	32.50			31.70	33.30	32.52	32.51	-	-	-			
INT.TH.L	15.00			14.50	15.50	15.08	15.07	-	-	-			
THREAD	M40x1.5 AS PER T.R.G GO NOT GO			OK	OK	-	-	-					
INT.THREAD	M45x1.5 AS PER P.G GO NOT GO			OK	OK	-	-	-					
CH.ANGLE	1.5x45° AS PER PP FOUND			OK	OK	-	-	-					
CH.ANGLE	0.5x45° AS PER PP FOUND			OK	OK	-	-	-					
CH.ANGLE	20° AS PER PP FOUND			OK	OK	-	-	-					
ANGLE	90° AS PER PP FOUND		OK	OK	-	-	-						

INSPECTED BY:

Jay Hadiyal

APPROVED BY:

Shreekant

Conclusion :



Accept



Reject



Hold





MetalMech-08500-FR-QX-08-Final Inspection Report-EX

INSP. No.	FIR-01	Product Name	INTERMEDIATE BODY			Size		M40		Drawing No.	313002U-04	Date:	16/09/2026
Wo No.	26000210	Total Quantity	10			Lot Quantity		10		Sample Size-	2	Variable & Gauging	2PCS
Sr. No.	Checking Parameter	REQUIRED PARAMETER				OBSERVED RESULTS				REJECTION REWORK DETAIL	REMARK	CHECKED BY	
		PARAMETER	CRITERIA		1	2	-	-	-				
		Surface	Fine, Clean		FINE	FINE	-	-	-				
		Size wise No of Pcs. With Internal Parts	As per Drg. No. of Parts	11	11	11	-	-	-			Measuring Instruments ID No.	
		Washing & Plating	Surface Finishing	NICKEL	OK	OK	-	-	-			(1) DV-55	
		RUBBER MARKING	AS PER DRG.	NA	NA	NA	-	-	-			(2) PP-01	
		Marking	WO Ref. No.	NA	NA	NA	-	-	-			ASM No :- AEX260811-06	
		Assembly Perfection	As per Drg.		OK	OK	-	-	-				
		Inner Packing	Labeling & Printing		OK	OK	-	-	-				
		Outer Packing	Printing & Stamping		OK	OK	-	-	-				
		All Dimensions Are In MM											
			VALUE	-	+	1	2	-	-	-			
		A/F	50.00	49.81	50.00	49.91	49.90	-	-	-			
		A/C	55.00	54.20	55.80	54.73	54.72	-	-	-			
		T.L	29.00	28.50	29.50	29.11	29.10	-	-	-			
		TH.L	13.50	13.00	14.00	13.52	13.51	-	-	-			
		GR.OD	43.00	42.20	43.80	43.03	43.05	-	-	-			
		GR.LE	1.00	0.80	1.20	1.01	1.02	-	-	-			
		H.L	6.00	5.70	6.30	6.11	6.13	-	-	-			
		TH.L	9.50	9.00	10.00	9.45	9.44	-	-	-			
		GR.OD	46.00	45.20	46.80	45.97	45.99	-	-	-			
		GR.LE	1.00	0.80	1.20	1.02	1.01	-	-	-			
		L.D	40.00	39.20	40.80	40.04	40.03	-	-	-			
		L.D	42.50	41.70	43.30	42.51	42.50	-	-	-			
		DEPTH	8.00	7.70	8.30	8.08	8.07	-	-	-			
		THREAD	M45x1.5 AS PER T.R.G GO NOT GO			OK	OK	-	-	-			
		THREAD	M48x1.5 AS PER T.R.G GO NOT GO			OK	OK	-	-	-			
		CH.ANGLE	1x45° AS PER PP FOUND			OK	OK	-	-	-			
		CH.ANGLE	20° AS PER PP FOUND			OK	OK	-	-	-			
		CH.ANGLE	0.5x45° AS PER PP FOUND			OK	OK	-	-	-			
INSPECTED BY:		Jay Hadiyal			APPROVED BY:				Shreekant				

Conclusion : ☒ Accept ☐ Reject ☐ Hold





MetalMech-08500-FR-QX-08-Final Inspection Report-EX

INSP. No.	FIR-01	Product Name	MIDDLE BODY	Size	M40	Drawing No.	313002-04	Date:	16/09/2026
Wo No.	26000210	Total Quantity	10	Lot Quantity	10	Sample Size-	2	Variable & Gauging	2PCS
Sr. No.	Checking Parameter	REQUIRED PARAMETER			OBSERVED RESULTS			REJECTION REWORK DETAIL	CHECKED BY
		PARAMETER	CRITERIA	1	2	-	-	-	
		Surface	Fine, Clean	FINE	FINE	-	-	-	Measuring Instrument: I.D. Inc.
		Size wise No of Pcs. With Internal Parts	As per Drg. No. of Parts	11	11	-	-	-	(1) DV-55
		Washing & Plating	NICKEL	OK	OK	-	-	-	(2) PP-01
		RUBBER MARKING	AS PER DRG.	NA	NA	-	-	-	
		Marking	WO Ref. No.	NA	NA	-	-	-	ASM No :- AEX260811-06
		Assembly Perfection	As per Drg.	OK	OK	-	-	-	
		Inner Packing	Labeling & Printing	OK	OK	-	-	-	
		Outer Packing	Printing & Stamping	OK	OK	-	-	-	
		All Dimensions Are In MM							
		VALUE	-	+	1	2	-	-	-
		A/F	55.00	54.81	55.00	54.96	54.95	-	-
		A/C	60.00	59.20	60.80	60.00	59.99	-	-
		T.L	32.00	31.20	32.80	32.13	32.15	-	-
		TH.L	15.00	14.50	15.50	15.02	15.01	-	-
		GR.OD	50.00	49.20	50.80	50.06	50.05	-	-
		GR.LE	1.00	0.80	1.20	1.00	0.99	-	-
		H.L	9.00	8.50	9.50	9.05	9.07	-	-
		O.D	53.00	52.20	53.80	53.06	53.05	-	-
		O.D.L	8.00	7.70	8.30	8.00	7.99	-	-
		I.D	40.50	39.70	41.30	40.55	40.54	-	-
		I.D	41.50	40.70	42.30	41.53	41.55	-	-
		I.D.LE	5.00	4.70	5.30	5.02	5.00	-	-
		INT.THL	11.50	11.00	12.00	11.49	11.51	-	-
		GR.ID	46.00	45.20	46.80	45.98	46.00	-	-
		GR.LE	7.00	6.70	7.30	7.01	7.03	-	-
		DEPTH	18.50	18.00	19.00	18.45	18.44	-	-
		THREAD	M48x1.5 AS PER T.R.G GO NOT GO		OK	OK	-	-	-
		INT.THREAD	M52x1.5 AS PER P.G GO NOT GO		OK	OK	-	-	-
		CH.ANGLE	1x45° AS PER PP FOUND		OK	OK	-	-	-
		CH.ANGLE	30° AS PER PP FOUND		OK	OK	-	-	-
INSPECTED BY:		Jay Hadiyal			APPROVED BY:			Shreekant	

Conclusion :



Accept



Reject



Hold





MetalMech-08500-FR-QX-08-Final Inspection Report-EX

INSP. No.	FIR-01	Product Name	BACK NUT		Size		M40		Drawing No.	313003-04	Date:	16/09/2026	
Wo No.	26000210	Total Quantity	10		Lot Quantity		10		Sample Size-	2	Variable & Gauging	2PCS	
Sr. No.	Checking Parameter	REQUIRED PARAMETER				OBSERVED RESULTS				REJECTION REWORK DETAIL	REMARK	CHECKED BY	
		PARAMETER	CRITERIA		1	2	-	-	-				
		Surface	Fine, Clean		FINE	FINE	-	-	-		Measuring Instruments ID No.		
		Size wise No of Pcs. With Internal Parts	As per Drg. No. of Parts	11	11	11	-	-	-		(1) DV-55		
		Washing & Plating	Surface Finishing	NICKEL	OK	OK	-	-	-		(2) PP-01		
		RUBBER MARKING	AS PER DRG.	NA	NA	NA	-	-	-				
		Marking	WO Ref. No.	NA	NA	NA	-	-	-		ASM No :- AEX260811-06		
		Assembly Perfection	As per Drg.		OK	OK	-	-	-				
		Inner Packing	Labeling & Printing		OK	OK	-	-	-				
		Outer Packing	Printing & Stamping		OK	OK	-	-	-				
		All Dimensions Are In MM											
			VALUE	-	+	1	2	-	-	-			
		A/F	55.00	54.81	55.00	54.97	54.96	-	-	-			
		A/C	60.00	59.20	60.80	59.90	59.89	-	-	-			
		T.L	23.00	22.50	23.50	23.07	23.06	-	-	-			
		O.D	54.50	53.70	55.30	54.45	54.47	-	-	-			
		O.D.L	10.00	9.50	10.50	10.02	10.01	-	-	-			
		H.L	13.00	12.50	13.50	13.06	13.05	-	-	-			
		LD	45.50	44.70	46.30	45.55	45.54	-	-	-			
		INT.THL	4.00	3.70	4.30	4.02	4.01	-	-	-			
		GR.ID	52.20	51.40	53.00	52.25	52.23	-	-	-			
		GR.LE	14.50	14.00	15.00	14.55	14.54	-	-	-			
		DEPTH	18.50	18.00	19.00	18.52	18.54	-	-	-			
		GR.ID	50.50	49.70	51.30	50.51	50.53	-	-	-			
		GR.LE	2.50	2.30	2.70	2.52	2.54	-	-	-			
		DEPTH	21.00	20.50	21.50	20.99	20.98	-	-	-			
		INT.THREAD	M52x1.5 AS PER P.G GO NOT GO			OK	OK	-	-	-			
		CH.ANGLE	0.5x45° AS PER PP FOUND			OK	OK	-	-	-			
		CH.ANGLE	1x45° AS PER PP FOUND			OK	OK	-	-	-			
		CH.ANGLE	45° AS PER PP FOUND			OK	OK	-	-	-			
INSPECTED BY:		Jay Hadiyal				APPROVED BY:				Shreekant			

Conclusion :



Accept



Reject



Hold





MetalMech-08500-FR-QX-08-Final Inspection Report-EX

INSP. No.	FIR-01	Product Name	UNIVERSAL CLAMPING CONE		Size		M40		Drawing No.		313005-04	Date:	16/09/2026
Wo No.	26000210	Total Quantity	10		Lot Quantity		10		Sample Size-		2	Variable & Gauging	2PCS
Sr. No.	Checking Parameter	REQUIRED PARAMETER				OBSERVED RESULTS					REJECTION REWORK DETAIL	REMARK	CHECKED BY
	PARAMETER	CRITERIA			1	2	-	-	-				
1	Surface	Fine, Clean			FINE	FINE	-	-	-				
	Size/wise No of Pcs. With Internal Parts	As per Drg. No. of Parts	11		11	11	-	-	-			(1) DV-55	
	Washing & Plating	Surface Finishing	NICKEL		OK	OK	-	-	-			(2) PP-01	
	RUBBER MARKING	AS PER DRG.	NA		NA	NA	-	-	-				
	Marking	WO Ref. No.	NA		NA	NA	-	-	-			ASM No :- AEX260811-06	
	Assembly Perfection	As per Drg.			OK	OK	-	-	-				
	Inner Packing	Labeling & Printing			OK	OK	-	-	-				
	Outer Packing	Printing & Stamping			OK	OK	-	-	-				
	All Dimensions Are In MM												
2	DIMENSION		VALUE	-	+	1	2	-	-	-			
		T.L	30.00	29.50	30.50	30.12	30.11	-	-	-			
		O.D	36.00	35.20	36.80	35.98	36.00	-	-	-			
		O.D.L	5.50	5.20	5.80	5.58	5.57	-	-	-			
		O.D	38.50	37.70	39.30	38.55	38.54	-	-	-			
		O.D.L	2.50	2.30	2.70	2.59	2.58	-	-	-			
		GR.LENGTH	0.50	0.30	0.70	0.50	0.49	-	-	-			
		O.D	39.80	39.00	40.60	39.80	39.77	-	-	-			
		O.D.L	11.00	10.50	11.50	11.01	11.03	-	-	-			
		O.D	42.00	41.20	42.80	41.96	41.98	-	-	-			
		O.D.L	8.00	7.70	8.30	8.04	8.06	-	-	-			
		O.D	34.50	33.70	35.30	34.55	34.57	-	-	-			
		O.D.L	6.50	6.20	6.80	6.45	6.48	-	-	-			
		O.D	36.00	35.20	36.80	35.99	36.00	-	-	-			
		O.D	36.50	35.70	37.30	36.52	36.51	-	-	-			
		O.D	37.50	36.70	38.30	37.56	37.55	-	-	-			
		O.D.L	11.00	10.70	11.30	11.03	11.02	-	-	-			
		I.D	32.50	31.70	33.30	32.55	32.58	-	-	-			
		RADIUS	0.50 MM AS PER PP FOUND			OK	OK	-	-	-			
		RADIUS	0.3 MM AS PER PP FOUND			OK	OK	-	-	-			
INSPECTED BY:		Jay Hadiyal			APPROVED BY:				Shreekant				

Conclusion :



Accept



Reject



Hold



MetalMech-08500-FR-QX-08-Final Inspection Report-EX

INSP. No.	FIR-01	Product Name	REVERSIBLE ARMoured RING		Size		M40		Drawing No.			313004-04	Date:	16/09/2026
Wo No.	26000210	Total Quantity	10		Lot Quantity		10		Sample Size-			2	Variable & Gauging	2PCS
Sr. No.	Checking Parameter	REQUIRED PARAMETER				OBSERVED RESULTS					REJECTION REWORK DETAIL	REMARK	CHECKED BY	
		PARAMETER	CRITERIA			1	2	-	-	-				
1	Visual	Surface	Fine, Clean			FINE	FINE	-	-	-		Measuring Instruments I.D No-		
		Size wise No of Pcs. With Internal Parts	As per Drg. No. of Parts	11	11	11	-	-	-		(1) DV-55			
		Washing & Plating	Surface Finishing	NICKEL	OK	OK	-	-	-		(2) PP-01			
		RUBBER MARKING	AS PER DRG.	NA	NA	NA	-	-	-					
		Marking	WO Ref. No.	NA	NA	NA	-	-	-		ASM No :- AEX260811-06			
		Assembly Perfection	As per Drg.			OK	OK	-	-	-				
		Inner Packing	Labeling & Printing		OK	OK	-	-	-					
		Outer Packing	Printing & Stamping			OK	OK	-	-	-				
		All Dimensions Are In MM												
2	DIMENSION		VALUE	-	+	1	2	-	-	-				
		T.L	9.00	8.50	9.50	9.09	9.08	-	-	-				
		O.D	44.00	43.20	44.80	44.03	44.05	-	-	-				
		I.D	39.50	38.70	40.30	39.55	39.54	-	-	-				
		I.D	40.30	39.50	41.10	40.33	40.38	-	-	-				
INSPECTED BY:		Jay Hadiyal			APPROVED BY:				Shreekant					

Conclusion :



Accept



Reject



Hold



		MetalMech-08500-FR-QX-08-Final Inspection Report-EX												
INSP. No.	FIR-01	Product Name	COMPRESSIBLE INNER SEAL			Size		M40		Drawing No.		GI-04	Date:	16/09/2026
Wo No.	26000210	Total Quantity	10			Lot Quantity		10		Sample Size-		2	Variable & Gauging	2PCS
Sr. No.	Checking Parameter	REQUIRED PARAMETER				OBSERVED RESULTS					REJECTION REWORK DETAIL	REMARK	CHECKED BY	
		PARAMETER	CRITERIA			1	2	-	-	-				
1	Visual	Surface	Fine, Clean			FINE	FINE	-	-	-		Measuring Instruments I.D No-		
		Sizewise No of Pcs. With Internal Parts	As per Drg. No. of Parts	11		11	11	-	-	-		(1) DV-55		
		Washing & Plating	Surface Finishing	NA		NA	NA	-	-	-		(2) PP-01		
		RUBBER MARKING	AS PER DRG.	OK		OK	OK	-	-	-				
		Marking	WO Ref. No.	NA		NA	NA	-	-	-		ASM No :- AEX260811-06		
		Assembly Perfection	As per Drg.			OK	OK	-	-	-				
		Inner Packing	Labeling & Printing			OK	OK	-	-	-				
		Outer Packing	Printing & Stamping			OK	OK	-	-	-				
		All Dimensions Are In MM												
2	DIMENSION		VALUE	-	+	1	2	-	-	-				
		T.L	15.50	15.00	16.00	15.49	15.50	-	-	-				
		O.D.L	6.00	5.70	6.30	6.02	5.99	-	-	-				
		O.D	43.50	43.30	43.50	43.39	43.41	-	-	-				
		O.D.L	9.50	9.00	10.00	9.55	9.54	-	-	-				
		I.D	32.10	32.10	32.30	32.15	32.12	-	-	-				
INSPECTED BY:		Jay Hadiyal			APPROVED BY:				Shreekant					

Conclusion :



Accept



Reject



Hold





MetalMech-08500-FR-QX-08-Final Inspection Report-EX

INSP. No.	FIR-01	Product Name	O-RING		Size		M40		Drawing No.		OR-4M	Date:	16/09/2026
Wo No.	26000210	Total Quantity	10		Lot Quantity		10		Sample Size-		2	Variable & Gauging	2PCS
Sr. No.	Checking Parameter	REQUIRED PARAMETER				OBSERVED RESULTS					REJECTION REWORK DETAIL	REMARK	CHECKED BY
		PARAMETER	CRITERIA		1	2	-	-	-				
1	Visual	Surface	Fine, Clean		FINE	FINE	-	-	-		Measuring Instruments I.D No-		
		Sizewise No of Pcs. With Internal Parts	As per Drg. No. of Parts	11	11	11	-	-	-		(1) DV-55		
		Washing & Plating	Surface Finishing	NA	NA	NA	-	-	-		(2) PP-01		
		RUBBER MARKING	AS PER DRG.	NA	NA	NA	-	-	-				
		Marking	WO Ref. No.	NA	NA	NA	-	-	-		ASM No :- AEX260811-06		
		Assembly Perfection	As per Drg.		OK	OK	-	-	-				
		Inner Packing	Labeling & Printing		OK	OK	-	-	-				
		Outer Packing	Printing & Stamping		OK	OK	-	-	-				
		All Dimensions Are In MM											
2	DIMENSION		VALUE	-	+	1	2	-	-	-			
		THICKNESS	2.50	2.00	2.50	2.26	2.30	-	-	-			
		I.D	30.00	29.50	30.50	30.03	30.06	-	-	-			
INSPECTED BY:		Jay Hadiyal			APPROVED BY:				Shreekant				

Conclusion :



Accept



Reject



Hold



MetalMech-08500-FR-QX-08-Final Inspection Report-EX

INSP. No.	FIR-01	Product Name	COMPRESSIBLE OUTER SEAL		Size		M40		Drawing No.		GE-04	Date:	16/09/2026
Wo No.	26000210	Total Quantity	10		Lot Quantity		10		Sample Size-		2	Variable & Gauging	2PCS
Sr. No.	Checking Parameter	REQUIRED PARAMETER				OBSERVED RESULTS					REJECTION REWORK DETAIL	REMARK	CHECKED BY
		PARAMETER	CRITERIA			1	2	-	-	-			
1	Visual	Surface	Fine, Clean			FINE	FINE	-	-	-		Measuring Instruments I.D No-	
		Sizewise No of Pcs. With Internal Parts	As per Drg. No. of Parts	11	11	11	-	-	-		(1) DV-55		
		Washing & Plating	Surface Finishing	NA	NA	NA	-	-	-		(2) PP-01		
		RUBBER MARKING	AS PER DRG.	OK	OK	OK	-	-	-				
		Marking	WO Ref. No.	NA	NA	NA	-	-	-		ASM No :- AEX260811-06		
		Assembly Perfection	As per Drg.			OK	OK	-	-	-			
		Inner Packing	Labeling & Printing		OK	OK	-	-	-				
		Outer Packing	Printing & Stamping			OK	OK	-	-	-			
		All Dimensions Are In MM											
2	DIMENSION		VALUE	-	+	1	2	-	-	-			
		T.L	15.00	14.50	15.50	15.03	15.02	-	-	-			
		O.D	52.20	52.00	52.20	52.01	52.00	-	-	-			
		GR.LENGTH	5.00	4.70	5.30	5.02	5.03	-	-	-			
		I.D	40.00	39.90	40.10	40.04	40.05	-	-	-			
INSPECTED BY:		Jay Hadiyal			APPROVED BY:				Shreekant				

Conclusion :



Accept



Reject



Hold





MetalMech-08500-FR-QX-08-Final Inspection Report-EX

INSP. No.	FIR-01	Product Name	INNER SKID WASHER		Size		M40		Drawing No.	IW-04	Date:	16/09/2026
Wo No.	26000210	Total Quantity	10		Lot Quantity		10		Sample Size-	2	Variable & Gauging	2PCS
Sr. No.	Checking Parameter	REQUIRED PARAMETER				OBSERVED RESULTS				REJECTION REWORK DETAIL	REMARK	CHECKED BY
		PARAMETER	CRITERIA			1	2	-	-			
1	Visual	Surface	Fine, Clean			FINE	FINE	-	-	-		
		Sizewise No of Pcs. With Internal Parts	As per Drg. No. of Parts	11	11	11	-	-	-		Measuring Instruments I.D No-	
		Washing & Plating	Surface Finishing	NA	NA	NA	-	-	-		(1) DV-55	
		RUBBER MARKING	AS PER DRG.	OK	OK	OK	-	-	-		(2) PP-01	
		Marking	WO Ref. No.	NA	NA	NA	-	-	-		ASM No :- AEX260811-06	
		Assembly Perfection	As per Drg.			OK	OK	-	-	-		
		Inner Packing	Labeling & Printing		OK	OK	-	-	-			
		Outer Packing	Printing & Stamping			OK	OK	-	-	-		
		All Dimensions Are In MM										
2	DIMENSION		VALUE	-	+	1	2	-	-	-		
		T.L	5.00	4.70	5.30	5.00	4.99	-	-	-		
		O.D	42.50	42.30	42.50	42.39	42.41	-	-	-		
		O.D	39.50	39.30	39.50	39.50	39.49	-	-	-		
		O.D.L	3.00	3.00	3.20	3.02	2.99	-	-	-		
		I.D	32.20	32.20	32.40	32.25	32.23	-	-	-		
INSPECTED BY:		Jay Hadiyal			APPROVED BY:				Shreekant			

Conclusion :



Accept



Reject



Hold





MetalMech-08500-FR-QX-08-Final Inspection Report-EX

INSP. No.	FIR-01	Product Name	OUTER SKID WASHER		Size		M40		Drawing No.	OW-04	Date:	16/09/2026
Wo No.	26000210	Total Quantity	10		Lot Quantity		10		Sample Size-	2	Variable & Gauging	2PCS
Sr. No.	Checking Parameter	REQUIRED PARAMETER				OBSERVED RESULTS				REJECTION REWORK DETAIL	REMARK	CHECKED BY
		PARAMETER	CRITERIA		1	2	-	-	-			
1	Visual	Surface	Fine, Clean		FINE	FINE	-	-	-		Measuring Instruments I.D No-	
		Sizewise No of Pcs. With Internal Parts	As per Drg. No. of Parts	11	11	11	-	-	-		(1) DV-55	
		Washing & Plating	Surface Finishing	NICKEL	OK	OK	-	-	-		(2) PP-01	
		RUBBER MARKING	AS PER DRG.	OK	OK	OK	-	-	-			
		Marking	WO Ref. No.	NA	NA	NA	-	-	-		ASM No :- AEX260811-06	
		Assembly Perfection	As per Drg.		OK	OK	-	-	-			
		Inner Packing	Labeling & Printing		OK	OK	-	-	-			
		Outer Packing	Printing & Stamping		OK	OK	-	-	-			
		All Dimensions Are In MM										
2	DIMENSION		VALUE	-	+	1	2	-	-	-		
		T.L	6.50	6.20	6.80	6.52	6.51	-	-	-		
		O.D	50.00	50.00	50.10	50.01	50.03	-	-	-		
		O.D	44.50	44.30	44.50	44.39	44.41	-	-	-		
		O.D.L	4.50	4.50	4.60	4.53	4.52	-	-	-		
		I.D	40.50	40.50	40.70	40.52	40.54	-	-	-		
INSPECTED BY:		Jay Hadiyal			APPROVED BY:				Shreekant			

Conclusion :



Accept



Reject



Hold

