MM-086000-SXUA-QCZA-FR-02-01-Final Inspection Report-Ex-V26I01

INSP. No.	FIR-04	Product Name	ENTRY COMPONENT	Size	M50	Drawing No.	313001M-05	Date:	26-10-2026
Wo No.	26100102	Total Quantity	13	Lot Quantity	13	Sample Size	2	Variable & Gauging	2PCS

Sr. No.	Checking Parameter	REQUIRED PARAMETER			OBSERVED RESULTS					REJECTION REWORK DETAIL	REMARK	CHECKED BY
		PARAMETER	CRITERIA		1	2	-	-	-			
1	Visual	Surface	Fine, Clean		FINE	FINE	-	-	-		Measuring Instruments LD No-	
		Sizewise No of Pcs. With Internal Parts	As per Drg. No. of Parts	5	5	5	-	-	-		(1) DV-55	
		Washing & Plating	Surface Finishing	NICKEL	OK	OK	-	-	-		(2) PP-01	
		RUBBER MARKING	AS PER DRG.	NA	NA	NA	-	-	-			
		Marking	WO Ref. No.	OK	OK	OK	-	-	-		ASM No - AEX261021-03	
		Assembly Perfection	As per Drg.		OK	OK	-	-	-			
		Inner Packing	Labeling & Printing		OK	OK	-	-	-			
		Outer Packing	Printing & Stamping		OK	OK	-	-	-			
		All Dimensions Are In MM										
2	DIMENSION		VALUE	-	+	1	1	-	-	-		
		A/F	60.00	59.81	60.00	59.95	59.96	-	-	-		
		A/C	65.00	64.20	65.80	65.05	65.04	-	-	-		
		T.L	38.00	38.00	38.50	38.11	38.13	-	-	-		
		TH.L	13.00	12.50	13.50	13.00	13.00	-	-	-		
		LENGTH	17.00	17.00	17.50	17.05	17.07	-	-	-		
		GR.OD	48.00	47.20	48.80	48.02	48.02	-	-	-		
		GR.LE	2.50	2.30	2.70	2.52	2.52	-	-	-		
		O.D	59.00	58.20	59.80	59.09	59.10	-	-	-		
		O.D.L	12.00	11.50	12.50	12.01	12.01	-	-	-		
		H.L	9.00	8.50	9.50	9.02	9.02	-	-	-		
		I.D	44.50	43.70	45.30	44.52	44.54	-	-	-		
		DEPTH	15.00	14.50	15.50	15.05	15.05	-	-	-		
		THREAD	M50x1.5 AS PER T.R.G GO NOT GO			OK	OK	-	-	-		
		INT.THREAD	M56x1.5 AS PER P.G GO NOT GO			OK	OK	-	-	-		
		CH.ANGLE	1x45° AS PER PP FOUND			OK	OK	-	-	-		
		CH.ANGLE	1.5x45° AS PER PP FOUND			OK	OK	-	-	-		
		CH.ANGLE	20° AS PER PP FOUND			OK	OK	-	-	-		
		ANGLE	90° AS PER PP FOUND			OK	OK	-	-	-		

INSPECTED BY:	Jay Hadiyal	APPROVED BY:	Shreekant

Conclusion :

☑ **Accept** ☐ **Reject** ☐ **Hold**

METAMECH ENGINEERS (I) PVT. LTD. CA PASSED

METAL MECH®
THE SAFEST CONNECTIONS

MM-086000-SXUA-QCZA-FR-02-01-Final Inspection Report-Ex-V26I01

INSP. No.	FIR-04	**Product Name**	BACK NUT		**Size**	M50		**Drawing No.**	314006-05	**Date:**	26-10-2026
Wo No.	26100102	**Total Quantity**	13		**Lot Quantity**	13		**Sample Size**	2	Variable & Gauging	2PCS

Sr. No.	Checking Parameter	REQUIRED PARAMETER			OBSERVED RESULTS					REJECTION REWORK DETAIL	REMARK	CHECKED BY
		PARAMETER	CRITERIA		1	2	-	-	-			
1	Visual	Surface	Fine, Clean		FINE	FINE	-	-	-		Measuring Instruments I.D No-	
		Sizewise No of Pcs. With Internal Parts	As per Drg. No. of Parts	5	5	5	-	-	-		(1) DV-55	
		Washing & Plating	Surface Finishing	NICKEL	OK	OK	-	-	-		(2) PP-01	
		RUBBER MARKING	AS PER DRG.	NA	NA	NA	-	-	-			
		Marking	WO Ref. No.	NA	NA	NA	-	-	-		ASM No - AEX261021-03	
		Assembly Perfection	As per Drg.		OK	OK	-	-	-			
		Inner Packing	Labeling & Printing		OK	OK	-	-	-			
		Outer Packing	Printing & Stamping		OK	OK	-	-	-			
		All Dimensions Are In MM										
2	DIMENSION		VALUE	-	+	1	1	-	-	-		
		A/F	60.00	59.81	60.00	59.90	59.91	-	-	-		
		A/C	65.00	64.20	65.80	65.07	65.09	-	-	-		
		T.L	21.00	20.50	21.50	21.07	21.09	-	-	-		
		TH.L	13.50	13.00	14.00	13.53	13.55	-	-	-		
		GR.DIA	54.00	53.20	54.80	54.05	54.07	-	-	-		
		GR.LE	1.50	1.30	1.70	1.53	1.54	-	-	-		
		H.L	7.50	7.20	7.80	7.59	7.60	-	-	-		
		I.D	49.50	48.70	50.30	49.56	49.56	-	-	-		
		THREAD	M56x1.5 AS PER T.R.G GO NOT GO			OK	OK	-	-	-		
		CH.ANGLE	20° AS PER PP FOUND			OK	OK	-	-	-		
		CH.ANGLE	1.5x45° AS PER PP FOUND			OK	OK	-	-	-		
		RADIUS	3 MM AS PER PP FOUND			OK	OK	-	-	-		

INSPECTED BY:	*Jay Hadiyal*	*APPROVED BY:*	*Shreekant*

Conclusion :

☑ **Accept** ☐ **Reject** ☐ **Hold**

METAL MECH ENGINEERING
CA
PASSED

MM-086000-SXUA-QCZA-FR-02-01-Final Inspection Report-Ex-V26I01

INSP. No.	FIR-04	**Product Name**	COMPRESSIBLE OUTER SEAL	**Size**	M50	**Drawing No.**	GE-05	**Date:**	26-10-2026		
Wo No.	26100102	**Total Quantity**	13	**Lot Quantity**	13	**Sample Size**	2	**Variable & Gauging**	2PCS		

Sr. No.	**Checking Parameter**	**REQUIRED PARAMETER**			**OBSERVED RESULTS**					**REJECTION REWORK DETAIL**	**REMARK**	**CHECKED BY**
		PARAMETER	**CRITERIA**		**1**	**2**	**-**	**-**	**-**			
1	Visual	Surface	Fine, Clean		FINE	FINE	-	-	-		Measuring Instruments I.D No-	
		Sizewise No of Pcs. With Internal Parts	As per Drg. No. of Parts	5	5	5	-	-	-		**(1) DV-55**	
		Washing & Plating	Surface Finishing	NA	NA	NA	-	-	-		**(2) PP-01**	
		RUBBER MARKING	AS PER DRG.	OK	OK	OK	-	-	-			
		Marking	WO Ref. No.	NA	NA	NA	-	-	-		**ASM No - AEX261021-03**	
		Assembly Perfection	As per Drg.		OK	OK	-	-	-			
		Inner Packing	Labeling & Printing		OK	OK	-	-	-			
		Outer Packing	Printing & Stamping		OK	OK	-	-	-			
		All Dimensions Are In MM										
2	DIMENSION		VALUE	-	+	1	1	-	-	-		
		T.L	15.00	14.50	15.50	15.05	15.04	-	-	-		
		O.D	67.20	67.00	67.20	67.12	67.11	-	-	-		
		GR.LENGTH	5.50	5.20	5.80	5.52	5.54	-	-	-		
		I.D	53.00	52.90	53.10	52.98	52.96	-	-	-		

INSPECTED BY:	*Jay Hadiyal*	*APPROVED BY:*	*Shreekant*

Conclusion :

☑ **Accept** ☐ **Reject** ☐ **Hold**

METALMECH ENGINEERING CA PASSED

MM-086000-SXUA-QCZA-FR-02-01-Final Inspection Report-Ex-V26I01

INSP. No.	FIR-04	**Product Name**	INNER SKID WASHER	**Size**	M50	**Drawing No.**	IW-05	**Date:**	26-10-2026
Wo No.	26100102	**Total Quantity**	13	**Lot Quantity**	13	**Sample Size**	2	**Variable & Gauging**	2PCS

Sr. No.	**Checking Parameter**	**REQUIRED PARAMETER**			**OBSERVED RESULTS**					**REJECTION REWORK DETAIL**	**REMARK**	**CHECKED BY**
		PARAMETER	**CRITERIA**		**1**	**2**	**-**	**-**	**-**			
1	Visual	Surface	Fine, Clean		FINE	FINE	-	-	-		Measuring Instruments I.D No-	
		Sizewise No of Pcs. With Internal Parts	As per Drg. No. of Parts	5	5	5	-	-	-		**(1) DV-55**	
		Washing & Plating	Surface Finishing	NA	NA	NA	-	-	-		**(2) PP-01**	
		RUBBER MARKING	AS PER DRG.	NA	NA	NA	-	-	-			
		Marking	WO Ref. No.	NA	NA	NA	-	-	-		**ASM No - AEX261021-03**	
		Assembly Perfection	As per Drg.		OK	OK	-	-	-			
		Inner Packing	Labeling & Printing		OK	OK	-	-	-			
		Outer Packing	Printing & Stamping		OK	OK	-	-	-			
		All Dimensions Are In MM										
2	DIMENSION		VALUE	-	+	1	1	-	-	-		
		T.L	5.50	5.20	5.80	5.52	5.55	-	-	-		
		O.D	53.00	52.80	53.00	52.92	52.95	-	-	-		
		O.D	48.50	48.30	48.50	48.40	48.39	-	-	-		
		O.D.L	3.50	3.50	3.70	3.55	3.54	-	-	-		
		I.D	44.00	44.00	44.20	44.05	44.07	-	-	-		

INSPECTED BY:	*Jay Hadiyal*	*APPROVED BY:*	*Shreekant*

Conclusion :

☑ **Accept** ☐ **Reject** ☐ **Hold**



METAL MECH®
THE SAFEST CONNECTIONS

MM-086000-SXUA-QCZA-FR-02-01-Final Inspection Report-Ex-V26I01

INSP. No.	FIR-04	Product Name	O-RING	Size	M50	Drawing No.	OR-5M	Date:	26-10-2026
Wo No.	26100102	Total Quantity	13	Lot Quantity	13	Sample Size	2	Variable & Gauging	2PCS

Sr. No.	Checking Parameter	REQUIRED PARAMETER			OBSERVED RESULTS					REJECTION REWORK DETAIL	REMARK	CHECKED BY
		PARAMETER	CRITERIA		1	2	-	-	-			
1	Visual	Surface	Fine, Clean		FINE	FINE	-	-	-		Measuring Instruments I.D No-	
		Sizewise No of Pcs. With Internal Parts	As per Drg. No. of Parts	5	5	5	-	-	-		(1) DV-55	
		Washing & Plating	Surface Finishing	NA	NA	NA	-	-	-		(2) PP-01	
		RUBBER MARKING	AS PER DRG.	NA	NA	NA	-	-	-			
		Marking	WO Ref. No.	NA	NA	NA	-	-	-		ASM No - AEX261021-03	
		Assembly Perfection	As per Drg.		OK	OK	-	-	-			
		Inner Packing	Labeling & Printing		OK	OK	-	-	-			
		Outer Packing	Printing & Stamping		OK	OK	-	-	-			
		All Dimensions Are In MM										
2	DIMENSION		VALUE	-	+	1	1	-	-	-		
		THICKNESS	2.50	2.00	2.50	2.05	2.04	-	-	-		
		I.D	45.00	44.20	45.80	45.03	45.05	-	-	-		

INSPECTED BY:	Jay Hadiyal	APPROVED BY:	Shreekant

Conclusion :

☑ **Accept** ☐ **Reject** ☐ **Hold**

METALMECH ENGINEERING CA PASSED