MM-086000-SXUA-QCZA-FR-02-01-Final Inspection Report-Ex-V26I01

INSP. No.	FIR-016	Product Name	LOCK NUT	Size	M25	Drawing No.	DL2M	Date:	04-11-2026
Wo No.	26100096	Total Quantity	400	Lot Quantity	400	Sample Size-	3	Variable & Gauging	3PCS

Sr. No.	Checking Parameter	REQUIRED PARAMETER			OBSERVED RESULTS					REJECTION REWORK DETAIL	REMARK	CHECKED BY
		PARAMETER	CRITERIA		1	2	3	-	-			
1	Visual	Surface	Fine, Clean		FINE	FINE	FINE	-	-		Measuring Instruments I.D No-	
		Sizewise No of Pcs. With Internal Parts	As per Drg. No. of Parts	15	15	15	15	-	-		(1) DV-55	
		Washing & Plating	Surface Finishing	NICKEL	OK	OK	OK	-	-		(2) PP-01	
		RUBBER MARKING	AS PER DRG.	NA	NA	NA	NA	-	-			
		Marking	WO Ref. No.	NA	NA	NA	NA	-	-		ASM No - AEX260928-05	
		Assembly Perfection	As per Drg.		OK	OK	OK	-	-			
		Inner Packing	Labeling & Printing		OK	OK	OK	-	-			
		Outer Packing	Printing & Stamping		OK	OK	OK	-	-			
		All Dimensions Are In MM										

			VALUE	-	+	1	2	3	-	-			
2	DIMENSION	A/F	30.00	29.84	30.00	29.95	29.94	29.95	-	-			
		A/C	33.00	32.20	33.80	33.01	33.03	33.04	-	-			
		T.L	4.00	3.70	4.30	4.04	4.06	4.06	-	-			
		THREAD	M25x1.5 AS PER P.G GO NOT GO			OK	OK	OK	-	-			
		CH.ANGLE	30° AS PER PP FOUND			OK	OK	OK	-	-			

INSPECTED BY:	*Jay Hadiyal*	*APPROVED BY:*	*Shreekant*

Conclusion :

☑ **Accept** ☐ **Reject** ☐ **Hold**



MM-086000-SXUA-QCZA-FR-02-01-Final Inspection Report-Ex-V26I01

INSP. No.	FIR-016	Product Name	ENTRY COMPONENT	Size	M25	Drawing No.	313001M-02	Date:	04-11-2026
Wo No.	26100096	Total Quantity	400	Lot Quantity	400	Sample Size-	3	Variable & Gauging	3PCS

Sr. No.	Checking Parameter	REQUIRED PARAMETER			OBSERVED RESULTS					REJECTION REWORK DETAIL	REMARK	CHECKED BY
		PARAMETER	CRITERIA		1	2	3	-	-			
1	Visual	Surface	Fine, Clean		FINE	FINE	FINE	-	-		Measuring Instruments I.D No-	
		Sizewise No of Pcs. With Internal Parts	As per Drg. No. of Parts	15	15	15	15	-	-		(1) DV-55	
		Washing & Plating	Surface Finishing	NICKEL	OK	OK	OK	-	-		(2) PP-01	
		RUBBER MARKING	AS PER DRG.	NA	NA	NA	NA	-	-			
		Marking	WO Ref. No.	Metalmech Logo MM-EX-EIFUNV252MB2 2026 CE Logo 2460 Ex Logo II 2 GD Ex db IIC Gb, Ex eb IIC Gb, Ex tb IIIC Db, IP66/68 -55°C ≤ Ta ≤ +160°C Presafe 20 ATEX 48906X IECEx PRE 20.0124X			-	-		ASM No - AEX260928-05	
		Assembly Perfection	As per Drg.		OK	OK	OK	-	-			
		Inner Packing	Labeling & Printing		OK	OK	OK	-	-			
		Outer Packing	Printing & Stamping		OK	OK	OK	-	-			
		All Dimensions Are In MM										
2	DIMENSION		VALUE	-	+	1	2	3	-	-			
		A/F	36.00	35.84	36.00	35.91	35.93	35.95	-	-			
		A/C	40.00	39.20	40.80	39.97	39.96	39.94	-	-			
		T.L	37.00	37.00	37.50	37.19	37.18	37.17	-	-			
		TH.L	13.00	12.50	13.50	13.05	13.04	13.06	-	-			
		LENGTH	17.00	17.00	17.50	17.04	17.05	17.06	-	-			
		GR.OD	23.00	22.50	23.50	23.02	23.01	23.00	-	-			
		GR.LE	2.50	2.30	2.70	2.53	2.55	2.55	-	-			
		O.D	35.00	34.20	35.80	35.05	35.04	35.05	-	-			
		O.D.L	11.00	10.50	11.50	11.02	11.01	11.03	-	-			
		H.L	9.00	8.50	9.50	9.04	9.03	9.05	-	-			
		I.D	20.00	19.50	20.50	20.07	20.08	20.07	-	-			
		INT.THL	14.50	14.00	15.00	14.56	14.55	14.55	-	-			
		THREAD	M25x1.5 AS PER T.R.G GO NOT GO			OK	OK	OK	-	-			
		INT.THREAD	M32x1.5 AS PER P.G GO NOT GO			OK	OK	OK	-	-			
		CH.ANGLE	1.5x45° AS PER PP FOUND			OK	OK	OK	-	-			
		CH.ANGLE	0.5x45° AS PER PP FOUND			OK	OK	OK	-	-			
		CH.ANGLE	20° AS PER PP FOUND			OK	OK	OK	-	-			
		ANGLE	90° AS PER PP FOUND			OK	OK	OK	-	-			

INSPECTED BY:	Jay Hadiyal	APPROVED BY:	Shreekant

Conclusion :

☑ **Accept** ☐ **Reject** ☐ **Hold**

METALMECH ENGINEERING CA PASSED

MM-086000-SXUA-QCZA-FR-02-01-Final Inspection Report-Ex-V26I01

INSP. No.	FIR-016	**Product Name**	INTERMIDIATE BODY	**Size**	M25	**Drawing No.**	313002U-02	**Date:**	04-11-2026		
Wo No.	26100096	**Total Quantity**	400	**Lot Quantity**	400	**Sample Size-**	3	Variable & Gauging	3PCS		

Sr. No.	Checking Parameter	REQUIRED PARAMETER			OBSERVED RESULTS					REJECTION REWORK DETAIL	REMARK	CHECKED BY
		PARAMETER	CRITERIA		1	2	3	-	-			
1	Visual	Surface	Fine, Clean		FINE	FINE	FINE	-	-		Measuring Instruments I.D No-	
		Sizewise No of Pcs. With Internal Parts	As per Drg. No. of Parts	15	15	15	15	-	-		(1) DV-55	
		Washing & Plating	Surface Finishing	NICKEL	OK	OK	OK	-	-		(2) PP-01	
		RUBBER MARKING	AS PER DRG.	NA	NA	NA	NA	-	-			
		Marking	WO Ref. No.	NA	NA	NA	NA	-	-		ASM No - AEX260928-05	
		Assembly Perfection	As per Drg.		OK		OK	-	-			
		Inner Packing	Labeling & Printing		OK	OK	OK	-	-			
		Outer Packing	Printing & Stamping		OK	OK	OK	-	-			
		All Dimensions Are In MM										
2	DIMENSION		VALUE	- +	1	2	3	-	-			
		A/F	36.00	35.84 36.20	35.93	35.95	35.95	-	-			
		A/C	40.00	39.20 40.80	39.91	39.93	39.94	-	-			
		T.L	29.00	28.50 29.50	29.10	29.09	29.07	-	-			
		TH.L	13.50	13.00 14.00	13.50	13.49	13.50	-	-			
		GR.OD	30.00	29.50 30.50	30.06	30.05	30.03	-	-			
		GR.LE	1.00	0.80 1.20	1.01	1.03	1.02	-	-			
		H.L	6.00	5.70 6.30	6.08	6.09	6.07	-	-			
		TH.L	9.50	9.00 10.00	9.55	9.54	9.55	-	-			
		GR.OD	32.00	31.20 32.80	32.00	31.99	31.97	-	-			
		GR.LE	1.00	0.80 1.20	1.01	1.03	1.02	-	-			
		I.D	26.50	26.00 27.00	26.55	26.54	26.53	-	-			
		I.D	29.30	28.80 29.80	29.36	29.35	29.36	-	-			
		DEPTH	8.00	7.70 8.30	8.05	8.04	8.05	-	-			
		THREAD	M32x1.5 AS PER T.R.G GO NOT GO		OK	OK	OK	-	-			
		THREAD	M34x1.5 AS PER T.R.G GO NOT GO		OK	OK	OK	-	-			
		CH.ANGLE	1x45° AS PER PP FOUND		OK	OK	OK	-	-			
		CH.ANGLE	20° AS PER PP FOUND		OK	OK	OK	-	-			
		CH.ANGLE	0.5x45° AS PER PP FOUND		OK	OK	OK	-	-			

INSPECTED BY:	*Jay Hadiyal*	*APPROVED BY:*	*Shreekant*

Conclusion :

☑ **Accept** ☐ **Reject** ☐ **Hold**



MM-086000-SXUA-QCZA-FR-02-01-Final Inspection Report-Ex-V26I01

INSP. No.	FIR-016	Product Name	MIDDLE BODY	Size	M25	Drawing No.	313002-02	Date:	04-11-2026
Wo No.	26100096	Total Quantity	400	Lot Quantity	400	Sample Size-	3	Variable & Gauging	3PCS

Sr. No.	Checking Parameter	REQUIRED PARAMETER			OBSERVED RESULTS					REJECTION REWORK DETAIL	REMARK	CHECKED BY
		PARAMETER	CRITERIA		1	2	3	-	-			
1	Visual	Surface	Fine, Clean		FINE	FINE	FINE	-	-		Measuring Instruments I.D No-	
		Sizewise No of Pcs. With Internal Parts	As per Drg. No. of Parts	15	15	15	15	-	-		(1) DV-55	
		Washing & Plating	Surface Finishing	NICKEL	OK	OK	OK	-	-		(2) PP-01	
		RUBBER MARKING	AS PER DRG.	NA	NA	NA	NA	-	-			
		Marking	WO Ref. No.	NA	NA	NA	NA	-	-		ASM No - AEX260928-05	
		Assembly Perfection	As per Drg.		OK	OK	OK	-	-			
		Inner Packing	Labeling & Printine		OK	OK	OK	-	-			
		Outer Packing	Printing & Stamping		OK	OK	OK	-	-			
		All Dimensions Are In MM										
2	DIMENSION		VALUE	-	+	1	2	3	-	-			
		A/F	36.00	35.84	36.00	35.94	35.96	35.95	-	-			
		A/C	40.00	39.20	40.80	39.93	39.95	39.94	-	-			
		T.L	32.00	31.20	32.80	32.09	32.08	32.07	-	-			
		TH.L	15.00	14.50	15.50	15.04	15.03	15.05	-	-			
		GR.OD	33.00	32.20	33.80	32.95	32.94	32.96	-	-			
		GR.LE	1.50	1.30	1.70	1.53	1.55	1.55	-	-			
		O.D	35.50	34.70	36.30	35.45	35.48	35.49	-	-			
		O.D.L	9.00	8.50	9.50	9.00	9.00	9.01	-	-			
		H.L	8.00	7.70	8.30	8.03	8.05	8.05	-	-			
		I.D	26.50	26.00	27.00	26.54	26.56	26.55	-	-			
		I.D	27.50	27.00	28.00	27.48	27.47	27.49	-	-			
		I.D.LE	4.50	4.20	4.80	4.54	4.56	4.55	-	-			
		INT.THL	11.50	11.00	12.00	11.55	11.54	11.53	-	-			
		GR.ID	32.00	31.20	32.80	32.06	32.05	32.04	-	-			
		GR.LE	4.00	3.70	4.30	4.04	4.06	4.07	-	-			
		DEPTH	15.50	15.00	16.00	15.55	15.54	15.55	-	-			
		THREAD	M35x1.5 AS PER T.R.G GO NOT GO			OK	OK	OK	-	-			
		INT.THREAD	M34x1.5 AS PER P.G GO NOT GO			OK	OK	OK	-	-			
		CH.ANGLE	1x45° AS PER PP FOUND			OK	OK	OK	-	-			
		CH.ANGLE	30° AS PER PP FOUND			OK	OK	OK	-	-			

INSPECTED BY:	Jay Hadiyal	APPROVED BY:	Shreekant

Conclusion :

☑ **Accept** ☐ **Reject** ☐ **Hold**

METAMECH ENGINEERING QA PASSED

METAL MECA®
THE SAFEST CONNECTIONS

MM-086000-SXUA-QCZA-FR-02-01-Final Inspection Report-Ex-V26I01

INSP. No.	FIR-016	Product Name	BACK NUT	Size	M25	Drawing No.	313003-02	Date:	04-11-2026
Wo No.	26100096	Total Quantity	400	Lot Quantity	400	Sample Size-	3	Variable & Gauging	3PCS

Sr. No.	Checking Parameter	REQUIRED PARAMETER			OBSERVED RESULTS					REJECTION REWORK DETAIL	REMARK	CHECKED BY
		PARAMETER	CRITERIA		1	2	3	-	-			
1	Visual	Surface	Fine, Clean		FINE	FINE	FINE	-	-		Measuring Instruments I.D No-	
		Sizewise No of Pcs. With Internal Parts	As per Drg. No. of Parts	15	15	15	15	-	-		(1) DV-55	
		Washing & Plating	Surface Finishing	NICKEL	OK	OK	OK	-	-		(2) PP-01	
		RUBBER MARKING	AS PER DRG.	NA	NA	NA	NA	-	-			
		Marking	WO Ref. No.	NA	NA	NA	NA	-	-		ASM No - AEX260928-05	
		Assembly Perfection	As per Drg.		OK	OK	OK	-	-			
		Inner Packing	Labeling & Printing		OK	OK	OK	-	-			
		Outer Packing	Printing & Stamping		OK	OK	OK	-	-			
		All Dimensions Are In MM										

			VALUE	-	+	1	2	3	-	-			
2	DIMENSION	A/F	38.00	37.84	38.00	37.96	37.98	37.95	-	-			
		A/C	42.00	41.20	42.80	41.98	42.00	42.01	-	-			
		T.L	23.00	22.50	23.50	23.10	23.09	23.08	-	-			
		O.D	37.50	36.70	38.30	37.47	37.46	37.44	-	-			
		O.D.L	10.00	9.50	10.50	10.07	10.06	10.03	-	-			
		H.L	13.00	12.50	13.50	13.05	13.04	13.05	-	-			
		I.D	30.50	29.70	31.30	30.55	30.54	30.53	-	-			
		INT.THL	4.00	3.70	4.30	4.04	4.06	4.05	-	-			
		GR.ID	35.20	34.40	36.00	35.23	35.25	35.27	-	-			
		GR.LE	14.50	14.00	15.00	14.55	14.54	14.53	-	-			
		DEPTH	18.50	18.00	19.00	18.53	18.56	18.59	-	-			
		GR.ID	33.50	32.70	34.30	33.54	33.53	33.52	-	-			
		GR.LE	3.00	2.80	3.20	3.03	3.02	3.01	-	-			
		DEPTH	21.00	20.50	21.50	21.04	21.06	21.08	-	-			
		INT.THREAD	M35x1.5 AS PER P.G GO NOT GO			OK	OK	OK	-	-			
		CH.ANGLE	0.5x45° AS PER PP FOUND			OK	OK	OK	-	-			
		CH.ANGLE	1x45° AS PER PP FOUND			OK	OK	OK	-	-			
		CH.ANGLE	30° AS PER PP FOUND			OK	OK	OK	-	-			
		CH.ANGLE	45° AS PER PP FOUND			OK	OK	OK	-	-			

INSPECTED BY:	*Jay Hadiyal*	*APPROVED BY:*	*Shreekant*

Conclusion :

☑ **Accept** ☐ **Reject** ☐ **Hold**

METAL MECH ENGINEERS CA PASSED

METAL MECA
THE SAFEST CONNECTIONS

MM-086000-SXUA-QCZA-FR-02-01-Final Inspection Report-Ex-V26I01

INSP. No.	FIR-016	**Product Name**	UNIVERSAL CLAMPING CONE	**Size**	M25	**Drawing No.**	313005-02	**Date:**	04-11-2026
Wo No.	26100096	**Total Quantity**	400	**Lot Quantity**	400	**Sample Size-**	3	Variable & Gauging	3PCS

Sr. No.	Checking Parameter	REQUIRED PARAMETER			OBSERVED RESULTS					REJECTION REWORK DETAIL	REMARK	CHECKED BY
		PARAMETER	CRITERIA		1	2	3	-	-			
1	Visual	Surface	Fine, Clean		FINE	FINE	FINE	-	-		Measuring Instruments I.D No-	
		Sizewise No of Pcs. With Internal Parts	As per Drg. No. of Parts	15	15	15	15	-	-		(1) DV-55	
		Washing & Plating	Surface Finishing	NICKEL	OK	OK	OK	-	-		(2) PP-01	
		RUBBER MARKING	AS PER DRG.	NA	NA	NA	NA	-	-			
		Marking	WO Ref. No.	NA	NA	NA	NA	-	-		ASM No - AEX260928-05	
		Assembly Perfection	As per Drg.		OK	OK	OK	-	-			
		Inner Packing	Labeling & Printing		OK	OK	OK	-	-			
		Outer Packing	Printing & Stamping		OK	OK	OK	-	-			
		All Dimensions Are In MM										
2	DIMENSION		VALUE	-	+	1	2	3	-	-			
		T.L	25.00	24.50	25.50	25.13	25.12	25.11	-	-			
		O.D	23.50	23.00	24.00	23.55	23.54	23.53	-	-			
		O.D.L	4.50	4.20	4.80	4.53	4.55	4.55	-	-			
		O.D	25.00	24.50	25.50	24.96	24.98	24.97	-	-			
		O.D.L	2.50	2.30	2.70	2.53	2.55	2.57	-	-			
		GR.LENGTH	0.50	0.30	0.70	0.48	0.50	0.50	-	-			
		O.D	26.00	25.50	26.50	26.05	26.04	26.05	-	-			
		O.D.L	8.50	8.00	9.00	8.53	8.55	8.55	-	-			
		O.D	29.00	28.50	29.50	28.95	28.94	28.95	-	-			
		O.D.L	8.00	7.70	8.30	8.05	8.04	8.04	-	-			
		O.D	22.50	22.00	23.00	22.60	22.59	22.58	-	-			
		O.D.L	5.50	5.20	5.80	5.53	5.55	5.57	-	-			
		O.D	23.50	23.00	24.00	23.58	23.56	23.54	-	-			
		O.D	24.00	23.50	24.50	24.06	24.05	24.04	-	-			
		O.D	24.50	24.00	25.00	24.53	24.55	24.57	-	-			
		O.D.L	8.50	8.00	9.00	8.53	8.55	8.57	-	-			
		I.D	20.00	19.50	20.50	20.05	20.04	20.03	-	-			
		RADIUS	0.5 MM AS PER PP FOUND			OK	OK	OK	-	-			
		RADIUS	0.3 MM AS PER PP FOUND			OK	OK	OK	-	-			

INSPECTED BY:	*Jay Hadiyal*	*APPROVED BY:*	*Shreekant*

Conclusion :

☑ **Accept** ☐ **Reject** ☐ **Hold**

METALTECH ENGINEERING CA PASSED

MM-086000-SXUA-QCZA-FR-02-01-Final Inspection Report-Ex-V26I01

INSP. No.	FIR-016	**Product Name**	REVERSIBLE ARMOUR RING	**Size**	M25	**Drawing No.**	313004-02	**Date:**	04-11-2026
Wo No.	26100096	**Total Quantity**	400	**Lot Quantity**	400	**Sample Size-**	3	**Variable & Gauging**	3PCS

Sr. No.	**Checking Parameter**	**REQUIRED PARAMETER**			**OBSERVED RESULTS**					**REJECTION REWORK DETAIL**	**REMARK**	**CHECKED BY**
		PARAMETER	**CRITERIA**		**1**	**2**	**3**	**-**	**-**			
1	Visual	Surface	Fine, Clean		FINE	FINE	FINE	-	-		Measuring Instruments I.D No-	
		Sizewise No of Pcs. With Internal Parts	As per Drg. No. of Parts	15	15	15	15	-	-		**(1) DV-55**	
		Washing & Plating	Surface Finishing	NICKEL	OK	OK	OK	-	-		**(2) PP-01**	
		RUBBER MARKING	AS PER DRG.	NA	NA	NA	NA	-	-			
		Marking	WO Ref. No.	NA	NA	NA	NA	-	-		**ASM No - AEX260928-05**	
		Assembly Perfection	As per Drg.		OK	OK	OK	-	-			
		Inner Packing	Labeling & Printing		OK	OK	OK	-	-			
		Outer Packing	Printing & Stamping		OK	OK	OK	-	-			
		All Dimensions Are In MM										
2	DIMENSION		VALUE	-	+	1	2	3	-	-			
		T.L	6.00	5.70	6.30	6.03	6.05	6.05	-	-		
		O.D	30.00	29.50	30.50	30.07	30.06	30.03	-	-		
		I.D	25.50	25.00	26.00	25.55	25.54	25.53	-	-		
		I.D	26.50	26.00	27.00	26.56	26.54	26.56	-	-		

INSPECTED BY:	*Jay Hadiyal*	*APPROVED BY:*	*Shreekant*

Conclusion :

☑ **Accept** ☐ **Reject** ☐ **Hold**

METALMECH ENGINEERING QA PASSED

METAL MECH®
THE SAFEST CONNECTIONS

MM-086000-SXUA-QCZA-FR-02-01-Final Inspection Report-Ex-V26I01

INSP. No.	FIR-016	Product Name	COMPRESSIBLE INNER SEAL	Size	M25	Drawing No.	GI-02	Date:	04-11-2026
Wo No.	26100096	Total Quantity	400	Lot Quantity	400	Sample Size-	3	Variable & Gauging	3PCS

Sr. No.	Checking Parameter	REQUIRED PARAMETER			OBSERVED RESULTS					REJECTION REWORK DETAIL	REMARK	CHECKED BY
		PARAMETER	CRITERIA		1	2	3	-	-			
1	Visual	Surface	Fine, Clean		FINE	FINE	FINE	-	-		Measuring Instruments I.D No-	
		Sizewise No of Pcs. With Internal Parts	As per Drg. No. of Parts	15	15	15	15	-	-		(1) DV-55	
		Washing & Plating	Surface Finishing	NA	NA	NA	NA	-	-		(2) PP-01	
		RUBBER MARKING	AS PER DRG.	OK	OK	OK	OK	-	-			
		Marking	WO Ref. No.	NA	NA	NA	NA	-	-		ASM No - AEX260928-05	
		Assembly Perfection	As per Drg.		OK	OK	OK	-	-			
		Inner Packing	Labeling & Printing		OK	OK	OK	-	-			
		Outer Packing	Printing & Stamping		OK	OK	OK	-	-			
		All Dimensions Are In MM										
2	DIMENSION		VALUE	-	+	1	2	3	-	-			
		T.L	14.00	13.50	14.50	13.55	13.58	13.55	-	-			
		O.D.L	5.00	4.70	5.30	5.05	5.04	5.05	-	-			
		O.D	30.50	30.30	30.50	30.40	30.39	30.39	-	-			
		O.D.L	9.00	8.50	9.50	8.56	8.54	8.55	-	-			
		I.D	19.80	19.80	20.00	19.88	19.90	19.91	-	-			

INSPECTED BY:	Jay Hadiyal	APPROVED BY:	Shreekant

Conclusion :

☑ **Accept** ☐ **Reject** ☐ **Hold**

METALMECH ENGINEERING CA PASSED

MM-086000-SXUA-QCZA-FR-02-01-Final Inspection Report-Ex-V26I01

INSP. No.	FIR-016	Product Name	O-RING	Size	M25	Drawing No.	OR-2M	Date:	04-11-2026
Wo No.	26100096	Total Quantity	400	Lot Quantity	400	Sample Size-	3	Variable & Gauging	3PCS

Sr. No.	Checking Parameter	REQUIRED PARAMETER			OBSERVED RESULTS					REJECTION REWORK DETAIL	REMARK	CHECKED BY
		PARAMETER	CRITERIA		1	2	3	-	-			
1	Visual	Surface	Fine, Clean		FINE	FINE	FINE	-	-		Measuring Instruments I.D No-	
		Sizewise No of Pcs. With Internal Parts	As per Drg. No. of Parts	15	15	15	15	-	-		(1) DV-55	
		Washing & Plating	Surface Finishing	NA	NA	NA	NA	-	-		(2) PP-01	
		RUBBER MARKING	AS PER DRG.	NA	NA	NA	NA	-	-			
		Marking	WO Ref. No.	NA	NA	NA	NA	-	-		ASM No - AEX260928-05	
		Assembly Perfection	As per Drg.		OK	OK	OK	-	-			
		Inner Packing	Labeling & Printing		OK	OK	OK	-	-			
		Outer Packing	Printing & Stamping		OK	OK	OK	-	-			
		All Dimensions Are In MM										
2	DIMENSION		VALUE	-	+	1	2	3	-	-			
		THICKNESS	2.50	2.00	2.50	2.05	2.04	2.03	-	-		
		I.D	20.00	19.50	20.50	20.04	20.06	20.08	-	-		

INSPECTED BY:	Jay Hadiyal	APPROVED BY:	Shreekant

Conclusion :

☑ **Accept** ☐ **Reject** ☐ **Hold**

METALMECH ENGINEERING QA PASSED

MM-086000-SXUA-QCZA-FR-02-01-Final Inspection Report-Ex-V26I01

INSP. No.	FIR-016	**Product Name**	COMPRESSIBLE OUTER SEAL	**Size**	M25	**Drawing No.**	GE-02	**Date:**	04-11-2026
Wo No.	26100096	**Total Quantity**	400	**Lot Quantity**	400	**Sample Size-**	3	**Variable & Gauging**	3PCS

Sr. No.	**Checking Parameter**	**REQUIRED PARAMETER**			**OBSERVED RESULTS**					**REJECTION REWORK DETAIL**	**REMARK**	**CHECKED BY**
		PARAMETER	**CRITERIA**		**1**	**2**	**3**	**-**	**-**			
1	Visual	Surface	Fine, Clean		FINE	FINE	FINE	-	-		Measuring Instruments I.D No-	
		Sizewise No of Pcs. With Internal Parts	As per Drg. No. of Parts	15	15	15	15	-	-		(1) DV-55	
		Washing & Plating	Surface Finishing	NA	NA	NA	NA	-	-		(2) PP-01	
		RUBBER MARKING	AS PER DRG.	OK	OK	OK	OK	-	-			
		Marking	WO Ref. No.	NA	NA	NA	NA	-	-		ASM No - AEX260928-05	
		Assembly Perfection	As per Drg.		OK	OK	OK	-	-			
		Inner Packing	Labeling & Printing		OK	OK	OK	-	-			
		Outer Packing	Printing & Stamping		OK	OK	OK	-	-			
		All Dimensions Are In MM										
2	DIMENSION		VALUE	-	+	1	2	3	-	-			
		T.L	15.00	14.50	15.50	15.05	15.03	15.05	-	-			
		O.D	35.20	35.00	35.20	35.12	35.11	35.13	-	-			
		GR.LENGTH	3.50	3.20	3.80	3.53	3.55	3.54	-	-			
		I.D	26.00	25.90	26.10	26.03	26.05	26.05	-	-			

INSPECTED BY:	*Jay Hadiyal*	*APPROVED BY:*	*Shreekant*

Conclusion :

☑ **Accept** ☐ **Reject** ☐ **Hold**

METALMECH ENGINEERING QA PASSED

METAL MECH®
THE SAFEST CONNECTIONS

MM-086000-SXUA-QCZA-FR-02-01-Final Inspection Report-Ex-V26I01

INSP. No.	FIR-016	Product Name	INNER SKID WASHER	Size	M25	Drawing No.	IW-02	Date:	04-11-2026
Wo No.	26100096	Total Quantity	400	Lot Quantity	400	Sample Size-	3	Variable & Gauging	3PCS

Sr. No.	Checking Parameter	REQUIRED PARAMETER			OBSERVED RESULTS					REJECTION REWORK DETAIL	REMARK	CHECKED BY
		PARAMETER	CRITERIA		1	2	3	-	-			
1	Visual	Surface	Fine, Clean		FINE	FINE	FINE	-	-		Measuring Instruments I.D No-	
		Sizewise No of Pcs. With Internal Parts	As per Drg. No. of Parts	15	15	15	15	-	-		(1) DV-55	
		Washing & Plating	Surface Finishing	NA	NA	NA	NA	-	-		(2) PP-01	
		RUBBER MARKING	AS PER DRG.	OK	OK	OK	OK	-	-			
		Marking	WO Ref. No.	NA	NA	NA	NA	-	-		ASM No - AEX260928-05	
		Assembly Perfection	As per Drg.		OK	OK	OK	-	-			
		Inner Packing	Labeling & Printing		OK	OK	OK	-	-			
		Outer Packing	Printing & Stamping		OK	OK	OK	-	-			
		All Dimensions Are In MM										
2	DIMENSION		VALUE	-	+	1	2	3	-	-			
		T.L	5.00	4.70	5.30	5.05	5.04	5.05	-	-		
		O.D	30.00	29.80	30.00	29.90	29.89	29.91	-	-		
		O.D	26.00	25.80	26.00	25.93	25.95	25.94	-	-		
		O.D.L	3.00	3.00	3.20	3.04	3.03	3.02	-	-		
		I.D	19.90	19.90	20.10	19.95	19.94	19.93	-	-		

INSPECTED BY:	Jay Hadiyal	APPROVED BY:	Shreekant

Conclusion :

☑ **Accept** ☐ **Reject** ☐ **Hold**

METALMECH ENGINEERING QA PASSED

METAL MECH®
THE SAFEST CONNECTIONS

MM-086000-SXUA-QCZA-FR-02-01-Final Inspection Report-Ex-V26I01

INSP. No.	FIR-016	Product Name	OUTER SKID WASHER	Size	M25	Drawing No.	OW-02	Date:	04-11-2026
Wo No.	26100096	Total Quantity	400	Lot Quantity	400	Sample Size-	3	Variable & Gauging	3PCS

Sr. No.	Checking Parameter	REQUIRED PARAMETER			OBSERVED RESULTS					REJECTION REWORK DETAIL	REMARK	CHECKED BY
		PARAMETER	CRITERIA		1	2	3	-	-			
1	Visual	Surface	Fine, Clean		FINE	FINE	FINE	-	-		Measuring Instruments I.D No-	
		Sizewise No of Pcs. With Internal Parts	As per Drg. No. of Parts	15	15	15	15	-	-		(1) DV-55	
		Washing & Plating	Surface Finishing	NA	NA	NA	NA	-	-		(2) PP-01	
		RUBBER MARKING	AS PER DRG.	OK	OK	OK	OK	-	-			
		Marking	WO Ref. No.	NA	NA	NA	NA	-	-		ASM No - AEX260928-05	
		Assembly Perfection	As per Drg.		OK	OK	OK	-	-			
		Inner Packing	Labeling & Printing		OK	OK	OK	-	-			
		Outer Packing	Printing & Stamping		OK	OK	OK	-	-			
		All Dimensions Are In MM										
2	DIMENSION		VALUE	-	+	1	2	3	-	-			
		T.L	6.00	5.70	6.30	6.04	6.06	6.08	-	-			
		O.D	33.00	33.00	33.10	33.03	33.05	33.04	-	-			
		O.D	30.00	29.80	30.00	29.93	29.96	29.95	-	-			
		O.D.L	4.00	4.00	4.10	4.03	4.05	4.05	-	-			
		I.D	26.20	26.20	26.40	26.25	26.24	26.23	-	-			

INSPECTED BY:	Jay Hadiyal	APPROVED BY:	Shreekant

Conclusion :

☑ **Accept** ☐ **Reject** ☐ **Hold**



MM-086000-SXUA-QCZA-FR-02-01-Final Inspection Report-Ex-V26I01

INSP. No.	FIR-016	**Product Name**	SHROUD	**Size**	M25	**Drawing No.**	41 MM	**Date:**	04-11-2026
Wo No.	26100096	**Total Quantity**	400	**Lot Quantity**	400	**Sample Size-**	3	Variable & Gauging	3PCS

Sr. No.	Checking Parameter	REQUIRED PARAMETER			OBSERVED RESULTS					REJECTION REWORK DETAIL	REMARK	CHECKED BY
		PARAMETER	CRITERIA		1	2	3	-	-			
1	Visual	Surface	Fine, Clean		FINE	FINE	FINE	-	-		Measuring Instruments I.D No-	
		Sizewise No of Pcs. With Internal Parts	As per Drg. No. of Parts	15	15	15	15	-	-		(1) DV-55	
		Washing & Plating	Surface Finishing	NA	NA	NA	NA	-	-		(2) PP-01	
		RUBBER MARKING	AS PER DRG.	NA	NA	NA	NA	-	-			
		Marking	WO Ref. No.	NA	NA	NA	NA	-	-		ASM No - AEX260928-05	
		Assembly Perfection	As per Drg.		OK	OK	OK	-	-			
		Inner Packing	Labeling & Printing		OK	OK	OK	-	-			
		Outer Packing	Printing & Stamping		OK	OK	OK	-	-			
		All Dimensions Are In MM										
2	DIMENSION		VALUE	-	+	1	2	3	-	-			
		T.L	105.00	104.20	105.80	105.15	105.18	105.16	-	-		
		I.D	41.00	40.20	41.80	41.06	41.05	41.09	-	-		

INSPECTED BY:	*Jay Hadiyal*	*APPROVED BY:*	*Shreekant*

Conclusion :

☑ **Accept** ☐ **Reject** ☐ **Hold**

METALMECH ENGINEERING QA PASSED

METAL MECH®
THE SAFEST CONNECTIONS

MM-086000-SXUA-QCZA-FR-02-01-Final Inspection Report-Ex-V26I01

INSP. No.	FIR-016	Product Name	EARTH TAG	Size	M25	Drawing No.	-	Date:	04-11-2026
Wo No.	26100096	Total Quantity	400	Lot Quantity	400	Sample Size-	3	Variable & Gauging	3PCS

Sr. No.	Checking Parameter	REQUIRED PARAMETER			OBSERVED RESULTS					REJECTION REWORK DETAIL	REMARK	CHECKED BY
		PARAMETER	CRITERIA		1	2	3	-	-			
1	Visual	Surface	Fine, Clean		FINE	FINE	FINE	-	-		Measuring Instruments I.D No-	
		Sizewise No of Pcs. With Internal Parts	As per Drg. No. of Parts	15	15	15	15	-	-		(1) DV-55	
		Washing & Plating	Surface Finishing	NICKEL	OK	OK	OK	-	-		(2) PP-01	
		RUBBER MARKING	AS PER DRG.	NA	NA	NA	NA	-	-			
		Marking	WO Ref. No.	NA	NA	NA	NA	-	-		ASM No - AEX260928-05	
		Assembly Perfection	As per Drg.		OK	OK	OK	-	-			
		Inner Packing	Labeling & Printing		OK	OK	OK	-	-			
		Outer Packing	Printing & Stamping		OK	OK	OK	-	-			
		All Dimensions Are In MM										

			VALUE	-	+	1	2	3	-	-			
2	DIMENSION	THICKNESS	1.00	0.80	1.20	1.00	0.99	1.00	-	-			
		O.D	37.00	36.20	37.80	37.04	37.06	37.06	-	-			
		O.D	13.20	12.70	13.70	13.23	13.22	13.23	-	-			
		I.D	25.00	24.50	25.50	25.23	25.25	25.27	-	-			
		I.D	6.50	6.20	6.80	6.55	6.53	6.55	-	-			

INSPECTED BY:	*Jay Hadiyal*	*APPROVED BY:*	*Shreekant*

Conclusion :

☑ **Accept** ☐ **Reject** ☐ **Hold**

METALMECH ENGINEERING QA PASSED

MM-086000-SXUA-QCZA-FR-02-01-Final Inspection Report-Ex-V26I01

INSP. No.	FIR-016	Product Name	NYLON WASHER	Size	M25	Drawing No.	-	Date:	04-11-2026
Wo No.	26100096	Total Quantity	400	Lot Quantity	400	Sample Size-	3	Variable & Gauging	3PCS

Sr. No.	Checking Parameter	REQUIRED PARAMETER			OBSERVED RESULTS					REJECTION REWORK DETAIL	REMARK	CHECKED BY
		PARAMETER	CRITERIA		1	2	3	-	-			
1	Visual	Surface	Fine, Clean		FINE	FINE	FINE	-	-		Measuring Instruments I.D No-	
		Sizewise No of Pcs. With Internal Parts	As per Drg. No. of Parts	15	15	15	15	-	-		(1) DV-55	
		Washing & Plating	Surface Finishing	NA	NA	NA	NA	-	-		(2) PP-01	
		RUBBER MARKING	AS PER DRG.	NA	NA	NA	NA	-	-			
		Marking	WO Ref. No.	NA	NA	NA	NA	-	-		ASM No - AEX260928-05	
		Assembly Perfection	As per Drg.		OK	OK	OK	-	-			
		Inner Packing	Labeling & Printing		OK	OK	OK	-	-			
		Outer Packing	Printing & Stamping		OK	OK	OK	-	-			
		All Dimensions Are In MM										
2	DIMENSION		VALUE	-	+	1	2	3	-	-			
		THICKNESS	1.50	1.30	1.70	1.49	1.42	1.43	-	-		
		I.D	25.00	24.50	25.50	25.29	25.28	25.26	-	-		

INSPECTED BY:	Jay Hadiyal	APPROVED BY:	Shreekant

Conclusion :

☑ **Accept** ☐ **Reject** ☐ **Hold**

METALMECH ENGINEERING QA PASSED