

MetalMech-08500-FR-QX-08-Final Inspection Report-EX

INSP. No.	FIR-06	Product Name	LOCK NUT		Size		M63		Drawing No		DL6M	Date:	04-08-2026
Wo No.	26100048	Total Quantity	150		Lot Quantity		150		Sample Size-		3	Variable & Gauging	3PCS
Sr. No.	Checking Parameter	REQUIRED PARAMETER				OBSERVED RESULTS					REJECTION REWORK DETAIL	REMARK	CHECKED BY
		PARAMETER	CRITERIA			1	2	3	-	-			
1	Visual	Surface	Fine, Clean			FINE	FINE	FINE	-	-		Measuring Instruments I.D No-	
		Sizewise No of Pcs. With Internal Parts	As per Drg. No. of Parts	15	15	15	15	-	-		(1) DV-55		
		Washing & Plating	Surface Finishing	NA	NA	NA	NA	-	-		(2) PP-01		
		RUBBER MARKING	AS PER DRG.	NA	NA	NA	NA	-	-				
		Marking	WO Ref. No.	NA	NA	NA	NA	-	-		ASM No :- AEX260720-04		
		Assembly Perfection	As per Drg.			OK	OK	OK	-	-			
		Inner Packing	Labeling & Printing		OK	OK	OK	-	-				
		Outer Packing	Printing & Stamping			OK	OK	OK	-	-			
		All Dimensions Are In MM											
2	DIMENSION		VALUE	-	+	1	2	3	-	-			
		A/F	70.00	69.81	70.00	69.92	69.95	69.93	-	-			
		A/C	76.00	75.20	76.80	76.01	76.03	76.02	-	-			
		T.L	7.00	6.70	7.30	7.02	7.05	7.03	-	-			
		THREAD	M63x1.5 AS PER P.G GO NOT GO			OK	OK	OK	-	-			
		CH.ANGLE	30° AS PER PP FOUND			OK	OK	OK	-	-			
INSPECTED BY:		Jay Hadiyal			APPROVED BY:				Shreekant				

Conclusion :



Accept



Reject



Hold



		MetalMech-08500-FR-QX-08-Final Inspection Report-EX													
INSP. No.	FIR-06	Product Name	ENTRY COMPONENT			Size		M63		Drawing No		313001M-06	Date:	04-08-2026	
Wo No.	26100048	Total Quantity	150			Lot Quantity		150		Sample Size-		3	Variable & Gauging	3PCS	
Sr. No.	Checking Parameter	REQUIRED PARAMETER			OBSERVED RESULTS						REJECTION REWORK DETAIL	REMARK	CHECKED BY		
		PARAMETER	CRITERIA		1	2	3	-	-						
1	Visual	Surface	Fine, Clean		FINE	FINE	FINE	-	-						
		Sizewise No of Pes. With Internal Parts	As per Drg. No. of Parts	15	15	15	15	-	-						
		Washing & Plating	Surface Finishing	NA	NA	NA	NA	-	-						
		RUBBER MARKING	AS PER DRG.	NA	NA	NA	NA	-	-						
		Marking	WO Ref. No.	Metalmech Logo MM-EX-EIFUNV636MB2 2026 CE Logo 2460 Ex Logo II 2 GD Ex db HC		OK	OK	OK	-	-					
		Assembly Perfection	As per Drg.		OK	OK	OK	-	-						
		Inner Packing	Labeling & Printing			OK	OK	OK	-	-					
		Outer Packing	Printing & Stamping		OK	OK	OK	-	-						
2	DIMENSION	All Dimensions Are In MM													
			VALUE	-	+	1	2	3	-	-					
		A/F	74.00	73.81	74.00	73.94	73.96	73.95	-	-					
		A/C	81.00	80.20	81.80	81.07	81.09	81.06	-	-					
		T.L	37.00	37.00	37.50	37.19	37.18	37.16	-	-					
		TH.L	13.00	12.50	13.50	13.06	13.09	13.05	-	-					
		LENGTH	17.00	17.00	17.50	17.09	17.08	17.07	-	-					
		GR.OD	61.00	60.20	61.80	61.04	61.06	61.05	-	-					
		GR.LE	2.50	2.30	2.70	2.55	2.54	2.53	-	-					
		O.D	73.00	72.20	73.80	73.03	73.05	73.04	-	-					
		O.D.L	11.00	10.70	11.30	11.03	11.02	11.05	-	-					
		H.L	9.00	8.50	9.50	9.05	9.04	9.03	-	-					
		I.D	56.50	55.70	57.30	56.52	56.51	56.53	-	-					
		DEPTH	15.00	14.50	15.50	15.03	15.02	15.05	-	-					
		THREAD	M63x1.5 AS PER T.R.G GO NOT GO			OK	OK	OK	-	-					
		INT.THREAD	M68x1.5 AS PER P.G GO NOT GO			OK	OK	OK	-	-					
		CHANGLE	1x45° AS PER PP FOUND			OK	OK	OK	-	-					
		CHANGLE	1.5x45° AS PER PP FOUND			OK	OK	OK	-	-					
		CHANGLE	20° AS PER PP FOUND			OK	OK	OK	-	-					
		ANGLE	90° AS PER PP FOUND			OK	OK	OK	-	-					
INSPECTED BY:		Jay Hadiyal			APPROVED BY:			Shreekant							

Conclusion :

☐

Accept

☒

Reject

☐

Hold



		MetalMech-08500-FR-QX-08-Final Inspection Report-EX											
INSP. No.	FIR-06	Product Name	INTERMEDIATE BODY		Size		M63		Drawing No		313002U-06	Date:	04-08-2026
Wo No.	26100048	Total Quantity	150		Lot Quantity		150		Sample Size-		3	Variable & Gauging	3PCS
Sr. No.	Checking Parameter	REQUIRED PARAMETER			OBSERVED RESULTS					REJECTION REWORK DETAIL	REMARK	CHECKED BY	
		PARAMETER	CRITERIA		1	2	3	-	-				
1	Visual	Surface	Fine, Clean		FINE	FINE	FINE	-	-				
		Sizewise No of Pcs. With Internal Parts	As per Drg. No. of Parts	15	15	15	15	-	-			Measuring Instruments I.D.No. (1) DV-55	
		Washing & Plating	Surface Finishing	NA	NA	NA	NA	-	-			(2) PP-01	
		RUBBER MARKING	AS PER DRG.	NA	NA	NA	NA	-	-				
		Marking	WO Ref. No.	NA	NA	NA	NA	-	-			ASM No :- AEX260720-04	
		Assembly Perfection	As per Drg.		OK	OK	OK	-	-				
		Inner Packing	Labeling & Printing		OK	OK	OK	-	-				
		Outer Packing	Printing & Stamping		OK	OK	OK	-	-				
		All Dimensions Are In MM											
			VALUE	-	+	1	2	3	-	-			
2	DIMENSION	A/F	76.00	75.81	76.00	75.93	75.95	75.94	-	-			
		A/C	83.00	82.20	83.80	83.04	83.05	83.04	-	-			
		T.L	38.00	37.20	38.80	38.03	38.04	38.04	-	-			
		TH.L	14.00	13.50	14.50	14.02	14.01	14.03	-	-			
		GR.OD	66.00	65.20	66.80	65.96	65.95	65.94	-	-			
		GR.LE	1.00	0.80	1.20	1.01	1.03	1.02	-	-			
		H.L	8.00	7.70	8.30	8.03	8.05	8.04	-	-			
		TH.L	16.00	15.50	16.50	16.00	15.99	16.01	-	-			
		GR.OD	73.00	72.20	73.80	73.01	73.00	73.02	-	-			
		GR.LE	1.00	0.80	1.20	1.01	1.03	1.01	-	-			
		I.D	60.00	59.20	60.80	60.13	60.12	60.13	-	-			
		LD	67.50	66.70	68.30	67.50	67.48	67.49	-	-			
		DEPTH	7.00	6.70	7.30	7.03	7.05	7.04	-	-			
		LD	64.00	63.20	64.80	64.00	63.99	63.98	-	-			
		I.D.LE	14.00	13.50	14.50	14.04	14.06	14.08	-	-			
		DEPTH	21.00	20.50	21.50	21.09	21.08	21.06	-	-			
		THREAD	M68x1.5 AS PER T.R.G GO NOT GO			OK	OK	OK	-	-			
		THREAD	M75x1.5 AS PER T.R.G GO NOT GO			OK	OK	OK	-	-			
		CHANGLE	1.5x45° AS PER PP FOUND			OK	OK	OK	-	-			
		CHANGLE	20° AS PER PP FOUND			OK	OK	OK	-	-			
CHANGLE	0.5x45° AS PER PP FOUND			OK	OK	OK	-	-					
INSPECTED BY:		Jay Hadiyal			APPROVED BY:				Shreekant				

Conclusion :

☒ Accept

☐ Reject

☐ Hold



		MetalMech-08500-FR-QX-08-Final Inspection Report-EX													
INSP. No.	FIR-06	Product Name	MIDDLE BODY		Size		M63		Drawing No		3139002-06	Date:	04-08-2026		
Wo No.	26100048	Total Quantity	150		Lot Quantity		150		Sample Size-		3	Variable & Gauging	3PCS		
Sr. No.	Checking Parameter	REQUIRED PARAMETER			OBSERVED RESULTS					REJECTION REWORK DETAIL	REMARK	CHECKED BY			
		PARAMETER	CRITERIA		1	2	3	-	-						
1	Visual	Surface	Fine, Clean		FINE	FINE	FINE	-	-						
		Size wise No of Pcs. With Internal Parts	As per Drg. No. of Parts	15	15	15	15	-	-						
		Washing & Plating	Surface Finishing	NA	NA	NA	NA	-	-						
		RUBBER MARKING	AS PER DRG.	NA	NA	NA	NA	-	-						
		Marking	WO Ref. No.	NA	NA	NA	NA	-	-						
		Assembly Perfection	As per Drg.	OK	OK	OK	-	-							
		Inner Packing	Labeling & Printing	OK	OK	OK	-	-							
		Outer Packing	Printing & Stamping	OK	OK	OK	-	-							
		All Dimensions Are In MM													
		2	DIMENSION	VALUE	-	+	1	2	3	-	-				
A/F	80.00			79.81	80.00	79.95	79.93	79.94	-	-					
A/C	89.00			88.20	89.80	88.97	88.98	88.97	-	-					
T.L	46.00			45.20	46.80	46.15	46.16	46.13	-	-					
TH.L	17.00			16.50	17.50	17.05	17.04	17.05	-	-					
GR.OD	74.00			73.20	74.80	73.50	73.49	73.48	-	-					
GR.LE	1.50			1.30	1.70	1.53	1.55	1.54	-	-					
H.L	17.00			16.50	17.50	17.06	17.05	17.04	-	-					
O.D	79.00			78.20	79.80	78.97	78.99	78.98	-	-					
O.D.L	12.00			11.70	12.30	11.95	11.93	11.96	-	-					
LD	66.00			65.20	66.80	66.01	66.00	66.00	-	-					
LD	68.00			67.20	68.80	68.05	68.04	68.03	-	-					
LD.LE	10.00			9.80	10.20	10.03	10.05	10.04	-	-					
INT.TH.L	18.00			17.50	18.50	18.05	18.04	18.05	-	-					
GR.ID	72.00			71.20	72.80	72.03	72.05	72.04	-	-					
GR.LE	10.00			9.70	10.30	10.01	10.03	10.04	-	-					
DEPTH	28.00			27.50	28.50	28.06	28.08	28.07	-	-					
THREAD	M75x1.5 AS PER T.R.G GO NOT GO			OK	OK	OK	-	-							
INT.THREAD	M76x2 AS PER P.G GO NOT GO			OK	OK	OK	-	-							
CH.ANGLE	1.5x45° AS PER PP FOUND			OK	OK	OK	-	-							
CH.ANGLE	2x45° AS PER PP FOUND			OK	OK	OK	-	-							
CH.ANGLE	30° AS PER PP FOUND			OK	OK	OK	-	-							
INSPECTED BY:		Jay Hadiyal			APPROVED BY:			Shreekant							

Conclusion :



Accept



Reject



Hold



		MetalMech-08500-FR-QX-08-Final Inspection Report-EX												
INSP. No.	FIR-06	Product Name	BACK NUT		Size		M63		Drawing No		313003-06	Date:	04-08-2026	
Wo No.	26100048	Total Quantity	150		Lot Quantity		150		Sample Size-		3	Variable & Gauging	3PCS	
Sr. No.	Checking Parameter	REQUIRED PARAMETER			OBSERVED RESULTS						REJECTION REWORK DETAIL	REMARK	CHECKED BY	
		PARAMETER	CRITERIA		1	2	3	-	-					
1	Visual	Surface	Fine, Clean		FINE	FINE	FINE	-	-					
		Size wise No of Pcs. With Internal Parts	As per Drg. No. of Parts	15	15	15	15	-	-					
		Washing & Plating	Surface Finishing	NA	NA	NA	NA	-	-					
		RUBBER MARKING	AS PER DRG.	NA	NA	NA	NA	-	-					
		Marking	WO Ref. No.	NA	NA	NA	NA	-	-					
		Assembly Perfection	As per Drg.		OK	OK	OK	-	-					
		Inner Packing	Labeling & Printing		OK	OK	OK	-	-					
		Outer Packing	Printing & Stamping		OK	OK	OK	-	-					
All Dimensions Are In MM														
2	DIMENSION		VALUE	-	+	1	2	3	-	-				
		A/F	80.00	79.81	80.00	79.95	79.93	79.94	-	-				
		A/C	89.00	88.20	89.80	89.07	89.06	89.05	-	-				
		T.L	24.00	23.50	24.50	24.07	24.05	24.03	-	-				
		O.D	79.00	78.20	79.80	78.95	78.97	78.98	-	-				
		O.D.L	12.00	11.50	12.50	12.06	12.05	12.04	-	-				
		H.L	12.00	11.50	12.50	12.05	12.08	12.06	-	-				
		LD	70.00	69.20	70.80	70.09	70.08	70.07	-	-				
		INT.THL	5.00	4.70	5.30	5.01	5.03	5.05	-	-				
		GR.ID	76.20	75.40	77.00	76.23	76.25	76.26	-	-				
		GR.LE	14.50	14.00	15.00	14.53	14.58	14.56	-	-				
		DEPTH	19.50	19.00	20.00	19.55	19.57	19.54	-	-				
		GR.ID	76.20	75.40	77.00	76.24	76.26	76.26	-	-				
		GR.LE	2.50	2.30	2.70	2.53	2.55	2.54	-	-				
		DEPTH	22.00	21.50	22.50	21.94	21.96	21.97	-	-				
		INT.THREAD	M76x2 AS PER P.G GO NOT GO			OK	OK	OK	-	-				
		CH.ANGLE	0.5x45° AS PER PP FOUND			OK	OK	OK	-	-				
		CH.ANGLE	1.5x45° AS PER PP FOUND			OK	OK	OK	-	-				
CH.ANGLE	45° AS PER PP FOUND			OK	OK	OK	-	-						
INSPECTED BY:		Jay Hadiyal			APPROVED BY:				Shreekant					

Conclusion :



Accept



Reject



Hold



		MetalMech-08500-FR-QX-08-Final Inspection Report-EX											
INSP. No.	FIR-06	Product Name	UNIVERSAL CLAMPING CONE		Size		M63		Drawing No		313005-06	Date:	04-08-2026
Wo No.	26100048	Total Quantity	150		Lot Quantity		150		Sample Size-		3	Variable & Gangline	3PCS
Sr. No.	Checking Parameter	REQUIRED PARAMETER				OBSERVED RESULTS				REJECTION REWORK DETAIL	REMARK	CHECKED BY	
		PARAMETER	CRITERIA		1	2	3	-	-				
1	Visual	Surface	Fine, Clean		FINE	FINE	FINE	-	-				
		Sizewise No of Pcs. With Internal Parts	As per Drg. No. of Parts	15	15	15	15	-	-			(1) DV-55	
		Washing & Plating	Surface Finishing	NA	NA	NA	NA	-	-			(2) PP-01	
		RUBBER MARKING	AS PER DRG.	NA	NA	NA	NA	-	-				
		Marking	WO Ref. No.	NA	NA	NA	NA	-	-			ASM No :- AEX260720-04	
		Assembly Perfection	As per Drg.		OK	OK	OK	-	-				
		Inner Packing	Labeling & Printing		OK	OK	OK	-	-				
		Outer Packing	Printing & Stamping		OK	OK	OK	-	-				
		All Dimensions Are In MM											
2	DIMENSION		VALUE	-	+	1	2	3	-	-			
		T.L	35.00	34.20	35.80	35.06	35.09	35.05	-	-			
		O.D	59.50	58.70	60.30	59.48	59.46	59.45	-	-			
		O.D.L	7.50	7.00	8.00	7.53	7.55	7.54	-	-			
		O.D	62.00	61.20	62.80	61.97	61.96	61.94	-	-			
		O.D	63.50	62.70	64.30	63.53	63.55	63.57	-	-			
		GR.LE	2.50	2.30	2.70	2.53	2.55	2.54	-	-			
		O.D.L	14.00	13.50	14.50	14.03	14.06	14.08	-	-			
		O.D	58.50	57.70	59.30	58.47	58.46	58.46	-	-			
		O.D.L	8.00	7.70	8.30	8.01	8.03	8.04	-	-			
		O.D	59.00	58.20	59.80	58.98	58.97	58.95	-	-			
		O.D	59.50	58.70	60.30	59.49	59.47	59.46	-	-			
		O.D	61.00	60.20	61.80	61.01	61.03	61.02	-	-			
		O.D	67.00	66.20	67.80	66.99	66.98	66.97	-	-			
		O.D.L	7.00	6.50	7.50	7.02	7.05	7.05	-	-			
		O.D.L	14.00	13.50	14.50	14.03	14.06	14.08	-	-			
		I.D	56.50	55.70	57.30	56.56	56.59	56.59	-	-			
		GROOVE.STEP.LE	0.5 MM AS PER PP FOUND			OK	OK	OK	-	-			
		RADIUS	0.50 MM AS PER PP FOUND			OK	OK	OK	-	-			
		RADIUS	0.3 MM AS PER PP FOUND			OK	OK	OK	-	-			
INSPECTED BY:		Jay Hadiyal				APPROVED BY:				Shreekant			

Conclusion : ☒ Accept ☐ Reject ☐ Hold





MetalMech-08500-FR-QX-08-Final Inspection Report-EX

INSP. No.	FIR-06	Product Name	REVERSIBLE ARMoured RING		Size		M63		Drawing No		313004-06	Date:	04-08-2026
Wo No.	26100048	Total Quantity	150		Lot Quantity		150		Sample Size-		3	Variable & Gauging	3PCS
Sr. No.	Checking Parameter	REQUIRED PARAMETER				OBSERVED RESULTS					REJECTION REWORK DETAIL	REMARK	CHECKED BY
		PARAMETER	CRITERIA			1	2	3	-	-			
1	Visual	Surface	Fine, Clean			FINE	FINE	FINE	-	-		Measuring Instruments I.D No-	
		Size wise No of Pcs. With Internal Parts	As per Drg. No. of Parts	15	15	15	15	-	-		(1) DV-55		
		Washing & Plating	Surface Finishing	NA	NA	NA	NA	-	-		(2) PP-01		
		RUBBER MARKING	AS PER DRG.	NA	NA	NA	NA	-	-				
		Marking	WO Ref. No.	NA	NA	NA	NA	-	-		ASM No :- AEX260720-04		
		Assembly Perfection	As per Drg.			OK	OK	OK	-	-			
		Inner Packing	Labeling & Printing		OK	OK	OK	-	-				
		Outer Packing	Printing & Stamping			OK	OK	OK	-	-			
		All Dimensions Are In MM											
2	DIMENSION		VALUE	-	+	1	2	3	-	-			
		T.L	12.00	11.50	12.50	12.07	12.09	12.06	-	-			
		O.D	70.00	69.20	70.80	69.77	69.78	69.76	-	-			
		I.D	63.00	62.20	63.80	63.05	63.04	63.03	-	-			
		I.D	64.50	63.70	65.30	64.53	64.56	64.55	-	-			
INSPECTED BY:		Jay Hadiyal			APPROVED BY:				Shreekant				

Conclusion :



Accept



Reject



Hold



		MetalMech-08500-FR-QX-08-Final Inspection Report-EX												
INSP. No.	FIR-06	Product Name	COMPRESSIBLE INNER SEAL			Size		M63		Drawing No		GI-06s	Date:	04-08-2026
Wo No.	26100048	Total Quantity	150			Lot Quantity		150		Sample Size-		3	Variable & Gauging	3PCS
Sr. No.	Checking Parameter	REQUIRED PARAMETER				OBSERVED RESULTS					REJECTION REWORK DETAIL	REMARK	CHECKED BY	
		PARAMETER	CRITERIA			1	2	3	-	-				
1	Visual	Surface	Fine, Clean			FINE	FINE	FINE	-	-		Measuring Instruments I.D No-		
		Sizewise No of Pcs. With Internal Parts	As per Drg. No. of Parts	15	15	15	15	-	-		(1) DV-55			
		Washing & Plating	Surface Finishing	NA	NA	NA	NA	-	-		(2) PP-01			
		RUBBER MARKING	AS PER DRG.	OK	OK	OK	OK	-	-					
		Marking	WO Ref. No.	NA	NA	NA	NA	-	-		ASM No :- AEX260720-04			
		Assembly Perfection	As per Drg.			OK	OK	OK	-	-				
		Inner Packing	Labeling & Printing		OK	OK	OK	-	-					
		Outer Packing	Printing & Stamping			OK	OK	OK	-	-				
		All Dimensions Are In MM												
2	DIMENSION		VALUE	-	+	1	2	3	-	-				
		T.L	15.50	15.00	16.00	15.52	15.55	15.58	-	-				
		O.D.L	5.50	5.20	5.80	5.55	5.58	5.56	-	-				
		O.D	66.50	66.30	66.50	66.43	66.46	66.45	-	-				
		O.D.L	10.00	9.50	10.50	10.02	10.05	10.08	-	-				
		I.D	56.20	56.20	56.40	56.23	56.28	56.25	-	-				
INSPECTED BY:		Jay Hadiyal			APPROVED BY:				Shreekant					

Conclusion : ☒ Accept ☐ Reject ☐ Hold



		MetalMech-08500-FR-QX-08-Final Inspection Report-EX											
INSP. No.	FIR-06	Product Name	O-RING			Size	M63			Drawing No	OR-6M	Date:	04-08-2026
Wo No.	26100048	Total Quantity	150			Lot Quantity	150			Sample Size-	3	Variable & Gauging	3PCS
Sr. No.	Checking Parameter	REQUIRED PARAMETER				OBSERVED RESULTS					REJECTION REWORK DETAIL	REMARK	CHECKED BY
		PARAMETER	CRITERIA			1	2	3	-	-			
1	Visual	Surface	Fine, Clean			FINE	FINE	FINE	-	-		Measuring Instruments I.D No-	
		Sizewise No of Pcs. With Internal Parts	As per Drg. No. of Parts	15	15	15	15	-	-		(1) DV-55		
		Washing & Plating	Surface Finishing	NA	NA	NA	NA	-	-		(2) PP-01		
		RUBBER MARKING	AS PER DRG.	NA	NA	NA	NA	-	-				
		Marking	WO Ref. No.	NA	NA	NA	NA	-	-		ASM No :- AEX260720-04		
		Assembly Perfection	As per Drg.			OK	OK	OK	-	-			
		Inner Packing	Labeling & Printing		OK	OK	OK	-	-				
		Outer Packing	Printing & Stamping			OK	OK	OK	-	-			
		All Dimensions Are In MM											
2	DIMENSION		VALUE	-	+	1	2	3	-	-			
		THICKNESS	2.50	2.00	2.50	2.04	2.06	2.08	-	-			
		I.D	55.00	54.20	55.80	55.08	55.07	55.05	-	-			
INSPECTED BY:		Jay Hadiyal				APPROVED BY:				Shreekant			

Conclusion :



Accept



Reject



Hold



		MetalMech-08500-FR-QX-08-Final Inspection Report-EX												
INSP. No.	FIR-06	Product Name	COMPRESSIBLE OUTER SEAL			Size		M63		Drawing No		GE-06	Date:	04-08-2026
Wo No.	26100048	Total Quantity	150			Lot Quantity		150		Sample Size-		3	Variable & Gauging	3PCS
Sr. No.	Checking Parameter	REQUIRED PARAMETER				OBSERVED RESULTS					REJECTION REWORK DETAIL	REMARK	CHECKED BY	
		PARAMETER	CRITERIA			1	2	3	-	-				
1	Visual	Surface	Fine, Clean			FINE	FINE	FINE	-	-				
		Sizewise No of Pcs. With Internal Parts	As per Drg. No. of Parts	15	15	15	15	-	-		(1) DV-55			
		Washing & Plating	Surface Finishing	NA	NA	NA	NA	-	-		(2) PP-01			
		RUBBER MARKING	AS PER DRG.	OK	OK	OK	OK	-	-					
		Marking	WO Ref. No.	NA	NA	NA	NA	-	-		ASM No :- AEX260720-04			
		Assembly Perfection	As per Drg.			OK	OK	OK	-	-				
		Inner Packing	Labeling & Printing		OK	OK	OK	-	-					
		Outer Packing	Printing & Stamping			OK	OK	OK	-	-				
		All Dimensions Are In MM												
2	DIMENSION		VALUE	-	+	1	2	3	-	-				
		T.L	15.00	14.50	15.50	15.02	15.05	15.08	-	-				
		O.D	76.20	76.00	76.20	76.14	76.13	76.12	-	-				
		GR.LENGTH	5.50	5.20	5.80	5.53	5.55	5.54	-	-				
		I.D	65.60	65.50	65.70	65.65	65.67	65.63	-	-				
INSPECTED BY:		Jay Hadiyal				APPROVED BY:				Shreekant				

Conclusion : ☒ Accept ☐ Reject ☐ Hold



		MetalMech-08500-FR-QX-08-Final Inspection Report-EX											
INSP. No.	FIR-06	Product Name	INNER SKID WASHER			Size	M63			Drawing No	IW-06	Date:	04-08-2026
Wo No.	26100048	Total Quantity	150			Lot Quantity	150			Sample Size-	3	Variable & Gauging	3PCS
Sr. No.	Checking Parameter	REQUIRED PARAMETER				OBSERVED RESULTS					REJECTION REWORK DETAIL	REMARK	CHECKED BY
		PARAMETER	CRITERIA			1	2	3	-	-			
1	Visual	Surface	Fine, Clean			FINE	FINE	FINE	-	-			
		Sizewise No of Pcs. With Internal Parts	As per Drg. No. of Parts	15	15	15	15	-	-			Measuring Instruments I.D No-	
		Washing & Plating	Surface Finishing	NA	NA	NA	NA	-	-			(1) DV-55	
		RUBBER MARKING	AS PER DRG.	NA	NA	NA	NA	-	-			(2) PP-01	
		Marking	WO Ref. No.	NA	NA	NA	NA	-	-			ASM No :- AEX260720-04	
		Assembly Perfection	As per Drg.			OK	OK	OK	-	-			
		Inner Packing	Labeling & Printing		OK	OK	OK	-	-				
		Outer Packing	Printing & Stamping			OK	OK	OK	-	-			
		All Dimensions Are In MM											
2	DIMENSION		VALUE	-	+	1	2	3	-	-			
		T.L	5.50	5.20	5.80	5.52	5.55	5.54	-	-			
		O.D	65.00	64.80	65.00	64.90	64.93	64.91	-	-			
		O.D	59.50	59.30	59.50	59.45	59.48	59.46	-	-			
		O.D.L	4.00	4.00	4.20	4.02	4.05	4.08	-	-			
		I.D	56.50	56.50	56.70	56.53	56.56	56.55	-	-			
INSPECTED BY:		Jay Hadiyal			APPROVED BY:				Shreekant				

Conclusion :



Accept



Reject



Hold



		MetalMech-08500-FR-QX-08-Final Inspection Report-EX											
INSP. No.	FIR-06	Product Name	OUTER SKID WASHER			Size	M63			Drawing No	OW-06	Date:	04-08-2026
Wo No.	26100048	Total Quantity	150			Lot Quantity	150			Sample Size-	3	Variable & Gauging	3PCS
Sr. No.	Checking Parameter	REQUIRED PARAMETER				OBSERVED RESULTS					REJECTION REWORK DETAIL	REMARK	CHECKED BY
		PARAMETER	CRITERIA			1	2	3	-	-			
1	Visual	Surface	Fine, Clean			FINE	FINE	FINE	-	-			
		Sizewise No of Pcs. With Internal Parts	As per Drg. No. of Parts	15	15	15	15	-	-			Measuring Instruments I.D No-	
		Washing & Plating	Surface Finishing	NA	NA	NA	NA	-	-			(1) DV-55	
		RUBBER MARKING	AS PER DRG.	NA	NA	NA	NA	-	-			(2) PP-01	
		Marking	WO Ref. No.	NA	NA	NA	NA	-	-			ASM No :- AEX260720-04	
		Assembly Perfection	As per Drg.			OK	OK	OK	-	-			
		Inner Packing	Labeling & Printing		OK	OK	OK	-	-				
		Outer Packing	Printing & Stamping			OK	OK	OK	-	-			
		All Dimensions Are In MM											
2	DIMENSION		VALUE	-	+	1	2	3	-	-			
		T.L	7.00	6.70	7.30	7.01	7.03	7.02	-	-			
		O.D	73.00	73.00	73.10	73.02	73.06	73.05	-	-			
		O.D	69.50	69.30	69.50	69.43	69.48	69.46	-	-			
		O.D.L	4.50	4.50	4.60	4.55	4.54	4.53	-	-			
		I.D	66.00	66.00	66.20	66.04	66.08	66.05	-	-			
INSPECTED BY:		Jay Hadiyal			APPROVED BY:				Shreekant				

Conclusion : ☒ Accept ☐ Reject ☐ Hold



		MetalMech-08500-FR-QX-08-Final Inspection Report-EX											
INSP. No.	FIR-06	Product Name	SHROUD			Size	M63			Drawing No		Date:	04-08-2026
Wo No.	26100048	Total Quantity	150			Lot Quantity	150			Sample Size-	3	Variable & Gauging	3PCS
Sr. No.	Checking Parameter	REQUIRED PARAMETER				OBSERVED RESULTS					REJECTION REWORK DETAIL	REMARK	CHECKED BY
		PARAMETER	CRITERIA			1	2	3	-	-			
1	Visual	Surface	Fine, Clean			FINE	FINE	FINE	-	-		Measuring Instruments I.D No-	
		Sizewise No of Pcs. With Internal Parts	As per Drg. No. of Parts	15	15	15	15	-	-		(1) DV-55		
		Washing & Plating	Surface Finishing	NA	NA	NA	NA	-	-		(2) PP-01		
		RUBBER MARKING	AS PER DRG.	NA	NA	NA	NA	-	-				
		Marking	WO Ref. No.	NA	NA	NA	NA	-	-		ASM No :- AEX260720-04		
		Assembly Perfection	As per Drg.			OK	OK	OK	-	-			
		Inner Packing	Labeling & Printing		OK	OK	OK	-	-				
		Outer Packing	Printing & Stamping			OK	OK	OK	-	-			
		All Dimensions Are In MM											
2	DIMENSION		VALUE	-	+	1	2	3	-	-			
		T.L	220.00	219.20	220.80	220.25	220.29	220.23	-	-			
		I.D	88.00	87.20	88.80	88.07	88.09	88.08	-	-			
INSPECTED BY:		Jay Hadiyal				APPROVED BY:				Shreekant			

Conclusion :



Accept



Reject



Hold



		MetalMech-08500-FR-QX-08-Final Inspection Report-EX												
INSP. No.	FIR-06	Product Name	EARTH TAG			Size		M63		Drawing No			Date:	04-08-2026
Wo No.	26100048	Total Quantity	150			Lot Quantity		150		Sample Size-		3	Variable & Gauging	3PCS
Sr. No.	Checking Parameter	REQUIRED PARAMETER				OBSERVED RESULTS					REJECTION REWORK DETAIL	REMARK	CHECKED BY	
		PARAMETER	CRITERIA			1	2	3	-	-				
1	Visual	Surface	Fine, Clean			FINE	FINE	FINE	-	-				
		Sizewise No of Pcs. With Internal Parts	As per Drg. No. of Parts	15	15	15	15	-	-			Measuring Instruments I.D No-		
		Washing & Plating	Surface Finishing	NA	NA	NA	NA	-	-			(1) DV-55		
		RUBBER MARKING	AS PER DRG.	NA	NA	NA	NA	-	-			(2) PP-01		
		Marking	WO Ref. No.	NA	NA	NA	NA	-	-			ASM No :- AEX260720-04		
		Assembly Perfection	As per Drg.			OK	OK	OK	-	-				
		Inner Packing	Labeling & Printing		OK	OK	OK	-	-					
		Outer Packing	Printing & Stamping			OK	OK	OK	-	-				
		All Dimensions Are In MM												
2	DIMENSION		VALUE	-	+	1	2	3	-	-				
		THICKNESS	1.00	0.80	1.20	1.02	1.01	1.01	-	-				
		O.D	79.50	78.70	80.30	79.55	79.58	79.56	-	-				
		O.D	23.20	22.70	23.70	23.25	23.28	23.26	-	-				
		I.D	64.00	63.20	64.80	64.06	64.03	64.05	-	-				
		I.D	7.00	6.70	7.30	7.05	7.04	7.03	-	-				
INSPECTED BY:		Jay Hadiyal			APPROVED BY:				Shreekant					

Conclusion :



Accept



Reject



Hold



		MetalMech-08500-FR-QX-08-Final Inspection Report-EX											
INSP. No.	FIR-06	Product Name	NYLON WASHER		Size		M63		Drawing No		-	Date:	04-08-2026
Wo No.	26100048	Total Quantity	150		Lot Quantity		150		Sample Size-		3	Variable & Gauging	3PCS
Sr. No.	Checking Parameter	REQUIRED PARAMETER				OBSERVED RESULTS					REJECTION REWORK DETAIL	REMARK	CHECKED BY
		PARAMETER	CRITERIA			1	2	3	-	-			
1	Visual	Surface	Fine, Clean			FINE	FINE	FINE	-	-			
		Sizewise No of Pcs. With Internal Parts	As per Drg. No. of Parts	15	15	15	15	15	-	-			
		Washing & Plating	Surface Finishing	NA	NA	NA	NA	NA	-	-			
		RUBBER MARKING	AS PER DRG.	NA	NA	NA	NA	NA	-	-			
		Marking	WO Ref. No.	NA	NA	NA	NA	NA	-	-			
		Assembly Perfection	As per Drg.			OK	OK	OK	-	-			
		Inner Packing	Labeling & Printing		OK	OK	OK	-	-				
		Outer Packing	Printing & Stamping			OK	OK	OK	-	-			
		All Dimensions Are In MM											
2	DIMENSION		VALUE	-	+	1	2	3	-	-			
		THICKNESS	1.50	1.30	1.70	1.50	1.49	1.48	-	-			
		I.D	63.00	62.20	63.80	63.55	63.54	63.59	-	-			
INSPECTED BY:		Jay Hadiyal			APPROVED BY:				Shreekant				

Conclusion :



Accept



Reject



Hold

