

MetalMech-08500-FR-QX-08-Final Inspection Report-EX

INSP. No.	FIR-08	Product Name	LOCK NUT		Size	M20		Drawing No.	DL1M	Date:	23-08-2026		
Wo No.	26000214	Total Quantity	168		Lot Quantity	168		Sample Size-	3	Variable & Gauging	3PCS		
Sr. No.	Checking Parameter	REQUIRED PARAMETER				OBSERVED RESULTS				REJECTION REWORK DETAIL	REMARK	CHECKED BY	
		PARAMETER	CRITERIA			1	2	3	-				-
1	Visual	Surface	Fine, Clean			FINE	FINE	FINE	-	-			
		Sizewise No of Pcs. With Internal Parts	As per Drg. No. of Parts	16		16	16	16	-	-			Measuring Instruments I.D No-
		Washing & Plating	Surface Finishing	NICKEL		OK	OK	OK	-	-			(1) DV-55
		RUBBER MARKING	AS PER DRG.	NA		NA	NA	NA	-	-			(2) PP-01
		Marking	WO Ref. No.	NA		NA	NA	NA	-	-			ASM No :- AEX260809-02
		Assembly Perfection	As per Drg.			OK	OK	OK	-	-			
		Inner Packing	Labeling & Printing			OK	OK	OK	-	-			
		Outer Packing	Printing & Stamping			OK	OK	OK	-	-			
		All Dimensions Are In MM											
2	DIMENSION		VALUE	-	+	1	2	3	-	-			
		A/F	24.00	23.87	24.00	23.96	23.98	23.95	-	-			
		A/C	26.00	25.50	26.50	26.05	26.04	26.03	-	-			
		T.L	3.50	3.20	3.80	3.54	3.56	3.58	-	-			
		THREAD	M20x1.5 AS PER P.G GO NOT GO			OK	OK	OK	-	-			
		CH.ANGLE	30° AS PER PP FOUND			OK	OK	OK	-	-			
INSPECTED BY:		Jay Hadiyal				APPROVED BY:				Shreekant			

Conclusion :



Accept



Reject



Hold



		MetalMech-08500-FR-QX-08-Final Inspection Report-EX												
INSP. No.	FIR-08	Product Name	ENTRY COMPONENT		Size		M20		Drawing No.		313001M-018	Date:	23-08-2026	
Wo No.	26000214	Total Quantity	168		Lot Quantity		168		Sample Size-		3	Variable & Gauging	3PCS	
Sr. No.	Checking Parameter	REQUIRED PARAMETER				OBSERVED RESULTS				REJECTION Rework Detail	REMARK	CHECKED BY		
		PARAMETER	CRITERIA		1	2	3	-	-					
1	Visual	Surface	Fine, Clean		FINE	FINE	FINE	-	-			Measuring Instruments ID No.		
		Sizewise No of Pcs. With Internal Parts	As per Drg. No. of Parts	16	16	16	16	-	-			(1) DV-55		
		Washing & Plating	Surface Finishing	NICKEL	OK	OK	OK	-	-			(2) PP-01		
		RUBBER MARKING	AS PER DRG.	NA	NA	NA	NA	-	-					
		Marking	WO Ref. No.	Metalmech Logo MM-EX-EIFUNV20s1MB2 2026 CE Logo 2460 Ex Logo II 2 GD Ex db IIC	OK	OK	OK	-	-			ASM No :- AEX3260809-02		
		Assembly Perfection	As per Drg.		OK	OK	OK	-	-					
		Inner Packing	Labeling & Printing		OK	OK	OK	-	-					
		Outer Packing	Printing & Stamping		OK	OK	OK	-	-					
		All Dimensions Are In MM												
			VALUE	-	+	1	2	3	-	-				
2	DIMENSION	A/F	25.00	24.87	25.00	24.96	24.95	24.94	-	-				
		A/C	27.50	27.00	28.00	27.53	27.55	27.54	-	-				
		T.L	32.00	32.00	32.50	32.18	32.16	32.19	-	-				
		TH.L	13.00	12.50	13.50	13.05	13.06	13.05	-	-				
		LENGTH	17.00	17.00	17.50	17.07	17.06	17.05	-	-				
		GR.OD	18.00	18.00	18.50	18.08	18.07	18.09	-	-				
		GR.LE	2.50	2.30	2.70	2.53	2.54	2.55	-	-				
		O.D	24.50	24.00	25.00	24.47	24.49	24.48	-	-				
		O.D.L	9.00	8.50	9.50	9.04	9.01	9.03	-	-				
		H.L	6.00	5.70	6.30	6.06	6.09	6.05	-	-				
		I.D	12.00	11.50	12.50	12.07	12.06	12.09	-	-				
		DEPTH	11.50	11.00	12.00	11.58	11.56	11.59	-	-				
		THREAD	M20x1.5 AS PER T.R.G GO NOT GO			OK	OK	OK	-	-				
		INT.THREAD	M20x1.5 AS PER P.G GO NOT GO			OK	OK	OK	-	-				
		CH.ANGLE	0.5x45° AS PER PP FOUND			OK	OK	OK	-	-				
		CH.ANGLE	1.5x45° AS PER PP FOUND			OK	OK	OK	-	-				
		CH.ANGLE	20° AS PER PP FOUND			OK	OK	OK	-	-				
		ANGLE	90° AS PER PP FOUND			OK	OK	OK	-	-				
INSPECTED BY:		Jay Hadiyal			APPROVED BY:			Shreekant						

Conclusion :



Accept



Reject



Hold





MetalMech-08500-FR-QX-08-Final Inspection Report-EX

INSP. No.	FIR-08	Product Name	INTERMEDIATE BODY			Size		M20		Drawing No.		313002U-018	Date:	23-08-2026
Wo No.	26000214	Total Quantity	168			Lot Quantity		168		Sample Size-		3	Verified & Gauging	3PCS
Sr. No.	Checking Parameter	REQUIRED PARAMETER					OBSERVED RESULTS					REJECTION REWORK DETAIL	REMARK	CHECKED BY
		PARAMETER	CRITERIA		1	2	3	-	-					
1	Visual	Surface	Fine, Clean		FINE	FINE	FINE	-	-		Measuring Instrument I.D.No.			
		Size wise No of Pcs. With Internal Parts	As per Drg. No. of Parts	16	16	16	16	-	-		(1) DV-55			
		Washing & Plating	Surface Finishing	NICKEL	OK	OK	OK	-	-		(2) PP-01			
		RUBBER MARKING	AS PER DRG.	NA	NA	NA	NA	-	-					
		Marking	WO Ref. No.	NA	NA	NA	NA	-	-		ASM No :- AEX260809-02			
		Assembly Perfection	As per Drg.		OK	OK	OK	-	-					
		Inner Packing	Labeling & Printing		OK	OK	OK	-	-					
		Outer Packing	Printing & Stamping		OK	OK	OK	-	-					
		All Dimensions Are In MM												
2	DIMENSION		VALUE	-	+	1	2	3	-	-				
		A/F	25.00	24.87	25.00	24.96	24.95	24.94	-	-				
		A/C	27.50	27.00	28.00	27.53	27.55	27.54	-	-				
		T.L	22.00	21.50	22.50	22.13	22.15	22.12	-	-				
		THL	10.00	9.50	10.50	10.05	10.04	10.06	-	-				
		GR.OD	18.00	17.50	18.50	18.02	18.01	18.03	-	-				
		GR.LE	1.00	0.80	1.20	1.03	1.02	1.03	-	-				
		H.L	4.00	3.70	4.30	4.06	4.05	4.05	-	-				
		THL	8.00	7.70	8.30	8.06	8.05	8.04	-	-				
		GR.OD	20.00	19.50	20.50	20.13	20.15	20.14	-	-				
		GR.LE	1.00	0.80	1.20	1.02	1.01	1.03	-	-				
		I.D	16.00	15.50	16.50	16.08	16.07	16.05	-	-				
		I.D	18.00	17.50	18.50	18.05	18.06	18.05	-	-				
		DEPTH	7.00	6.70	7.30	6.95	6.98	6.96	-	-				
		I.D	17.00	16.50	17.50	17.04	17.06	17.07	-	-				
		I.D.LE	4.50	4.20	4.80	4.53	4.55	4.55	-	-				
		DEPTH	11.50	11.00	12.00	11.55	11.54	11.53	-	-				
		THREAD	M20x1.5 AS PER T.R.G GO NOT GO			OK	OK	OK	-	-				
		THREAD	M22x1.5 AS PER T.R.G GO NOT GO			OK	OK	OK	-	-				
		CHANGLE	1.5x45° AS PER PP FOUND			OK	OK	OK	-	-				
		CHANGLE	0.5x45° AS PER PP FOUND			OK	OK	OK	-	-				
		CHANGLE	20° AS PER PP FOUND			OK	OK	OK	-	-				
INSPECTED BY:		Jay Hadiyal			APPROVED BY:					Shreekant				

Conclusion :



Accept



Reject



Hold



		MetalMech-08500-FR-QX-08-Final Inspection Report-EX												
INSP. No.	FIR-08	Product Name	MIDDLE BODY		Size		M20		Drawing No.		313002-018	Date:	23-08-2025	
Wo No.	26000214	Total Quantity	168		Lot Quantity		168		Sample Size-		3	Variable & Gauging	3PCS	
Sr. No.	Checking Parameter	REQUIRED PARAMETER			OBSERVED RESULTS					REJECTION REWORK DETAIL	REMARK	CHECKED BY		
		PARAMETER	CRITERIA		1	2	3	-	-					
1	Visual	Surface	Fine, Clean		FINE	FINE	FINE	-	-					
		Size wise No of Pcs. With Internal Parts	As per Drg. No. of Parts	16	16	16	-	-				(1) DV-55		
		Washing & Plating	NICKEL	OK	OK	OK	-	-				(2) PP-01		
		RUBBER MARKING	AS PER DRG.	NA	NA	NA	-	-						
		Marking	WO Ref. No.	NA	NA	NA	-	-				ASM No :- AEX260809-02		
		Assembly Perfection	As per Drg.	OK	OK	OK	-	-						
		Inner Packing	Labeling & Printline	OK	OK	OK	-	-						
		Outer Packing	Printing & Stamping	OK	OK	OK	-	-						
		All Dimensions Are In MM												
		2	DIMENSION	VALUE	-	+	1	2	3	-	-			
A/F	25.00			24.87	25.00	24.95	24.94	24.96	-	-				
A/C	27.50			27.00	28.00	27.50	27.49	27.51	-	-				
T.L	28.00			27.50	28.50	28.09	28.08	28.05	-	-				
TH.L	12.00			11.50	12.50	12.03	12.05	12.04	-	-				
GR.OD	20.50			20.00	21.00	20.45	20.47	20.49	-	-				
GR.LE	1.00			0.80	1.20	1.02	1.01	1.03	-	-				
O.D	24.50			24.00	25.00	24.43	24.45	24.44	-	-				
O.D.L	8.00			7.70	8.30	8.04	8.03	8.05	-	-				
H.L	8.00			7.70	8.30	8.05	8.04	8.06	-	-				
I.D	16.00			15.50	16.50	16.05	16.04	16.03	-	-				
I.D	17.00			16.50	17.50	17.06	17.05	17.04	-	-				
I.D.LE	4.00			3.70	4.30	4.03	4.05	4.04	-	-				
INT.TH.L	9.50			9.00	10.00	9.53	9.55	9.54	-	-				
I.D	20.00			19.50	20.50	20.04	20.03	20.05	-	-				
DEPTH	14.00			13.50	14.50	14.09	14.08	14.08	-	-				
THREAD	M22x1 AS PER T.R.G GO NOT GO			OK	OK	OK	-	-						
INT.THREAD	M22x1.5 AS PER P.G GO NOT GO			OK	OK	OK	-	-						
CHANGLE	0.5x45° AS PER PP FOUND			OK	OK	OK	-	-						
CHANGLE	1x45° AS PER PP FOUND			OK	OK	OK	-	-						
CHANGLE	1.5x45° AS PER PP FOUND			OK	OK	OK	-	-						
CHANGLE	30° AS PER PP FOUND			OK	OK	OK	-	-						
INSPECTED BY: Jay Hadiyal APPROVED BY: Shreekant														

Conclusion : ☒ Accept ☐ Reject ☐ Hold





MetalMech-08500-FR-QX-08-Final Inspection Report-EX

INSP. No.	FIR-08	Product Name	BACK NUT		Size		M20		Drawing No.		313003-018	Date:	23-08-2026
Wo No.	26000214	Total Quantity	168		Lot Quantity		168		Sample Size-		3	Variable & Gauging	3PCS
Sr. No.	Checking Parameter	REQUIRED PARAMETER				OBSERVED RESULTS				REJECTION REWORK DETAIL	REMARK	CHECKED BY	
		PARAMETER	CRITERIA		1	2	3	-	-				
1	Visual	Surface	Fine, Clean		FINE	FINE	FINE	-	-				
		Sizewise No of Pcs. With Internal Parts	As per Drg. No. of Parts	16	16	16	16	-	-		Measuring Instruments ID No.		
		Washing & Plating	Surface Finishing	NICKEL	OK	OK	OK	-	-		(1) DV-55		
		RUBBER MARKING	AS PER DRG.	NA	NA	NA	NA	-	-		(2) PP-01		
		Marking	WO Ref. No.	NA	NA	NA	NA	-	-		ASM No :- AEX260809-02		
		Assembly Perfection	As per Drg.		OK	OK	OK	-	-				
		Inner Packing	Labeling & Printing		OK	OK	OK	-	-				
		Outer Packing	Printing & Stamping		OK	OK	OK	-	-				
		All Dimensions Are In MM											
2	DIMENSION		VALUE	-	+	1	2	3	-	-			
		A/F	25.00	24.87	25.00	24.95	24.94	24.93	-	-			
		A/C	27.50	27.00	28.00	27.45	27.48	27.46	-	-			
		T.L	17.00	16.50	17.50	17.08	17.07	17.06	-	-			
		O.D	24.00	23.50	24.50	24.07	24.06	24.05	-	-			
		O.D.L	8.00	7.70	8.30	8.02	8.01	8.03	-	-			
		H.L	9.00	8.50	9.50	9.06	9.05	9.04	-	-			
		I.D	19.00	18.50	19.50	19.03	19.02	19.05	-	-			
		INT.THL	3.00	2.80	3.20	3.02	3.01	3.03	-	-			
		GR.ID	22.20	21.70	22.70	22.25	22.24	22.26	-	-			
		GR.LE	10.50	10.00	11.00	10.51	10.53	10.52	-	-			
		DEPTH	13.50	13.00	14.00	13.52	13.51	13.53	-	-			
		GR.ID	21.00	20.50	21.50	21.03	21.02	21.05	-	-			
		GR.LE	2.50	2.30	2.70	2.52	2.51	2.53	-	-			
		DEPTH	16.00	15.50	16.50	16.03	16.05	16.04	-	-			
		INT.THREAD	M22x1 AS PER P.G GO NOT GO			OK	OK	OK	-	-			
		CH.ANGLE	1x45° AS PER PP FOUND			OK	OK	OK	-	-			
		CH.ANGLE	0.5x45° AS PER PP FOUND			OK	OK	OK	-	-			
		CH.ANGLE	45° AS PER PP FOUND			OK	OK	OK	-	-			
		INSPECTED BY:		Jay Hadiyal			APPROVED BY:				Shreekant		

Conclusion :



Accept



Reject



Hold



		MetalMech-08500-FR-QX-08-Final Inspection Report-EX													
INSP. No.	FIR-08	Product Name	UNIVERSAL CLAMPING CONE		Size		M20		Drawing No.		313005-018	Date:	23-08-2026		
Wo No.	26000214	Total Quantity	168		Lot Quantity		168		Sample Size-		3	Variable & Gauging	3PCS		
Sr. No.	Checking Parameter	REQUIRED PARAMETER			OBSERVED RESULTS					REJECTION REWORK DETAIL	REMARK	CHECKED BY			
		PARAMETER	CRITERIA		1	2	3	-	-						
1	Visual	Surface	Fine, Clean		FINE	FINE	FINE	-	-						
		Size/wt No of Pcs. With Internal Parts	As per Drg. No. of Parts	16	16	16	16	-	-			Measuring Instruments ID No. (1) DW-55			
		Washing & Plating	Surface Finishing	NICKEL	OK	OK	OK	-	-			(2) PP-01			
		RUBBER MARKING	AS PER DRG.	NA	NA	NA	NA	-	-						
		Marking	WO Ref. No.	NA	NA	NA	NA	-	-			ASM No :- AEX260809-02			
		Assembly Perfection	As per Drg.		OK	OK	OK	-	-						
		Inner Packing	Labelling & Printing	OK	OK	OK	-	-							
		Outer Packing	Printing & Stamping		OK	OK	OK	-	-						
		All Dimensions Are In MM													
		2	DIMENSION		VALUE	-	+	1	2	3	-	-			
T.L	22.00			21.50	22.50	22.05	22.04	22.03	-	-					
O.D	14.00			13.50	14.50	14.05	14.04	14.03	-	-					
O.D.L	3.50			3.20	3.80	3.45	3.48	3.47	-	-					
GR.OD	15.50			15.00	16.00	15.51	15.49	15.46	-	-					
GR.LE	2.50			2.30	2.70	2.52	2.51	2.53	-	-					
O.D	16.20			15.70	16.70	16.23	16.22	16.26	-	-					
O.D.L	7.50			7.20	7.80	7.51	7.53	7.54	-	-					
O.D	17.50			17.00	18.00	17.55	17.54	17.56	-	-					
O.D.L	7.00			6.70	7.30	7.06	7.05	7.04	-	-					
O.D	14.00			13.50	14.50	14.08	14.06	14.05	-	-					
O.D.L	4.50			4.20	4.80	4.45	4.48	4.46	-	-					
O.D	14.50			14.00	15.00	14.52	14.55	14.58	-	-					
O.D	15.00			14.50	15.50	15.05	15.04	15.03	-	-					
O.D	15.50			15.00	16.00	15.53	15.55	15.54	-	-					
O.D.L	7.50			7.20	7.80	7.53	7.55	7.54	-	-					
I.D	12.00			11.50	12.50	12.06	12.09	12.05	-	-					
GROOVE STEP LE	0.50			0.30	0.70	0.48	0.50	0.49	-	-					
RADIUS	0.5 MM AS PER PP FOUND			OK	OK	OK	-	-							
RADIUS	0.3 AS PER PP FOUND			OK	OK	OK	-	-							
INSPECTED BY:		Jay Hadiyal			APPROVED BY:			Shreekant							

Conclusion :



Accept



Reject



Hold





MetalMech-08500-FR-QX-08-Final Inspection Report-EX

INSP. No.	FIR-08	Product Name	REVERSIBLE ARMOUR RING		Size		M20		Drawing No.		313004-018	Date:	23-08-2026
Wo No.	26000214	Total Quantity	168		Lot Quantity		168		Sample Size-		3	Variable & Gauging	3PCS
Sr. No.	Checking Parameter	REQUIRED PARAMETER				OBSERVED RESULTS				REJECTION REWORK DETAIL	REMARK	CHECKED BY	
		PARAMETER	CRITERIA		1	2	3	-	-				
1	Visual	Surface	Fine, Clean		FINE	FINE	FINE	-	-		Measuring Instruments ID No-		
		Sizewise No of Pcs. With Internal Parts	As per Drg. No. of Parts	16	16	16	16	-	-		(1) DV-55		
		Washing & Plating	Surface Finishing	NICKEL	OK	OK	OK	-	-		(2) PP-01		
		RUBBER MARKING	AS PER DRG.	NA	NA	NA	NA	-	-				
		Marking	WO Ref. No.	NA	NA	NA	NA	-	-		ASM No :- AEX260809-02		
		Assembly Perfection	As per Drg.		OK	OK	OK	-	-				
		Inner Packing	Labeling & Printing		OK	OK	OK	-	-				
		Outer Packing	Printing & Stamping		OK	OK	OK	-	-				
		All Dimensions Are In MM											
2	DIMENSION		VALUE	-	+	1	2	3	-	-			
		T.L	6.00	5.70	6.30	6.02	6.03	6.04	-	-			
		O.D	18.50	18.00	19.00	18.73	18.75	18.76	-	-			
		I.D	16.00	15.50	16.50	16.16	16.15	16.12	-	-			
		I.D	16.50	16.00	17.00	16.65	16.64	16.65	-	-			
INSPECTED BY:		Jay Hadiyal			APPROVED BY:				Shreekant				

Conclusion :



Accept



Reject



Hold





MetalMech-08500-FR-QX-08-Final Inspection Report-EX

INSP. No.	FIR-08	Product Name	O-RING		Size	M20		Drawing No.	OR-1M	Date:	23-08-2026	
Wo No.	26000214	Total Quantity	168		Lot Quantity	168		Sample Size-	3	Variable & Gauging	3PCS	
Sr. No.	Checking Parameter	REQUIRED PARAMETER				OBSERVED RESULTS				REJECTION REWORK DETAIL	REMARK	CHECKED BY
		PARAMETER	CRITERIA		1	2	3	-	-			
1	Visual	Surface	Fine, Clean		FINE	FINE	FINE	-	-		Measuring Instruments I.D No-	
		Sizewise No of Pcs. With Internal Parts	As per Drg. No. of Parts	16	16	16	16	-	-		(1) DV-55	
		Washing & Plating	Surface Finishing	NA	NA	NA	NA	-	-		(2) PP-01	
		RUBBER MARKING	AS PER DRG.	NA	NA	NA	NA	-	-			
		Marking	WO Ref. No.	NA	NA	NA	NA	-	-		ASM No :- AEX260809-02	
		Assembly Perfection	As per Drg.		OK	OK	OK	-	-			
		Inner Packing	Labeling & Printing		OK	OK	OK	-	-			
		Outer Packing	Printing & Stamping		OK	OK	OK	-	-			
		All Dimensions Are In MM										
2	DIMENSION		VALUE	-	+	1	2	3	-	-		
		THICKNESS	2.50	2.00	2.50	2.06	2.09	2.08	-	-		
		I.D	16.00	15.50	16.50	16.03	16.05	16.07	-	-		
INSPECTED BY:		Jay Hadiyal			APPROVED BY:			Shreekant				

Conclusion :



Accept



Reject



Hold



MetalMech-08500-FR-QX-08-Final Inspection Report-EX

INSP. No.	FIR-o8	Product Name	COMPRESSIBLE INNER SEAL		Size		M20		Drawing No.		GI-01s	Date:	23-08-2026
Wo No.	26000214	Total Quantity	168		Lot Quantity		168		Sample Size-		3	Variable & Gauging	3PCS
Sr. No.	Checking Parameter	REQUIRED PARAMETER				OBSERVED RESULTS					REJECTION REWORK DETAIL	REMARK	CHECKED BY
		PARAMETER	CRITERIA		1	2	3	-	-				
1	Visual	Surface	Fine, Clean		FINE	FINE	FINE	-	-				
		Sizewise No of Pcs. With Internal Parts	As per Drg. No. of Parts	16	16	16	16	-	-		Measuring Instruments I.D No-		
		Washing & Plating	Surface Finishing	NA	NA	NA	NA	-	-		(1) DV-55		
		RUBBER MARKING	AS PER DRG.	OK	OK	OK	OK	-	-		(2) PP-01		
		Marking	WO Ref. No.	NA	NA	NA	NA	-	-		ASM No :- AEX260809-02		
		Assembly Perfection	As per Drg.		OK	OK	OK	-	-				
		Inner Packing	Labeling & Printing		OK	OK	OK	-	-				
		Outer Packing	Printing & Stamping		OK	OK	OK	-	-				
		All Dimensions Are In MM											
2	DIMENSION		VALUE	-	+	1	2	3	-	-			
		T.L	9.50	9.00	10.00	9.53	9.52	9.55	-	-			
		O.D.L	3.00	2.70	3.30	3.01	3.03	3.05	-	-			
		O.D	18.50	18.30	18.50	18.42	18.44	18.45	-	-			
		O.D.L	6.50	6.20	6.80	6.52	6.53	6.55	-	-			
		I.D	11.70	11.70	11.90	11.77	11.76	11.75	-	-			
INSPECTED BY:		Jay Hadiyal			APPROVED BY:				Shreekant				

Conclusion :



Accept



Reject



Hold





MetalMech-08500-FR-QX-08-Final Inspection Report-EX

INSP. No.	FIR-08	Product Name	COMPRESSIBLE OUTER SEAL		Size		M20		Drawing No.		GE-01s	Date:	23-08-2026
Wo No.	26000214	Total Quantity	168		Lot Quantity		168		Sample Size-		3	Variable & Gauging	3PCS
Sr. No.	Checking Parameter	REQUIRED PARAMETER				OBSERVED RESULTS				REJECTION REWORK DETAIL	REMARK	CHECKED BY	
		PARAMETER	CRITERIA		1	2	3	-	-				
1	Visual	Surface	Fine, Clean		FINE	FINE	FINE	-	-		Measuring Instruments ID No-		
		Sizewise No of Pcs. With Internal Parts	As per Drg. No. of Parts	16	16	16	16	-	-		(1) DV-55		
		Washing & Plating	Surface Finishing	NA	NA	NA	NA	-	-		(2) PP-01		
		RUBBER MARKING	AS PER DRG.	OK	OK	OK	OK	-	-				
		Marking	WO Ref. No.	NA	NA	NA	NA	-	-		ASM No :- AEX260809-02		
		Assembly Perfection	As per Drg.		OK	OK	OK	-	-				
		Inner Packing	Labeling & Printing		OK	OK	OK	-	-				
		Outer Packing	Printing & Stamping		OK	OK	OK	-	-				
		All Dimensions Are In MM											
2	DIMENSION		VALUE	-	+	1	2	3	-	-			
		T.L	10.00	9.50	10.50	10.04	10.06	10.08	-	-			
		O.D	22.20	22.00	22.20	22.11	22.13	22.12	-	-			
		GR.LENGTH	3.50	3.20	3.80	3.53	3.52	3.55	-	-			
		I.D	15.70	15.70	15.80	15.74	15.76	15.76	-	-			
INSPECTED BY:		Jay Hadiyal			APPROVED BY:				Shreekant				

Conclusion :



Accept



Reject



Hold





MetalMech-08500-FR-QX-08-Final Inspection Report-EX

INSP. No.	FIR-08	Product Name	INNER SKID WASHER		Size		M20		Drawing No.		IW-01s	Date:	23-08-2026
Wo No.	26000214	Total Quantity	168		Lot Quantity		168		Sample Size-		3	Variable & Gauging	3PCS
Sr. No.	Checking Parameter	REQUIRED PARAMETER				OBSERVED RESULTS					REJECTION REWORK DETAIL	REMARK	CHECKED BY
		PARAMETER	CRITERIA		1	2	3	-	-				
1	Visual	Surface	Fine, Clean		FINE	FINE	FINE	-	-		Measuring Instruments I.D No-		
		Sizewise No of Pcs. With Internal Parts	As per Drg. No. of Parts	16	16	16	16	-	-		(1) DV-55		
		Washing & Plating	Surface Finishing	NA	NA	NA	NA	-	-		(2) PP-01		
		RUBBER MARKING	AS PER DRG.	OK	OK	OK	OK	-	-				
		Marking	WO Ref. No.	NA	NA	NA	NA	-	-		ASM No :- AEX260809-02		
		Assembly Perfection	As per Drg.		OK	OK	OK	-	-				
		Inner Packing	Labeling & Printing		OK	OK	OK	-	-				
		Outer Packing	Printing & Stamping		OK	OK	OK	-	-				
		All Dimensions Are In MM											
		2	DIMENSION		VALUE	-	+	1	2	3	-	-	
T.L	4.50			4.20	4.80	4.48	4.47	4.45	-	-			
O.D	18.00			17.80	18.00	17.95	17.92	17.93	-	-			
O.D	15.50			15.30	15.50	15.43	15.42	15.45	-	-			
O.D.L	2.50			2.50	2.70	2.52	2.54	2.55	-	-			
I.D	12.00			12.00	12.20	12.05	12.04	12.03	-	-			
INSPECTED BY:		Jay Hadiyal			APPROVED BY:				Shreekant				

Conclusion : ☒ Accept ☐ Reject ☐ Hold



MetalMech-08500-FR-QX-08-Final Inspection Report-EX

INSP. No.	FIR-08	Product Name	OUTER SKID WASHER		Size		M20		Drawing No.		OW-01s	Date:	23-08-2026
Wo No.	26000214	Total Quantity	168		Lot Quantity		168		Sample Size-		3	Variable & Gauging	3PCS
Sr. No.	Checking Parameter	REQUIRED PARAMETER				OBSERVED RESULTS					REJECTION REWORK DETAIL	REMARK	CHECKED BY
		PARAMETER	CRITERIA			1	2	3	-	-			
1	Visual	Surface	Fine, Clean			FINE	FINE	FINE	-	-		Measuring Instruments I.D No-	
		Sizewise No of Pcs. With Internal Parts	As per Drg. No. of Parts	16	16	16	16	-	-		(1) DV-55		
		Washing & Plating	Surface Finishing	NA	NA	NA	NA	-	-		(2) PP-01		
		RUBBER MARKING	AS PER DRG.	NA	NA	NA	NA	-	-				
		Marking	WO Ref. No.	NA	NA	NA	NA	-	-		ASM No :- AEX260809-02		
		Assembly Perfection	As per Drg.			OK	OK	OK	-	-			
		Inner Packing	Labeling & Printing		OK	OK	OK	-	-				
		Outer Packing	Printing & Stamping			OK	OK	OK	-	-			
		All Dimensions Are In MM											
2	DIMENSION		VALUE	-	+	1	2	3	-	-			
		T.L	6.50	6.20	6.80	6.52	6.53	6.54	-	-			
		O.D	20.50	20.50	20.60	20.52	20.55	20.54	-	-			
		O.D	18.50	18.30	18.50	18.40	18.39	18.41	-	-			
		O.D.L	4.00	4.00	4.10	4.02	4.01	4.03	-	-			
		I.D	16.00	16.00	16.20	16.03	16.05	16.04	-	-			
INSPECTED BY:		Jay Hadiyal			APPROVED BY:				Shreekant				

Conclusion :



Accept



Reject



Hold





MetalMech-08500-FR-QX-08-Final Inspection Report-EX

INSP. No.	FIR-08	Product Name	SHROUD		Size		C-2027		Drawing No.		Date:	23-08-2026
Wo No.	26000214	Total Quantity	168		Lot Quantity		168		Sample Size-	3	Variable & Gauging	3PCS
Sr. No.	Checking Parameter	REQUIRED PARAMETER				OBSERVED RESULTS				REJECTION REWORK DETAIL	REMARK	CHECKED BY
		PARAMETER	CRITERIA		1	2	3	-	-			
1	Visual	Surface	Fine, Clean		FINE	FINE	FINE	-	-		Measuring Instruments ID No-	
		Sizewise No of Pcs. With Internal Parts	As per Drg. No. of Parts	16	16	16	16	-	-		(1) DV-55	
		Washing & Plating	Surface Finishing	NA	NA	NA	NA	-	-		(2) PP-01	
		RUBBER MARKING	AS PER DRG.	NA	NA	NA	NA	-	-			
		Marking	WO Ref. No.	NA	NA	NA	NA	-	-		ASM No :- AEX260809-02	
		Assembly Perfection	As per Drg.		OK	OK	OK	-	-			
		Inner Packing	Labeling & Printing		OK	OK	OK	-	-			
		Outer Packing	Printing & Stamping		OK	OK	OK	-	-			
		All Dimensions Are In MM										
2	DIMENSION		VALUE	-	+	1	2	3	-	-		
		T.L	125.00	124.20	125.80	125.12	125.19	125.13	-	-		
		I.D	27.00	26.50	27.50	27.25	27.28	27.26	-	-		
INSPECTED BY:		Jay Hadiyal			APPROVED BY:				Shreekant			

Conclusion :



Accept



Reject



Hold



MetalMech-08500-FR-QX-08-Final Inspection Report-EX

INSP. No.	FIR-08	Product Name	EARTH TAG		Size		M20		Drawing No.			Date:	23-08-2026
Wo No.	26000214	Total Quantity	168		Lot Quantity		168		Sample Size-		3	Variable & Gauging	3PCS
Sr. No.	Checking Parameter	REQUIRED PARAMETER				OBSERVED RESULTS					REJECTION REWORK DETAIL	REMARK	CHECKED BY
		PARAMETER	CRITERIA			1	2	3	-	-			
1	Visual	Surface	Fine, Clean			FINE	FINE	FINE	-	-		Measuring Instruments I.D No-	
		Sizewise No of Pcs. With Internal Parts	As per Drg. No. of Parts	16	16	16	16	-	-		(1) DV-55		
		Washing & Plating	Surface Finishing	NA	NA	NA	NA	-	-		(2) PP-01		
		RUBBER MARKING	AS PER DRG.	NA	NA	NA	NA	-	-				
		Marking	WO Ref. No.	NA	NA	NA	NA	-	-		ASM No :- AEX260809-02		
		Assembly Perfection	As per Drg.			OK	OK	OK	-	-			
		Inner Packing	Labeling & Printing		OK	OK	OK	-	-				
		Outer Packing	Printing & Stamping			OK	OK	OK	-	-			
		All Dimensions Are In MM											
2	DIMENSION		VALUE	-	+	1	2	3	-	-			
		THICKNESS	1.00	0.80	1.20	1.01	1.03	1.02	-	-			
		O.D	29.20	28.70	29.70	29.18	29.20	29.19	-	-			
		O.D	13.00	12.50	13.50	13.02	13.01	13.05	-	-			
		I.D	20.00	19.50	20.50	20.23	20.25	20.24	-	-			
		I.D	6.20	5.90	6.50	6.25	6.24	6.23	-	-			
INSPECTED BY:		Jay Hadiyal			APPROVED BY:				Shreekant				

Conclusion :



Accept



Reject



Hold



MetalMech-08500-FR-QX-08-Final Inspection Report-EX

INSP. No.	FIR-08	Product Name	NYLON WASHER		Size		M20		Drawing No.		-	Date:	23-08-2026
Wo No.	26000214	Total Quantity	168		Lot Quantity		168		Sample Size-		3	Variable & Gauging	3PCS
Sr. No.	Checking Parameter	REQUIRED PARAMETER				OBSERVED RESULTS					REJECTION REWORK DETAIL	REMARK	CHECKED BY
		PARAMETER	CRITERIA			1	2	3	-	-			
1	Visual	Surface	Fine, Clean			FINE	FINE	FINE	-	-		Measuring Instruments I.D No-	
		Sizewise No of Pcs. With Internal Parts	As per Drg. No. of Parts	16	16	16	16	-	-		(1) DV-55		
		Washing & Plating	Surface Finishing	NA	NA	NA	NA	-	-		(2) PP-01		
		RUBBER MARKING	AS PER DRG.	NA	NA	NA	NA	-	-				
		Marking	WO Ref. No.	NA	NA	NA	NA	-	-		ASM No :- AEX260809-02		
		Assembly Perfection	As per Drg.			OK	OK	OK	-	-			
		Inner Packing	Labeling & Printing		OK	OK	OK	-	-				
		Outer Packing	Printing & Stamping			OK	OK	OK	-	-			
		All Dimensions Are In MM											
2	DIMENSION		VALUE	-	+	1	2	3	-	-			
		THICKNESS	1.50	1.30	1.70	1.48	1.47	1.46	-	-			
		I.D	20.00	19.50	20.50	20.33	20.35	20.34	-	-			
INSPECTED BY:		Jay Hadiyal			APPROVED BY:				Shreekant				

Conclusion :



Accept



Reject



Hold





MetalMech-08500-FR-QX-08-Final Inspection Report-EX

INSP. No.	FIR-08	Product Name	STAR WASHER		Size		M20		Drawing No.		-	Date:	23-08-2026
Wo No.	26000214	Total Quantity	168		Lot Quantity		168		Sample Size-		3	Variable & Gauging	3PCS
Sr. No.	Checking Parameter	REQUIRED PARAMETER				OBSERVED RESULTS					REJECTION REWORK DETAIL	REMARK	CHECKED BY
		PARAMETER	CRITERIA			1	2	3	-	-			
1	Visual	Surface	Fine, Clean			FINE	FINE	FINE	-	-			
		Sizewise No of Pcs. With Internal Parts	As per Drg. No. of Parts	16	16	16	16	-	-		Measuring Instruments I.D No-		
		Washing & Plating	Surface Finishing	NA	NA	NA	NA	-	-		(1) DV-55		
		RUBBER MARKING	AS PER DRG.	NA	NA	NA	NA	-	-		(2) PP-01		
		Marking	WO Ref. No.	NA	NA	NA	NA	-	-		ASM No :- AEX260809-02		
		Assembly Perfection	As per Drg.			OK	OK	OK	-	-			
		Inner Packing	Labeling & Printing		OK	OK	OK	-	-				
		Outer Packing	Printing & Stamping			OK	OK	OK	-	-			
		All Dimensions Are In MM											
2	DIMENSION		VALUE	-	+	1	2	3	-	-			
		O.D	33.00	32.70	33.30	33.06	33.05	-	-	-			
		I.D	21.00	20.50	21.50	21.34	21.36	-	-	-			
		T.L	4.00	3.70	4.30	4.06	4.05	-	-	-			
INSPECTED BY:		Jay Hadiyal			APPROVED BY:				Shreekant				

Conclusion : ☒ Accept ☐ Reject ☐ Hold

