

		MetalMech-08500-FR-QX-08-Final Inspection Report-EX-----										
INSP. No.	FIR-03	Product Name	LOCK NUT		Size	M16		Drawing No.	DLOM		Date:	14/06/2026
Wo No.	25000647	Total Quantity	26		Lot Quantity	26		Sample Size-	2		Variable & Gauging	2PCS
Sr. No.	Checking Parameter	REQUIRED PARAMETER				OBSERVED RESULTS				REJECTION REWORK DETAIL	REMARK	CHECKED BY
		PARAMETER	CRITERIA		1	2	-	-	-			
1	Visual	Surface	Fine, Clean		FINE	FINE	-	-	-			
		Sizewise No of Pcs. With Internal Parts	As per Drg. No. of Parts	15	15	15	-	-	-			Measuring Instruments I.D No-
		Washing & Plating	Surface Finishing	NICKEL	OK	OK	-	-	-			(1) DV-55
		RUBBER MARKING	AS PER DRG.	NA	NA	NA	-	-	-			(2) PP-01
		Marking	WO Ref. No.	NA	NA	NA	-	-	-			ASM No :- AEX260606-11
		Assembly Perfection	As per Drg.		OK	OK	-	-	-			
		Inner Packing	Labeling & Printing		OK	OK	-	-	-			
		Outer Packing	Printing & Stamping		OK	OK	-	-	-			
		All Dimensions Are In MM										
2	DIMENSION		VALUE	-	+	1	2	-	-	-		
		A/F	21.00	20.87	21.00	20.95	20.98	-	-	-		
		A/C	23.00	22.50	23.50	23.03	23.02	-	-	-		
		T.L	3.00	2.70	3.30	3.03	3.01	-	-	-		
		THREAD	M16x1.5 AS PER P.G GO NOT GO		OK	OK	-	-	-			
		CH.ANGLE	30° AS PER PP FOUND		OK	OK	-	-	-			
INSPECTED BY:		Jay Hadiyal			APPROVED BY:			Shreekant				

Conclusion :



Accept



Reject



Hold



 THE SAFEST CONNECTIONS		MetalMech-08500-FR-QX-08-Final Inspection Report-EX											
INSP. No.	FIR-03	Product Name	IP WASHER		Size		M16		Drawing No.		-	Date:	14/06/2026
Wo No.	25000647	Total Quantity	26		Lot Quantity		26		Sample Size-		2	Variable & Gauging	2PCS
Sr. No.	Checking Parameter	REQUIRED PARAMETER				OBSERVED RESULTS					REJECTION REWORK DETAIL	REMARK	CHECKED BY
		PARAMETER	CRITERIA			1	2	-	-	-			
1	Visual	Surface	Fine, Clean			FINE	FINE	-	-	-			
		Sizewise No of Pcs. With Internal Parts	As per Drg. No. of Parts	15	15	15	-	-	-		Measuring Instruments I.D No-		
		Washing & Plating	Surface Finishing	NA	NA	NA	-	-	-		(1) DV-55		
		RUBBER MARKING	AS PER DRG.	NA	NA	NA	-	-	-		(2) PP-01		
		Marking	WO Ref. No.	NA	NA	NA	-	-	-		ASM No :- AEX260606-11		
		Assembly Perfection	As per Drg.		OK	OK	-	-	-				
		Inner Packing	Labeling & Printing		OK	OK	-	-	-				
		Outer Packing	Printing & Stamping		OK	OK	-	-	-				
		All Dimensions Are In MM											
2	DIMENSION		VALUE	-	+	1	2	-	-	-			
		O.D	22.00	21.80	22.20	22.03	22.05	-	-	-			
		I.D	16.00	15.90	16.10	16.05	16.04	-	-	-			
		THICKNESS	2.00	1.90	2.10	2.03	2.05	-	-	-			
INSPECTED BY:		Jay Hadiyal			APPROVED BY:				Shreekant				

Conclusion :



Accept



Reject



Hold



		MetalMech-08500-FR-QX-08-Final Inspection Report-EX													
INSP. No.	FIR-03	Product Name	ENTRY COMPONENT		Size		M16		Drawing No.		413001-018	Date:	14/06/2026		
Wo No.	25000647	Total Quantity	26		Lot Quantity		26		Sample Size-		2	Variable & Gauging	2PCS		
Sr. No.	Checking Parameter	REQUIRED PARAMETER				OBSERVED RESULTS					REJECTION REWORK DETAIL	REMARK	CHECKED BY		
		PARAMETER	CRITERIA		1	2	-	-	-						
1	Visual	Surface	Fine, Clean		FINE	FINE	-	-	-						
		Sizewise No of Pcs. With Internal Parts	As per Drg. No. of Parts	15	15	15	-	-	-						
		Washing & Plating	Surface Finishing	NICKEL	OK	OK	-	-	-						
		RUBBER MARKING	AS PER DRG.	NA	NA	NA	-	-	-						
		Marking	WO Ref. No.	NA	NA	NA	-	-	-						
		Assembly Perfection	As per Drg.		OK	OK	-	-	-						
		Inner Packing	Labeling & Printing		OK	OK	-	-	-						
		Outer Packing	Printing & Stamping		OK	OK	-	-	-						
		All Dimensions Are In MM													
		2	DIMENSION		VALUE	-	+	1	2	-	-	-			
A/F	25.00			24.84	25.00	24.96	24.98	-	-	-					
A/C	27.50			27.20	27.80	27.54	27.55	-	-	-					
T.L	45.00			44.70	45.30	45.15	45.13	-	-	-					
LENGTH-1	16.00			16.00	16.20	16.05	16.06	-	-	-					
LENGTH-2	24.00			23.70	24.30	24.04	24.05	-	-	-					
LENGTH-3	18.00			17.70	18.30	18.03	18.06	-	-	-					
LENGTH-4	16.00			15.70	16.30	16.09	16.07	-	-	-					
LENGTH-5	15.00			14.70	15.30	15.05	15.04	-	-	-					
GR.DIA	20.50			20.20	20.80	20.53	20.55	-	-	-					
O.D	22.50			22.20	22.80	22.54	22.56	-	-	-					
I.D-1	11.00			11.00	11.05	11.08	11.07	-	-	-					
I.D-2	18.50			18.20	18.80	18.55	18.54	-	-	-					
DEPTH	14.00			13.80	14.20	13.97	13.99	-	-	-					
THREAD	M16x1.5 AS PER T.R.G GO NOT GO			OK	OK	-	-	-							
THREAD	M22x1 AS PER T.R.G GO NOT GO			OK	OK	-	-	-							
INSPECTED BY:		Jay Hadiyal			APPROVED BY:				Shreekant						

Conclusion :

☒ Accept
 ☐ Reject
 ☐ Hold





MetalMech-08500-FR-QX-08-Final Inspection Report-EX

INSP. No.	FIR-03	Product Name	SEALING POT SEAL		Size	M16		Drawing No.	GRSP-01	Date:	14/06/2026	
Wo No.	25000647	Total Quantity	26		Lot Quantity	26		Sample Size-	2	Variable & Gauging	2PCS	
Sr. No.	Checking Parameter	REQUIRED PARAMETER				OBSERVED RESULTS				REJECTION REWORK DETAIL	REMARK	CHECKED BY
		PARAMETER	CRITERIA		1	2	-	-	-			
1	Visual	Surface	Fine, Clean		FINE	FINE	-	-	-		Measuring Instruments I.D No-	
		Sizewise No of Pcs. With Internal Parts	As per Drg. No. of Parts	15	15	15	-	-	-		(1) DV-55	
		Washing & Plating	Surface Finishing	NA	NA	NA	-	-	-		(2) PP-01	
		RUBBER MARKING	AS PER DRG.	NA	NA	NA	-	-	-			
		Marking	WO Ref. No.	NA	NA	NA	-	-	-		ASM No :- AEX260606-11	
		Assembly Perfection	As per Drg.		OK	OK	-	-	-			
		Inner Packing	Labeling & Printing		OK	OK	-	-	-			
		Outer Packing	Printing & Stamping		OK	OK	-	-	-			
		All Dimensions Are In MM										
2	DIMENSION		VALUE	-	+	1	2	-	-	-		
		T.L	7.50	7.30	7.70	7.55	7.57	-	-	-		
		O.D	18.50	18.20	18.80	18.45	18.43	-	-	-		
		I.D	16.00	15.80	16.20	16.03	16.06	-	-	-		
		I.D	11.50	11.20	11.80	11.55	11.54	-	-	-		
		LENGTH	2.50	2.40	2.60	2.45	2.48	-	-	-		
INSPECTED BY:		Jay Hadiyal			APPROVED BY:				Shreekant			

Conclusion :



Accept



Reject



Hold





MetalMech-08500-FR-QX-08-Final Inspection Report-EX

INSP. No.	FIR-03	Product Name	SEALING POT		Size	M16		Drawing No.	4130003-01S	Date:	14/06/2026	
Wo No.	25000647	Total Quantity	26		Lot Quantity	26		Sample Size-	2	Variable & Gauging	2PCS	
Sr. No.	Checking Parameter	REQUIRED PARAMETER				OBSERVED RESULTS				REJECTION REWORK DETAIL	REMARK	CHECKED BY
		PARAMETER	CRITERIA		1	2	-	-	-			
1	Visual	Surface	Fine, Clean		FINE	FINE	-	-	-		Measuring Instruments I.D No.-	
		Sizewise No of Pcs. With Internal Parts	As per Drg. No. of Parts	15	15	15	-	-	-		(1) DV-55	
		Washing & Plating	Surface Finishing	NICKEL	OK	OK	-	-	-		(2) PP-01	
		RUBBER MARKING	AS PER DRG.	NA	NA	NA	-	-	-			
		Marking	WO Ref. No.	NA	NA	NA	-	-	-		ASM No :- AEX260606-11	
		Assembly Perfection	As per Drg.		OK	OK	-	-	-			
		Inner Packing	Labeling & Printing		OK	OK	-	-	-			
		Outer Packing	Printing & Stamping		OK	OK	-	-	-			
		All Dimensions Are In MM										
2	DIMENSION		VALUE	-	+	1	2	-	-	-		
		T.L	37.00	36.70	37.30	37.05	37.03	-	-	-		
		O.D	16.00	15.70	16.30	15.95	15.94	-	-	-		
		O.D.L	32.00	31.70	32.30	31.93	31.95	-	-	-		
		O.D	11.00	10.95	11.00	10.97	10.96	-	-	-		
		I.D-1	13.50	13.20	13.80	13.55	13.54	-	-	-		
		DEPTH	4.00	3.80	4.20	4.02	4.03	-	-	-		
		I.D-2	9.60	9.40	9.80	9.63	9.65	-	-	-		
		I.D-3	9.00	8.80	9.20	9.08	9.07	-	-	-		
		LENGTH	2.00	1.90	2.10	2.03	2.05	-	-	-		
INSPECTED BY:		<i>Jay Hadiyal</i>			APPROVED BY:			<i>Shreekant</i>				

Conclusion :

☒ Accept

☐ Reject

☐ Hold




MetalMech-08500-FR-QX-08-Final Inspection Report-EX

INSP. No.	FIR-03	Product Name	INNER RETAINING RING		Size		M16		Drawing No.		IW-00	Date:	14/06/2026
Wo No.	25000647	Total Quantity	26		Lot Quantity		26		Sample Size-		2	Variable & Gauging	2PCS
Sr. No.	Checking Parameter	REQUIRED PARAMETER				OBSERVED RESULTS					REJECTION REWORK DETAIL	REMARK	CHECKED BY
		PARAMETER	CRITERIA			1	2	-	-	-			
1	Visual	Surface	Fine, Clean			FINE	FINE	-	-	-		Measuring Instruments I.D No-	
		Sizewise No of Pcs. With Internal Parts	As per Drg. No. of Parts	15	15	15	-	-	-		(1) DV-55		
		Washing & Plating	Surface Finishing	NA	NA	NA	-	-	-		(2) PP-01		
		RUBBER MARKING	AS PER DRG.	OK	OK	OK	-	-	-				
		Marking	WO Ref. No.	NA	NA	NA	-	-	-		ASM No :- AEX260606-11		
		Assembly Perfection	As per Drg.		OK	OK	-	-	-				
		Inner Packing	Labeling & Printing		OK	OK	-	-	-				
		Outer Packing	Printing & Stamping		OK	OK	-	-	-				
		All Dimensions Are In MM											
2	DIMENSION		VALUE	-	+	1	2	-	-	-			
		T.L	4.50	4.20	4.80	4.48	4.47	-	-	-			
		O.D	18.00	17.80	18.00	17.95	17.92	-	-	-			
		O.D	15.50	15.30	15.50	15.43	15.42	-	-	-			
		O.D.L	2.50	2.50	2.70	2.52	2.54	-	-	-			
		I.D	9.30	9.30	9.50	9.33	9.36	-	-	-			
INSPECTED BY:		Jay Hadiyal			APPROVED BY:				Shreekant				

Conclusion :



Accept



Reject



Hold





MetalMech-08500-FR-QX-08-Final Inspection Report-EX

INSP. No.	FIR-03	Product Name	DELUGE SEAL		Size	M16		Drawing No.	DLS-01		Date:	14/06/2026	
Wo No.	25000647	Total Quantity	26		Lot Quantity	26		Sample Size-	2		Variable & Gauging	2PCS	
Sr. No.	Checking Parameter	REQUIRED PARAMETER				OBSERVED RESULTS					REJECTION REWORK DETAIL	REMARK	CHECKED BY
		PARAMETER	CRITERIA			1	2	-	-	-			
1	Visual	Surface	Fine, Clean			FINE	FINE	-	-	-		Measuring Instruments I.D No-	
		Sizewise No of Pcs. With Internal Parts	As per Drg. No. of Parts	15	15	15	-	-	-		(1) DV-55		
		Washing & Plating	Surface Finishing	NA	NA	NA	-	-	-		(2) PP-01		
		RUBBER MARKING	AS PER DRG.	NA	NA	NA	-	-	-				
		Marking	WO Ref. No.	NA	NA	NA	-	-	-		ASM No :- AEX260606-11		
		Assembly Perfection	As per Drg.			OK	OK	-	-	-			
		Inner Packing	Labeling & Printing		OK	OK	-	-	-				
		Outer Packing	Printing & Stamping			OK	OK	-	-	-			
		All Dimensions Are In MM											
2	DIMENSION		VALUE	-	+	1	2	-	-	-			
		THICKNESS	2.00	1.90	2.10	2.03	2.05	-	-	-			
		O.D	20.00	19.70	20.30	20.05	20.03	-	-	-			
		I.D	16.00	15.70	16.30	16.04	16.06	-	-	-			
INSPECTED BY:		Jay Hadiyal				APPROVED BY:				Shreekant			

Conclusion :


Accept



Reject



Hold



		MetalMech-08500-FR-QX-08-Final Inspection Report-EX											
INSP. No.	FIR-03	Product Name	ARMOUR CONE		Size		M16		Drawing No.		414005-01S	Date:	14/06/2026
Wo No.	25000647	Total Quantity	26		Lot Quantity		26		Sample Size-		2	Variable & Gauging	2PCS
Sr. No.	Checking Parameter	REQUIRED PARAMETER				OBSERVED RESULTS				REJECTION REWORK DETAIL	REMARK	CHECKED BY	
		PARAMETER	CRITERIA		1	2	-	-	-				
1	Visual	Surface	Fine, Clean		FINE	FINE	-	-	-				
		Sizewise No of Pcs. With Internal Parts	As per Drg. No. of Parts	15	15	15	-	-	-			Measuring Instruments I.D No-	
		Washing & Plating	Surface Finishing	NICKEL	OK	OK	-	-	-			(1) DV-55	
		RUBBER MARKING	AS PER DRG.	NA	NA	NA	-	-	-			(2) PP-01	
		Marking	WO Ref. No.	NA	NA	NA	-	-	-			ASM No :- AEX260606-11	
		Assembly Perfection	As per Drg.		OK	OK	-	-	-				
		Inner Packing	Labeling & Printing		OK	OK	-	-	-				
		Outer Packing	Printing & Stamping		OK	OK	-	-	-				
		All Dimensions Are In MM											
2	DIMENSION		VALUE	-	+	1	2	-	-	-			
		T.L	17.50	17.20	17.80	17.53	17.52	-	-	-			
		O.D	13.50	13.20	13.80	13.55	13.58	-	-	-			
		O.D	15.50	15.20	15.80	15.45	15.44	-	-	-			
		O.D.L	9.00	8.80	9.20	9.11	9.10	-	-	-			
		O.D	20.00	19.70	20.30	20.02	20.01	-	-	-			
		O.D	18.00	17.70	18.30	18.04	18.06	-	-	-			
		O.D.L	7.00	6.80	7.20	6.93	6.95	-	-	-			
		I.D	16.00	15.70	16.30	16.04	16.06	-	-	-			
		DEPTH	2.50	2.40	2.60	2.55	2.54	-	-	-			
		I.D	12.00	11.80	12.20	12.10	12.09	-	-	-			
		STEP.LE	1.50	1.40	1.60	1.55	1.56	-	-	-			
		LENGTH-1	3.00	2.90	3.10	3.07	3.07	-	-	-			
		LENGTH-2	0.25 MM AS PER PP FOUND			OK	OK	-	-	-			
INSPECTED BY:		Jay Hadiyal			APPROVED BY:			Shreekant					

Conclusion :



Accept



Reject



Hold



		MetalMech-08500-FR-QX-08-Final Inspection Report-EX											
INSP. No.	FIR-03	Product Name	REVERSIBLE ARMOUR RING			Size	M16		Drawing No.	414004-01S	Date:	14/06/2026	
Wo No.	25000647	Total Quantity	26			Lot Quantity	26		Sample Size-	2	Variable & Gauging	2PCS	
Sr. No.	Checking Parameter	REQUIRED PARAMETER				OBSERVED RESULTS					REJECTION REWORK DETAIL	REMARK	CHECKED BY
		PARAMETER	CRITERIA			1	2	-	-	-			
1	Visual	Surface	Fine, Clean			FINE	FINE	-	-	-			
		Sizewise No of Pcs. With Internal Parts	As per Drg. No. of Parts	15	15	15	-	-	-		Measuring Instruments I.D No-		
		Washing & Plating	Surface Finishing	NA	NA	NA	-	-	-		(1) DV-55		
		RUBBER MARKING	AS PER DRG.	NA	NA	NA	-	-	-		(2) PP-01		
		Marking	WO Ref. No.	NA	NA	NA	-	-	-		ASM No :- AEX260606-11		
		Assembly Perfection	As per Drg.			OK	OK	-	-	-			
		Inner Packing	Labeling & Printing		OK	OK	-	-	-				
		Outer Packing	Printing & Stamping			OK	OK	-	-	-			
		All Dimensions Are In MM											
2	DIMENSION		VALUE	-	+	1	2	-	-	-			
		T.L	9.00	8.80	9.20	9.02	9.03	-	-	-			
		O.D	18.50	18.20	18.80	18.47	18.49	-	-	-			
		GR.DIA	18.00	17.70	18.30	18.05	18.04	-	-	-			
		I.D-1	15.80	15.50	16.10	15.88	15.87	-	-	-			
		I.D-2	16.00	15.70	16.30	16.04	16.06	-	-	-			
		I.D-3	16.90	16.60	17.20	16.93	16.95	-	-	-			
		GR.LE	1.00	0.90	1.10	0.99	1.00	-	-	-			
		LENGTH	7.00	6.80	7.20	7.04	7.06	-	-	-			
INSPECTED BY:		Jay Hadiyal				APPROVED BY:				Shreekant			

Conclusion :



Accept



Reject



Hold



		MetalMech-08500-FR-QX-08-Final Inspection Report-EX												
INSP. No.	FIR-03	Product Name	MIDDLE NUT			Size	M16			Drawing No.	414002-01s	Date:	14/06/2026	
Wo No.	25000647	Total Quantity	26			Lot Quantity	26			Sample Size-	2	Variable & Gauging	2PCS	
Sr. No.	Checking Parameter	REQUIRED PARAMETER				OBSERVED RESULTS					REJECTION REWORK DETAIL	REMARK	CHECKED BY	
		PARAMETER	CRITERIA			1	2	-	-	-				
1	Visual	Surface	Fine, Clean			FINE	FINE	-	-	-				
		Size wise No of Pcs. With Internal Parts	As per Drg. No. of Parts	15	15	15	-	-	-					
		Washing & Plating	Surface Finishing	NA	NA	NA	-	-	-					
		RUBBER MARKING	AS PER DRG.	NA	NA	NA	-	-	-					
		Marking	WO Ref. No.	NA	NA	NA	-	-	-					
		Assembly Perfection	As per Drg.			OK	OK	-	-	-				
		Inner Packing	Labeling & Printing		OK	OK	-	-	-					
		Outer Packing	Printing & Stamping			OK	OK	-	-	-				
All Dimensions Are In MM														
2	DIMENSION		VALUE	-	+	1	2	-	-	-				
		A/F	25.00	24.84	25.00	24.93	24.95	-	-	-				
		A/C	27.50	27.20	27.80	27.50	27.49	-	-	-				
		T.L	41.00	40.70	41.30	41.16	41.15	-	-	-				
		LENGTH	13.00	12.80	13.20	12.96	12.95	-	-	-				
		O.D	24.50	24.20	24.80	24.54	24.54	-	-	-				
		O.D.L	18.00	17.80	18.20	18.05	18.05	-	-	-				
		I.D-1	16.00	15.70	16.30	16.04	16.05	-	-	-				
		I.D-2	19.00	18.70	19.30	19.03	19.02	-	-	-				
		I.D-3	23.50	23.20	23.80	23.51	23.50	-	-	-				
		DEPTH-1	9.00	8.80	9.20	8.95	8.98	-	-	-				
		DEPTH-2	34.50	34.20	34.80	34.66	34.63	-	-	-				
		DEPTH-3	26.00	25.70	26.30	26.06	26.05	-	-	-				
		THREAD	M22x1 AS PER T.R.G GO NOT GO				OK	OK	-	-	-			
		INT.THREAD	M22x1 AS PER P.G GO NOT GO				OK	OK	-	-	-			
		INSPECTED BY:		Jay Hadiyal				APPROVED BY:				Shreekant		

Conclusion :



Accept



Reject



Hold



		MetalMech-08500-FR-QX-08-Final Inspection Report-EX													
INSP. No.	FIR-03	Product Name	BACK NUT		Size		M16		Drawing No.		313003-018	Date:	14/06/2026		
Wo No.	25000647	Total Quantity	26		Lot Quantity		26		Sample Size-		2	Variable & Gauging	2PCS		
Sr. No.	Checking Parameter	REQUIRED PARAMETER				OBSERVED RESULTS				REJECTION REWORK DETAIL	REMARK	CHECKED BY			
		PARAMETER	CRITERIA		1	2	-	-	-						
1	Visual	Surface	Fine, Clean		FINE	FINE	-	-	-						
		Sizewise No of Pcs. With Internal Parts	As per Drg. No. of Parts	15	15	-	-	-			Measuring Instruments ID No-				
		Washing & Plating	Surface Finishing	NICKEL	OK	OK	-	-	-			(1) DV-55			
		RUBBER MARKING	AS PER DRG.	NA	NA	NA	-	-	-			(2) PP-01			
		Marking	WO Ref. No.	NA	NA	NA	-	-	-			ASM No :- AEX260606-11			
		Assembly Perfection	As per Drg.		OK	OK	-	-	-						
		Inner Packing	Labeling & Printing		OK	OK	-	-	-						
		Outer Packing	Printing & Stamping		OK	OK	-	-	-						
		All Dimensions Are In MM													
			VALUE	-	+	1	2	-	-	-					
2	DIMENSION	A/F	25.00	24.87	25.00	24.95	24.94	-	-	-					
		A/C	27.50	27.00	28.00	27.50	27.49	-	-	-					
		T.L	17.00	16.50	17.50	17.08	17.07	-	-	-					
		O.D	24.00	23.50	24.50	24.07	24.06	-	-	-					
		O.D.L	8.00	7.70	8.30	8.02	8.01	-	-	-					
		H.L	9.00	8.50	9.50	9.06	9.05	-	-	-					
		LD	19.00	18.50	19.50	19.03	19.02	-	-	-					
		INT.THL	3.00	2.80	3.20	3.02	3.01	-	-	-					
		GR.ID	22.20	21.70	22.70	22.25	22.24	-	-	-					
		GR.LE	10.50	10.00	11.00	10.51	10.53	-	-	-					
		DEPTH	13.50	13.00	14.00	13.52	13.51	-	-	-					
		GR.ID	21.00	20.50	21.50	21.03	21.02	-	-	-					
		GR.LE	2.50	2.30	2.70	2.52	2.51	-	-	-					
		DEPTH	16.00	15.50	16.50	16.03	16.05	-	-	-					
		INT.THREAD	M22x1 AS PER P.G GO NOT GO			OK	OK	-	-	-					
		CH.ANGLE	1x45° AS PER PP FOUND			OK	OK	-	-	-					
		CH.ANGLE	0.5x45° AS PER PP FOUND			OK	OK	-	-	-					
		CH.ANGLE	45° AS PER PP FOUND			OK	OK	-	-	-					
INSPECTED BY:		Jay Hadiyal			APPROVED BY:			Shreekant							

Conclusion :



Accept



Reject



Hold





MetalMech-08500-FR-QX-08-Final Inspection Report-EX

INSP. No.	FIR-03	Product Name	OUTER SEAL		Size		M16		Drawing No.		GE-00	Date:	14/06/2026
Wo No.	25000647	Total Quantity	26		Lot Quantity		26		Sample Size-		2	Variable & Gauging	2PCS
Sr. No.	Checking Parameter	REQUIRED PARAMETER				OBSERVED RESULTS					REJECTION REWORK DETAIL	REMARK	CHECKED BY
		PARAMETER	CRITERIA			1	2	-	-	-			
1	Visual	Surface	Fine, Clean			FINE	FINE	-	-	-		Measuring Instruments I.D No-	
		Sizewise No of Pcs. With Internal Parts	As per Drg. No. of Parts	15	15	15	-	-	-		(1) DV-55		
		Washing & Plating	Surface Finishing	NA	NA	NA	-	-	-		(2) PP-01		
		RUBBER MARKING	AS PER DRG.	OK	OK	OK	-	-	-				
		Marking	WO Ref. No.	NA	NA	NA	-	-	-		ASM No :- AEX260606-11		
		Assembly Perfection	As per Drg.			OK	OK	-	-	-			
		Inner Packing	Labeling & Printing		OK	OK	-	-	-				
		Outer Packing	Printing & Stamping			OK	OK	-	-	-			
		All Dimensions Are In MM											
2	DIMENSION		VALUE	-	+	1	2	-	-	-			
		T.L	10.00	9.50	10.50	10.04	10.06	-	-	-			
		O.D	22.20	22.00	22.20	22.11	22.13	-	-	-			
		GR.LENGTH	3.00	2.70	3.30	3.05	3.08	-	-	-			
		I.D	13.10	13.10	13.20	13.13	13.12	-	-	-			
INSPECTED BY:		Jay Hadiyal			APPROVED BY:				Shreekant				

Conclusion :



Accept



Reject



Hold





MetalMech-08500-FR-QX-08-Final Inspection Report-EX

INSP. No.	FIR-03	Product Name	OUTER RETAINING RING		Size	M16		Drawing No.	OW-00		Date:	14/06/2026	
Wo No.	25000647	Total Quantity	26		Lot Quantity	26		Sample Size-	2		Variable & Gauging	2PCS	
Sr. No.	Checking Parameter	REQUIRED PARAMETER				OBSERVED RESULTS				REJECTION REWORK DETAIL	REMARK	CHECKED BY	
		PARAMETER	CRITERIA			1	2	-	-				-
1	Visual	Surface	Fine, Clean			FINE	FINE	-	-	-		Measuring Instruments I.D No-	
		Sizewise No of Pcs. With Internal Parts	As per Drg. No. of Parts	15		15	15	-	-	-		(1) DV-55	
		Washing & Plating	Surface Finishing	NA		NA	NA	-	-	-		(2) PP-01	
		RUBBER MARKING	AS PER DRG.	NA		NA	NA	-	-	-			
		Marking	WO Ref. No.	NA		NA	NA	-	-	-		ASM No :- AEX260606-11	
		Assembly Perfection	As per Drg.			OK	OK	-	-	-			
		Inner Packing	Labeling & Printing			OK	OK	-	-	-			
		Outer Packing	Printing & Stamping			OK	OK	-	-	-			
		All Dimensions Are In MM											
2	DIMENSION		VALUE	-	+	1	2	-	-	-			
		T.L	6.50	6.20	6.80	6.52	6.53	-	-	-			
		O.D	20.50	20.50	20.60	20.52	20.55	-	-	-			
		O.D	18.50	18.30	18.50	18.40	18.39	-	-	-			
		O.D.L	4.00	4.00	4.10	4.02	4.01	-	-	-			
		I.D	13.50	13.50	13.70	13.45	13.42	-	-	-			
INSPECTED BY:		Jay Hadiyal			APPROVED BY:				Shreekant				

Conclusion :


Accept



Reject



Hold





MetalMech-08500-FR-QX-08-Final Inspection Report-EX

INSP. No.	FIR-03	Product Name	EARTH TAG		Size	M16		Drawing No.	-		Date:	14/06/2026
Wo No.	25000647	Total Quantity	26		Lot Quantity	26		Sample Size-	2		Variable & Gauging	2PCS
Sr. No.	Checking Parameter	REQUIRED PARAMETER				OBSERVED RESULTS				REJECTION REWORK DETAIL	REMARK	CHECKED BY
		PARAMETER	CRITERIA		1	2	-	-	-			
1	Visual	Surface	Fine, Clean		FINE	FINE	-	-	-		Measuring Instruments I.D No-	
		Sizewise No of Pcs. With Internal Parts	As per Drg. No. of Parts	15	15	15	-	-	-		(1) DV-55	
		Washing & Plating	Surface Finishing	NICKEL	OK	OK	-	-	-		(2) PP-01	
		RUBBER MARKING	AS PER DRG.	NA	NA	NA	-	-	-			
		Marking	WO Ref. No.	NA	NA	NA	-	-	-		ASM No :- AEX260606-11	
		Assembly Perfection	As per Drg.		OK	OK	-	-	-			
		Inner Packing	Labeling & Printing		OK	OK	-	-	-			
		Outer Packing	Printing & Stamping		OK	OK	-	-	-			
		All Dimensions Are In MM										
2	DIMENSION		VALUE	-	+	1	2	-	-	-		
		THICKNESS	1.00	0.80	1.20	0.88	0.90	-	-	-		
		O.D	25.50	25.00	26.00	25.54	25.56	-	-	-		
		O.D	12.50	12.00	13.00	12.59	12.58	-	-	-		
		I.D	16.00	15.50	16.50	16.45	16.43	-	-	-		
		I.D	6.50	6.20	6.80	6.48	6.50	-	-	-		
INSPECTED BY:		Jay Hadiyal			APPROVED BY:				Shreekant			

Conclusion :



Accept



Reject



Hold



		MetalMech-08500-FR-QX-08-Final Inspection Report-EX											
INSP. No.	FIR-03	Product Name	SHROUD		Size		M16		Drawing No.		C-2027	Date:	14/06/2026
Wo No.	25000647	Total Quantity	26		Lot Quantity		26		Sample Size-		2	Variable & Gauging	2PCS
Sr. No.	Checking Parameter	REQUIRED PARAMETER				OBSERVED RESULTS					REJECTION REWORK DETAIL	REMARK	CHECKED BY
		PARAMETER	CRITERIA			1	2	-	-	-			
1	Visual	Surface	Fine, Clean			FINE	FINE	-	-	-		Measuring Instruments I.D No-	
		Sizewise No of Pcs. With Internal Parts	As per Drg. No. of Parts	15	15	15	-	-	-		(1) DV-55		
		Washing & Plating	Surface Finishing	NA	NA	NA	-	-	-		(2) PP-01		
		RUBBER MARKING	AS PER DRG.	NA	NA	NA	-	-	-				
		Marking	WO Ref. No.	NA	NA	NA	-	-	-		ASM No :- AEX260606-11		
		Assembly Perfection	As per Drg.			OK	OK	-	-	-			
		Inner Packing	Labeling & Printing		OK	OK	-	-	-				
		Outer Packing	Printing & Stamping			OK	OK	-	-	-			
		All Dimensions Are In MM											
2	DIMENSION		VALUE	-	+	1	2	-	-	-			
		T.L	125.00	124.20	125.80	125.12	125.19	-	-	-			
		I.D	27.00	26.50	27.50	27.25	27.28	-	-	-			
INSPECTED BY:		Jay Hadiyal				APPROVED BY:				Shreekant			

Conclusion :



Accept



Reject



Hold





MetalMech-08500-FR-QX-08-Final Inspection Report-EX

INSP. No.	FIR-03	Product Name	STAR WASHER		Size	M16		Drawing No.	-		Date:	14/06/2026	
Wo No.	25000647	Total Quantity	26		Lot Quantity	26		Sample Size-	2		Variable & Gauging	2PCS	
Sr. No.	Checking Parameter	REQUIRED PARAMETER				OBSERVED RESULTS					REJECTION REWORK DETAIL	REMARK	CHECKED BY
		PARAMETER	CRITERIA			1	2	-	-	-			
1	Visual	Surface	Fine, Clean			FINE	FINE	-	-	-		Measuring Instruments I.D No-	
		Sizewise No of Pcs. With Internal Parts	As per Drg. No. of Parts	15	15	15	-	-	-		(1) DV-55		
		Washing & Plating	Surface Finishing	NA	NA	NA	-	-	-		(2) PP-01		
		RUBBER MARKING	AS PER DRG.	NA	NA	NA	-	-	-				
		Marking	WO Ref. No.	NA	NA	NA	-	-	-		ASM No :- AEX260606-11		
		Assembly Perfection	As per Drg.			OK	OK	-	-	-			
		Inner Packing	Labeling & Printing		OK	OK	-	-	-				
		Outer Packing	Printing & Stamping			OK	OK	-	-	-			
		All Dimensions Are In MM											
2	DIMENSION		VALUE	-	+	1	2	-	-	-			
		T.L	4.00	3.70	4.30	4.06	4.05	-	-	-			
		O.D	26.50	26.00	27.00	26.55	26.54	-	-	-			
		I.D	17.00	16.50	17.50	17.04	17.06	-	-	-			
INSPECTED BY:		Jay Hadiyal				APPROVED BY:				Shreekant			

Conclusion :


Accept



Reject



Hold

