



MetalMech-08500-FR-QX-08-Final Inspection Report-EX

INSP. No.	FIR-03	Product Name	LOCK NUT		Size	M32		Drawing No.	DL3M	Date:	29-08-2026	
Wo No.	26100066	Total Quantity	500		Lot Quantity	500		Sample Size-	3	Variable & Gauging	3PCS	
Sr. No.	Checking Parameter	REQUIRED PARAMETER				OBSERVED RESULTS				REJECTION REWORK DETAIL	REMARK	CHECKED BY
		PARAMETER	CRITERIA		1	2	3	-	-			
1	Visual	Surface	Fine, Clean		FINE	FINE	FINE	-	-		Measuring Instruments I.D No-	
		Size wise No of Pcs. With Internal Parts	As per Drg. No. of Parts	7	7	7	7	-	-		(1) DV-55	
		Washing & Plating	Surface Finishing	NICKEL	OK	OK	OK	-	-		(2) PP-01	
		RUBBER MARKING	AS PER DRG.	NA	NA	NA	NA	-	-			
		Marking	WO Ref. No.	NA	NA	NA	NA	-	-		ASM No - AEX260821-01	
		Assembly Perfection	As per Drg.		OK	OK	OK	-	-			
		Inner Packing	Labeling & Printing		OK	OK	OK	-	-			
		Outer Packing	Printing & Stamping		OK	OK	OK	-	-			
		All Dimensions Are In MM										
2	DIMENSION		VALUE	-	+	1	2	3	-	-		
		A/F	36.00	35.84	36.00	35.94	35.96	35.95	-	-		
		A/C	39.00	38.20	39.80	39.01	39.03	39.02	-	-		
		T.L	4.00	3.70	4.30	4.04	4.06	4.05	-	-		
		THREAD	M32x1.5 AS PER P.G GO NOT GO			OK	OK	OK	-	-		
		CH.ANGLE	30° AS PER PP FOUND			OK	OK	OK	-	-		
INSPECTED BY:		Jay Hadiyal			APPROVED BY:			Shreekant				

Conclusion :



Accept



Reject



Hold



		MetalMech-08500-FR-QX-08-Final Inspection Report-EX													
INSP. No.	FIR-03	Product Name	ENTRY COMPONENT			Size		M32		Drawing No.		313001M-03	Date:	29-08-2026	
Wo No.	26100066	Total Quantity	500			Lot Quantity		500		Sample Size-		3	Variable & Gauging	3PCS	
Sr. No.	Checking Parameter	REQUIRED PARAMETER				OBSERVED RESULTS				REJECTION REWORK DETAIL	REMARK	CHECKED BY			
		PARAMETER	CRITERIA		1	2	3	-	-						
1	Visual	Surface	Fine, Clean		FINE	FINE	FINE	-	-						
		Size wise No of Pcs. With Internal Parts	As per Drg. No. of Parts	7	7	7	-	-							
		Washing & Plating	Surface Finishing	NA	NA	NA	-	-							
		RUBBER MARKING	AS PER DRG.	NA	NA	NA	-	-							
		Marking	WO Ref. No.	Metalmech Logo MM-EX-A2F323MB2 2026 CE Logo 2460 Ex Logo II 2 GD Ex db IIC Gb, Ex eb		OK	OK	OK	-	-			ASM No - AEX260821-01		
		Assembly Perfection	As per Drg.		OK	OK	OK	-	-						
		Inner Packing	Labeling & Printing			OK	OK	OK	-	-					
		Outer Packing	Printing & Stamping		OK	OK	OK	-	-						
		All Dimensions Are In MM													
			VALUE	-	+	1	2	3	-	-					
2	DIMENSION	A/F	42.00	41.84	42.00	41.95	41.94	41.93	-	-					
		A/C	46.00	45.20	46.80	45.99	45.98	45.95	-	-					
		T.L	38.00	38.00	38.50	38.09	38.07	38.09	-	-					
		TH.L	13.00	12.50	13.50	13.03	13.02	13.06	-	-					
		LENGTH	17.00	17.00	17.50	17.07	17.09	17.08	-	-					
		GR.OD	30.00	29.50	30.50	29.93	29.95	29.94	-	-					
		GR.LE	2.50	2.30	2.70	2.53	2.53	2.55	-	-					
		O.D	41.00	40.20	41.80	40.97	40.99	40.98	-	-					
		O.D.L	12.00	11.50	12.50	12.02	12.04	12.03	-	-					
		H.L	9.00	8.50	9.50	9.05	9.04	9.06	-	-					
		LD	26.50	26.00	27.00	26.55	26.54	26.56	-	-					
		INT.THL	14.50	14.00	15.00	14.55	14.53	14.55	-	-					
		THREAD	M32x1.5 AS PER T.R.G GO NOT GO			OK	OK	OK	-	-					
		INT.THREAD	M38x1.5 AS PER P.G GO NOT GO			OK	OK	OK	-	-					
		CH.ANGLE	1.5x45° AS PER PP FOUND			OK	OK	OK	-	-					
		CH.ANGLE	0.5x45° AS PER PP FOUND			OK	OK	OK	-	-					
		CH.ANGLE	20° AS PER PP FOUND			OK	OK	OK	-	-					
		ANGLE	90° AS PER PP FOUND			OK	OK	OK	-	-					
INSPECTED BY:		Jay Hadiyal			APPROVED BY:			Shreekant							

Conclusion :

☒ Accept

☐ Reject

☐ Hold





MetalMech-08500-FR-QX-08-Final Inspection Report-EX

INSP. No.	FIR-03	Product Name	BACK NUT		Size		M32		Drawing No.		314006-03	Date:	29-08-2026
Wo No.	26100066	Total Quantity	500		Lot Quantity		500		Sample Size-		3	Variable & Gauging	3PCS
Sr. No.	Checking Parameter	REQUIRED PARAMETER				OBSERVED RESULTS				REJECTION REWORK DETAIL	REMARK	CHECKED BY	
		PARAMETER	CRITERIA			1	2	3	-				-
1	Visual	Surface	Fine, Clean			FINE	FINE	FINE	-	-		Measuring Instruments I.D No-	
		Sizewise No of Pcs. With Internal Parts	As per Drg. No. of Parts	7	7	7	7	-	-		(1) DV-55		
		Washing & Plating	Surface Finishing	NA	NA	NA	NA	-	-		(2) PP-01		
		RUBBER MARKING	AS PER DRG.	NA	NA	NA	NA	-	-				
		Marking	WO Ref. No.	NA	NA	NA	NA	-	-		ASM No - AEX260821-01		
		Assembly Perfection	As per Drg.			OK	OK	OK	-	-			
		Inner Packing	Labeling & Printing		OK	OK	OK	-	-				
		Outer Packing	Printing & Stamping			OK	OK	OK	-	-			
		All Dimensions Are In MM											
2	DIMENSION		VALUE	-	+	1	2	3	-	-			
		A/F	42.00	41.84	42.00	41.95	41.98	41.94	-	-			
		A/C	46.00	45.20	46.80	45.93	45.95	45.94	-	-			
		T.L	18.00	17.50	18.50	18.06	18.05	18.04	-	-			
		TH.L	13.50	13.00	14.00	13.47	13.49	13.48	-	-			
		GR.DIA	36.00	35.50	36.50	36.04	36.06	36.05	-	-			
		GR.LE	1.50	1.30	1.70	1.55	1.54	1.53	-	-			
		H.L	4.50	4.20	4.80	4.55	4.54	4.56	-	-			
		I.D	32.50	31.70	33.30	32.54	32.53	32.55	-	-			
		THREAD	M38x1.5 AS PER T.R.G GO NOT GO			OK	OK	OK	-	-			
		CH.ANGLE	0.5x45° AS PER PP FOUND			OK	OK	OK	-	-			
		CH.ANGLE	1.5x45° AS PER PP FOUND			OK	OK	OK	-	-			
		RADIUS	3 MM AS PER PP FOUND			OK	OK	OK	-	-			
		CH.ANGLE	20° AS PER PP FOUND			OK	OK	OK	-	-			
INSPECTED BY:		Jay Hadiyal			APPROVED BY:			Shreekant					

Conclusion :



Accept



Reject



Hold



MetalMech-08500-FR-QX-08-Final Inspection Report-EX

INSP. No.	FIR-03	Product Name	COMPRESSIBLE INNER SEAL		Size	M32		Drawing No.	GI-03		Date:	29-08-2026	
Wo No.	26100066	Total Quantity	500		Lot Quantity	500		Sample Size-	3		Variable & Gauging	3PCS	
Sr. No.	Checking Parameter	REQUIRED PARAMETER				OBSERVED RESULTS					REJECTION REWORK DETAIL	REMARK	CHECKED BY
		PARAMETER	CRITERIA			1	2	3	-	-			
1	Visual	Surface	Fine, Clean			FINE	FINE	FINE	-	-			
		Sizewise No of Pcs. With Internal Parts	As per Drg. No. of Parts	7	7	7	7	-	-		Measuring Instruments I.D No-		
		Washing & Plating	Surface Finishing	NA	NA	NA	NA	-	-		(1) DV-55		
		RUBBER MARKING	AS PER DRG.	OK	OK	OK	OK	-	-		(2) PP-01		
		Marking	WO Ref. No.	NA	NA	NA	NA	-	-		ASM No - AEX260821-01		
		Assembly Perfection	As per Drg.			OK	OK	OK	-	-			
		Inner Packing	Labeling & Printing		OK	OK	OK	-	-				
		Outer Packing	Printing & Stamping			OK	OK	OK	-	-			
		All Dimensions Are In MM											
2	DIMENSION		VALUE	-	+	1	2	3	-	-			
		T.L	14.00	13.50	14.50	14.04	14.06	14.08	-	-			
		O.D.L	5.00	4.70	5.30	5.05	5.04	5.03	-	-			
		O.D	36.50	36.30	36.50	36.40	36.39	36.38	-	-			
		O.D.L	9.00	8.50	9.50	9.04	9.06	9.08	-	-			
		I.D	26.30	26.30	26.50	26.35	26.34	26.35	-	-			
INSPECTED BY:		<i>Jay Hadiyal</i>			APPROVED BY:				<i>Shreekant</i>				

Conclusion :



Accept



Reject



Hold



MetalMech-08500-FR-QX-08-Final Inspection Report-EX

INSP. No.	FIR-03	Product Name	INNER SKID WASHER		Size	M32		Drawing No.		IW-03	Date:	29-08-2026	
Wo No.	26100066	Total Quantity	500		Lot Quantity	500		Sample Size-		3	Variable & Gauging	3PCS	
Sr. No.	Checking Parameter	REQUIRED PARAMETER				OBSERVED RESULTS					REJECTION REWORK DETAIL	REMARK	CHECKED BY
		PARAMETER	CRITERIA			1	2	3	-	-			
1	Visual	Surface	Fine, Clean			FINE	FINE	FINE	-	-		Measuring Instruments I.D No-	
		Sizewise No of Pcs. With Internal Parts	As per Drg. No. of Parts	7	7	7	7	-	-		(1) DV-55		
		Washing & Plating	Surface Finishing	NA	NA	NA	NA	-	-		(2) PP-01		
		RUBBER MARKING	AS PER DRG.	OK	OK	OK	OK	-	-				
		Marking	WO Ref. No.	NA	NA	NA	NA	-	-		ASM No - AEX260821-01		
		Assembly Perfection	As per Drg.			OK	OK	OK	-	-			
		Inner Packing	Labeling & Printing		OK	OK	OK	-	-				
		Outer Packing	Printing & Stamping			OK	OK	OK	-	-			
		All Dimensions Are In MM											
2	DIMENSION		VALUE	-	+	1	2	3	-	-			
		T.L	5.00	4.70	5.30	5.04	5.06	5.08	-	-			
		O.D	35.50	35.30	35.50	35.40	35.39	35.38	-	-			
		O.D	32.00	31.80	32.00	31.93	31.95	31.94	-	-			
		O.D.L	3.00	3.00	3.20	3.02	3.01	3.03	-	-			
		I.D	26.20	26.20	26.40	26.24	26.26	26.28	-	-			
INSPECTED BY:		Jay Hadiyal			APPROVED BY:				Shreekant				

Conclusion :



Accept



Reject



Hold





MetalMech-08500-FR-QX-08-Final Inspection Report-EX

INSP. No.	FIR-03	Product Name	O-RING		Size	M32		Drawing No.	OR-3M	Date:	29-08-2026	
Wo No.	26100066	Total Quantity	500		Lot Quantity	500		Sample Size-	3	Variable & Gauging	3PCS	
Sr. No.	Checking Parameter	REQUIRED PARAMETER				OBSERVED RESULTS				REJECTION REWORK DETAIL	REMARK	CHECKED BY
		PARAMETER	CRITERIA		1	2	3	-	-			
1	Visual	Surface	Fine, Clean		FINE	FINE	FINE	-	-		Measuring Instruments I.D No-	
		Sizewise No of Pcs. With Internal Parts	As per Drg. No. of Parts	7	7	7	7	-	-		(1) DV-55	
		Washing & Plating	Surface Finishing	NA	NA	NA	NA	-	-		(2) PP-01	
		RUBBER MARKING	AS PER DRG.	NA	NA	NA	NA	-	-			
		Marking	WO Ref. No.	NA	NA	NA	NA	-	-		ASM No - AEX260821-01	
		Assembly Perfection	As per Drg.		OK	OK	OK	-	-			
		Inner Packing	Labeling & Printing		OK	OK	OK	-	-			
		Outer Packing	Printing & Stamping		OK	OK	OK	-	-			
		All Dimensions Are In MM										
2	DIMENSION		VALUE	-	+	1	2	3	-	-		
		THICKNESS	2.50	2.00	2.50	2.07	2.09	2.05	-	-		
		I.D	29.00	28.50	29.50	29.06	29.05	29.04	-	-		
INSPECTED BY:		Jay Hadiyal			APPROVED BY:				Shreekant			

Conclusion : ☒ Accept ☐ Reject ☐ Hold





MetalMech-08500-FR-QX-08-Final Inspection Report-EX

INSP. No.	FIR-03	Product Name	NYLON WASHER	Size	M32	Drawing No.	-	Date:	29-08-2026		
Wo No.	26100066	Total Quantity	500	Lot Quantity	500	Sample Size-	3	Variable & Gauging	3PCS		
Sr. No.	Checking Parameter	REQUIRED PARAMETER			OBSERVED RESULTS				REJECTION REWORK DETAIL	REMARK	CHECKED BY
		PARAMETER	CRITERIA		1	2	3	-	-		
1	Visual	Surface	Fine, Clean		FINE	FINE	FINE	-	-		
		Sizewise No of Pcs. With Internal Parts	As per Drg. No. of Parts	7	7	7	7	-	-		
		Washing & Plating	Surface Finishing	NA	NA	NA	NA	-	-		
		RUBBER MARKING	AS PER DRG.	NA	NA	NA	NA	-	-		
		Marking	WO Ref. No.	NA	NA	NA	NA	-	-		
		Assembly Perfection	As per Drg.		OK	OK	OK	-	-		
		Inner Packing	Labeling & Printing		OK	OK	OK	-	-		
		Outer Packing	Printing & Stamping		OK	OK	OK	-	-		
		All Dimensions Are In MM									
2	DIMENSION		VALUE	-	+	1	2	3	-	-	
		THICKNESS	1.50	1.30	1.70	1.45	1.48	1.49	-	-	
		I.D	32.00	31.20	32.80	32.29	32.30	32.28	-	-	
INSPECTED BY:		Jay Hadiyal			APPROVED BY:			Shreekant			

Conclusion :



Accept



Reject



Hold

