

MetalMech-08500-FR-QX-08-Final Inspection Report-EX

INSP. No.	FIR-06	Product Name	LOCK NUT		Size		3/4" NPT		Drawing No.		DL2NS	Date:	27-08-2026
Wo No.	26000215	Total Quantity	80		Lot Quantity		80		Sample Size-		3	Variable & Gauging	3PCS
Sr. No.	Checking Parameter	REQUIRED PARAMETER				OBSERVED RESULTS					REJECTION REWORK DETAIL	REMARK	CHECKED BY
		PARAMETER	CRITERIA			1	2	3	-	-			
1	Visual	Surface	Fine, Clean			FINE	FINE	FINE	-	-		Measuring Instruments I.D No-	
		Sizewise No of Pcs. With Internal Parts	As per Drg. No. of Parts	14	14	14	14	-	-		(1) DV-55		
		Washing & Plating	Surface Finishing	NA	NA	NA	NA	-	-		(2) PP-01		
		RUBBER MARKING	AS PER DRG.	NA	NA	NA	NA	-	-				
		Marking	WO Ref. No.	NA	NA	NA	NA	-	-		ASM No :- CSEX260826-01		
		Assembly Perfection	As per Drg.			OK	OK	OK	-	-			
		Inner Packing	Labeling & Printing		OK	OK	OK	-	-				
		Outer Packing	Printing & Stamping			OK	OK	OK	-	-			
		All Dimensions Are In MM											
2	DIMENSION		VALUE	-	+	1	2	3	-	-			
		A/F	30.00	29.87	30.00	29.95	29.94	29.93	-	-			
		A/C	33.00	32.20	33.80	33.03	33.02	33.01	-	-			
		T.L	4.00	3.70	4.30	3.97	3.99	3.98	-	-			
		THREAD	3/4" NPT AS PER P.G GO NOT GO			OK	OK	OK	-	-			
		CH.ANGLE	30° AS PER PP FOUND			OK	OK	OK	-	-			
INSPECTED BY:		Jay Hadiyal			APPROVED BY:				Shreekant				

Conclusion :



Accept



Reject



Hold



		MetalMech-08500-FR-QX-08-Final Inspection Report-EX												
INSP. No.	FIR-06	Product Name	ENTRY COMPONENT		Size		3/4" NPT		Drawing No.		313001M-018	Date:	27-08-2026	
Wo No.	26000215	Total Quantity	80		Lot Quantity		80		Sample Size-		3	Variable & Gauging	3PCS	
Sr. No.	Checking Parameter	REQUIRED PARAMETER				OBSERVED RESULTS				REJECTION REWORK DETAIL	REMARK	CHECKED BY		
		PARAMETER	CRITERIA		1	2	3	-	-					
1	Visual	Surface	Fine, Clean		FINE	FINE	FINE	-	-					
		Sizewise No of Pcs. With Internal Parts	As per Drg. No. of Parts	14	14	14	14	-	-					
		Washing & Plating	Surface Finishing	NA	NA	NA	NA	-	-					
		RUBBER MARKING	AS PER DRG.	NA	NA	NA	NA	-	-					
		Marking	WO Ref. No.	Metalmech Logo MM-EX- E1FUNV2042NX6 2026 CE Logo 2460 Ex Logo II 2 GD Ex db IIC Gb, Ex eb		OK	OK	OK	-	-			ASM No :- CSEX260826-01	
		Assembly Perfection	As per Drg.		OK	OK	OK	-	-					
		Inner Packing	Labeling & Printing		OK	OK	OK	-	-					
		Outer Packing	Printing & Stamping		OK	OK	OK	-	-					
		All Dimensions Are In MM												
2	DIMENSION		VALUE	-	+	1	2	3	-	-				
		A/F	30.00	29.87	30.00	29.89	29.90	29.91	-	-				
		A/C	34.00	33.50	34.50	33.03	33.05	33.06	-	-				
		T.L	41.00	41.00	41.50	41.06	41.05	41.06	-	-				
		LENGTH	21.00	21.00	21.50	21.12	21.11	21.13	-	-				
		O.D	29.50	29.00	30.00	29.37	29.36	29.35	-	-				
		O.D.L	11.00	10.50	11.50	11.11	11.17	11.16	-	-				
		H.L	9.00	8.70	9.30	9.09	9.08	9.07	-	-				
		I.D	12.00	11.50	12.50	12.03	12.03	12.01	-	-				
		DEPTH	11.50	11.00	12.00	11.47	11.49	11.48	-	-				
		THREAD	3/4" NPT AS PER T.R.G GO NOT GO			OK	OK	OK	-	-				
		INT.THREAD	M20x1.5 AS PER P.G GO NOT GO			OK	OK	OK	-	-				
		CH.ANGLE	0.5x45° AS PER PP FOUND			OK	OK	OK	-	-				
		CH.ANGLE	1.6x45° AS PER PP FOUND			OK	OK	OK	-	-				
		CH.ANGLE	1.5x45° AS PER PP FOUND			OK	OK	OK	-	-				
		CH.ANGLE	20° AS PER PP FOUND			OK	OK	OK	-	-				
		ANGLE	90° AS PER PP FOUND			OK	OK	OK	-	-				
		INSPECTED BY:		Jay Hadiyal			APPROVED BY:				Shreekant			

Conclusion :



Accept



Reject



Hold





MetalMech-08500-FR-QX-08-Final Inspection Report-EX

INSP. No.	FIR-06	Product Name	INTERMEDIATE BODY		Size		M20		Drawing No.		313002U-018	Date:	27-08-2026
Wo No.	260000215	Total Quantity	80		Lot Quantity		80		Sample Size-		3	Variable & Gauging	3PCS
Sr. No.	Checking Parameter	REQUIRED PARAMETER				OBSERVED RESULTS				REJECTION REWORK DETAIL	REMARK	CHECKED BY	
		PARAMETER	CRITERIA		1	2	3	-	-				
		Surface	Fine, Clean		FINE	FINE	FINE	-	-			Measuring Instruments I.D No:-	
		Size wise No of Pcs. With Internal Parts	As per Drg. No. of Parts	14	14	14	14	-	-			(1) DV-55	
		Washing & Plating	Surface Finishing	NA	NA	NA	NA	-	-			(2) PP-01	
		RUBBER MARKING	AS PER DRG.	NA	NA	NA	NA	-	-				
		Marking	WO Ref. No.	NA	NA	NA	NA	-	-			ASM No :- CSEX260826-01	
		Assembly Perfection	As per Drg.		OK	OK	OK	-	-				
		Inner Packing	Labeling & Printing		OK	OK	OK	-	-				
		Outer Packing	Printing & Stamping		OK	OK	OK	-	-				
		All Dimensions Are In MM											
			VALUE	-	+	1	2	3	-	-			
		A/F	25.00	24.87	25.00	24.93	24.95	24.94	-	-			
		A/C	27.50	27.00	28.00	27.45	27.47	27.46	-	-			
		T.L	22.00	21.50	22.50	22.03	22.02	22.03	-	-			
		TH.L	10.00	9.50	10.50	9.98	9.97	9.95	-	-			
		GR.OD	18.00	17.50	18.50	18.03	18.05	18.04	-	-			
		GR.LE	1.00	0.80	1.20	1.01	1.00	1.00	-	-			
		H.L	4.00	3.70	4.30	4.05	4.04	4.06	-	-			
		TH.L	8.00	7.70	8.30	8.04	8.06	8.08	-	-			
		GR.OD	20.00	19.50	20.50	20.02	20.01	20.03	-	-			
		GR.LE	1.00	0.80	1.20	1.01	1.00	1.00	-	-			
		LD	16.00	15.50	16.50	15.95	15.94	15.96	-	-			
		LD	18.00	17.50	18.50	17.93	17.95	17.94	-	-			
		DEPTH	7.00	6.70	7.30	7.00	6.99	7.01	-	-			
		LD	17.00	16.50	17.50	17.03	17.02	17.04	-	-			
		LD.LE	4.50	4.20	4.80	4.50	4.51	4.49	-	-			
		DEPTH	11.50	11.00	12.00	11.51	11.53	11.52	-	-			
		THREAD	M20x1.5 AS PER T.R.G GO NOT GO		OK	OK	OK	-	-				
		THREAD	M22x1.5 AS PER T.R.G GO NOT GO		OK	OK	OK	-	-				
		CH.ANGLE	1.5x45° AS PER PP FOUND		OK	OK	OK	-	-				
		CH.ANGLE	0.5x45° AS PER PP FOUND		OK	OK	OK	-	-				
		CH.ANGLE	20° AS PER PP FOUND		OK	OK	OK	-	-				
INSPECTED BY:		Jay Hadiyal			APPROVED BY:				Shreekant				

Conclusion :



Accept



Reject



Hold





MetalMech-08500-FR-QX-08-Final Inspection Report-EX

INSP. No.	FIR-06	Product Name		MIDDLE BODY		Size		M20		Drawing No.		313002-018	Date:	27-08-2026
Wo No.	26000215	Total Quantity		80		Lot Quantity		80		Sample Size-		3	Variable & Gauging	3PCS
Sr. No.	Checking Parameter	REQUIRED PARAMETER				OBSERVED RESULTS				REJECTION REWORK DETAIL	REMARK	CHECKED BY		
		PARAMETER	CRITERIA		1	2	3	-	-					
1	Visual	Surface	Fine, Clean		FINE	FINE	FINE	-	-		Measuring Instruments I.D No.			
		Size/wise No of Pcs. With Internal Parts	As per Drg. No. of Parts	14	14	14	14	-	-		(1) DV-55			
		Washing & Plating	Surface Finishing	NA	NA	NA	NA	-	-		(2) PP-01			
		RUBBER MARKING	AS PER DRG.	NA	NA	NA	NA	-	-					
		Marking	WO Ref. No.	NA	NA	NA	NA	-	-		ASM No > CSEX260826-01			
		Assembly Perfection	As per Drg.		OK	OK	OK	-	-					
		Inner Packing	Labeling & Printing		OK	OK	OK	-	-					
		Outer Packing	Printing & Stamping		OK	OK	OK	-	-					
		All Dimensions Are In MM												
2	DIMENSION		VALUE	-	+	1	2	3	-	-				
		A/F	25.00	24.87	25.00	24.89	24.91	24.90	-	-				
		A/C	27.50	27.00	28.00	27.49	27.48	27.47	-	-				
		T.L	28.00	27.50	28.50	28.01	28.00	27.99	-	-				
		TH.L	12.00	11.50	12.50	12.02	12.01	12.03	-	-				
		GR.OD	20.50	20.00	21.00	20.55	20.54	20.53	-	-				
		GR.LE	1.00	0.80	1.20	1.01	1.00	1.00	-	-				
		O.D	24.50	24.00	25.00	24.43	24.45	24.44	-	-				
		O.D.L	8.00	7.70	8.30	8.02	8.01	8.03	-	-				
		H.L	8.00	7.70	8.30	8.05	8.04	8.03	-	-				
		L.D	16.00	15.50	16.50	16.01	16.00	15.99	-	-				
		L.D	17.00	16.50	17.50	17.02	17.04	17.05	-	-				
		L.D.LE	4.00	3.70	4.30	4.01	4.03	4.02	-	-				
		INT.TH.L	9.50	9.00	10.00	9.50	9.49	9.50	-	-				
		L.D	20.00	19.50	20.50	19.97	19.96	19.98	-	-				
		DEPTH	14.00	13.50	14.50	14.04	14.60	14.05	-	-				
		THREAD	M22x1 AS PER T.R.G GO NOT GO			OK	OK	OK	-	-				
		INT.THREAD	M22x1.5 AS PER P.G GO NOT GO			OK	OK	OK	-	-				
		CH.ANGLE	0.5x45° AS PER PP FOUND			OK	OK	OK	-	-				
		CH.ANGLE	1x45° AS PER PP FOUND			OK	OK	OK	-	-				
		CH.ANGLE	1.5x45° AS PER PP FOUND			OK	OK	OK	-	-				
		CH.ANGLE	30° AS PER PP FOUND			OK	OK	OK	-	-				
INSPECTED BY:		Jay Hadiyal			APPROVED BY:					Shreekant				

Conclusion :



Accept



Reject



Hold





MetalMech-08500-FR-QX-08-Final Inspection Report-EX

INSP. No.	FIR-06	Product Name	BACK NUT		Size		M20		Drawing No.		313003-018	Date:	27-08-2026
Wo No.	26000215	Total Quantity	80		Lot Quantity		80		Sample Size-		3	Variable & Gauging	3PCS
Sr. No.	Checking Parameter	REQUIRED PARAMETER				OBSERVED RESULTS				REJECTION REWORK DETAIL	REMARK	CHECKED BY	
		PARAMETER	CRITERIA		1	2	3	-	-				
1	Visual	Surface	Fine, Clean		FINE	FINE	FINE	-	-			Measuring Instruments ID No.	
		Size wise No of Pcs. With Internal Parts	As per Drg. No. of Parts	14	14	14	14	-	-			(1) DV-55	
		Washing & Plating	Surface Finishing	NA	NA	NA	NA	-	-			(2) PP-01	
		RUBBER MARKING	AS PER DRG.	NA	NA	NA	NA	-	-				
		Marking	WO Ref. No.	NA	NA	NA	NA	-	-			ASM No :- CSEX260826-01	
		Assembly Perfection	As per Drg.		OK	OK	OK	-	-				
		Inner Packing	Labeling & Printing		OK	OK	OK	-	-				
		Outer Packing	Printing & Stamping		OK	OK	OK	-	-				
		All Dimensions Are In MM											
2	DIMENSION		VALUE	-	+	1	2	3	-	-			
		A/F	25.00	24.87	25.00	24.90	24.89	24.90	-	-			
		A/C	27.50	27.00	28.00	27.46	27.49	27.48	-	-			
		T.L	17.00	16.50	17.50	17.00	16.99	17.01	-	-			
		O.D	24.00	23.50	24.50	23.98	23.97	23.99	-	-			
		O.D.L	8.00	7.70	8.30	8.02	8.01	8.03	-	-			
		H.L	9.00	8.50	9.50	8.96	8.95	8.95	-	-			
		I.D	19.00	18.50	19.50	19.00	18.99	19.01	-	-			
		INT.TH.L	3.00	2.80	3.20	3.02	3.01	3.03	-	-			
		GR.ID	22.20	21.70	22.70	22.25	22.24	22.26	-	-			
		GR.LE	10.50	10.00	11.00	10.51	10.53	10.52	-	-			
		DEPTH	13.50	13.00	14.00	13.52	13.51	13.53	-	-			
		GR.ID	21.00	20.50	21.50	21.03	21.02	21.05	-	-			
		GR.LE	2.50	2.30	2.70	2.52	2.50	2.51	-	-			
		DEPTH	16.00	15.50	16.50	15.95	15.98	15.96	-	-			
		INT.THREAD	M22x1 AS PER P.G GO NOT GO		OK	OK	OK	-	-				
		CH.ANGLE	1x45° AS PER PP FOUND		OK	OK	OK	-	-				
		CH.ANGLE	0.5x45° AS PER PP FOUND		OK	OK	OK	-	-				
		CH.ANGLE	45° AS PER PP FOUND		OK	OK	OK	-	-				

INSPECTED BY:

Jay Hadiyal

APPROVED BY:

Shreekant

Conclusion :



Accept



Reject



Hold



		MetalMech-08500-FR-QX-08-Final Inspection Report-EX											
INSP. No.	FIR-06	Product Name	UNIVERSAL CLAMPING CONE		Size		M20		Drawing No.		313005-018	Date:	27-08-2026
Wo No.	26000215	Total Quantity	80		Lot Quantity		80		Sample Size-		3	Variable & Gangline	3PCS
Sr. No.	Checking Parameter	REQUIRED PARAMETER				OBSERVED RESULTS				REJECTION REWORK DETAIL	REMARK	CHECKED BY	
		PARAMETER	CRITERIA		1	2	3	-	-				
1	Visual	Surface	Fine, Clean		FINE	FINE	FINE	-	-				
		Sizewise No of Pcs. With Internal Parts	As per Drg. No. of Parts	14	14	14	14	-	-				
		Washing & Plating	Surface Finishing	NA	NA	NA	NA	-	-				
		RUBBER MARKING	AS PER DRG.	NA	NA	NA	NA	-	-				
		Marking	WO Ref. No.	NA	NA	NA	NA	-	-				
		Assembly Perfection	As per Drg.		OK	OK	OK	-	-				
		Inner Packing	Labeling & Printing		OK	OK	OK	-	-				
		Outer Packing	Printing & Stamping		OK	OK	OK	-	-				
		All Dimensions Are In MM											
2	DIMENSION		VALUE	-	+	1	2	3	-	-			
		T.L	22.00	21.50	22.50	22.00	21.99	22.00	-	-			
		O.D	14.00	13.50	14.50	14.00	13.99	14.00	-	-			
		O.D.L	3.50	3.20	3.80	3.52	3.51	3.53	-	-			
		GR.OD	15.50	15.00	16.00	15.51	15.49	15.48	-	-			
		GR.LE	2.50	2.30	2.70	2.52	2.51	2.52	-	-			
		O.D	16.20	15.70	16.70	16.20	16.19	16.18	-	-			
		O.D.L	7.50	7.20	7.80	7.52	7.49	7.50	-	-			
		O.D	17.50	17.00	18.00	17.52	17.53	17.54	-	-			
		O.D.L	7.00	6.70	7.30	7.07	7.05	7.03	-	-			
		O.D	14.00	13.50	14.50	14.00	13.99	14.01	-	-			
		O.D.L	4.50	4.20	4.80	4.51	4.50	4.50	-	-			
		O.D	14.50	14.00	15.00	14.52	14.51	14.53	-	-			
		O.D	15.00	14.50	15.50	15.02	15.01	15.02	-	-			
		O.D	15.50	15.00	16.00	15.51	15.49	15.48	-	-			
		O.D.L	7.50	7.20	7.80	7.49	7.51	7.50	-	-			
		I.D	12.00	11.50	12.50	12.05	12.04	12.03	-	-			
		GROOVE,STEP,LE	0.50	0.30	0.70	0.50	0.49	0.50	-	-			
		RADIUS	0.5 MM AS PER PP FOUND			OK	OK	OK	-	-			
		RADIUS	0.3 AS PER PP FOUND			OK	OK	OK	-	-			
INSPECTED BY:		Jay Hadiyal			APPROVED BY:				Shreekant				

Conclusion :



Accept



Reject



Hold



 THE SAFEST CONNECTIONS		MetalMech-08500-FR-QX-08-Final Inspection Report-EX												
INSP. No.	FIR-06	Product Name	REVERSIBLE ARMOUR RING			Size		M20		Drawing No.		313004-01s	Date:	27-08-2026
Wo No.	26000215	Total Quantity	80			Lot Quantity		80		Sample Size-		3	Variable & Gauging	3PCS
Sr. No.	Checking Parameter	REQUIRED PARAMETER				OBSERVED RESULTS					REJECTION REWORK DETAIL	REMARK	CHECKED BY	
		PARAMETER	CRITERIA			1	2	3	-	-				
1	Visual	Surface	Fine, Clean			FINE	FINE	FINE	-	-				
		Sizewise No of Pcs. With Internal Parts	As per Drg. No. of Parts	14	14	14	14	-	-					
		Washing & Plating	Surface Finishing	NA	NA	NA	NA	-	-					
		RUBBER MARKING	AS PER DRG.	NA	NA	NA	NA	-	-					
		Marking	WO Ref. No.	NA	NA	NA	NA	-	-					
		Assembly Perfection	As per Drg.			OK	OK	OK	-	-				
		Inner Packing	Labeling & Printing		OK	OK	OK	-	-					
		Outer Packing	Printing & Stamping			OK	OK	OK	-	-				
		All Dimensions Are In MM												
2	DIMENSION		VALUE	-	+	1	2	3	-	-				
		T.L	6.00	5.70	6.30	6.02	6.01	6.02	-	-				
		O.D	19.00	18.50	19.50	18.73	18.75	18.76	-	-				
		I.D	16.00	15.50	16.50	16.04	16.06	16.08	-	-				
		I.D	16.50	16.00	17.00	16.55	16.54	16.53	-	-				
INSPECTED BY:		Jay Hadiyal				APPROVED BY:				Shreekant				

Conclusion :



Accept



Reject



Hold





MetalMech-08500-FR-QX-08-Final Inspection Report-EX

INSP. No.	FIR-06	Product Name	COMPRESSIBLE INNER SEAL		Size		M20		Drawing No.		GI-01s	Date:	27-08-2026
Wo No.	26000215	Total Quantity	80		Lot Quantity		80		Sample Size-		3	Variable & Gauging	3PCS
Sr. No.	Checking Parameter	REQUIRED PARAMETER				OBSERVED RESULTS					REJECTION REWORK DETAIL	REMARK	CHECKED BY
		PARAMETER	CRITERIA			1	2	3	-	-			
1	Visual	Surface	Fine, Clean			FINE	FINE	FINE	-	-		Measuring Instruments I.D No-	
		Sizewise No of Pcs. With Internal Parts	As per Drg. No. of Parts	14	14	14	14	-	-		(1) DV-55		
		Washing & Plating	Surface Finishing	NA	NA	NA	NA	-	-		(2) PP-01		
		RUBBER MARKING	AS PER DRG.	OK	OK	OK	OK	-	-				
		Marking	WO Ref. No.	NA	NA	NA	NA	-	-		ASM No :- CSEX260826-01		
		Assembly Perfection	As per Drg.			OK	OK	OK	-	-			
		Inner Packing	Labeling & Printing		OK	OK	OK	-	-				
		Outer Packing	Printing & Stamping			OK	OK	OK	-	-			
		All Dimensions Are In MM											
2	DIMENSION		VALUE	-	+	1	2	3	-	-			
		T.L	9.50	9.00	10.00	9.49	9.51	9.50	-	-			
		O.D.L	3.00	2.70	3.30	3.01	3.03	3.03	-	-			
		O.D	18.50	18.30	18.50	18.43	18.45	18.45	-	-			
		O.D.L	6.50	6.20	6.80	6.53	6.55	6.54	-	-			
		I.D	11.70	11.70	11.90	11.77	11.76	11.74	-	-			
INSPECTED BY:		Jay Hadiyal			APPROVED BY:				Shreekant				

Conclusion :



Accept



Reject



Hold



 THE SAFEST CONNECTIONS		MetalMech-08500-FR-QX-08-Final Inspection Report-EX												
INSP. No.	FIR-06	Product Name	COMPRESSIBLE OUTER SEAL			Size		M20		Drawing No.		GE-01s	Date:	27-08-2026
Wo No.	26000215	Total Quantity	80			Lot Quantity		80		Sample Size-		3	Variable & Gauging	3PCS
Sr. No.	Checking Parameter	REQUIRED PARAMETER				OBSERVED RESULTS					REJECTION REWORK DETAIL	REMARK	CHECKED BY	
		PARAMETER	CRITERIA			1	2	3	-	-				
1	Visual	Surface	Fine, Clean			FINE	FINE	FINE	-	-				
		Sizewise No of Pcs. With Internal Parts	As per Drg. No. of Parts	14	14	14	14	-	-			Measuring Instruments I.D No-		
		Washing & Plating	Surface Finishing	NA	NA	NA	NA	-	-			(1) DV-55		
		RUBBER MARKING	AS PER DRG.	OK	OK	OK	OK	-	-			(2) PP-01		
		Marking	WO Ref. No.	NA	NA	NA	NA	-	-			ASM No :- CSEX260826-01		
		Assembly Perfection	As per Drg.			OK	OK	OK	-	-				
		Inner Packing	Labeling & Printing		OK	OK	OK	-	-					
		Outer Packing	Printing & Stamping			OK	OK	OK	-	-				
		All Dimensions Are In MM												
2	DIMENSION		VALUE	-	+	1	2	3	-	-				
		T.L	10.00	9.50	10.50	10.01	10.00	10.02	-	-				
		O.D	22.20	22.00	22.20	22.12	22.11	22.13	-	-				
		GR.LENGTH	3.50	3.20	3.80	3.49	3.51	3.50	-	-				
		I.D	15.70	15.70	15.80	15.75	15.74	15.76	-	-				
INSPECTED BY:		Jay Hadiyal			APPROVED BY:				Shreekant					

Conclusion :



Accept



Reject



Hold



		MetalMech-08500-FR-QX-08-Final Inspection Report-EX											
INSP. No.	FIR-06	Product Name	INNER SKID WASHER			Size	M20			Drawing No.	IW-01s	Date:	27-08-2026
Wo No.	26000215	Total Quantity	80			Lot Quantity	80			Sample Size-	3	Variable & Gauging	3PCS
Sr. No.	Checking Parameter	REQUIRED PARAMETER				OBSERVED RESULTS					REJECTION REWORK DETAIL	REMARK	CHECKED BY
		PARAMETER	CRITERIA			1	2	3	-	-			
1	Visual	Surface	Fine, Clean			FINE	FINE	FINE	-	-			
		Sizewise No of Pcs. With Internal Parts	As per Drg. No. of Parts	14	14	14	14	-	-			Measuring Instruments I.D No-	
		Washing & Plating	Surface Finishing	NA	NA	NA	NA	-	-			(1) DV-55	
		RUBBER MARKING	AS PER DRG.	OK	OK	OK	OK	-	-			(2) PP-01	
		Marking	WO Ref. No.	NA	NA	NA	NA	-	-			ASM No :- CSEX260826-01	
		Assembly Perfection	As per Drg.			OK	OK	OK	-	-			
		Inner Packing	Labeling & Printing		OK	OK	OK	-	-				
		Outer Packing	Printing & Stamping			OK	OK	OK	-	-			
		All Dimensions Are In MM											
2	DIMENSION		VALUE	-	+	1	2	3	-	-			
		T.L	4.50	4.20	4.80	4.53	4.51	4.53	-	-			
		O.D	18.00	17.80	18.00	17.90	17.92	17.96	-	-			
		O.D	15.50	15.30	15.50	15.42	15.40	15.42	-	-			
		O.D.L	2.50	2.50	2.70	2.52	2.54	2.55	-	-			
		I.D	12.00	12.00	12.20	12.05	12.04	12.03	-	-			
INSPECTED BY:		Jay Hadiyal			APPROVED BY:				Shreekant				

Conclusion :



Accept



Reject



Hold



		MetalMech-08500-FR-QX-08-Final Inspection Report-EX												
INSP. No.	FIR-06	Product Name	OUTER SKID WASHER			Size	M20			Drawing No.	OW-01s		Date:	27-08-2026
Wo No.	26000215	Total Quantity	80			Lot Quantity	80			Sample Size-	3		Variable & Gauging	3PCS
Sr. No.	Checking Parameter	REQUIRED PARAMETER				OBSERVED RESULTS					REJECTION REWORK DETAIL	REMARK	CHECKED BY	
		PARAMETER	CRITERIA			1	2	3	-	-				
1	Visual	Surface	Fine, Clean			FINE	FINE	FINE	-	-				
		Sizewise No of Pcs. With Internal Parts	As per Drg. No. of Parts	14	14	14	14	-	-			Measuring Instruments I.D No-		
		Washing & Plating	Surface Finishing	NA	NA	NA	NA	-	-			(1) DV-55		
		RUBBER MARKING	AS PER DRG.	NA	NA	NA	NA	-	-			(2) PP-01		
		Marking	WO Ref. No.	NA	NA	NA	NA	-	-			ASM No :- CSEX260826-01		
		Assembly Perfection	As per Drg.			OK	OK	OK	-	-				
		Inner Packing	Labeling & Printing		OK	OK	OK	-	-					
		Outer Packing	Printing & Stamping			OK	OK	OK	-	-				
		All Dimensions Are In MM												
2	DIMENSION		VALUE	-	+	1	2	3	-	-				
		T.L	6.50	6.20	6.80	6.52	6.54	6.55	-	-				
		O.D	20.50	20.50	20.60	20.52	20.55	20.56	-	-				
		O.D	18.50	18.30	18.50	18.40	18.39	18.41	-	-				
		O.D.L	4.00	4.00	4.10	4.02	4.01	4.03	-	-				
		I.D	16.00	16.00	16.20	16.03	16.05	16.04	-	-				
INSPECTED BY:		Jay Hadiyal			APPROVED BY:				Shreekant					

Conclusion :



Accept



Reject



Hold



MetalMech-08500-FR-QX-08-Final Inspection Report-EX

INSP. No.	FIR-06	Product Name	EARTH TAG		Size		3/4" NPT		Drawing No.		-	Date:	27-08-2026
Wo No.	26000215	Total Quantity	80		Lot Quantity		80		Sample Size-		3	Variable & Gauging	3PCS
Sr. No.	Checking Parameter	REQUIRED PARAMETER				OBSERVED RESULTS					REJECTION REWORK DETAIL	REMARK	CHECKED BY
		PARAMETER	CRITERIA			1	2	3	-	-			
1	Visual	Surface	Fine, Clean			FINE	FINE	FINE	-	-		Measuring Instruments I.D No-	
		Sizewise No of Pcs. With Internal Parts	As per Drg. No. of Parts	14	14	14	14	-	-		(1) DV-55		
		Washing & Plating	Surface Finishing	NA	NA	NA	NA	-	-		(2) PP-01		
		RUBBER MARKING	AS PER DRG.	NA	NA	NA	NA	-	-				
		Marking	WO Ref. No.	NA	NA	NA	NA	-	-		ASM No :- CSEX260826-01		
		Assembly Perfection	As per Drg.			OK	OK	OK	-	-			
		Inner Packing	Labeling & Printing		OK	OK	OK	-	-				
		Outer Packing	Printing & Stamping			OK	OK	OK	-	-			
		All Dimensions Are In MM											
2	DIMENSION		VALUE	-	+	1	2	3	-	-			
		THICKNESS	1.50	1.30	1.70	1.55	1.53	1.52	-	-			
		O.D	37.00	36.20	37.80	37.22	37.25	37.26	-	-			
		O.D	13.20	12.70	13.70	13.35	13.31	13.36	-	-			
		I.D	27.00	26.50	27.50	27.07	27.05	27.03	-	-			
		I.D	6.50	6.20	6.80	6.55	6.54	6.53	-	-			
INSPECTED BY:		Jay Hadiyal			APPROVED BY:				Shreekant				

Conclusion :



Accept



Reject



Hold



		MetalMech-08500-FR-QX-08-Final Inspection Report-EX										
INSP. No.	FIR-06	Product Name	SHROUD		Size	C-2032		Drawing No.	-		Date:	27-08-2026
Wo No.	26000215	Total Quantity	80		Lot Quantity	80		Sample Size-	3		Variable & Gauging	3PCS
Sr. No.	Checking Parameter	REQUIRED PARAMETER			OBSERVED RESULTS					REJECTION REWORK DETAIL	REMARK	CHECKED BY
		PARAMETER	CRITERIA		1	2	3	-	-			
1	Visual	Surface	Fine, Clean		FINE	FINE	FINE	-	-		Measuring Instruments I.D No-	
		Sizewise No of Pcs. With Internal Parts	As per Drg. No. of Parts	14	14	14	14	-	-		(1) DV-55	
		Washing & Plating	Surface Finishing	NA	NA	NA	NA	-	-		(2) PP-01	
		RUBBER MARKING	AS PER DRG.	NA	NA	NA	NA	-	-			
		Marking	WO Ref. No.	NA	NA	NA	NA	-	-		ASM No :- CSEX260826-01	
		Assembly Perfection	As per Drg.		OK	OK	OK	-	-			
		Inner Packing	Labeling & Printing		OK	OK	OK	-	-			
		Outer Packing	Printing & Stamping		OK	OK	OK	-	-			
		All Dimensions Are In MM										
2	DIMENSION		VALUE	-	+	1	2	3	-	-		
		T.L	130.00	129.20	130.80	130.11	130.13	130.12	-	-		
		I.D	32.00	31.20	32.80	32.09	32.10	32.08	-	-		
INSPECTED BY:		Jay Hadiyal			APPROVED BY:			Shreekant				

Conclusion :

☒ Accept
 ☐ Reject
 ☐ Hold



		MetalMech-08500-FR-QX-08-Final Inspection Report-EX											
INSP. No.	FIR-06	Product Name	NYLON WASHER		Size	3/4" NPT		Drawing No.	-		Date:	27-08-2026	
Wo No.	26000215	Total Quantity	80		Lot Quantity	80		Sample Size-	3		Variable & Gauging	3PCS	
Sr. No.	Checking Parameter	REQUIRED PARAMETER				OBSERVED RESULTS					REJECTION REWORK DETAIL	REMARK	CHECKED BY
		PARAMETER	CRITERIA			1	2	3	-	-			
1	Visual	Surface	Fine, Clean			FINE	FINE	FINE	-	-		Measuring Instruments I.D No-	
		Sizewise No of Pcs. With Internal Parts	As per Drg. No. of Parts	14	14	14	14	-	-		(1) DV-55		
		Washing & Plating	Surface Finishing	NA	NA	NA	NA	-	-		(2) PP-01		
		RUBBER MARKING	AS PER DRG.	NA	NA	NA	NA	-	-				
		Marking	WO Ref. No.	NA	NA	NA	NA	-	-		ASM No :- CSEX260826-01		
		Assembly Perfection	As per Drg.			OK	OK	OK	-	-			
		Inner Packing	Labeling & Printing		OK	OK	OK	-	-				
		Outer Packing	Printing & Stamping			OK	OK	OK	-	-			
		All Dimensions Are In MM											
2	DIMENSION		VALUE	-	+	1	2	3	-	-			
		THICKNESS	1.50	1.30	1.70	1.45	1.47	1.49	-	-			
		I.D	27.00	26.50	27.50	27.17	27.20	27.19	-	-			
INSPECTED BY:		Jay Hadiyal			APPROVED BY:			Shreekant					

Conclusion :



Accept



Reject



Hold

