MetalMech-08500-FR-QX-08-Final Inspection Report-EX

INSP. No.	FIR-03	Product Name	LOCK NUT	Size	1/2" NPT	Drawing No.	DL1NS	Date:	08-10-2026
Wo No.	26100069	Total Quantity	1000	Lot Quantity	1000	Sample Size-	2	Variable & Gauging	2PCS

Sr. No.	Checking Parameter	REQUIRED PARAMETER			OBSERVED RESULTS					REJECTION REWORK DETAIL	REMARK	CHECKED BY
		PARAMETER	CRITERIA		1	2	3	4	5			
1	Visual	Surface	Fine, Clean		FINE	FINE	FINE	FINE	FINE		Measuring Instruments I.D No-	
		Sizewise No of Pcs. With Internal Parts	As per Drg. No. of Parts	16	16	16	16	16	16		(1) DV-55	
		Washing & Plating	Surface Finishing	NA	NA	NA	NA	NA	NA		(2) PP-01	
		RUBBER MARKING	AS PER DRG.	NA	NA	NA	NA	NA	NA			
		Marking	WO Ref. No.	NA	NA	NA	NA	NA	NA		ASM No :- CSEX260927-22	
		Assembly Perfection	As per Drg.		OK	OK	OK	OK	OK			
		Inner Packing	Labeling & Printing		OK	OK	OK	OK	OK			
		Outer Packing	Printing & Stamping		OK	OK	OK	OK	OK			
		All Dimensions Are In MM										
2	DIMENSION		VALUE	- / +	1	2	3	4	5			
		A/F	24.00	23.87 / 24.00	23.88	23.87	23.86	23.90	23.86			
		A/C	26.00	25.50 / 26.50	25.99	26.00	26.01	26.00	25.99			
		T.L	4.00	3.70 / 4.30	4.00	4.01	4.02	4.02	4.01			
		THREAD	1/2" NPT AS PER P.G GO NOT GO		OK	OK	OK	OK	OK			
		CH.ANGLE	30° AS PER PP FOUND		OK	OK	OK	OK	OK			

INSPECTED BY:	*Jay Hadiyal*	*APPROVED BY:*	*Shreekant*

Conclusion :

☑ **Accept** ☐ **Reject** ☐ **Hold**

METALMECH ENGINEERING QA PASSED

MetalMech-08500-FR-QX-08-Final Inspection Report-EX

INSP. No.	FIR-03	Product Name	IP WASHER	Size	1/2" NPT	Drawing No.	-	Date:	08-10-2026
Wo No.	26100069	Total Quantity	1000	Lot Quantity	1000	Sample Size-	2	Variable & Gauging	2PCS

Sr. No.	Checking Parameter	REQUIRED PARAMETER			OBSERVED RESULTS					REJECTION REWORK DETAIL	REMARK	CHECKED BY
		PARAMETER	CRITERIA		1	2	3	4	5			
1	Visual	Surface	Fine, Clean		FINE	FINE	FINE	FINE	FINE		Measuring Instruments I.D No-	
		Sizewise No of Pcs. With Internal Parts	As per Drg. No. of Parts	16	16	16	16	16	16		(1) DV-55	
		Washing & Plating	Surface Finishing	NA	NA	NA	NA	NA	NA		(2) PP-01	
		RUBBER MARKING	AS PER DRG.	NA	NA	NA	NA	NA	NA			
		Marking	WO Ref. No.	NA	NA	NA	NA	NA	NA		ASM No :- CSEX260927-22	
		Assembly Perfection	As per Drg.		OK	OK	OK	OK	OK			
		Inner Packing	Labeling & Printing		OK	OK	OK	OK	OK			
		Outer Packing	Printing & Stamping		OK	OK	OK	OK	OK			
		All Dimensions Are In MM										
2	DIMENSION		VALUE	-	+	1	2	3	4	5		
		O.D	29.00	28.80	29.20	29.03	29.05	29.07	29.09	29.11		
		I.D	22.00	21.90	22.10	22.05	22.04	22.09	22.05	22.08		
		THICKNESS	1.50	1.40	1.60	1.53	1.55	1.57	1.59	1.55		

INSPECTED BY:	*Jay Hadiyal*	*APPROVED BY:*	*Shreekant*

Conclusion :

☑ **Accept** ☐ **Reject** ☐ **Hold**

METALMECH ENGINEERING QA PASSED

MetalMech-08500-FR-QX-08-Final Inspection Report-EX

INSP. No.	FIR-03	**Product Name**	ENTRY COMPONENT	**Size**	1/2" NPT	**Drawing No.**	413001-01	**Date:**	08-10-2026
Wo No.	26100069	**Total Quantity**	1000	**Lot Quantity**	1000	**Sample Size-**	2	Variable & Gauging	2PCS

Sr. No.	Checking Parameter	REQUIRED PARAMETER			OBSERVED RESULTS					REJECTION REWORK DETAIL	REMARK	CHECKED BY
		PARAMETER	CRITERIA		1	2	3	4	5			
1	Visual	Surface	Fine, Clean		FINE	FINE	FINE	FINE	FINE		Measuring Instruments I.D No-	
		Sizewise No of Pcs. With Internal Parts	As per Drg. No. of Parts	16	16	16	16	16	16		(1) DV-55	
		Washing & Plating	Surface Finishing	NA	NA	NA	NA	NA	NA		(2) PP-01	
		RUBBER MARKING	AS PER DRG.	NA	NA	NA	NA	NA	NA			
		Marking	WO Ref. No.	NA	NA	NA	NA	NA	NA		ASM No :- CSEX260927-22	
		Assembly Perfection	As per Drg.		OK	OK	OK	OK	OK			
		Inner Packing	Labeling & Printing		OK	OK	OK	OK	OK			
		Outer Packing	Printing & Stamping		OK	OK	OK	OK	OK			
		All Dimensions Are In MM										
2	DIMENSION		VALUE	-	+	1	2	3	4	5			
		A/F	31.00	30.84	31.00	31.99	31.98	32.00	31.99	32.00			
		A/C	34.00	33.70	34.30	33.98	34.00	33.99	33.98	34.00			
		T.L	50.00	49.70	50.30	50.05	50.04	50.03	50.05	50.04			
		LENGTH-1	21.00	21.00	21.20	21.15	21.12	21.11	21.13	21.12			
		LENGTH-2	24.00	23.70	24.30	23.98	23.97	23.99	23.98	23.97			
		LENGTH-3	18.00	17.70	18.30	18.08	18.09	18.10	18.08	18.09			
		LENGTH-4	16.00	15.70	16.30	16.07	16.06	16.09	16.08	16.07			
		LENGTH-5	15.00	14.70	15.30	15.03	15.05	15.02	15.03	15.02			
		GR.DIA	25.50	25.20	25.80	25.50	25.51	25.50	25.51	25.50			
		O.D	28.00	27.70	28.30	28.00	27.99	28.01	28.00	27.99			
		I.D-1	14.50	14.50	14.55	14.53	14.53	14.53	14.52	14.53			
		I.D-2	22.50	22.20	22.80	22.55	22.57	22.59	22.58	22.57			
		DEPTH	15.00	14.80	15.20	14.96	14.95	14.94	14.96	14.95			
		THREAD	1/2" NPT AS PER T.R.G GO NOT GO			OK	OK	OK	OK	OK			
		THREAD	M27x1.5 AS PER T.R.G GO NOT GO			OK	OK	OK	OK	OK			

INSPECTED BY:	*Jay Hadiyal*	*APPROVED BY:*	*Shreekant*

Conclusion :

☑ **Accept** ☐ **Reject** ☐ **Hold**

METAMECH ENGINEERS GROUP CA PASSED

MetalMech-08500-FR-QX-08-Final Inspection Report-EX

INSP. No.	FIR-03	**Product Name**	SEALING POT SEAL	**Size**	1/2" NPT	**Drawing No.**	GRSP-01	**Date:**	08-10-2026
Wo No.	26100069	**Total Quantity**	1000	**Lot Quantity**	1000	**Sample Size-**	2	Variable & Gauging	2PCS

Sr. No.	Checking Parameter	REQUIRED PARAMETER			OBSERVED RESULTS					REJECTION REWORK DETAIL	REMARK	CHECKED BY
		PARAMETER	CRITERIA		1	2	3	4	5			
1	Visual	Surface	Fine, Clean		FINE	FINE	FINE	FINE	FINE		Measuring Instruments I.D No-	
		Sizewise No of Pcs. With Internal Parts	As per Drg. No. of Parts	16	16	16	16	16	16		(1) DV-55	
		Washing & Plating	Surface Finishing	NA	NA	NA	NA	NA	NA		(2) PP-01	
		RUBBER MARKING	AS PER DRG.	NA	NA	NA	NA	NA	NA			
		Marking	WO Ref. No.	NA	NA	NA	NA	NA	NA		ASM No :- CSEX260927-22	
		Assembly Perfection	As per Drg.		OK	OK	OK	OK	OK			
		Inner Packing	Labeling & Printing		OK	OK	OK	OK	OK			
		Outer Packing	Printing & Stamping		OK	OK	OK	OK	OK			
		All Dimensions Are In MM										
2	DIMENSION		VALUE	-	+	1	2	3	4	5			
		T.L	9.00	8.80	9.20	9.11	9.13	9.12	9.11	9.13			
		O.D	22.50	22.20	22.80	22.00	21.99	21.98	22.00	21.99			
		I.D	15.00	14.80	15.20	15.04	15.06	15.08	15.06	15.05			
		I.D	19.50	19.20	19.80	19.55	19.56	19.55	19.54	19.56			
		LENGTH	3.00	2.90	3.10	3.05	3.03	3.05	3.02	3.05			

INSPECTED BY:	*Jay Hadiyal*	*APPROVED BY:*	*Shreekant*

Conclusion :

☑ **Accept** ☐ **Reject** ☐ **Hold**



METAL MECA®
THE SAFEST CONNECTIONS

MetalMech-08500-FR-QX-08-Final Inspection Report-EX

INSP. No.	FIR-03	**Product Name**	SEALING POT	**Size**	1/2" NPT	**Drawing No.**	4130003-01	**Date:**	08-10-2026
Wo No.	26100069	**Total Quantity**	1000	**Lot Quantity**	1000	**Sample Size-**	2	Variable & Gauging	2PCS

Sr. No.	Checking Parameter	REQUIRED PARAMETER			OBSERVED RESULTS					REJECTION REWORK DETAIL	REMARK	CHECKED BY
		PARAMETER	CRITERIA		1	2	3	4	5			
1	Visual	Surface	Fine, Clean		FINE	FINE	FINE	FINE	FINE		Measuring Instruments I.D No-	
		Sizewise No of Pcs. With Internal Parts	As per Drg. No. of Parts	16	16	16	16	16	16		(1) DV-55	
		Washing & Plating	Surface Finishing	NA	NA	NA	NA	NA	NA		(2) PP-01	
		RUBBER MARKING	AS PER DRG.	NA	NA	NA	NA	NA	NA			
		Marking	WO Ref. No.	NA	NA	NA	NA	NA	NA		ASM No :- CSEX260927-22	
		Assembly Perfection	As per Drg.		OK	OK	OK	OK	OK			
		Inner Packing	Labeling & Printing		OK	OK	OK	OK	OK			
		Outer Packing	Printing & Stamping		OK	OK	OK	OK	OK			
		All Dimensions Are In MM										
2	DIMENSION		VALUE	-	+	1	2	3	4	5			
		T.L	38.00	37.70	38.30	38.00	37.99	37.98	38.00	37.99			
		O.D	19.50	19.20	19.80	19.50	19.49	19.50	19.49	19.50			
		O.D.L	32.00	31.70	32.30	31.95	31.98	31.96	31.95	31.94			
		O.D	14.50	14.45	14.50	14.46	14.47	14.45	14.46	14.45			
		I.D-1	17.00	16.70	17.30	17.03	17.02	17.01	17.03	17.02			
		DEPTH	5.00	4.80	5.20	4.95	4.94	4.96	4.95	4.97			
		I.D-2	12.60	12.40	12.80	12.55	12.58	12.55	12.54	12.56			
		I.D-3	12.00	11.80	12.20	12.07	12.06	12.04	12.06	12.05			
		LENGTH	2.00	1.90	2.10	2.03	2.09	2.05	2.04	2.06			

INSPECTED BY:	*Jay Hadiyal*	*APPROVED BY:*	*Shreekant*

Conclusion :

☑ **Accept** ☐ **Reject** ☐ **Hold**

METALMECH ENGINEERING QA PASSED

MetalMech-08500-FR-QX-08-Final Inspection Report-EX

INSP. No.	FIR-03	**Product Name**	INNER RETAINING RING	**Size**	1/2" NPT	**Drawing No.**	IW-01	**Date:**	08-10-2026
Wo No.	26100069	**Total Quantity**	1000	**Lot Quantity**	1000	**Sample Size-**	2	**Variable & Gauging**	2PCS

Sr. No.	**Checking Parameter**	**REQUIRED PARAMETER**			**OBSERVED RESULTS**					**REJECTION REWORK DETAIL**	**REMARK**	**CHECKED BY**
		PARAMETER	**CRITERIA**		**1**	**2**	**3**	**4**	**5**			
1	Visual	Surface	Fine, Clean		FINE	FINE	FINE	FINE	FINE		Measuring Instruments I.D No-	
		Sizewise No of Pcs. With Internal Parts	As per Drg. No. of Parts	16	16	16	16	16	16		**(1) DV-55**	
		Washing & Plating	Surface Finishing	NA	NA	NA	NA	NA	NA		**(2) PP-01**	
		RUBBER MARKING	AS PER DRG.	OK	OK	OK	OK	OK	OK			
		Marking	WO Ref. No.	NA	NA	NA	NA	NA	NA		ASM No :- CSEX260927-22	
		Assembly Perfection	As per Drg.		OK	OK	OK	OK	OK			
		Inner Packing	Labeling & Printing		OK	OK	OK	OK	OK			
		Outer Packing	Printing & Stamping		OK	OK	OK	OK	OK			
		All Dimensions Are In MM										
2	DIMENSION		VALUE	-	+	1	2	3	4	5			
		T.L	5.00	4.70	5.30	4.96	4.95	4.95	4.94	4.96			
		O.D	22.00	21.80	22.00	21.88	21.85	21.86	21.85	21.86			
		O.D	19.50	19.30	19.50	19.43	19.45	19.46	19.48	19.46			
		O.D.L	3.00	3.00	3.20	3.05	3.04	3.05	3.03	3.02			
		I.D	14.00	14.00	14.20	14.09	14.08	14.05	14.04	14.06			

INSPECTED BY:	*Jay Hadiyal*	*APPROVED BY:*	*Shreekant*

Conclusion :

☑ **Accept** ☐ **Reject** ☐ **Hold**

METALMECH ENGINEERING QA PASSED

MetalMech-08500-FR-QX-08-Final Inspection Report-EX

INSP. No.	FIR-03	Product Name	DELUGE SEAL	Size	1/2" NPT	Drawing No.	DLS-01	Date:	08-10-2026
Wo No.	26100069	Total Quantity	1000	Lot Quantity	1000	Sample Size-	2	Variable & Gauging	2PCS

Sr. No.	Checking Parameter	REQUIRED PARAMETER			OBSERVED RESULTS					REJECTION REWORK DETAIL	REMARK	CHECKED BY
		PARAMETER	CRITERIA		1	2	3	4	5			
1	Visual	Surface	Fine, Clean		FINE	FINE	FINE	FINE	FINE		Measuring Instruments I.D No-	
		Sizewise No of Pcs. With Internal Parts	As per Drg. No. of Parts	16	16	16	16	16	16		(1) DV-55	
		Washing & Plating	Surface Finishing	NA	NA	NA	NA	NA	NA		(2) PP-01	
		RUBBER MARKING	AS PER DRG.	NA	NA	NA	NA	NA	NA			
		Marking	WO Ref. No.	NA	NA	NA	NA	NA	NA		ASM No :- CSEX260927-22	
		Assembly Perfection	As per Drg.		OK	OK	OK	OK	OK			
		Inner Packing	Labeling & Printing		OK	OK	OK	OK	OK			
		Outer Packing	Printing & Stamping		OK	OK	OK	OK	OK			
		All Dimensions Are In MM										
2	DIMENSION		VALUE	-	+	1	2	3	4	5		
		THICKNESS	2.00	1.90	2.10	2.03	2.05	2.04	2.06	2.05		
		O.D	26.00	25.70	26.30	26.04	26.09	26.05	26.08	26.06		
		I.D	22.00	21.70	22.30	21.98	21.94	21.96	21.91	21.93		

INSPECTED BY:	*Jay Hadiyal*	*APPROVED BY:*	*Shreekant*

Conclusion :

☑ **Accept** ☐ **Reject** ☐ **Hold**

METALMECH ENGINEERING QA PASSED

MetalMech-08500-FR-QX-08-Final Inspection Report-EX

INSP. No.	FIR-03	Product Name	ARMOUR CONE	Size	1/2" NPT	Drawing No.	414005-01	Date:	08-10-2026
Wo No.	26100069	Total Quantity	1000	Lot Quantity	1000	Sample Size-	2	Variable & Gauging	2PCS

Sr. No.	Checking Parameter	REQUIRED PARAMETER			OBSERVED RESULTS					REJECTION REWORK DETAIL	REMARK	CHECKED BY
		PARAMETER	CRITERIA		1	2	3	4	5			
1	Visual	Surface	Fine, Clean		FINE	FINE	FINE	FINE	FINE		Measuring Instruments I.D No-	
		Sizewise No of Pcs. With Internal Parts	As per Drg. No. of Parts	16	16	16	16	16	16		(1) DV-55	
		Washing & Plating	Surface Finishing	NA	NA	NA	NA	NA	NA		(2) PP-01	
		RUBBER MARKING	AS PER DRG.	NA	NA	NA	NA	NA	NA			
		Marking	WO Ref. No.	NA	NA	NA	NA	NA	NA		ASM No :- CSEX260927-22	
		Assembly Perfection	As per Drg.		OK	OK	OK	OK	OK			
		Inner Packing	Labeling & Printing		OK	OK	OK	OK	OK			
		Outer Packing	Printing & Stamping		OK	OK	OK	OK	OK			
		All Dimensions Are In MM										
2	DIMENSION		VALUE	-	+	1	2	3	4	5			
		T.L	17.50	17.20	17.80	17.52	17.51	17.53	17.52	17.51			
		O.D	17.00	16.70	17.30	17.07	17.06	17.09	17.06	17.09			
		O.D	18.70	18.40	19.00	18.68	18.70	18.69	18.68	18.70			
		O.D.L	9.00	8.80	9.20	9.05	9.04	9.06	9.05	9.04			
		O.D	25.00	24.70	25.30	25.00	24.99	24.98	25.00	24.99			
		O.D	22.00	21.70	22.30	21.99	21.98	21.97	21.99	21.98			
		O.D.L	7.00	6.80	7.20	7.00	6.99	7.01	7.00	6.99			
		I.D	20.00	19.70	20.30	20.04	20.03	20.02	20.04	20.03			
		DEPTH	3.00	2.90	3.10	2.97	2.96	2.98	2.97	2.99			
		I.D	14.00	13.80	14.20	14.03	14.02	14.04	14.03	14.02			
		STEP.LE	1.50	1.40	1.60	1.55	1.56	1.55	1.54	1.53			
		LENGTH-1	3.00	2.90	3.10	3.06	3.05	3.04	3.06	3.05			
		LENGTH-2	0.25 MM AS PER PP FOUND			OK	OK	OK	OK	OK			

INSPECTED BY:	*Jay Hadiyal*	*APPROVED BY:*	*Shreekant*

Conclusion :

☑ **Accept** ☐ **Reject** ☐ **Hold**

METAL MECH ENGINEERING CA PASSED

MetalMech-08500-FR-QX-08-Final Inspection Report-EX

INSP. No.	FIR-03	**Product Name**	REVERSIBLE ARMOUR RING	**Size**	1/2" NPT		**Drawing No.**	414004-01	**Date:**	08-10-2026	
Wo No.	26100069	**Total Quantity**	1000	**Lot Quantity**	1000		**Sample Size-**	2	**Variable & Gauging**	2PCS	

Sr. No.	**Checking Parameter**	**REQUIRED PARAMETER**		**OBSERVED RESULTS**					**REJECTION REWORK DETAIL**	**REMARK**	**CHECKED BY**
		PARAMETER	**CRITERIA**	**1**	**2**	**3**	**4**	**5**			
1	Visual	Surface	Fine, Clean	FINE	FINE	FINE	FINE	FINE		Measuring Instruments I.D No-	
		Sizewise No of Pcs. With Internal Parts	As per Drg. No. of Parts 16	16	16	16	16	16		**(1) DV-55**	
		Washing & Plating	Surface Finishing NA	NA	NA	NA	NA	NA		**(2) PP-01**	
		RUBBER MARKING	AS PER DRG. NA	NA	NA	NA	NA	NA			
		Marking	WO Ref. No. NA	NA	NA	NA	NA	NA		**ASM No :- CSEX260927-22**	
		Assembly Perfection	As per Drg.	OK	OK	OK	OK	OK			
		Inner Packing	Labeling & Printing	OK	OK	OK	OK	OK			
		Outer Packing	Printing & Stamping	OK	OK	OK	OK	OK			
		All Dimensions Are In MM									

			VALUE	-	+	1	2	3	4	5			
2	DIMENSION	T.L	9.00	8.80	9.20	9.00	9.00	9.01	9.00	8.99			
		O.D	23.00	22.70	23.30	22.90	22.89	22.91	22.90	22.89			
		GR.DIA	22.50	22.20	22.80	22.50	22.49	22.51	22.50	22.49			
		I.D-1	19.00	18.70	19.30	19.03	19.02	19.04	19.03	19.02			
		I.D-2	19.40	19.10	19.70	19.34	19.36	19.35	19.34	19.36			
		I.D-3	20.00	19.70	20.30	20.02	20.01	20.03	20.02	20.01			
		GR.LE	1.00	0.90	1.10	0.99	1.00	1.01	1.00	1.01			
		LENGTH	7.00	6.80	7.20	7.04	7.06	7.08	7.07	7.06			

INSPECTED BY:	*Jay Hadiyal*	*APPROVED BY:*	*Shreekant*

Conclusion :

☑ **Accept** ☐ **Reject** ☐ **Hold**

METALMECH ENGINEERING CA PASSED

MetalMech-08500-FR-QX-08-Final Inspection Report-EX

INSP. No.	FIR-03	Product Name	MIDDLE NUT	Size	1/2" NPT	Drawing No.	414002-01	Date:	08-10-2026
Wo No.	26100069	Total Quantity	1000	Lot Quantity	1000	Sample Size-	2	Variable & Gauging	2PCS

Sr. No.	Checking Parameter	REQUIRED PARAMETER			OBSERVED RESULTS					REJECTION REWORK DETAIL	REMARK	CHECKED BY
		PARAMETER	CRITERIA		1	2	3	4	5			
1	Visual	Surface	Fine, Clean		FINE	FINE	FINE	FINE	FINE		Measuring Instruments I.D No-	
		Sizewise No of Pcs. With Internal Parts	As per Drg. No. of Parts	16	16	16	16	16	16		(1) DV-55	
		Washing & Plating	Surface Finishing	NA	NA	NA	NA	NA	NA		(2) PP-01	
		RUBBER MARKING	AS PER DRG.	NA	NA	NA	NA	NA	NA			
		Marking	WO Ref. No.	NA	NA	NA	NA	NA	NA		ASM No :- CSEX260927-22	
		Assembly Perfection	As per Drg.		OK	OK	OK	OK	OK			
		Inner Packing	Labeling & Printing		OK	OK	OK	OK	OK			
		Outer Packing	Printing & Stamping		OK	OK	OK	OK	OK			
		All Dimensions Are In MM										
2	DIMENSION		VALUE	-	+	1	2	3	4	5			
		A/F	31.00	30.84	31.00	31.95	31.98	31.96	31.95	31.94		
		A/C	34.00	33.70	34.30	33.97	33.99	33.98	33.97	33.99		
		T.L	42.00	41.70	42.30	42.00	41.99	42.01	42.00	41.99		
		LENGTH	14.00	13.80	14.20	14.00	13.99	13.98	14.00	13.99		
		O.D	30.00	29.70	30.30	30.01	30.00	29.99	30.01	30.00		
		O.D.L	18.00	17.80	18.20	18.04	18.06	18.08	18.06	18.08		
		I.D-1	21.00	20.70	21.30	21.03	21.02	21.04	21.03	21.02		
		I.D-2	23.50	23.20	23.80	23.56	23.55	23.56	23.55	23.54		
		I.D-3	28.50	28.20	28.80	28.52	28.51	28.52	28.51	28.53		
		DEPTH-1	9.00	8.80	9.20	9.02	9.01	9.03	9.02	9.01		
		DEPTH-2	34.50	34.20	34.80	34.63	34.65	34.66	34.65	34.64		
		DEPTH-3	26.00	25.70	26.30	26.06	26.05	26.04	26.06	26.05		
		THREAD	M29x1.5 AS PER T.R.G GO NOT GO			OK	OK	OK	OK	OK		
		INT.THREAD	M27x1.5 AS PER P.G GO NOT GO			OK	OK	OK	OK	OK		

INSPECTED BY:	*Jay Hadiyal*	*APPROVED BY:*	*Shreekant*

Conclusion :

☑ **Accept** ☐ **Reject** ☐ **Hold**

METALMECH ENGINEERS QA PASSED

MetalMech-08500-FR-QX-08-Final Inspection Report-EX

INSP. No.	FIR-03	Product Name	BACK NUT	Size	1/2" NPT	Drawing No.	313003-01	Date:	08-10-2026
Wo No.	26100069	Total Quantity	1000	Lot Quantity	1000	Sample Size-	2	Variable & Gauging	2PCS

Sr. No.	Checking Parameter	REQUIRED PARAMETER			OBSERVED RESULTS					REJECTION REWORK DETAIL	REMARK	CHECKED BY
		PARAMETER	CRITERIA		1	2	3	4	5			
1	Visual	Surface	Fine, Clean		FINE	FINE	FINE	FINE	FINE		Measuring Instruments I.D No-	
		Sizewise No of Pcs. With Internal Parts	As per Drg. No. of Parts	16	16	16	16	16	16		(1) DV-55	
		Washing & Plating	Surface Finishing	NA	NA	NA	NA	NA	NA		(2) PP-01	
		RUBBER MARKING	AS PER DRG.	NA	NA	NA	NA	NA	NA			
		Marking	WO Ref. No.	NA	NA	NA	NA	NA	NA		ASM No :- CSEX260927-22	
		Assembly Perfection	As per Drg.		OK	OK	OK	OK	OK			
		Inner Packing	Labeling & Printing		OK	OK	OK	OK	OK			
		Outer Packing	Printing & Stamping		OK	OK	OK	OK	OK			
		All Dimensions Are In MM										

			VALUE	-	+	1	2	3	4	5			
2	DIMENSION	A/F	31.00	30.84	31.00	31.90	31.89	31.91	31.90	31.89			
		A/C	34.00	33.20	34.80	34.97	34.99	34.98	34.97	34.99			
		T.L	20.00	19.50	20.50	20.03	20.02	20.01	20.03	20.02			
		O.D	30.50	29.70	31.30	30.53	30.55	30.54	30.56	30.55			
		O.D.L	8.00	7.70	8.30	8.05	8.03	8.01	8.01	8.03			
		H.L	12.00	11.50	12.50	11.98	12.00	11.99	12.01	12.00			
		I.D	24.50	24.00	25.00	24.53	24.55	24.57	24.54	24.56			
		INT.THL	4.00	3.70	4.30	4.04	4.06	4.08	4.05	4.08			
		GR.ID	29.20	28.70	29.70	29.25	29.24	29.23	29.25	29.24			
		GR.LE	12.50	12.00	13.00	12.54	12.56	12.58	12.55	12.58			
		DEPTH	16.50	16.00	17.00	16.47	16.49	16.48	16.47	16.49			
		GR.ID	27.50	27.00	28.00	27.54	27.58	27.62	27.63	27.65			
		GR.LE	2.00	1.80	2.20	2.03	2.02	2.01	2.03	2.02			
		DEPTH	18.50	18.00	19.00	18.45	18.44	18.46	18.49	18.48			
		INT.THREAD	M29x1.5 AS PER P.G GO NOT GO			OK	OK	OK	OK	OK			
		CH.ANGLE	1x45° AS PER PP FOUND			OK	OK	OK	OK	OK			
		CH.ANGLE	0.5x45° AS PER PP FOUND			OK	OK	OK	OK	OK			
		CH.ANGLE	30° AS PER PP FOUND			OK	OK	OK	OK	OK			
		CH.ANGLE	45° AS PER PP FOUND			OK	OK	OK	OK	OK			

INSPECTED BY:	Jay Hadiyal	APPROVED BY:	Shreekant

Conclusion :

☑ **Accept** ☐ **Reject** ☐ **Hold**

METALMECH ENGINEERING QA PASSED

METAL MECH®
THE SAFEST CONNECTIONS

MetalMech-08500-FR-QX-08-Final Inspection Report-EX

INSP. No.	FIR-03	**Product Name**	OUTER SEAL	**Size**	1/2" NPT	**Drawing No.**	GE-01	**Date:**	08-10-2026
Wo No.	26100069	**Total Quantity**	1000	**Lot Quantity**	1000	**Sample Size-**	2	**Variable & Gauging**	2PCS

Sr. No.	**Checking Parameter**	**REQUIRED PARAMETER**			**OBSERVED RESULTS**					**REJECTION REWORK DETAIL**	**REMARK**	**CHECKED BY**
		PARAMETER	**CRITERIA**		**1**	**2**	**3**	**4**	**5**			
1	Visual	Surface	Fine, Clean		FINE	FINE	FINE	FINE	FINE		Measuring Instruments I.D No-	
		Sizewise No of Pcs. With Internal Parts	As per Drg. No. of Parts	16	16	16	16	16	16		**(1) DV-55**	
		Washing & Plating	Surface Finishing	NA	NA	NA	NA	NA	NA		**(2) PP-01**	
		RUBBER MARKING	AS PER DRG.	OK	OK	OK	OK	OK	OK			
		Marking	WO Ref. No.	NA	NA	NA	NA	NA	NA		**ASM No :- CSEX260927-22**	
		Assembly Perfection	As per Drg.		OK	OK	OK	OK	OK			
		Inner Packing	Labeling & Printing		OK	OK	OK	OK	OK			
		Outer Packing	Printing & Stamping		OK	OK	OK	OK	OK			
		All Dimensions Are In MM										
2	DIMENSION		VALUE	-	+	1	2	3	4	5			
		T.L	11.00	10.50	11.50	11.05	11.07	11.06	11.05	11.04		
		O.D	28.50	28.30	28.50	28.48	28.50	28.50	28.49	28.48		
		GR.LENGTH	3.50	3.20	3.80	3.54	3.56	3.55	3.58	3.56		
		I.D	20.90	20.90	21.00	20.93	20.95	20.94	20.96	20.95		

INSPECTED BY:	*Jay Hadiyal*	*APPROVED BY:*	*Shreekant*

Conclusion :

☑ **Accept** ☐ **Reject** ☐ **Hold**

METALMECH ENGINEERING QA PASSED

MetalMech-08500-FR-QX-08-Final Inspection Report-EX

INSP. No.	FIR-03	Product Name	OUTER RETAINING RING	Size	1/2" NPT	Drawing No.	OW-01	Date:	08-10-2026
Wo No.	26100069	Total Quantity	1000	Lot Quantity	1000	Sample Size-	2	Variable & Gauging	2PCS

Sr. No.	Checking Parameter	REQUIRED PARAMETER			OBSERVED RESULTS					REJECTION REWORK DETAIL	REMARK	CHECKED BY
		PARAMETER	CRITERIA		1	2	3	4	5			
1	Visual	Surface	Fine, Clean		FINE	FINE	FINE	FINE	FINE		Measuring Instruments I.D No-	
		Sizewise No of Pcs. With Internal Parts	As per Drg. No. of Parts	16	16	16	16	16	16		(1) DV-55	
		Washing & Plating	Surface Finishing	NA	NA	NA	NA	NA	NA		(2) PP-01	
		RUBBER MARKING	AS PER DRG.	NA	NA	NA	NA	NA	NA			
		Marking	WO Ref. No.	NA	NA	NA	NA	NA	NA		ASM No :- CSEX260927-22	
		Assembly Perfection	As per Drg.		OK	OK	OK	OK	OK			
		Inner Packing	Labeling & Printing		OK	OK	OK	OK	OK			
		Outer Packing	Printing & Stamping		OK	OK	OK	OK	OK			
		All Dimensions Are In MM										
2	DIMENSION		VALUE	-	+	1	2	3	4	5			
		T.L	6.50	6.20	6.80	6.54	6.56	6.58	6.56	6.55		
		O.D	27.00	27.00	27.10	27.05	27.04	27.05	27.04	27.06		
		O.D	24.50	24.30	24.50	24.43	24.45	24.46	24.45	24.47		
		O.D.L	4.00	4.00	4.10	4.05	4.07	4.08	4.06	4.05		
		I.D	6.50	6.50	6.60	6.56	6.55	6.55	6.54	6.56		

INSPECTED BY:	*Jay Hadiyal*	*APPROVED BY:*	*Shreekant*

Conclusion :

☑ **Accept** ☐ **Reject** ☐ **Hold**

METALMECH ENGINEERING QA PASSED

MetalMech-08500-FR-QX-08-Final Inspection Report-EX

INSP. No.	FIR-03	Product Name	EARTH TAG	Size	1/2" NPT	Drawing No.	-	Date:	08-10-2026
Wo No.	26100069	Total Quantity	1000	Lot Quantity	1000	Sample Size-	2	Variable & Gauging	2PCS

Sr. No.	Checking Parameter	REQUIRED PARAMETER			OBSERVED RESULTS					REJECTION REWORK DETAIL	REMARK	CHECKED BY
		PARAMETER	CRITERIA		1	2	3	4	5			
1	Visual	Surface	Fine, Clean		FINE	FINE	FINE	FINE	FINE		Measuring Instruments I.D No-	
		Sizewise No of Pcs. With Internal Parts	As per Drg. No. of Parts	16	16	16	16	16	16		(1) DV-55	
		Washing & Plating	Surface Finishing	NA	NA	NA	NA	NA	NA		(2) PP-01	
		RUBBER MARKING	AS PER DRG.	NA	NA	NA	NA	NA	NA			
		Marking	WO Ref. No.	NA	NA	NA	NA	NA	NA		ASM No :- CSEX260927-22	
		Assembly Perfection	As per Drg.		OK	OK	OK	OK	OK			
		Inner Packing	Labeling & Printing		OK	OK	OK	OK	OK			
		Outer Packing	Printing & Stamping		OK	OK	OK	OK	OK			
		All Dimensions Are In MM										
2	DIMENSION		VALUE	-	+	1	2	3	4	5			
		THICKNESS	1.50	1.30	1.70	1.45	1.48	1.46	1.45	1.48		
		O.D	30.20	29.40	31.00	30.19	30.21	30.23	30.20	30.21		
		O.D	13.20	12.70	13.70	13.25	13.23	13.21	13.22	13.24		
		I.D	22.00	21.50	22.50	22.08	22.07	22.06	22.05	22.08		
		I.D	6.50	6.20	6.80	6.54	6.56	6.55	6.58	6.56		

INSPECTED BY:	*Jay Hadiyal*	*APPROVED BY:*	*Shreekant*

Conclusion :

☑ **Accept** ☐ **Reject** ☐ **Hold**

METALMECH ENGINEERING QA PASSED

MetalMech-08500-FR-QX-08-Final Inspection Report-EX

INSP. No.	FIR-03	**Product Name**	SHROUD	**Size**	1/2" NPT	**Drawing No.**	C-2032	**Date:**	08-10-2026
Wo No.	26100069	**Total Quantity**	1000	**Lot Quantity**	1000	**Sample Size-**	2	Variable & Gauging	2PCS

Sr. No.	Checking Parameter	REQUIRED PARAMETER			OBSERVED RESULTS					REJECTION REWORK DETAIL	REMARK	CHECKED BY
		PARAMETER	CRITERIA		1	2	3	4	5			
1	Visual	Surface	Fine, Clean		FINE	FINE	FINE	FINE	FINE		Measuring Instruments I.D No-	
		Sizewise No of Pcs. With Internal Parts	As per Drg. No. of Parts	16	16	16	16	16	16		(1) DV-55	
		Washing & Plating	Surface Finishing	NA	NA	NA	NA	NA	NA		(2) PP-01	
		RUBBER MARKING	AS PER DRG.	NA	NA	NA	NA	NA	NA			
		Marking	WO Ref. No.	NA	NA	NA	NA	NA	NA		ASM No :- CSEX260927-22	
		Assembly Perfection	As per Drg.		OK	OK	OK	OK	OK			
		Inner Packing	Labeling & Printing		OK	OK	OK	OK	OK			
		Outer Packing	Printing & Stamping		OK	OK	OK	OK	OK			
		All Dimensions Are In MM										
2	DIMENSION		VALUE	-	+	1	2	3	4	5		
		T.L	130.00	129.20	130.80	130.25	130.28	130.26	130.23	130.25		
		I.D	32.00	31.20	32.80	32.25	32.22	32.25	32.24	32.26		

INSPECTED BY:	*Jay Hadiyal*	*APPROVED BY:*	*Shreekant*

Conclusion :

☑ **Accept** ☐ **Reject** ☐ **Hold**

METALMECH ENGINEERING QA PASSED

MetalMech-08500-FR-QX-08-Final Inspection Report-EX

INSP. No.	FIR-03	Product Name	STAR WASHER	Size	1/2" NPT	Drawing No.	-	Date:	08-10-2026
Wo No.	26100069	Total Quantity	1000	Lot Quantity	1000	Sample Size-	2	Variable & Gauging	2PCS

Sr. No.	Checking Parameter	REQUIRED PARAMETER			OBSERVED RESULTS					REJECTION REWORK DETAIL	REMARK	CHECKED BY
		PARAMETER	CRITERIA		1	2	3	4	5			
1	Visual	Surface	Fine, Clean		FINE	FINE	FINE	FINE	FINE		Measuring Instruments I.D No-	
		Sizewise No of Pcs. With Internal Parts	As per Drg. No. of Parts	16	16	16	16	16	16		(1) DV-55	
		Washing & Plating	Surface Finishing	NA	NA	NA	NA	NA	NA		(2) PP-01	
		RUBBER MARKING	AS PER DRG.	NA	NA	NA	NA	NA	NA			
		Marking	WO Ref. No.	NA	NA	NA	NA	NA	NA		ASM No :- CSEX260927-22	
		Assembly Perfection	As per Drg.		OK	OK	OK	OK	OK			
		Inner Packing	Labeling & Printing		OK	OK	OK	OK	OK			
		Outer Packing	Printing & Stamping		OK	OK	OK	OK	OK			
		All Dimensions Are In MM										
2	DIMENSION		VALUE	-	+	1	2	3	4	5		
		O.D	33.00	32.70	33.30	33.06	33.05	33.04	33.06	33.05		
		I.D	21.00	20.85	21.85	21.34	21.36	21.35	21.34	21.36		
		T.L	4.00	3.70	4.30	4.06	4.05	4.04	4.06	4.05		

INSPECTED BY:	*Jay Hadiyal*	*APPROVED BY:*	*Shreekant*

Conclusion :

☑ **Accept** ☐ **Reject** ☐ **Hold**

METALMECH ENGINEERING QA PASSED