

## MetalMech-08500-FR-QX-08-Final Inspection Report-EX

|               |                    |                                            |                              |       |              |                  |       |       |              |       |                               |                                  |            |
|---------------|--------------------|--------------------------------------------|------------------------------|-------|--------------|------------------|-------|-------|--------------|-------|-------------------------------|----------------------------------|------------|
| INSP. No.     | FIR-03             | Product Name                               | LOCK NUT                     |       | Size         |                  | M25   |       | Drawing No.  |       | DL2M                          | Date:                            | 31-08-2026 |
| Wo No.        | 26100072           | Total Quantity                             | 660                          |       | Lot Quantity |                  | 660   |       | Sample Size- |       | 5                             | Variable & Gauging               | 5PCS       |
| Sr. No.       | Checking Parameter | REQUIRED PARAMETER                         |                              |       |              | OBSERVED RESULTS |       |       |              |       | REJECTION<br>REWORK<br>DETAIL | REMARK                           | CHECKED BY |
|               |                    | PARAMETER                                  | CRITERIA                     |       |              | 1                | 2     | 3     | 4            | 5     |                               |                                  |            |
| 1             | Visual             | Surface                                    | Fine, Clean                  |       |              | FINE             | FINE  | FINE  | FINE         | FINE  |                               | Measuring<br>Instruments I.D No- |            |
|               |                    | Sizewise No of Pcs.<br>With Internal Parts | As per Drg. No.<br>of Parts  | 10    | 10           | 10               | 10    | 10    | 10           | 10    |                               | (1) DV-55                        |            |
|               |                    | Washing & Plating                          | Surface<br>Finishing         | NA    | NA           | NA               | NA    | NA    | NA           | NA    |                               | (2) PP-01                        |            |
|               |                    | RUBBER MARKING                             | AS PER DRG.                  | NA    | NA           | NA               | NA    | NA    | NA           | NA    |                               |                                  |            |
|               |                    | Marking                                    | WO Ref. No.                  | NA    | NA           | NA               | NA    | NA    | NA           | NA    |                               | ASM No :-<br>CSEX260828-02       |            |
|               |                    | Assembly Perfection                        | As per Drg.                  |       | OK           | OK               | OK    | OK    | OK           | OK    |                               |                                  |            |
|               |                    | Inner Packing                              | Labeling &<br>Printing       |       | OK           | OK               | OK    | OK    | OK           | OK    |                               |                                  |            |
|               |                    | Outer Packing                              | Printing & Stamping          |       |              | OK               | OK    | OK    | OK           | OK    |                               |                                  |            |
|               |                    | All Dimensions Are In MM                   |                              |       |              |                  |       |       |              |       |                               |                                  |            |
| 2             | DIMENSION          |                                            | VALUE                        | -     | +            | 1                | 2     | 3     | 4            | 5     |                               |                                  |            |
|               |                    | A/F                                        | 30.00                        | 29.84 | 30.00        | 29.93            | 29.95 | 29.94 | 29.95        | 29.93 |                               |                                  |            |
|               |                    | A/C                                        | 33.00                        | 32.20 | 33.80        | 33.03            | 33.02 | 33.03 | 33.02        | 33.01 |                               |                                  |            |
|               |                    | T.L                                        | 4.00                         | 3.70  | 4.30         | 4.06             | 4.05  | 4.04  | 4.05         | 4.04  |                               |                                  |            |
|               |                    | THREAD                                     | M25x1.5 AS PER P.G GO NOT GO |       |              | OK               | OK    | OK    | OK           | OK    |                               |                                  |            |
|               |                    | CH.ANGLE                                   | 30° AS PER PP FOUND          |       |              | OK               | OK    | OK    | OK           | OK    |                               |                                  |            |
|               |                    |                                            |                              |       |              |                  |       |       |              |       |                               |                                  |            |
| INSPECTED BY: |                    | Jay Hadiyal                                |                              |       | APPROVED BY: |                  |       |       | Shreekant    |       |                               |                                  |            |

Conclusion :



Accept



Reject



Hold



|  |                    | MetalMech-08500-FR-QX-08-Final Inspection Report-EX |                                |                                                                                      |       |                  |              |       |       |              |                         |            |                                |            |
|----------------------------------------------------------------------------------|--------------------|-----------------------------------------------------|--------------------------------|--------------------------------------------------------------------------------------|-------|------------------|--------------|-------|-------|--------------|-------------------------|------------|--------------------------------|------------|
| INSP. No.                                                                        | FIR-03             | Product Name                                        | ENTRY COMPONENT                |                                                                                      |       | Size             |              | M25   |       | Drawing No.  |                         | 313001M-02 | Date:                          | 31-08-2026 |
| Wo No.                                                                           | 26100072           | Total Quantity                                      | 660                            |                                                                                      |       | Lot Quantity     |              | 660   |       | Sample Size- |                         | 5          | Variable & Gauging             | 5PCS       |
| Sr. No.                                                                          | Checking Parameter | REQUIRED PARAMETER                                  |                                |                                                                                      |       | OBSERVED RESULTS |              |       |       |              | REJECTION REWORK DETAIL | REMARK     | CHECKED BY                     |            |
|                                                                                  |                    | PARAMETER                                           | CRITERIA                       |                                                                                      |       | 1                | 2            | 3     | 4     | 5            |                         |            |                                |            |
| 1                                                                                | Visual             | Surface                                             | Fine, Clean                    |                                                                                      |       | FINE             | FINE         | FINE  | FINE  | FINE         |                         |            | Measuring Instruments 1 P. No. |            |
|                                                                                  |                    | Size wise No of Pcs. With Internal Parts            | As per Drg. No. of Parts       | 10                                                                                   | 10    | 10               | 10           | 10    |       |              |                         |            | (1) DV-55                      |            |
|                                                                                  |                    | Washing & Plating                                   | Surface Finishing              | NA                                                                                   | NA    | NA               | NA           | NA    | NA    | NA           |                         |            | (2) PP-01                      |            |
|                                                                                  |                    | RUBBER MARKING                                      | AS PER DRG.                    | NA                                                                                   | NA    | NA               | NA           | NA    | NA    | NA           |                         |            |                                |            |
|                                                                                  |                    | Marking                                             | WO Ref. No.                    | Metalmech Logo MM-EX-A2F252MX6 2026 CE Logo 2460 Ex Logo II 2 GD Ex db IIC Gb, Ex eb |       |                  | OK           | OK    | OK    | OK           | OK                      |            | ASM No :- CSEX260828-02        |            |
|                                                                                  |                    | Assembly Perfection                                 |                                | As per Drg.                                                                          |       |                  | OK           | OK    | OK    | OK           | OK                      |            |                                |            |
|                                                                                  |                    | Inner Packing                                       | Labeling & Printing            |                                                                                      |       |                  | OK           | OK    | OK    | OK           | OK                      |            |                                |            |
|                                                                                  |                    | Outer Packing                                       | Printing & Stamping            |                                                                                      |       | OK               | OK           | OK    | OK    | OK           |                         |            |                                |            |
|                                                                                  |                    | All Dimensions Are In MM                            |                                |                                                                                      |       |                  |              |       |       |              |                         |            |                                |            |
| 2                                                                                | DIMENSION          |                                                     | VALUE                          | -                                                                                    | +     | 1                | 2            | 3     | 4     | 5            |                         |            |                                |            |
|                                                                                  |                    | A/F                                                 | 36.00                          | 35.84                                                                                | 36.00 | 35.87            | 35.90        | 35.90 | 35.89 | 35.90        |                         |            |                                |            |
|                                                                                  |                    | A/C                                                 | 40.00                          | 39.20                                                                                | 40.80 | 39.95            | 39.98        | 39.96 | 39.95 | 39.94        |                         |            |                                |            |
|                                                                                  |                    | T.L                                                 | 37.00                          | 37.00                                                                                | 37.50 | 37.25            | 37.28        | 37.26 | 37.27 | 37.29        |                         |            |                                |            |
|                                                                                  |                    | TH.L                                                | 13.00                          | 12.50                                                                                | 13.50 | 13.05            | 13.04        | 13.03 | 13.05 | 13.04        |                         |            |                                |            |
|                                                                                  |                    | LENGTH                                              | 17.00                          | 17.00                                                                                | 17.50 | 17.22            | 17.21        | 17.23 | 17.25 | 17.24        |                         |            |                                |            |
|                                                                                  |                    | GR.OD                                               | 23.00                          | 22.50                                                                                | 23.50 | 22.97            | 22.96        | 22.98 | 22.98 | 23.00        |                         |            |                                |            |
|                                                                                  |                    | GR.LE                                               | 2.50                           | 2.30                                                                                 | 2.70  | 2.52             | 2.51         | 2.53  | 2.55  | 2.54         |                         |            |                                |            |
|                                                                                  |                    | O.D                                                 | 35.00                          | 34.20                                                                                | 35.80 | 34.95            | 34.94        | 34.95 | 34.96 | 34.95        |                         |            |                                |            |
|                                                                                  |                    | O.D.L                                               | 11.00                          | 10.50                                                                                | 11.50 | 11.01            | 11.03        | 11.02 | 11.04 | 11.06        |                         |            |                                |            |
|                                                                                  |                    | H.L                                                 | 9.00                           | 8.50                                                                                 | 9.50  | 9.05             | 9.03         | 9.05  | 9.04  | 9.06         |                         |            |                                |            |
|                                                                                  |                    | LD                                                  | 20.00                          | 19.50                                                                                | 20.50 | 20.04            | 20.03        | 20.05 | 20.02 | 20.03        |                         |            |                                |            |
|                                                                                  |                    | INT.TH.L                                            | 14.50                          | 14.00                                                                                | 15.00 | 14.54            | 14.56        | 14.55 | 14.54 | 14.56        |                         |            |                                |            |
|                                                                                  |                    | THREAD                                              | M25x1.5 AS PER T.R.G GO NOT GO |                                                                                      |       | OK               | OK           | OK    | OK    | OK           |                         |            |                                |            |
|                                                                                  |                    | INT.THREAD                                          | M32x1.5 AS PER P.G GO NOT GO   |                                                                                      |       | OK               | OK           | OK    | OK    | OK           |                         |            |                                |            |
|                                                                                  |                    | CH.ANGLE                                            | 0.5x45° AS PER PP FOUND        |                                                                                      |       | OK               | OK           | OK    | OK    | OK           |                         |            |                                |            |
|                                                                                  |                    | CH.ANGLE                                            | 1.5x45° AS PER PP FOUND        |                                                                                      |       | OK               | OK           | OK    | OK    | OK           |                         |            |                                |            |
|                                                                                  |                    | CH.ANGLE                                            | 20° AS PER PP FOUND            |                                                                                      |       | OK               | OK           | OK    | OK    | OK           |                         |            |                                |            |
|                                                                                  |                    | ANGLE                                               | 90° AS PER PP FOUND            |                                                                                      |       | OK               | OK           | OK    | OK    | OK           |                         |            |                                |            |
|                                                                                  |                    | INSPECTED BY:                                       |                                | Jay Hadiyal                                                                          |       |                  | APPROVED BY: |       |       | Shreekant    |                         |            |                                |            |

Conclusion :

☒ Accept

☐ Reject

☐ Hold





### MetalMech-08500-FR-QX-08-Final Inspection Report-EX

|               |                    |                                            |                                |       |              |                  |       |       |              |                               |           |                                  |            |
|---------------|--------------------|--------------------------------------------|--------------------------------|-------|--------------|------------------|-------|-------|--------------|-------------------------------|-----------|----------------------------------|------------|
| INSP. No.     | FIR-03             | Product Name                               | BACK NUT                       |       | Size         |                  | M25   |       | Drawing No.  |                               | 314006-02 | Date:                            | 31-08-2026 |
| Wo No.        | 26100072           | Total Quantity                             | 660                            |       | Lot Quantity |                  | 660   |       | Sample Size- |                               | 5         | Variable & Gauging               | 5PCS       |
| Sr. No.       | Checking Parameter | REQUIRED PARAMETER                         |                                |       |              | OBSERVED RESULTS |       |       |              | REJECTION<br>REWORK<br>DETAIL | REMARK    | CHECKED BY                       |            |
|               |                    | PARAMETER                                  | CRITERIA                       |       |              | 1                | 2     | 3     | 4            |                               |           |                                  | 5          |
| 1             | Visual             | Surface                                    | Fine, Clean                    |       |              | FINE             | FINE  | FINE  | FINE         | FINE                          |           | Measuring<br>Instruments I.D No- |            |
|               |                    | Sizewise No of Pcs.<br>With Internal Parts | As per Drg. No.<br>of Parts    | 10    | 10           | 10               | 10    | 10    | 10           | 10                            |           | (1) DV-55                        |            |
|               |                    | Washing & Plating                          | Surface<br>Finishing           | NA    | NA           | NA               | NA    | NA    | NA           | NA                            |           | (2) PP-01                        |            |
|               |                    | RUBBER MARKING                             | AS PER DRG.                    | NA    | NA           | NA               | NA    | NA    | NA           | NA                            |           |                                  |            |
|               |                    | Marking                                    | WO Ref. No.                    | NA    | NA           | NA               | NA    | NA    | NA           | NA                            |           | ASM No :-<br>CSEX260828-02       |            |
|               |                    | Assembly Perfection                        | As per Drg.                    |       |              | OK               | OK    | OK    | OK           | OK                            |           |                                  |            |
|               |                    | Inner Packing                              | Labeling &<br>Printing         |       | OK           | OK               | OK    | OK    | OK           | OK                            |           |                                  |            |
|               |                    | Outer Packing                              | Printing & Stamping            |       |              | OK               | OK    | OK    | OK           | OK                            |           |                                  |            |
|               |                    | All Dimensions Are In MM                   |                                |       |              |                  |       |       |              |                               |           |                                  |            |
| 2             | DIMENSION          |                                            | VALUE                          | -     | +            | 1                | 2     | 3     | 4            | 5                             |           |                                  |            |
|               |                    | A/F                                        | 36.00                          | 35.84 | 36.00        | 35.93            | 35.92 | 35.95 | 35.94        | 35.96                         |           |                                  |            |
|               |                    | A/C                                        | 40.00                          | 39.50 | 40.50        | 39.99            | 40.00 | 39.98 | 39.97        | 39.99                         |           |                                  |            |
|               |                    | T.L                                        | 18.00                          | 17.50 | 18.50        | 18.01            | 18.03 | 18.02 | 18.05        | 18.04                         |           |                                  |            |
|               |                    | TH.L                                       | 13.50                          | 13.00 | 14.00        | 13.55            | 13.58 | 13.56 | 13.55        | 13.54                         |           |                                  |            |
|               |                    | GR.DIA                                     | 30.00                          | 29.50 | 30.50        | 30.03            | 30.05 | 30.04 | 30.03        | 30.05                         |           |                                  |            |
|               |                    | GR.LE                                      | 1.50                           | 1.30  | 1.70         | 1.53             | 1.55  | 1.54  | 1.56         | 1.55                          |           |                                  |            |
|               |                    | H.L                                        | 4.50                           | 4.20  | 4.80         | 4.55             | 4.53  | 4.56  | 4.54         | 4.59                          |           |                                  |            |
|               |                    | I.D                                        | 26.50                          | 26.00 | 27.00        | 26.52            | 26.51 | 26.53 | 26.51        | 26.52                         |           |                                  |            |
|               |                    | THREAD                                     | M32x1.5 AS PER T.R.G GO NOT GO |       |              | OK               | OK    | OK    | OK           | OK                            |           |                                  |            |
|               |                    | CH.ANGLE                                   | 0.5x45° AS PER PP FOUND        |       |              | OK               | OK    | OK    | OK           | OK                            |           |                                  |            |
|               |                    | CH.ANGLE                                   | 1.5x45° AS PER PP FOUND        |       |              | OK               | OK    | OK    | OK           | OK                            |           |                                  |            |
|               |                    | CH.ANGLE                                   | 20° AS PER PP FOUND            |       |              | OK               | OK    | OK    | OK           | OK                            |           |                                  |            |
|               |                    | RADIUS                                     | 3 MM AS PER PP FOUND           |       |              | OK               | OK    | OK    | OK           | OK                            |           |                                  |            |
|               |                    |                                            |                                |       |              |                  |       |       |              |                               |           |                                  |            |
| INSPECTED BY: |                    | Jay Hadiyal                                |                                |       | APPROVED BY: |                  |       |       | Shreekant    |                               |           |                                  |            |

Conclusion :



Accept



Reject



Hold



## MetalMech-08500-FR-QX-08-Final Inspection Report-EX

|               |                    |                                         |                           |       |              |                  |       |       |              |       |                               |                               |            |  |
|---------------|--------------------|-----------------------------------------|---------------------------|-------|--------------|------------------|-------|-------|--------------|-------|-------------------------------|-------------------------------|------------|--|
| INSP. No.     | FIR-03             | Product Name                            | COMPRESSIBLE SEALING RING |       | Size         |                  | M25   |       | Drawing No.  |       | GI-02                         | Date:                         | 31-08-2026 |  |
| Wo No.        | 26100072           | Total Quantity                          | 660                       |       | Lot Quantity |                  | 660   |       | Sample Size- |       | 5                             | Variable & Gauging            | 5PCS       |  |
| Sr. No.       | Checking Parameter | REQUIRED PARAMETER                      |                           |       |              | OBSERVED RESULTS |       |       |              |       | REJECTION<br>REWORK<br>DETAIL | REMARK                        | CHECKED BY |  |
|               |                    | PARAMETER                               | CRITERIA                  |       |              | 1                | 2     | 3     | 4            | 5     |                               |                               |            |  |
| 1             | Visual             | Surface                                 | Fine, Clean               |       |              | FINE             | FINE  | FINE  | FINE         | FINE  |                               |                               |            |  |
|               |                    | Sizewise No of Pcs. With Internal Parts | As per Drg. No. of Parts  | 10    | 10           | 10               | 10    | 10    | 10           | 10    |                               | Measuring Instruments I.D No- |            |  |
|               |                    | Washing & Plating                       | Surface Finishing         | NA    | NA           | NA               | NA    | NA    | NA           | NA    |                               | (1) DV-55                     |            |  |
|               |                    | RUBBER MARKING                          | AS PER DRG.               | OK    | OK           | OK               | OK    | OK    | OK           | OK    |                               | (2) PP-01                     |            |  |
|               |                    | Marking                                 | WO Ref. No.               | NA    | NA           | NA               | NA    | NA    | NA           | NA    |                               | ASM No :-<br>CSEX260828-02    |            |  |
|               |                    | Assembly Perfection                     | As per Drg.               |       | OK           | OK               | OK    | OK    | OK           | OK    |                               |                               |            |  |
|               |                    | Inner Packing                           | Labeling & Printing       |       | OK           | OK               | OK    | OK    | OK           | OK    |                               |                               |            |  |
|               |                    | Outer Packing                           | Printing & Stamping       |       |              | OK               | OK    | OK    | OK           | OK    | OK                            |                               |            |  |
|               |                    | All Dimensions Are In MM                |                           |       |              |                  |       |       |              |       |                               |                               |            |  |
| 2             | DIMENSION          |                                         | VALUE                     | -     | +            | 1                | 2     | 3     | 4            | 5     |                               |                               |            |  |
|               |                    | T.L                                     | 14.00                     | 13.50 | 14.50        | 13.55            | 13.58 | 13.56 | 13.54        | 13.56 |                               |                               |            |  |
|               |                    | O.D                                     | 30.50                     | 30.30 | 30.50        | 30.36            | 30.39 | 30.37 | 30.38        | 30.39 |                               |                               |            |  |
|               |                    | O.D.L                                   | 9.00                      | 8.50  | 9.50         | 8.59             | 8.54  | 8.56  | 8.56         | 8.55  |                               |                               |            |  |
|               |                    | O.D.L                                   | 5.00                      | 4.70  | 5.30         | 5.05             | 5.04  | 5.03  | 5.05         | 5.04  |                               |                               |            |  |
|               |                    | I.D                                     | 19.80                     | 19.80 | 20.00        | 19.88            | 19.90 | 19.91 | 19.91        | 19.93 |                               |                               |            |  |
|               |                    |                                         |                           |       |              |                  |       |       |              |       |                               |                               |            |  |
| INSPECTED BY: |                    | Jay Hadiyal                             |                           |       | APPROVED BY: |                  |       |       | Shreekant    |       |                               |                               |            |  |

Conclusion :



Accept



Reject



Hold



## MetalMech-08500-FR-QX-08-Final Inspection Report-EX

|               |                    |                                            |                             |       |              |                  |       |       |              |       |                               |                                  |            |  |
|---------------|--------------------|--------------------------------------------|-----------------------------|-------|--------------|------------------|-------|-------|--------------|-------|-------------------------------|----------------------------------|------------|--|
| INSP. No.     | FIR-03             | Product Name                               | SKID WASHER                 |       | Size         |                  | M25   |       | Drawing No.  |       | IW-02                         | Date:                            | 31-08-2026 |  |
| Wo No.        | 26100072           | Total Quantity                             | 660                         |       | Lot Quantity |                  | 660   |       | Sample Size- |       | 5                             | Variable & Gauging               | 5PCS       |  |
| Sr. No.       | Checking Parameter | REQUIRED PARAMETER                         |                             |       |              | OBSERVED RESULTS |       |       |              |       | REJECTION<br>REWORK<br>DETAIL | REMARK                           | CHECKED BY |  |
|               |                    | PARAMETER                                  | CRITERIA                    |       |              | 1                | 2     | 3     | 4            | 5     |                               |                                  |            |  |
| 1             | Visual             | Surface                                    | Fine, Clean                 |       |              | FINE             | FINE  | FINE  | FINE         | FINE  |                               | Measuring<br>Instruments I.D No- |            |  |
|               |                    | Sizewise No of Pcs.<br>With Internal Parts | As per Drg. No.<br>of Parts | 10    | 10           | 10               | 10    | 10    | 10           | 10    |                               | (1) DV-55                        |            |  |
|               |                    | Washing & Plating                          | Surface<br>Finishing        | NA    | NA           | NA               | NA    | NA    | NA           | NA    |                               | (2) PP-01                        |            |  |
|               |                    | RUBBER MARKING                             | AS PER DRG.                 | NA    | NA           | NA               | NA    | NA    | NA           | NA    |                               |                                  |            |  |
|               |                    | Marking                                    | WO Ref. No.                 | NA    | NA           | NA               | NA    | NA    | NA           | NA    |                               | ASM No :-<br>CSEX260828-02       |            |  |
|               |                    | Assembly Perfection                        | As per Drg.                 |       | OK           | OK               | OK    | OK    | OK           | OK    |                               |                                  |            |  |
|               |                    | Inner Packing                              | Labeling &<br>Printing      |       | OK           | OK               | OK    | OK    | OK           | OK    |                               |                                  |            |  |
|               |                    | Outer Packing                              | Printing & Stamping         |       |              | OK               | OK    | OK    | OK           | OK    | OK                            |                                  |            |  |
|               |                    | All Dimensions Are In MM                   |                             |       |              |                  |       |       |              |       |                               |                                  |            |  |
| 2             | DIMENSION          |                                            | VALUE                       | -     | +            | 1                | 2     | 3     | 4            | 5     |                               |                                  |            |  |
|               |                    | T.L                                        | 5.00                        | 4.70  | 5.30         | 5.02             | 5.04  | 5.06  | 5.08         | 5.06  |                               |                                  |            |  |
|               |                    | O.D                                        | 30.00                       | 29.80 | 30.00        | 29.95            | 29.93 | 29.94 | 29.95        | 29.94 |                               |                                  |            |  |
|               |                    | O.D.L                                      | 3.00                        | 3.00  | 3.20         | 3.03             | 3.05  | 3.04  | 3.04         | 3.06  |                               |                                  |            |  |
|               |                    | O.D                                        | 26.00                       | 25.80 | 26.00        | 25.96            | 25.95 | 25.94 | 25.95        | 25.94 |                               |                                  |            |  |
|               |                    | I.D                                        | 19.90                       | 19.90 | 20.10        | 19.94            | 19.96 | 19.95 | 19.94        | 19.96 |                               |                                  |            |  |
|               |                    |                                            |                             |       |              |                  |       |       |              |       |                               |                                  |            |  |
| INSPECTED BY: |                    | Jay Hadiyal                                |                             |       | APPROVED BY: |                  |       |       | Shreekant    |       |                               |                                  |            |  |

Conclusion :



Accept



Reject



Hold





## MetalMech-08500-FR-QX-08-Final Inspection Report-EX

| INSP. No.     | FIR-03             | Product Name                               | O-RING                      | Size         | M25              | Drawing No.  | OR-2M | Date:              | 31-08-2026 |                               |                                  |            |
|---------------|--------------------|--------------------------------------------|-----------------------------|--------------|------------------|--------------|-------|--------------------|------------|-------------------------------|----------------------------------|------------|
| Wo No.        | 26100072           | Total Quantity                             | 660                         | Lot Quantity | 660              | Sample Size- | 5     | Variable & Gauging | 5PCS       |                               |                                  |            |
| Sr. No.       | Checking Parameter | REQUIRED PARAMETER                         |                             |              | OBSERVED RESULTS |              |       |                    |            | REJECTION<br>REWORK<br>DETAIL | REMARK                           | CHECKED BY |
|               |                    | PARAMETER                                  | CRITERIA                    |              | 1                | 2            | 3     | 4                  | 5          |                               |                                  |            |
| 1             | Visual             | Surface                                    | Fine, Clean                 |              | FINE             | FINE         | FINE  | FINE               | FINE       |                               | Measuring<br>Instruments I.D No- |            |
|               |                    | Sizewise No of Pcs.<br>With Internal Parts | As per Drg. No.<br>of Parts | 10           | 10               | 10           | 10    | 10                 | 10         |                               | (1) DV-55                        |            |
|               |                    | Washing & Plating                          | Surface<br>Finishing        | NA           | NA               | NA           | NA    | NA                 | NA         |                               | (2) PP-01                        |            |
|               |                    | RUBBER MARKING                             | AS PER DRG.                 | NA           | NA               | NA           | NA    | NA                 | NA         |                               |                                  |            |
|               |                    | Marking                                    | WO Ref. No.                 | NA           | NA               | NA           | NA    | NA                 | NA         |                               | ASM No :-<br>CSEX260828-02       |            |
|               |                    | Assembly Perfection                        | As per Drg.                 |              | OK               | OK           | OK    | OK                 | OK         |                               |                                  |            |
|               |                    | Inner Packing                              | Labeling &<br>Printing      |              | OK               | OK           | OK    | OK                 | OK         |                               |                                  |            |
|               |                    | Outer Packing                              | Printing & Stamping         |              | OK               | OK           | OK    | OK                 | OK         |                               |                                  |            |
|               |                    | All Dimensions Are In MM                   |                             |              |                  |              |       |                    |            |                               |                                  |            |
| 2             | DIMENSION          |                                            | VALUE                       | -            | +                | 1            | 2     | 3                  | 4          | 5                             |                                  |            |
|               |                    | THICKNESS                                  | 2.50                        | 2.00         | 2.50             | 2.05         | 2.04  | 2.03               | 2.06       | 2.05                          |                                  |            |
|               |                    | I.D                                        | 20.00                       | 19.50        | 20.50            | 20.04        | 20.06 | 20.08              | 20.05      | 20.06                         |                                  |            |
|               |                    |                                            |                             |              |                  |              |       |                    |            |                               |                                  |            |
| INSPECTED BY: |                    | Jay Hadiyal                                |                             |              | APPROVED BY:     |              |       |                    | Shreekant  |                               |                                  |            |

Conclusion :



Accept



Reject



Hold



## MetalMech-08500-FR-QX-08-Final Inspection Report-EX

|               |                    |                                         |                          |       |              |                  |       |       |              |       |                               |                               |            |
|---------------|--------------------|-----------------------------------------|--------------------------|-------|--------------|------------------|-------|-------|--------------|-------|-------------------------------|-------------------------------|------------|
| INSP. No.     | FIR-03             | Product Name                            | EARTH TAG                |       | Size         |                  | M25   |       | Drawing No.  |       | -                             | Date:                         | 31-08-2026 |
| Wo No.        | 26100072           | Total Quantity                          | 660                      |       | Lot Quantity |                  | 660   |       | Sample Size- |       | 5                             | Variable & Gauging            | 5PCS       |
| Sr. No.       | Checking Parameter | REQUIRED PARAMETER                      |                          |       |              | OBSERVED RESULTS |       |       |              |       | REJECTION<br>REWORK<br>DETAIL | REMARK                        | CHECKED BY |
|               |                    | PARAMETER                               | CRITERIA                 |       |              | 1                | 2     | 3     | 4            | 5     |                               |                               |            |
| 1             | Visual             | Surface                                 | Fine, Clean              |       |              | FINE             | FINE  | FINE  | FINE         | FINE  |                               |                               |            |
|               |                    | Sizewise No of Pcs. With Internal Parts | As per Drg. No. of Parts | 10    | 10           | 10               | 10    | 10    | 10           | 10    |                               | Measuring Instruments I.D No- |            |
|               |                    | Washing & Plating                       | Surface Finishing        | NA    | NA           | NA               | NA    | NA    | NA           | NA    |                               | (1) DV-55                     |            |
|               |                    | RUBBER MARKING                          | AS PER DRG.              | NA    | NA           | NA               | NA    | NA    | NA           | NA    |                               | (2) PP-01                     |            |
|               |                    | Marking                                 | WO Ref. No.              | NA    | NA           | NA               | NA    | NA    | NA           | NA    |                               | ASM No :-<br>CSEX260828-02    |            |
|               |                    | Assembly Perfection                     | As per Drg.              |       |              | OK               | OK    | OK    | OK           | OK    |                               |                               |            |
|               |                    | Inner Packing                           | Labeling & Printing      |       | OK           | OK               | OK    | OK    | OK           | OK    |                               |                               |            |
|               |                    | Outer Packing                           | Printing & Stamping      |       |              | OK               | OK    | OK    | OK           | OK    |                               |                               |            |
|               |                    | All Dimensions Are In MM                |                          |       |              |                  |       |       |              |       |                               |                               |            |
| 2             | DIMENSION          |                                         | VALUE                    | -     | +            | 1                | 2     | 3     | 4            | 5     |                               |                               |            |
|               |                    | THICKNESS                               | 1.50                     | 1.30  | 1.70         | 1.54             | 1.56  | 1.55  | 1.53         | 1.55  |                               |                               |            |
|               |                    | O.D                                     | 37.00                    | 36.20 | 37.80        | 37.25            | 37.23 | 37.26 | 37.25        | 37.24 |                               |                               |            |
|               |                    | O.D                                     | 13.20                    | 12.70 | 13.70        | 13.38            | 13.36 | 13.35 | 13.36        | 13.35 |                               |                               |            |
|               |                    | I.D                                     | 27.00                    | 26.50 | 27.50        | 27.05            | 27.07 | 27.09 | 27.07        | 27.09 |                               |                               |            |
|               |                    | I.D                                     | 6.50                     | 6.20  | 6.80         | 6.54             | 6.56  | 6.58  | 6.55         | 6.59  |                               |                               |            |
|               |                    |                                         |                          |       |              |                  |       |       |              |       |                               |                               |            |
| INSPECTED BY: |                    | Jay Hadiyal                             |                          |       | APPROVED BY: |                  |       |       | Shreekant    |       |                               |                               |            |

Conclusion :



Accept



Reject



Hold





MetalMech-08500-FR-QX-08-Final Inspection Report-EX

|               |                    |                                            |                             |       |                  |       |       |              |       |                               |                                  |            |
|---------------|--------------------|--------------------------------------------|-----------------------------|-------|------------------|-------|-------|--------------|-------|-------------------------------|----------------------------------|------------|
| INSP. No.     | FIR-03             | Product Name                               | SHROUD                      |       | Size             | M25   |       | Drawing No.  | -     | Date:                         | 31-08-2026                       |            |
| Wo No.        | 26100072           | Total Quantity                             | 660                         |       | Lot Quantity     | 660   |       | Sample Size- | 5     | Variable & Gauging            | 5PCS                             |            |
| Sr. No.       | Checking Parameter | REQUIRED PARAMETER                         |                             |       | OBSERVED RESULTS |       |       |              |       | REJECTION<br>REWORK<br>DETAIL | REMARK                           | CHECKED BY |
|               |                    | PARAMETER                                  | CRITERIA                    |       | 1                | 2     | 3     | 4            | 5     |                               |                                  |            |
| 1             | Visual             | Surface                                    | Fine, Clean                 |       | FINE             | FINE  | FINE  | FINE         | FINE  |                               | Measuring<br>Instruments I.D No- |            |
|               |                    | Sizewise No of Pcs.<br>With Internal Parts | As per Drg. No.<br>of Parts | 10    | 10               | 10    | 10    | 10           | 10    |                               | (1) DV-55                        |            |
|               |                    | Washing & Plating                          | Surface<br>Finishing        | NA    | NA               | NA    | NA    | NA           | NA    |                               | (2) PP-01                        |            |
|               |                    | RUBBER MARKING                             | AS PER DRG.                 | NA    | NA               | NA    | NA    | NA           | NA    |                               |                                  |            |
|               |                    | Marking                                    | WO Ref. No.                 | NA    | NA               | NA    | NA    | NA           | NA    |                               | ASM No :-<br>CSEX260828-02       |            |
|               |                    | Assembly Perfection                        | As per Drg.                 |       | OK               | OK    | OK    | OK           | OK    |                               |                                  |            |
|               |                    | Inner Packing                              | Labeling &<br>Printing      |       | OK               | OK    | OK    | OK           | OK    |                               |                                  |            |
|               |                    | Outer Packing                              | Printing & Stamping         |       | OK               | OK    | OK    | OK           | OK    |                               |                                  |            |
|               |                    | All Dimensions Are In MM                   |                             |       |                  |       |       |              |       |                               |                                  |            |
| 2             | DIMENSION          |                                            | VALUE                       | -     | +                | 1     | 2     | 3            | 4     | 5                             |                                  |            |
|               |                    | T.L                                        | 95.00                       | 94.20 | 95.80            | 95.11 | 95.10 | 95.09        | 95.09 | 95.08                         |                                  |            |
|               |                    | I.D                                        | 38.00                       | 37.20 | 38.80            | 38.05 | 38.04 | 38.06        | 38.05 | 38.09                         |                                  |            |
|               |                    |                                            |                             |       |                  |       |       |              |       |                               |                                  |            |
| INSPECTED BY: |                    | Jay Hadiyal                                |                             |       | APPROVED BY:     |       |       | Shreekant    |       |                               |                                  |            |

Conclusion : ☒ Accept ☐ Reject ☐ Hold







MetalMech-08500-FR-QX-08-Final Inspection Report-EX

|               |                    |                                            |                             |              |                  |              |       |                    |            |                               |                                  |            |  |
|---------------|--------------------|--------------------------------------------|-----------------------------|--------------|------------------|--------------|-------|--------------------|------------|-------------------------------|----------------------------------|------------|--|
| INSP. No.     | FIR-03             | Product Name                               | NYLON WASHER                | Size         | M25              | Drawing No.  | -     | Date:              | 31-08-2026 |                               |                                  |            |  |
| Wo No.        | 26100072           | Total Quantity                             | 660                         | Lot Quantity | 660              | Sample Size- | 5     | Variable & Gauging | 5PCS       |                               |                                  |            |  |
| Sr. No.       | Checking Parameter | REQUIRED PARAMETER                         |                             |              | OBSERVED RESULTS |              |       |                    |            | REJECTION<br>REWORK<br>DETAIL | REMARK                           | CHECKED BY |  |
|               |                    | PARAMETER                                  | CRITERIA                    |              | 1                | 2            | 3     | 4                  | 5          |                               |                                  |            |  |
| 1             | Visual             | Surface                                    | Fine, Clean                 |              | FINE             | FINE         | FINE  | FINE               | FINE       |                               | Measuring<br>Instruments I.D No- |            |  |
|               |                    | Sizewise No of Pcs.<br>With Internal Parts | As per Drg. No.<br>of Parts | 10           | 10               | 10           | 10    | 10                 | 10         |                               | (1) DV-55                        |            |  |
|               |                    | Washing & Plating                          | Surface<br>Finishing        | NA           | NA               | NA           | NA    | NA                 | NA         |                               | (2) PP-01                        |            |  |
|               |                    | RUBBER MARKING                             | AS PER DRG.                 | NA           | NA               | NA           | NA    | NA                 | NA         |                               |                                  |            |  |
|               |                    | Marking                                    | WO Ref. No.                 | NA           | NA               | NA           | NA    | NA                 | NA         |                               | ASM No :-<br>CSEX260828-02       |            |  |
|               |                    | Assembly Perfection                        | As per Drg.                 |              | OK               | OK           | OK    | OK                 | OK         |                               |                                  |            |  |
|               |                    | Inner Packing                              | Labeling &<br>Printing      |              | OK               | OK           | OK    | OK                 | OK         |                               |                                  |            |  |
|               |                    | Outer Packing                              | Printing & Stamping         |              | OK               | OK           | OK    | OK                 | OK         |                               |                                  |            |  |
|               |                    | All Dimensions Are In MM                   |                             |              |                  |              |       |                    |            |                               |                                  |            |  |
| 2             | DIMENSION          |                                            | VALUE                       | -            | +                | 1            | 2     | 3                  | 4          | 5                             |                                  |            |  |
|               |                    | THICKNESS                                  | 1.50                        | 1.30         | 1.70             | 1.44         | 1.46  | 1.45               | 1.45       | 1.44                          |                                  |            |  |
|               |                    | I.D                                        | 25.00                       | 24.50        | 25.50            | 25.29        | 25.28 | 25.27              | 25.26      | 25.29                         |                                  |            |  |
|               |                    |                                            |                             |              |                  |              |       |                    |            |                               |                                  |            |  |
| INSPECTED BY: |                    | Jay Hadiyal                                |                             |              | APPROVED BY:     |              |       |                    | Shreekant  |                               |                                  |            |  |

Conclusion : ☒ Accept ☐ Reject ☐ Hold





MetalMech-08500-FR-QX-08-Final Inspection Report-EX

|               |                    |                                         |                          |       |              |                  |       |              |           |                    |                               |                               |            |
|---------------|--------------------|-----------------------------------------|--------------------------|-------|--------------|------------------|-------|--------------|-----------|--------------------|-------------------------------|-------------------------------|------------|
| INSP. No.     | FIR-03             | Product Name                            | STAR WASHER              |       | Size         | M25              |       | Drawing No.  | -         | Date:              | 31-08-2026                    |                               |            |
| Wo No.        | 26100072           | Total Quantity                          | 660                      |       | Lot Quantity | 660              |       | Sample Size- | 5         | Variable & Gauging | 5PCS                          |                               |            |
| Sr. No.       | Checking Parameter | REQUIRED PARAMETER                      |                          |       |              | OBSERVED RESULTS |       |              |           |                    | REJECTION<br>REWORK<br>DETAIL | REMARK                        | CHECKED BY |
|               |                    | PARAMETER                               | CRITERIA                 |       |              | 1                | 2     | 3            | 4         | 5                  |                               |                               |            |
| 1             | Visual             | Surface                                 | Fine, Clean              |       |              | FINE             | FINE  | FINE         | FINE      | FINE               |                               |                               |            |
|               |                    | Sizewise No of Pcs. With Internal Parts | As per Drg. No. of Parts | 10    | 10           | 10               | 10    | 10           | 10        | 10                 |                               | Measuring Instruments I.D No- |            |
|               |                    | Washing & Plating                       | Surface Finishing        | NA    | NA           | NA               | NA    | NA           | NA        | NA                 |                               | (1) DV-55                     |            |
|               |                    | RUBBER MARKING                          | AS PER DRG.              | NA    | NA           | NA               | NA    | NA           | NA        | NA                 |                               | (2) PP-01                     |            |
|               |                    | Marking                                 | WO Ref. No.              | NA    | NA           | NA               | NA    | NA           | NA        | NA                 |                               | ASM No :- CSEX260828-02       |            |
|               |                    | Assembly Perfection                     | As per Drg.              |       |              | OK               | OK    | OK           | OK        | OK                 |                               |                               |            |
|               |                    | Inner Packing                           | Labeling & Printing      |       | OK           | OK               | OK    | OK           | OK        | OK                 |                               |                               |            |
|               |                    | Outer Packing                           | Printing & Stamping      |       |              | OK               | OK    | OK           | OK        | OK                 |                               |                               |            |
|               |                    | All Dimensions Are In MM                |                          |       |              |                  |       |              |           |                    |                               |                               |            |
| 2             | DIMENSION          |                                         | VALUE                    | -     | +            | 1                | 2     | 3            | 4         | 5                  |                               |                               |            |
|               |                    | O.D                                     | 38.00                    | 37.20 | 38.80        | 38.06            | 38.08 | 38.07        | 38.06     | 38.09              |                               |                               |            |
|               |                    | I.D                                     | 25.00                    | 24.50 | 25.50        | 25.25            | 25.24 | 25.26        | 25.25     | 25.27              |                               |                               |            |
|               |                    | T.L                                     | 4.00                     | 3.70  | 4.30         | 4.06             | 4.08  | 4.07         | 4.07      | 4.06               |                               |                               |            |
|               |                    |                                         |                          |       |              |                  |       |              |           |                    |                               |                               |            |
| INSPECTED BY: |                    | Jay Hadiyal                             |                          |       | APPROVED BY: |                  |       |              | Shreekant |                    |                               |                               |            |

Conclusion : ☒ Accept ☐ Reject ☐ Hold

