

|  |                    | <h2 style="text-align: center;">MetalMech-08500-FR-QX-08-Final Inspection Report-EX</h2> |                              |       |              |                  |       |   |              |   |                               |                    |            |
|---------------------------------------------------------------------------------|--------------------|------------------------------------------------------------------------------------------|------------------------------|-------|--------------|------------------|-------|---|--------------|---|-------------------------------|--------------------|------------|
| INSP. No.                                                                       | FIR-015            | Product Name                                                                             | LOCK NUT                     |       | Size         |                  | M25   |   | Drawing No.  |   | DL2M                          | Date:              | 26-08-2026 |
| Wo No.                                                                          | 26100080           | Total Quantity                                                                           | 50                           |       | Lot Quantity |                  | 50    |   | Sample Size- |   | 2                             | Variable & Gauging | 2PCS       |
| Sr. No.                                                                         | Checking Parameter | REQUIRED PARAMETER                                                                       |                              |       |              | OBSERVED RESULTS |       |   |              |   | REJECTION<br>REWORK<br>DETAIL | REMARK             | CHECKED BY |
|                                                                                 |                    | PARAMETER                                                                                | CRITERIA                     |       |              | 1                | 2     | - | -            | - |                               |                    |            |
| 1                                                                               | Visual             | Surface                                                                                  | Fine, Clean                  |       |              | FINE             | FINE  | - | -            | - |                               |                    |            |
|                                                                                 |                    | Sizewise No of Pcs. With Internal Parts                                                  | As per Drg. No. of Parts     | 16    | 16           | 16               | -     | - | -            |   | Measuring Instruments I.D No- |                    |            |
|                                                                                 |                    | Washing & Plating                                                                        | Surface Finishing            | NA    | NA           | NA               | -     | - | -            |   | (1) DV-55                     |                    |            |
|                                                                                 |                    | RUBBER MARKING                                                                           | AS PER DRG.                  | NA    | NA           | NA               | -     | - | -            |   | (2) PP-01                     |                    |            |
|                                                                                 |                    | Marking                                                                                  | WO Ref. No.                  | NA    | NA           | NA               | -     | - | -            |   | ASM No :- CSEX260810-05       |                    |            |
|                                                                                 |                    | Assembly Perfection                                                                      | As per Drg.                  |       |              | OK               | OK    | - | -            | - |                               |                    |            |
|                                                                                 |                    | Inner Packing                                                                            | Labeling & Printing          |       | OK           | OK               | -     | - | -            |   |                               |                    |            |
|                                                                                 |                    | Outer Packing                                                                            | Printing & Stamping          |       |              | OK               | OK    | - | -            | - |                               |                    |            |
|                                                                                 |                    | All Dimensions Are In MM                                                                 |                              |       |              |                  |       |   |              |   |                               |                    |            |
| 2                                                                               | DIMENSION          |                                                                                          | VALUE                        | -     | +            | 1                | 2     | - | -            | - |                               |                    |            |
|                                                                                 |                    | A/F                                                                                      | 30.00                        | 29.84 | 30.00        | 29.95            | 29.94 | - | -            | - |                               |                    |            |
|                                                                                 |                    | A/C                                                                                      | 33.00                        | 32.20 | 33.80        | 33.01            | 33.03 | - | -            | - |                               |                    |            |
|                                                                                 |                    | T.L                                                                                      | 4.00                         | 3.70  | 4.30         | 4.04             | 4.06  | - | -            | - |                               |                    |            |
|                                                                                 |                    | THREAD                                                                                   | M25x1.5 AS PER P.G GO NOT GO |       |              | OK               | OK    | - | -            | - |                               |                    |            |
|                                                                                 |                    | CH.ANGLE                                                                                 | 30° AS PER PP FOUND          |       |              | OK               | OK    | - | -            | - |                               |                    |            |
|                                                                                 |                    |                                                                                          |                              |       |              |                  |       |   |              |   |                               |                    |            |
| INSPECTED BY:                                                                   |                    | Jay Hadiyal                                                                              |                              |       | APPROVED BY: |                  |       |   | Shreekant    |   |                               |                    |            |

Conclusion :



Accept



Reject



Hold



|  |                    | MetalMech-08500-FR-QX-08-Final Inspection Report-EX |                                                                                          |       |              |                  |       |     |           |              |                         |                              |                    |            |
|----------------------------------------------------------------------------------|--------------------|-----------------------------------------------------|------------------------------------------------------------------------------------------|-------|--------------|------------------|-------|-----|-----------|--------------|-------------------------|------------------------------|--------------------|------------|
| INSP. No.                                                                        | FIR-015            | Product Name                                        | ENTRY COMPONENT                                                                          |       |              | Size             |       | M25 |           | Drawing No.  |                         | 313001M-02                   | Date:              | 26-08-2026 |
| Wo No.                                                                           | 26100080           | Total Quantity                                      | 50                                                                                       |       |              | Lot Quantity     |       | 50  |           | Sample Size- |                         | 2                            | Variable & Gauging | 2PCS       |
| Sr. No.                                                                          | Checking Parameter | REQUIRED PARAMETER                                  |                                                                                          |       |              | OBSERVED RESULTS |       |     |           |              | REJECTION REWORK DETAIL | REMARK                       | CHECKED BY         |            |
|                                                                                  |                    | PARAMETER                                           | CRITERIA                                                                                 |       |              | 1                | 2     | -   | -         | -            |                         |                              |                    |            |
| 1                                                                                | Visual             | Surface                                             | Fine, Clean                                                                              |       |              | FINE             | FINE  | -   | -         | -            |                         | Measuring Instruments ID No- |                    |            |
|                                                                                  |                    | Size wise No of Pcs. With Internal Parts            | As per Drg. No. of Parts                                                                 |       |              | 16               | 16    | -   | -         | -            |                         | (1) DV-55                    |                    |            |
|                                                                                  |                    | Washing & Plating                                   | Surface Finishing                                                                        |       |              | NA               | NA    | -   | -         | -            |                         | (2) PP-01                    |                    |            |
|                                                                                  |                    | RUBBER MARKING                                      | AS PER DRG.                                                                              |       |              | NA               | NA    | -   | -         | -            |                         |                              |                    |            |
|                                                                                  |                    | Marking                                             | WO Ref. No. Metalmech Logo MM-EX-EIFUNV252MX6 2026 CE Logo 2460 Ex Logo II 2 GD Ex db HC |       |              | OK               | OK    | -   | -         | -            |                         | ASM No :- CSEX260810-05      |                    |            |
|                                                                                  |                    | Assembly Perfection                                 | As per Drg.                                                                              |       |              | OK               | OK    | -   | -         | -            |                         |                              |                    |            |
|                                                                                  |                    | Inner Packing                                       | Labeling & Printing                                                                      |       |              | OK               | OK    | -   | -         | -            |                         |                              |                    |            |
|                                                                                  |                    | Outer Packing                                       | Printing & Stamping                                                                      |       |              | OK               | OK    | -   | -         | -            |                         |                              |                    |            |
| 2                                                                                | DIMENSION          | All Dimensions Are In MM                            |                                                                                          |       |              |                  |       |     |           |              |                         |                              |                    |            |
|                                                                                  |                    |                                                     | VALUE                                                                                    | -     | +            | 1                | 2     | -   | -         | -            |                         |                              |                    |            |
|                                                                                  |                    | A/F                                                 | 36.00                                                                                    | 35.84 | 36.00        | 35.89            | 35.90 | -   | -         | -            |                         |                              |                    |            |
|                                                                                  |                    | A/C                                                 | 40.00                                                                                    | 39.20 | 40.80        | 39.91            | 39.93 | -   | -         | -            |                         |                              |                    |            |
|                                                                                  |                    | T.L                                                 | 37.00                                                                                    | 37.00 | 37.50        | 37.25            | 37.24 | -   | -         | -            |                         |                              |                    |            |
|                                                                                  |                    | TH.L                                                | 13.00                                                                                    | 12.50 | 13.50        | 13.05            | 13.03 | -   | -         | -            |                         |                              |                    |            |
|                                                                                  |                    | LENGTH                                              | 17.00                                                                                    | 17.00 | 17.50        | 17.23            | 17.25 | -   | -         | -            |                         |                              |                    |            |
|                                                                                  |                    | GR.OD                                               | 23.00                                                                                    | 22.50 | 23.50        | 23.00            | 22.99 | -   | -         | -            |                         |                              |                    |            |
|                                                                                  |                    | GR.LE                                               | 2.50                                                                                     | 2.30  | 2.70         | 2.53             | 2.55  | -   | -         | -            |                         |                              |                    |            |
|                                                                                  |                    | O.D                                                 | 35.00                                                                                    | 34.20 | 35.80        | 34.95            | 34.94 | -   | -         | -            |                         |                              |                    |            |
|                                                                                  |                    | O.D.L                                               | 11.00                                                                                    | 10.50 | 11.50        | 11.02            | 11.01 | -   | -         | -            |                         |                              |                    |            |
|                                                                                  |                    | H.L                                                 | 9.00                                                                                     | 8.50  | 9.50         | 8.98             | 8.99  | -   | -         | -            |                         |                              |                    |            |
|                                                                                  |                    | I.D                                                 | 20.00                                                                                    | 19.50 | 20.50        | 20.04            | 20.03 | -   | -         | -            |                         |                              |                    |            |
|                                                                                  |                    | INT.TH.L                                            | 14.50                                                                                    | 14.00 | 15.00        | 14.55            | 14.53 | -   | -         | -            |                         |                              |                    |            |
|                                                                                  |                    | THREAD                                              | M25x1.5 AS PER T.R.G GO NOT GO                                                           |       |              | OK               | OK    | -   | -         | -            |                         |                              |                    |            |
|                                                                                  |                    | INT.THREAD                                          | M32x1.5 AS PER P.G GO NOT GO                                                             |       |              | OK               | OK    | -   | -         | -            |                         |                              |                    |            |
|                                                                                  |                    | CHANGLE                                             | 1.5x45° AS PER PP FOUND                                                                  |       |              | OK               | OK    | -   | -         | -            |                         |                              |                    |            |
|                                                                                  |                    | CHANGLE                                             | 0.5x45° AS PER PP FOUND                                                                  |       |              | OK               | OK    | -   | -         | -            |                         |                              |                    |            |
|                                                                                  |                    | CHANGLE                                             | 20° AS PER PP FOUND                                                                      |       |              | OK               | OK    | -   | -         | -            |                         |                              |                    |            |
|                                                                                  |                    | ANGLE                                               | 90° AS PER PP FOUND                                                                      |       |              | OK               | OK    | -   | -         | -            |                         |                              |                    |            |
| INSPECTED BY:                                                                    |                    | Jay Hadiyal                                         |                                                                                          |       | APPROVED BY: |                  |       |     | Shreekant |              |                         |                              |                    |            |

Conclusion :

☒ Accept

☐ Reject

☐ Hold





MetalMech-08500-FR-QX-08-Final Inspection Report-EX

|               |                                |                                            |                             |             |              |                  |              |   |              |                               |            |                                   |            |  |
|---------------|--------------------------------|--------------------------------------------|-----------------------------|-------------|--------------|------------------|--------------|---|--------------|-------------------------------|------------|-----------------------------------|------------|--|
| INSP. No.     | FIR-015                        | Product Name                               | INTERMEDIATE BODY           |             | Size         |                  | M25          |   | Drawing No.  |                               | 313002U-02 | Date:                             | 26-08-2026 |  |
| Wo No.        | 26100080                       | Total Quantity                             | 50                          |             | Lot Quantity |                  | 50           |   | Sample Size- |                               | 2          | Variable & Gauging                | 2PCS       |  |
| Sr. No.       | Checking Parameter             | REQUIRED PARAMETER                         |                             |             |              | OBSERVED RESULTS |              |   |              | REJECTION<br>REWORK<br>DETAIL | REMARK     | CHECKED BY                        |            |  |
|               |                                | PARAMETER                                  | CRITERIA                    |             |              | 1                | 2            | - | -            |                               |            |                                   | -          |  |
| 1             | Visual                         | Surface                                    | Fine, Clean                 |             |              | FINE             | FINE         | - | -            | -                             |            | Measuring<br>Instruments I.Q. No. |            |  |
|               |                                | Sizewise No of Pcs.<br>With Internal Parts | As per Drg. No.<br>of Parts | 16          |              | 16               | 16           | - | -            | -                             |            | (1) DV-55                         |            |  |
|               |                                | Washing & Plating                          | Surface<br>Finishing        | NA          |              | NA               | NA           | - | -            | -                             |            | (2) PP-01                         |            |  |
|               |                                | RUBBER MARKING                             | AS PER DRG.                 | NA          |              | NA               | NA           | - | -            | -                             |            |                                   |            |  |
|               |                                | Marking                                    | WO Ref. No.                 | NA          |              | NA               | NA           | - | -            | -                             |            | ASM No :-<br>CSEX260810-05        |            |  |
|               |                                | Assembly Perfection                        | As per Drg.                 |             |              | OK               | OK           | - | -            | -                             |            |                                   |            |  |
|               |                                | Inner Packing                              | Labeling &<br>Printing      |             |              | OK               | OK           | - | -            | -                             |            |                                   |            |  |
|               |                                | Outer Packing                              | Printing & Stamping         |             |              | OK               | OK           | - | -            | -                             |            |                                   |            |  |
|               |                                | All Dimensions Are In MM                   |                             |             |              |                  |              |   |              |                               |            |                                   |            |  |
|               |                                | 2                                          | DIMENSION                   |             | VALUE        | -                | +            | 1 | 2            | -                             | -          | -                                 |            |  |
| A/F           | 36.00                          |                                            |                             | 35.84       | 36.20        | 35.90            | 35.89        | - | -            | -                             |            |                                   |            |  |
| A/C           | 40.00                          |                                            |                             | 39.20       | 40.80        | 39.99            | 40.00        | - | -            | -                             |            |                                   |            |  |
| T.L           | 29.00                          |                                            |                             | 28.50       | 29.50        | 29.00            | 28.99        | - | -            | -                             |            |                                   |            |  |
| TH.L          | 13.50                          |                                            |                             | 13.00       | 14.00        | 13.56            | 13.55        | - | -            | -                             |            |                                   |            |  |
| GR.OD         | 30.00                          |                                            |                             | 29.50       | 30.50        | 29.99            | 29.98        | - | -            | -                             |            |                                   |            |  |
| GR.LE         | 1.00                           |                                            |                             | 0.80        | 1.20         | 1.01             | 1.03         | - | -            | -                             |            |                                   |            |  |
| H.L           | 6.00                           |                                            |                             | 5.70        | 6.30         | 6.05             | 6.03         | - | -            | -                             |            |                                   |            |  |
| TH.L          | 9.50                           |                                            |                             | 9.00        | 10.00        | 9.50             | 9.49         | - | -            | -                             |            |                                   |            |  |
| GR.OD         | 32.00                          |                                            |                             | 31.20       | 32.80        | 32.06            | 32.09        | - | -            | -                             |            |                                   |            |  |
| GR.LE         | 1.00                           |                                            |                             | 0.80        | 1.20         | 1.01             | 1.03         | - | -            | -                             |            |                                   |            |  |
| LD            | 26.50                          |                                            |                             | 26.00       | 27.00        | 26.55            | 26.54        | - | -            | -                             |            |                                   |            |  |
| LD            | 29.30                          |                                            |                             | 28.80       | 29.80        | 29.31            | 29.30        | - | -            | -                             |            |                                   |            |  |
| DEPTH         | 8.00                           |                                            |                             | 7.70        | 8.30         | 7.97             | 7.99         | - | -            | -                             |            |                                   |            |  |
| THREAD        | M32x1.5 AS PER T.R.G GO NOT GO |                                            |                             | OK          | OK           | -                | -            | - |              |                               |            |                                   |            |  |
| THREAD        | M34x1.5 AS PER T.R.G GO NOT GO |                                            |                             | OK          | OK           | -                | -            | - |              |                               |            |                                   |            |  |
| CH.ANGLE      | 1x45° AS PER PP FOUND          |                                            |                             | OK          | OK           | -                | -            | - |              |                               |            |                                   |            |  |
| CH.ANGLE      | 20° AS PER PP FOUND            |                                            |                             | OK          | OK           | -                | -            | - |              |                               |            |                                   |            |  |
| CH.ANGLE      | 0.5x45° AS PER PP FOUND        |                                            |                             | OK          | OK           | -                | -            | - |              |                               |            |                                   |            |  |
| INSPECTED BY: |                                |                                            |                             | Jay Hadiyal |              |                  | APPROVED BY: |   |              |                               | Shreekant  |                                   |            |  |

Conclusion :



Accept



Reject



Hold





MetalMech-08500-FR-QX-08-Final Inspection Report-EX

| INSP. No.     | FIR-015            | Product Name                                | MIDDLE BODY                    |       | Size         |                  | M25   |   | Drawing No.  |   | 313002-02                         | Date:              | 26-08-2026 |
|---------------|--------------------|---------------------------------------------|--------------------------------|-------|--------------|------------------|-------|---|--------------|---|-----------------------------------|--------------------|------------|
| Wo No.        | 26100080           | Total Quantity                              | 50                             |       | Lot Quantity |                  | 50    |   | Sample Size- |   | 2                                 | Variable & Gauging | 2PCS       |
| Sr. No.       | Checking Parameter | REQUIRED PARAMETER                          |                                |       |              | OBSERVED RESULTS |       |   |              |   | REJECTION<br>REWORK<br>DETAIL     | REMARK             | CHECKED BY |
|               |                    | PARAMETER                                   | CRITERIA                       |       | 1            | 2                | -     | - | -            |   |                                   |                    |            |
| 1             | Visual             | Surface                                     | Fine, Clean                    |       | FINE         | FINE             | -     | - | -            |   | Mastering<br>Instruments I.D No:- |                    |            |
|               |                    | Size/wise No of Pcs.<br>With Internal Parts | As per Drg. No.<br>of Parts    | 16    | 16           | 16               | -     | - | -            |   | (1) DV-55                         |                    |            |
|               |                    | Washing & Plating                           | Surface<br>Finishing           | NA    | NA           | NA               | -     | - | -            |   | (2) PP-01                         |                    |            |
|               |                    | RUBBER MARKING                              | AS PER DRG.                    | NA    | NA           | NA               | -     | - | -            |   |                                   |                    |            |
|               |                    | Marking                                     | WO Ref. No.                    | NA    | NA           | NA               | -     | - | -            |   | ASM No :-<br>CSEX260810-05        |                    |            |
|               |                    | Assembly Perfection                         | As per Drg.                    |       | OK           | OK               | -     | - | -            |   |                                   |                    |            |
|               |                    | Inner Packing                               | Labeling &<br>Printing         |       | OK           | OK               | -     | - | -            |   |                                   |                    |            |
|               |                    | Outer Packing                               | Printing & Stamping            |       | OK           | OK               | -     | - | -            |   |                                   |                    |            |
|               |                    | All Dimensions Are In MM                    |                                |       |              |                  |       |   |              |   |                                   |                    |            |
| 2             | DIMENSION          |                                             | VALUE                          | -     | +            | 1                | 2     | - | -            | - |                                   |                    |            |
|               |                    | A/F                                         | 36.00                          | 35.84 | 36.00        | 35.90            | 35.89 | - | -            | - |                                   |                    |            |
|               |                    | A/C                                         | 40.00                          | 39.20 | 40.80        | 39.95            | 39.91 | - | -            | - |                                   |                    |            |
|               |                    | T.L                                         | 32.00                          | 31.20 | 32.80        | 31.96            | 31.95 | - | -            | - |                                   |                    |            |
|               |                    | TH.L                                        | 15.00                          | 14.50 | 15.50        | 14.96            | 14.95 | - | -            | - |                                   |                    |            |
|               |                    | GR.OD                                       | 33.00                          | 32.20 | 33.80        | 32.96            | 32.94 | - | -            | - |                                   |                    |            |
|               |                    | GR.LE                                       | 1.50                           | 1.30  | 1.70         | 1.53             | 1.55  | - | -            | - |                                   |                    |            |
|               |                    | O.D                                         | 35.50                          | 34.70 | 36.30        | 35.47            | 35.46 | - | -            | - |                                   |                    |            |
|               |                    | O.D.L                                       | 9.00                           | 8.50  | 9.50         | 9.04             | 9.06  | - | -            | - |                                   |                    |            |
|               |                    | H.L                                         | 8.00                           | 7.70  | 8.30         | 8.02             | 8.01  | - | -            | - |                                   |                    |            |
|               |                    | I.D                                         | 26.50                          | 26.00 | 27.00        | 26.50            | 26.49 | - | -            | - |                                   |                    |            |
|               |                    | I.D                                         | 27.50                          | 27.00 | 28.00        | 27.45            | 27.49 | - | -            | - |                                   |                    |            |
|               |                    | I.D.LE                                      | 4.50                           | 4.20  | 4.80         | 4.54             | 4.56  | - | -            | - |                                   |                    |            |
|               |                    | INT.THL                                     | 11.50                          | 11.00 | 12.00        | 11.55            | 11.54 | - | -            | - |                                   |                    |            |
|               |                    | GR.ID                                       | 32.00                          | 31.20 | 32.80        | 32.00            | 31.99 | - | -            | - |                                   |                    |            |
|               |                    | GR.LE                                       | 4.00                           | 3.70  | 4.30         | 4.04             | 4.06  | - | -            | - |                                   |                    |            |
|               |                    | DEPTH                                       | 15.50                          | 15.00 | 16.00        | 15.55            | 15.54 | - | -            | - |                                   |                    |            |
|               |                    | THREAD                                      | M35x1.5 AS PER T.R.G GO NOT GO |       |              | OK               | OK    | - | -            | - |                                   |                    |            |
|               |                    | INT.THREAD                                  | M34x1.5 AS PER P.G GO NOT GO   |       |              | OK               | OK    | - | -            | - |                                   |                    |            |
|               |                    | CH.ANGLE                                    | 1x45° AS PER PP FOUND          |       |              | OK               | OK    | - | -            | - |                                   |                    |            |
|               |                    | CH.ANGLE                                    | 30° AS PER PP FOUND            |       |              | OK               | OK    | - | -            | - |                                   |                    |            |
|               |                    |                                             |                                |       |              |                  |       |   |              |   |                                   |                    |            |
| INSPECTED BY: |                    | Jay Hadiyal                                 |                                |       | APPROVED BY: |                  |       |   | Shreekant    |   |                                   |                    |            |

Conclusion :



Accept



Reject



Hold





MetalMech-08500-FR-QX-08-Final Inspection Report-EX

|           |                    |                                             |                              |       |                  |       |       |   |              |                               |                                 |                    |            |
|-----------|--------------------|---------------------------------------------|------------------------------|-------|------------------|-------|-------|---|--------------|-------------------------------|---------------------------------|--------------------|------------|
| INSP. No. | FIR-015            | Product Name                                | BACK NUT                     |       | Size             |       | M25   |   | Drawing No.  |                               | 313003-02                       | Date:              | 26-08-2026 |
| Wo No.    | 26100080           | Total Quantity                              | 50                           |       | Lot Quantity     |       | 50    |   | Sample Size- |                               | 2                               | Variable & Gauging | 2PCS       |
| Sr. No.   | Checking Parameter | REQUIRED PARAMETER                          |                              |       | OBSERVED RESULTS |       |       |   |              | REJECTION<br>REWORK<br>DETAIL | REMARK                          | CHECKED BY         |            |
|           |                    | PARAMETER                                   | CRITERIA                     |       | 1                | 2     | -     | - | -            |                               |                                 |                    |            |
| 1         | Visual             | Surface                                     | Fine, Clean                  |       | FINE             | FINE  | -     | - | -            |                               | Measuring<br>Instruments ID No. |                    |            |
|           |                    | Size wise No of Pes.<br>With Internal Parts | As per Drg. No.<br>of Parts  | 16    | 16               | 16    | -     | - | -            |                               | (1) DV-55                       |                    |            |
|           |                    | Washing & Plating                           | Surface<br>Finishing         | NA    | NA               | NA    | -     | - | -            |                               | (2) PP-01                       |                    |            |
|           |                    | RUBBER MARKING                              | AS PER DRG.                  | NA    | NA               | NA    | -     | - | -            |                               |                                 |                    |            |
|           |                    | Marking                                     | WO Ref. No.                  | NA    | NA               | NA    | -     | - | -            |                               | ASM No :-<br>CSEX260810-05      |                    |            |
|           |                    | Assembly Perfection                         | As per Drg.                  |       | OK               | OK    | -     | - | -            |                               |                                 |                    |            |
|           |                    | Inner Packing                               | Labeling &<br>Printing       | OK    | OK               | -     | -     | - |              |                               |                                 |                    |            |
|           |                    | Outer Packing                               | Printing & Stamping          |       | OK               | OK    | -     | - | -            |                               |                                 |                    |            |
|           |                    | All Dimensions Are In MM                    |                              |       |                  |       |       |   |              |                               |                                 |                    |            |
| 2         | DIMENSION          |                                             | VALUE                        | -     | +                | 1     | 2     | - | -            | -                             |                                 |                    |            |
|           |                    | A/F                                         | 38.00                        | 37.84 | 38.00            | 37.92 | 37.91 | - | -            | -                             |                                 |                    |            |
|           |                    | A/C                                         | 42.00                        | 41.20 | 42.80            | 41.96 | 41.95 | - | -            | -                             |                                 |                    |            |
|           |                    | T.L                                         | 23.00                        | 22.50 | 23.50            | 23.00 | 22.99 | - | -            | -                             |                                 |                    |            |
|           |                    | O.D                                         | 37.50                        | 36.70 | 38.30            | 37.41 | 37.40 | - | -            | -                             |                                 |                    |            |
|           |                    | O.D.L                                       | 10.00                        | 9.50  | 10.50            | 10.04 | 10.06 | - | -            | -                             |                                 |                    |            |
|           |                    | H.L                                         | 13.00                        | 12.50 | 13.50            | 12.97 | 12.99 | - | -            | -                             |                                 |                    |            |
|           |                    | LD                                          | 30.50                        | 29.70 | 31.30            | 30.55 | 30.54 | - | -            | -                             |                                 |                    |            |
|           |                    | INT.THL                                     | 4.00                         | 3.70  | 4.30             | 4.04  | 4.06  | - | -            | -                             |                                 |                    |            |
|           |                    | GR.ID                                       | 35.20                        | 34.40 | 36.00            | 35.23 | 35.25 | - | -            | -                             |                                 |                    |            |
|           |                    | GR.LE                                       | 14.50                        | 14.00 | 15.00            | 14.55 | 14.54 | - | -            | -                             |                                 |                    |            |
|           |                    | DEPTH                                       | 18.50                        | 18.00 | 19.00            | 18.53 | 18.56 | - | -            | -                             |                                 |                    |            |
|           |                    | GR.ID                                       | 33.50                        | 32.70 | 34.30            | 33.54 | 33.53 | - | -            | -                             |                                 |                    |            |
|           |                    | GR.LE                                       | 3.00                         | 2.80  | 3.20             | 3.03  | 3.02  | - | -            | -                             |                                 |                    |            |
|           |                    | DEPTH                                       | 21.00                        | 20.50 | 21.50            | 21.04 | 21.06 | - | -            | -                             |                                 |                    |            |
|           |                    | INT.THREAD                                  | M35x1.5 AS PER P.G GO NOT GO |       |                  | OK    | OK    | - | -            | -                             |                                 |                    |            |
|           |                    | CH.ANGLE                                    | 0.5x45° AS PER PP FOUND      |       |                  | OK    | OK    | - | -            | -                             |                                 |                    |            |
|           |                    | CH.ANGLE                                    | 1x45° AS PER PP FOUND        |       |                  | OK    | OK    | - | -            | -                             |                                 |                    |            |
|           |                    | CH.ANGLE                                    | 30° AS PER PP FOUND          |       |                  | OK    | OK    | - | -            | -                             |                                 |                    |            |
|           |                    | CH.ANGLE                                    | 45° AS PER PP FOUND          |       |                  | OK    | OK    | - | -            | -                             |                                 |                    |            |
|           |                    |                                             |                              |       |                  |       |       |   |              |                               |                                 |                    |            |

INSPECTED BY: Jay Hadiyal

APPROVED BY: Shreekant

Conclusion : ☒ Accept ☐ Reject ☐ Hold





MetalMech-08500-FR-QX-08-Final Inspection Report-EX

|               |                    |                                            |                             |       |              |                  |       |              |           |                               |                                 |            |  |
|---------------|--------------------|--------------------------------------------|-----------------------------|-------|--------------|------------------|-------|--------------|-----------|-------------------------------|---------------------------------|------------|--|
| INSP. No.     | FIR-015            | Product Name                               | UNIVERSAL CLAMPING CONE     |       | Size         | M25              |       | Drawing No.  | 313005-02 |                               | Date:                           | 26-08-2026 |  |
| Wo No.        | 26100080           | Total Quantity                             | 50                          |       | Lot Quantity | 50               |       | Sample Size- | 2         |                               | Variable & Gangling             | 2PCS       |  |
| Sr. No.       | Checking Parameter | REQUIRED PARAMETER                         |                             |       |              | OBSERVED RESULTS |       |              |           | REJECTION<br>REWORK<br>DETAIL | REMARK                          | CHECKED BY |  |
|               |                    | PARAMETER                                  | CRITERIA                    |       | 1            | 2                | -     | -            | -         |                               |                                 |            |  |
|               |                    | Surface                                    | Fine, Clean                 |       | FINE         | FINE             | -     | -            | -         |                               | Measuring Instruments<br>ID No: |            |  |
|               |                    | Sizewise No of Pcs.<br>With Internal Parts | As per Drg. No.<br>of Parts | 16    | 16           | 16               | -     | -            | -         |                               | (1) DV-55                       |            |  |
|               |                    | Washing & Plating                          | Surface<br>Finishing        | NA    | NA           | NA               | -     | -            | -         |                               | (2) PP-01                       |            |  |
|               |                    | RUBBER MARKING                             | AS PER DRG.                 | NA    | NA           | NA               | -     | -            | -         |                               |                                 |            |  |
|               |                    | Marking                                    | WO Ref. No.                 | NA    | NA           | NA               | -     | -            | -         |                               | ASM No ><br>CSEX260810-05       |            |  |
|               |                    | Assembly Perfection                        | As per Drg.                 |       | OK           | OK               | -     | -            | -         |                               |                                 |            |  |
|               |                    | Inner Packing                              | Labeling &<br>Printing      |       | OK           | OK               | -     | -            | -         |                               |                                 |            |  |
|               |                    | Outer Packing                              | Printing & Stamping         |       | OK           | OK               | -     | -            | -         |                               |                                 |            |  |
|               |                    | All Dimensions Are In MM                   |                             |       |              |                  |       |              |           |                               |                                 |            |  |
|               |                    |                                            | VALUE                       | -     | +            | 1                | 2     | -            | -         | -                             |                                 |            |  |
|               |                    | T.L                                        | 25.00                       | 24.50 | 25.50        | 25.01            | 25.00 | -            | -         | -                             |                                 |            |  |
|               |                    | O.D                                        | 23.50                       | 23.00 | 24.00        | 23.47            | 23.49 | -            | -         | -                             |                                 |            |  |
|               |                    | O.D.L                                      | 4.50                        | 4.20  | 4.80         | 4.55             | 4.54  | -            | -         | -                             |                                 |            |  |
|               |                    | O.D                                        | 25.00                       | 24.50 | 25.50        | 24.95            | 24.97 | -            | -         | -                             |                                 |            |  |
|               |                    | O.D.L                                      | 2.50                        | 2.30  | 2.70         | 2.53             | 2.55  | -            | -         | -                             |                                 |            |  |
|               |                    | GR.LENGTH                                  | 0.50                        | 0.30  | 0.70         | 0.48             | 0.50  | -            | -         | -                             |                                 |            |  |
|               |                    | O.D                                        | 26.00                       | 25.50 | 26.50        | 25.98            | 26.00 | -            | -         | -                             |                                 |            |  |
|               |                    | O.D.L                                      | 8.50                        | 8.00  | 9.00         | 8.53             | 8.55  | -            | -         | -                             |                                 |            |  |
|               |                    | O.D                                        | 29.00                       | 28.50 | 29.50        | 28.98            | 28.97 | -            | -         | -                             |                                 |            |  |
|               |                    | O.D.L                                      | 8.00                        | 7.70  | 8.30         | 8.05             | 8.04  | -            | -         | -                             |                                 |            |  |
|               |                    | O.D                                        | 22.50                       | 22.00 | 23.00        | 22.48            | 22.50 | -            | -         | -                             |                                 |            |  |
|               |                    | O.D.L                                      | 5.50                        | 5.20  | 5.80         | 5.53             | 5.55  | -            | -         | -                             |                                 |            |  |
|               |                    | O.D                                        | 23.50                       | 23.00 | 24.00        | 23.47            | 23.49 | -            | -         | -                             |                                 |            |  |
|               |                    | O.D                                        | 24.00                       | 23.50 | 24.50        | 23.98            | 24.00 | -            | -         | -                             |                                 |            |  |
|               |                    | O.D                                        | 24.50                       | 24.00 | 25.00        | 24.48            | 24.50 | -            | -         | -                             |                                 |            |  |
|               |                    | O.D.L                                      | 8.50                        | 8.00  | 9.00         | 8.53             | 8.55  | -            | -         | -                             |                                 |            |  |
|               |                    | I.D                                        | 20.00                       | 19.50 | 20.50        | 20.05            | 20.04 | -            | -         | -                             |                                 |            |  |
|               |                    | RADIUS                                     | 0.5 MM AS PER PP FOUND      |       |              | OK               | OK    | -            | -         | -                             |                                 |            |  |
|               |                    | RADIUS                                     | 0.3 MM AS PER PP FOUND      |       |              | OK               | OK    | -            | -         | -                             |                                 |            |  |
|               |                    |                                            |                             |       |              |                  |       |              |           |                               |                                 |            |  |
| INSPECTED BY: |                    | Jay Hadiyal                                |                             |       |              | APPROVED BY:     |       |              |           | Shreekant                     |                                 |            |  |

Conclusion :

☒ Accept    ☐ Reject    ☐ Hold





## MetalMech-08500-FR-QX-08-Final Inspection Report-EX

|               |                    |                                         |                          |       |              |                  |       |   |              |   |                               |                    |            |
|---------------|--------------------|-----------------------------------------|--------------------------|-------|--------------|------------------|-------|---|--------------|---|-------------------------------|--------------------|------------|
| INSP. No.     | FIR-015            | Product Name                            | REVERSIBLE ARMOUR RING   |       | Size         |                  | M25   |   | Drawing No.  |   | 313004-02                     | Date:              | 26-08-2026 |
| Wo No.        | 26100080           | Total Quantity                          | 50                       |       | Lot Quantity |                  | 50    |   | Sample Size- |   | 2                             | Variable & Gauging | 2PCS       |
| Sr. No.       | Checking Parameter | REQUIRED PARAMETER                      |                          |       |              | OBSERVED RESULTS |       |   |              |   | REJECTION<br>REWORK<br>DETAIL | REMARK             | CHECKED BY |
|               |                    | PARAMETER                               | CRITERIA                 |       |              | 1                | 2     | - | -            | - |                               |                    |            |
| 1             | Visual             | Surface                                 | Fine, Clean              |       |              | FINE             | FINE  | - | -            | - |                               |                    |            |
|               |                    | Sizewise No of Pcs. With Internal Parts | As per Drg. No. of Parts | 16    | 16           | 16               | -     | - | -            |   | Measuring Instruments I.D No- |                    |            |
|               |                    | Washing & Plating                       | Surface Finishing        | NA    | NA           | NA               | -     | - | -            |   | (1) DV-55                     |                    |            |
|               |                    | RUBBER MARKING                          | AS PER DRG.              | NA    | NA           | NA               | -     | - | -            |   | (2) PP-01                     |                    |            |
|               |                    | Marking                                 | WO Ref. No.              | NA    | NA           | NA               | -     | - | -            |   | ASM No :- CSEX260810-05       |                    |            |
|               |                    | Assembly Perfection                     | As per Drg.              |       |              | OK               | OK    | - | -            | - |                               |                    |            |
|               |                    | Inner Packing                           | Labeling & Printing      |       | OK           | OK               | -     | - | -            |   |                               |                    |            |
|               |                    | Outer Packing                           | Printing & Stamping      |       |              | OK               | OK    | - | -            | - |                               |                    |            |
|               |                    | All Dimensions Are In MM                |                          |       |              |                  |       |   |              |   |                               |                    |            |
| 2             | DIMENSION          |                                         | VALUE                    | -     | +            | 1                | 2     | - | -            | - |                               |                    |            |
|               |                    | T.L                                     | 6.00                     | 5.70  | 6.30         | 6.05             | 6.04  | - | -            | - |                               |                    |            |
|               |                    | O.D                                     | 30.00                    | 29.50 | 30.50        | 30.01            | 30.00 | - | -            | - |                               |                    |            |
|               |                    | I.D                                     | 25.50                    | 25.00 | 26.00        | 25.52            | 25.51 | - | -            | - |                               |                    |            |
|               |                    | I.D                                     | 26.50                    | 26.00 | 27.00        | 26.56            | 26.54 | - | -            | - |                               |                    |            |
|               |                    |                                         |                          |       |              |                  |       |   |              |   |                               |                    |            |
| INSPECTED BY: |                    | Jay Hadiyal                             |                          |       | APPROVED BY: |                  |       |   | Shreekant    |   |                               |                    |            |

Conclusion :



Accept



Reject



Hold



|  |                    | <h2 style="text-align: center;">MetalMech-08500-FR-QX-08-Final Inspection Report-EX</h2> |                          |       |              |                  |       |     |           |              |                               |        |                    |            |
|---------------------------------------------------------------------------------|--------------------|------------------------------------------------------------------------------------------|--------------------------|-------|--------------|------------------|-------|-----|-----------|--------------|-------------------------------|--------|--------------------|------------|
| INSP. No.                                                                       | FIR-015            | Product Name                                                                             | COMPRESSIBLE INNER SEAL  |       |              | Size             |       | M25 |           | Drawing No.  |                               | GI-02  | Date:              | 26-08-2026 |
| Wo No.                                                                          | 26100080           | Total Quantity                                                                           | 50                       |       |              | Lot Quantity     |       | 50  |           | Sample Size- |                               | 2      | Variable & Gauging | 2PCS       |
| Sr. No.                                                                         | Checking Parameter | REQUIRED PARAMETER                                                                       |                          |       |              | OBSERVED RESULTS |       |     |           |              | REJECTION<br>REWORK<br>DETAIL | REMARK | CHECKED BY         |            |
|                                                                                 |                    | PARAMETER                                                                                | CRITERIA                 |       |              | 1                | 2     | -   | -         | -            |                               |        |                    |            |
| 1                                                                               | Visual             | Surface                                                                                  | Fine, Clean              |       |              | FINE             | FINE  | -   | -         | -            |                               |        |                    |            |
|                                                                                 |                    | Sizewise No of Pcs. With Internal Parts                                                  | As per Drg. No. of Parts | 16    | 16           | 16               | -     | -   | -         |              | Measuring Instruments I.D No- |        |                    |            |
|                                                                                 |                    | Washing & Plating                                                                        | Surface Finishing        | NA    | NA           | NA               | -     | -   | -         |              | (1) DV-55                     |        |                    |            |
|                                                                                 |                    | RUBBER MARKING                                                                           | AS PER DRG.              | OK    | OK           | OK               | -     | -   | -         |              | (2) PP-01                     |        |                    |            |
|                                                                                 |                    | Marking                                                                                  | WO Ref. No.              | NA    | NA           | NA               | -     | -   | -         |              | ASM No :- CSEX260810-05       |        |                    |            |
|                                                                                 |                    | Assembly Perfection                                                                      | As per Drg.              |       |              | OK               | OK    | -   | -         | -            |                               |        |                    |            |
|                                                                                 |                    | Inner Packing                                                                            | Labeling & Printing      |       | OK           | OK               | -     | -   | -         |              |                               |        |                    |            |
|                                                                                 |                    | Outer Packing                                                                            | Printing & Stamping      |       |              | OK               | OK    | -   | -         | -            |                               |        |                    |            |
|                                                                                 |                    | All Dimensions Are In MM                                                                 |                          |       |              |                  |       |     |           |              |                               |        |                    |            |
| 2                                                                               | DIMENSION          |                                                                                          | VALUE                    | -     | +            | 1                | 2     | -   | -         | -            |                               |        |                    |            |
|                                                                                 |                    | T.L                                                                                      | 14.00                    | 13.50 | 14.50        | 13.55            | 13.58 | -   | -         | -            |                               |        |                    |            |
|                                                                                 |                    | O.D.L                                                                                    | 5.00                     | 4.70  | 5.30         | 5.05             | 5.04  | -   | -         | -            |                               |        |                    |            |
|                                                                                 |                    | O.D                                                                                      | 30.50                    | 30.30 | 30.50        | 30.36            | 30.39 | -   | -         | -            |                               |        |                    |            |
|                                                                                 |                    | O.D.L                                                                                    | 9.00                     | 8.50  | 9.50         | 8.59             | 8.54  | -   | -         | -            |                               |        |                    |            |
|                                                                                 |                    | I.D                                                                                      | 19.80                    | 19.80 | 20.00        | 19.88            | 19.90 | -   | -         | -            |                               |        |                    |            |
|                                                                                 |                    |                                                                                          |                          |       |              |                  |       |     |           |              |                               |        |                    |            |
| INSPECTED BY:                                                                   |                    | Jay Hadiyal                                                                              |                          |       | APPROVED BY: |                  |       |     | Shreekant |              |                               |        |                    |            |

Conclusion :



Accept



Reject



Hold





|  |                    | <h2 style="text-align: center;">MetalMech-08500-FR-QX-08-Final Inspection Report-EX</h2> |                             |       |       |                  |       |   |   |              |                               |                                  |            |
|----------------------------------------------------------------------------------|--------------------|------------------------------------------------------------------------------------------|-----------------------------|-------|-------|------------------|-------|---|---|--------------|-------------------------------|----------------------------------|------------|
| INSP. No.                                                                        | FIR-015            | Product Name                                                                             | O-RING                      |       |       | Size             | M25   |   |   | Drawing No.  | OR-2M                         | Date:                            | 26-08-2026 |
| Wo No.                                                                           | 26100080           | Total Quantity                                                                           | 50                          |       |       | Lot Quantity     | 50    |   |   | Sample Size- | 2                             | Variable & Gauging               | 2PCS       |
| Sr. No.                                                                          | Checking Parameter | REQUIRED PARAMETER                                                                       |                             |       |       | OBSERVED RESULTS |       |   |   |              | REJECTION<br>REWORK<br>DETAIL | REMARK                           | CHECKED BY |
|                                                                                  |                    | PARAMETER                                                                                | CRITERIA                    |       |       | 1                | 2     | - | - | -            |                               |                                  |            |
| 1                                                                                | Visual             | Surface                                                                                  | Fine, Clean                 |       |       | FINE             | FINE  | - | - | -            |                               | Measuring<br>Instruments I.D No- |            |
|                                                                                  |                    | Sizewise No of Pcs.<br>With Internal Parts                                               | As per Drg. No.<br>of Parts | 16    | 16    | 16               | -     | - | - |              | (1) DV-55                     |                                  |            |
|                                                                                  |                    | Washing & Plating                                                                        | Surface<br>Finishing        | NA    | NA    | NA               | -     | - | - |              | (2) PP-01                     |                                  |            |
|                                                                                  |                    | RUBBER MARKING                                                                           | AS PER DRG.                 | NA    | NA    | NA               | -     | - | - |              |                               |                                  |            |
|                                                                                  |                    | Marking                                                                                  | WO Ref. No.                 | NA    | NA    | NA               | -     | - | - |              | ASM No :-<br>CSEX260810-05    |                                  |            |
|                                                                                  |                    | Assembly Perfection                                                                      | As per Drg.                 |       |       | OK               | OK    | - | - | -            |                               |                                  |            |
|                                                                                  |                    | Inner Packing                                                                            | Labeling &<br>Printing      |       | OK    | OK               | -     | - | - |              |                               |                                  |            |
|                                                                                  |                    | Outer Packing                                                                            | Printing & Stamping         |       |       | OK               | OK    | - | - | -            |                               |                                  |            |
|                                                                                  |                    | All Dimensions Are In MM                                                                 |                             |       |       |                  |       |   |   |              |                               |                                  |            |
| 2                                                                                | DIMENSION          |                                                                                          | VALUE                       | -     | +     | 1                | 2     | - | - | -            |                               |                                  |            |
|                                                                                  |                    | THICKNESS                                                                                | 2.50                        | 2.00  | 2.50  | 2.06             | 2.05  | - | - | -            |                               |                                  |            |
|                                                                                  |                    | I.D                                                                                      | 20.00                       | 19.50 | 20.50 | 20.04            | 20.06 | - | - | -            |                               |                                  |            |
|                                                                                  |                    |                                                                                          |                             |       |       |                  |       |   |   |              |                               |                                  |            |
| INSPECTED BY:                                                                    |                    | Jay Hadiyal                                                                              |                             |       |       | APPROVED BY:     |       |   |   | Shreekant    |                               |                                  |            |

Conclusion :



Accept



Reject



Hold



## MetalMech-08500-FR-QX-08-Final Inspection Report-EX

|               |                    |                                         |                          |       |              |                  |       |              |       |   |                               |            |            |
|---------------|--------------------|-----------------------------------------|--------------------------|-------|--------------|------------------|-------|--------------|-------|---|-------------------------------|------------|------------|
| INSP. No.     | FIR-015            | Product Name                            | COMPRESSIBLE OUTER SEAL  |       | Size         | M25              |       | Drawing No.  | GE-02 |   | Date:                         | 26-08-2026 |            |
| Wo No.        | 26100080           | Total Quantity                          | 50                       |       | Lot Quantity | 50               |       | Sample Size- | 2     |   | Variable & Gauging            | 2PCS       |            |
| Sr. No.       | Checking Parameter | REQUIRED PARAMETER                      |                          |       |              | OBSERVED RESULTS |       |              |       |   | REJECTION<br>REWORK<br>DETAIL | REMARK     | CHECKED BY |
|               |                    | PARAMETER                               | CRITERIA                 |       | 1            | 2                | -     | -            | -     |   |                               |            |            |
| 1             | Visual             | Surface                                 | Fine, Clean              |       | FINE         | FINE             | -     | -            | -     |   |                               |            |            |
|               |                    | Sizewise No of Pcs. With Internal Parts | As per Drg. No. of Parts | 16    | 16           | 16               | -     | -            | -     |   | Measuring Instruments I.D No- |            |            |
|               |                    | Washing & Plating                       | Surface Finishing        | NA    | NA           | NA               | -     | -            | -     |   | (1) DV-55                     |            |            |
|               |                    | RUBBER MARKING                          | AS PER DRG.              | OK    | OK           | OK               | -     | -            | -     |   | (2) PP-01                     |            |            |
|               |                    | Marking                                 | WO Ref. No.              | NA    | NA           | NA               | -     | -            | -     |   | ASM No :- CSEX260810-05       |            |            |
|               |                    | Assembly Perfection                     | As per Drg.              |       | OK           | OK               | -     | -            | -     |   |                               |            |            |
|               |                    | Inner Packing                           | Labeling & Printing      |       | OK           | OK               | -     | -            | -     |   |                               |            |            |
|               |                    | Outer Packing                           | Printing & Stamping      |       | OK           | OK               | -     | -            | -     |   |                               |            |            |
|               |                    | All Dimensions Are In MM                |                          |       |              |                  |       |              |       |   |                               |            |            |
| 2             | DIMENSION          |                                         | VALUE                    | -     | +            | 1                | 2     | -            | -     | - |                               |            |            |
|               |                    | T.L                                     | 15.00                    | 14.50 | 15.50        | 15.04            | 15.03 | -            | -     | - |                               |            |            |
|               |                    | O.D                                     | 35.20                    | 35.00 | 35.20        | 35.10            | 35.09 | -            | -     | - |                               |            |            |
|               |                    | GR.LENGTH                               | 3.50                     | 3.20  | 3.80         | 3.48             | 3.49  | -            | -     | - |                               |            |            |
|               |                    | I.D                                     | 26.00                    | 25.90 | 26.10        | 26.02            | 26.01 | -            | -     | - |                               |            |            |
|               |                    |                                         |                          |       |              |                  |       |              |       |   |                               |            |            |
| INSPECTED BY: |                    | Jay Hadiyal                             |                          |       | APPROVED BY: |                  |       | Shreekant    |       |   |                               |            |            |

Conclusion :



Accept



Reject



Hold



## MetalMech-08500-FR-QX-08-Final Inspection Report-EX

|           |                    |                                            |                             |             |              |                  |              |   |              |   |                                  |                    |            |
|-----------|--------------------|--------------------------------------------|-----------------------------|-------------|--------------|------------------|--------------|---|--------------|---|----------------------------------|--------------------|------------|
| INSP. No. | FIR-015            | Product Name                               | INNER SKID WASHER           |             | Size         |                  | M25          |   | Drawing No.  |   | IW-02                            | Date:              | 26-08-2026 |
| Wo No.    | 26100080           | Total Quantity                             | 50                          |             | Lot Quantity |                  | 50           |   | Sample Size- |   | 2                                | Variable & Gauging | 2PCS       |
| Sr. No.   | Checking Parameter | REQUIRED PARAMETER                         |                             |             |              | OBSERVED RESULTS |              |   |              |   | REJECTION<br>REWORK<br>DETAIL    | REMARK             | CHECKED BY |
|           |                    | PARAMETER                                  | CRITERIA                    |             | 1            | 2                | -            | - | -            |   |                                  |                    |            |
| 1         | Visual             | Surface                                    | Fine, Clean                 |             | FINE         | FINE             | -            | - | -            |   | Measuring<br>Instruments I.D No- |                    |            |
|           |                    | Sizewise No of Pcs.<br>With Internal Parts | As per Drg. No.<br>of Parts | 16          | 16           | 16               | -            | - | -            |   | (1) DV-55                        |                    |            |
|           |                    | Washing & Plating                          | Surface<br>Finishing        | NA          | NA           | NA               | -            | - | -            |   | (2) PP-01                        |                    |            |
|           |                    | RUBBER MARKING                             | AS PER DRG.                 | OK          | OK           | OK               | -            | - | -            |   |                                  |                    |            |
|           |                    | Marking                                    | WO Ref. No.                 | NA          | NA           | NA               | -            | - | -            |   | ASM No :-<br>CSEX260810-05       |                    |            |
|           |                    | Assembly Perfection                        | As per Drg.                 |             | OK           | OK               | -            | - | -            |   |                                  |                    |            |
|           |                    | Inner Packing                              | Labeling &<br>Printing      |             | OK           | OK               | -            | - | -            |   |                                  |                    |            |
|           |                    | Outer Packing                              | Printing & Stamping         |             | OK           | OK               | -            | - | -            |   |                                  |                    |            |
|           |                    | All Dimensions Are In MM                   |                             |             |              |                  |              |   |              |   |                                  |                    |            |
| 2         | DIMENSION          |                                            | VALUE                       | -           | +            | 1                | 2            | - | -            | - |                                  |                    |            |
|           |                    | T.L                                        | 5.00                        | 4.70        | 5.30         | 5.05             | 5.04         | - | -            | - |                                  |                    |            |
|           |                    | O.D                                        | 30.00                       | 29.80       | 30.00        | 29.90            | 29.89        | - | -            | - |                                  |                    |            |
|           |                    | O.D                                        | 26.00                       | 25.80       | 26.00        | 25.93            | 25.95        | - | -            | - |                                  |                    |            |
|           |                    | O.D.L                                      | 3.00                        | 3.00        | 3.20         | 3.04             | 3.03         | - | -            | - |                                  |                    |            |
|           |                    | I.D                                        | 19.90                       | 19.90       | 20.10        | 19.95            | 19.94        | - | -            | - |                                  |                    |            |
|           |                    |                                            |                             |             |              |                  |              |   |              |   |                                  |                    |            |
|           |                    | INSPECTED BY:                              |                             | Jay Hadiyal |              |                  | APPROVED BY: |   |              |   | Shreekant                        |                    |            |

Conclusion :



Accept



Reject



Hold



## MetalMech-08500-FR-QX-08-Final Inspection Report-EX

| INSP. No.     | FIR-015            | Product Name                               | OUTER SKID WASHER           |       | Size         |                  | M25   |   | Drawing No.  |   | OW-02                         | Date:                           | 26-08-2026 |
|---------------|--------------------|--------------------------------------------|-----------------------------|-------|--------------|------------------|-------|---|--------------|---|-------------------------------|---------------------------------|------------|
| Wo No.        | 26100080           | Total Quantity                             | 50                          |       | Lot Quantity |                  | 50    |   | Sample Size- |   | 2                             | Variable & Gauging              | 2PCS       |
| Sr. No.       | Checking Parameter | REQUIRED PARAMETER                         |                             |       |              | OBSERVED RESULTS |       |   |              |   | REJECTION<br>REWORK<br>DETAIL | REMARK                          | CHECKED BY |
|               |                    | PARAMETER                                  | CRITERIA                    |       | 1            | 2                | -     | - | -            |   |                               |                                 |            |
| 1             | Visual             | Surface                                    | Fine, Clean                 |       | FINE         | FINE             | -     | - | -            |   |                               | Measuring<br>Instruments ID No- |            |
|               |                    | Sizewise No of Pcs.<br>With Internal Parts | As per Drg. No.<br>of Parts | 16    | 16           | 16               | -     | - | -            |   | (1) DV-55                     |                                 |            |
|               |                    | Washing & Plating                          | Surface<br>Finishing        | NA    | NA           | NA               | -     | - | -            |   | (2) PP-01                     |                                 |            |
|               |                    | RUBBER MARKING                             | AS PER DRG.                 | OK    | OK           | OK               | -     | - | -            |   |                               |                                 |            |
|               |                    | Marking                                    | WO Ref. No.                 | NA    | NA           | NA               | -     | - | -            |   | ASM No :-<br>CSEX260810-05    |                                 |            |
|               |                    | Assembly Perfection                        | As per Drg.                 |       | OK           | OK               | -     | - | -            |   |                               |                                 |            |
|               |                    | Inner Packing                              | Labeling &<br>Printing      |       | OK           | OK               | -     | - | -            |   |                               |                                 |            |
|               |                    | Outer Packing                              | Printing & Stamping         |       | OK           | OK               | -     | - | -            |   |                               |                                 |            |
|               |                    | All Dimensions Are In MM                   |                             |       |              |                  |       |   |              |   |                               |                                 |            |
| 2             | DIMENSION          |                                            | VALUE                       | -     | +            | 1                | 2     | - | -            | - |                               |                                 |            |
|               |                    | T.L                                        | 6.00                        | 5.70  | 6.30         | 6.04             | 6.06  | - | -            | - |                               |                                 |            |
|               |                    | O.D                                        | 33.00                       | 33.00 | 33.10        | 33.03            | 33.05 | - | -            | - |                               |                                 |            |
|               |                    | O.D                                        | 30.00                       | 29.80 | 30.00        | 29.93            | 29.96 | - | -            | - |                               |                                 |            |
|               |                    | O.D.L                                      | 4.00                        | 4.00  | 4.10         | 4.03             | 4.05  | - | -            | - |                               |                                 |            |
|               |                    | I.D                                        | 26.20                       | 26.20 | 26.40        | 26.25            | 26.24 | - | -            | - |                               |                                 |            |
|               |                    |                                            |                             |       |              |                  |       |   |              |   |                               |                                 |            |
| INSPECTED BY: |                    | Jay Hadiyal                                |                             |       | APPROVED BY: |                  |       |   | Shreekant    |   |                               |                                 |            |

Conclusion :



Accept



Reject



Hold



|  |                    | <h2 style="text-align: center;">MetalMech-08500-FR-QX-08-Final Inspection Report-EX</h2> |                             |        |        |                  |        |   |   |              |                               |                                  |            |
|----------------------------------------------------------------------------------|--------------------|------------------------------------------------------------------------------------------|-----------------------------|--------|--------|------------------|--------|---|---|--------------|-------------------------------|----------------------------------|------------|
| INSP. No.                                                                        | FIR-015            | Product Name                                                                             | SHROUD                      |        |        | Size             | M25    |   |   | Drawing No.  | 41-MM                         | Date:                            | 26-08-2026 |
| Wo No.                                                                           | 26100080           | Total Quantity                                                                           | 50                          |        |        | Lot Quantity     | 50     |   |   | Sample Size- | 2                             | Variable & Gauging               | 2PCS       |
| Sr. No.                                                                          | Checking Parameter | REQUIRED PARAMETER                                                                       |                             |        |        | OBSERVED RESULTS |        |   |   |              | REJECTION<br>REWORK<br>DETAIL | REMARK                           | CHECKED BY |
|                                                                                  |                    | PARAMETER                                                                                | CRITERIA                    |        |        | 1                | 2      | - | - | -            |                               |                                  |            |
| 1                                                                                | Visual             | Surface                                                                                  | Fine, Clean                 |        |        | FINE             | FINE   | - | - | -            |                               | Measuring<br>Instruments I.D No- |            |
|                                                                                  |                    | Sizewise No of Pcs.<br>With Internal Parts                                               | As per Drg. No.<br>of Parts | 16     | 16     | 16               | -      | - | - |              | (1) DV-55                     |                                  |            |
|                                                                                  |                    | Washing & Plating                                                                        | Surface<br>Finishing        | NA     | NA     | NA               | -      | - | - |              | (2) PP-01                     |                                  |            |
|                                                                                  |                    | RUBBER MARKING                                                                           | AS PER DRG.                 | NA     | NA     | NA               | -      | - | - |              |                               |                                  |            |
|                                                                                  |                    | Marking                                                                                  | WO Ref. No.                 | NA     | NA     | NA               | -      | - | - |              | ASM No :-<br>CSEX260810-05    |                                  |            |
|                                                                                  |                    | Assembly Perfection                                                                      | As per Drg.                 |        |        | OK               | OK     | - | - | -            |                               |                                  |            |
|                                                                                  |                    | Inner Packing                                                                            | Labeling &<br>Printing      |        | OK     | OK               | -      | - | - |              |                               |                                  |            |
|                                                                                  |                    | Outer Packing                                                                            | Printing & Stamping         |        |        | OK               | OK     | - | - | -            |                               |                                  |            |
|                                                                                  |                    | All Dimensions Are In MM                                                                 |                             |        |        |                  |        |   |   |              |                               |                                  |            |
| 2                                                                                | DIMENSION          |                                                                                          | VALUE                       | -      | +      | 1                | 2      | - | - | -            |                               |                                  |            |
|                                                                                  |                    | T.L                                                                                      | 105.00                      | 104.20 | 105.80 | 105.12           | 105.18 | - | - | -            |                               |                                  |            |
|                                                                                  |                    | I.D                                                                                      | 41.00                       | 40.20  | 41.80  | 41.08            | 41.07  | - | - | -            |                               |                                  |            |
|                                                                                  |                    |                                                                                          |                             |        |        |                  |        |   |   |              |                               |                                  |            |
| INSPECTED BY:                                                                    |                    | Jay Hadiyal                                                                              |                             |        |        | APPROVED BY:     |        |   |   | Shreekant    |                               |                                  |            |

Conclusion :



Accept



Reject



Hold



## MetalMech-08500-FR-QX-08-Final Inspection Report-EX

|                      |                           |                                            |                             |       |                     |                         |       |                     |   |                                        |                                  |                   |
|----------------------|---------------------------|--------------------------------------------|-----------------------------|-------|---------------------|-------------------------|-------|---------------------|---|----------------------------------------|----------------------------------|-------------------|
| <b>INSP. No.</b>     | FIR-015                   | <b>Product Name</b>                        | EARTH TAG                   |       | <b>Size</b>         | M25                     |       | <b>Drawing No.</b>  |   |                                        |                                  |                   |
| <b>Wo No.</b>        | 26100080                  | <b>Total Quantity</b>                      | 50                          |       | <b>Lot Quantity</b> | 50                      |       | <b>Sample Size-</b> | 2 |                                        | <b>Date:</b>                     | 26-08-2026        |
| <b>Sr. No.</b>       | <b>Checking Parameter</b> | <b>REQUIRED PARAMETER</b>                  |                             |       |                     | <b>OBSERVED RESULTS</b> |       |                     |   | <b>REJECTION<br/>REWORK<br/>DETAIL</b> | <b>REMARK</b>                    | <b>CHECKED BY</b> |
|                      |                           | <b>PARAMETER</b>                           | <b>CRITERIA</b>             |       | <b>1</b>            | <b>2</b>                | -     | -                   | - |                                        |                                  |                   |
| 1                    | Visual                    | Surface                                    | Fine, Clean                 |       | FINE                | FINE                    | -     | -                   | - |                                        | Measuring<br>Instruments I.D No- |                   |
|                      |                           | Sizewise No of Pcs.<br>With Internal Parts | As per Drg. No.<br>of Parts | 16    | 16                  | 16                      | -     | -                   | - |                                        | (1) DV-55                        |                   |
|                      |                           | Washing & Plating                          | Surface<br>Finishing        | NA    | NA                  | NA                      | -     | -                   | - |                                        | (2) PP-01                        |                   |
|                      |                           | RUBBER MARKING                             | AS PER DRG.                 | NA    | NA                  | NA                      | -     | -                   | - |                                        |                                  |                   |
|                      |                           | Marking                                    | WO Ref. No.                 | NA    | NA                  | NA                      | -     | -                   | - |                                        | ASM No :-<br>CSEX260810-05       |                   |
|                      |                           | Assembly Perfection                        | As per Drg.                 |       | OK                  | OK                      | -     | -                   | - |                                        |                                  |                   |
|                      |                           | Inner Packing                              | Labeling &<br>Printing      |       | OK                  | OK                      | -     | -                   | - |                                        |                                  |                   |
|                      |                           | Outer Packing                              | Printing & Stamping         |       | OK                  | OK                      | -     | -                   | - |                                        |                                  |                   |
|                      |                           | All Dimensions Are In MM                   |                             |       |                     |                         |       |                     |   |                                        |                                  |                   |
| 2                    | DIMENSION                 |                                            | VALUE                       | -     | +                   | 1                       | 2     | -                   | - | -                                      |                                  |                   |
|                      |                           | THICKNESS                                  | 1.50                        | 1.30  | 1.70                | 1.55                    | 1.53  | -                   | - | -                                      |                                  |                   |
|                      |                           | O.D                                        | 37.00                       | 36.20 | 37.80               | 37.22                   | 37.25 | -                   | - | -                                      |                                  |                   |
|                      |                           | O.D                                        | 13.20                       | 12.70 | 13.70               | 13.35                   | 13.31 | -                   | - | -                                      |                                  |                   |
|                      |                           | I.D                                        | 27.00                       | 26.50 | 27.50               | 27.07                   | 27.05 | -                   | - | -                                      |                                  |                   |
|                      |                           | I.D                                        | 6.50                        | 6.20  | 6.80                | 6.55                    | 6.54  | -                   | - | -                                      |                                  |                   |
|                      |                           |                                            |                             |       |                     |                         |       |                     | - | -                                      |                                  |                   |
| <b>INSPECTED BY:</b> |                           | <i>Jay Hadiyal</i>                         |                             |       | <b>APPROVED BY:</b> |                         |       | <i>Shreekant</i>    |   |                                        |                                  |                   |

Conclusion :



Accept



Reject



Hold



|  |                    | <h2 style="text-align: center;">MetalMech-08500-FR-QX-08-Final Inspection Report-EX</h2> |                          |       |              |                  |       |     |           |              |                               |        |                    |            |
|----------------------------------------------------------------------------------|--------------------|------------------------------------------------------------------------------------------|--------------------------|-------|--------------|------------------|-------|-----|-----------|--------------|-------------------------------|--------|--------------------|------------|
| INSP. No.                                                                        | FIR-015            | Product Name                                                                             | NYLON WASHER             |       |              | Size             |       | M25 |           | Drawing No.  |                               |        | Date:              | 26-08-2026 |
| Wo No.                                                                           | 26100080           | Total Quantity                                                                           | 50                       |       |              | Lot Quantity     |       | 50  |           | Sample Size- |                               | 2      | Variable & Gauging | 2PCS       |
| Sr. No.                                                                          | Checking Parameter | REQUIRED PARAMETER                                                                       |                          |       |              | OBSERVED RESULTS |       |     |           |              | REJECTION<br>REWORK<br>DETAIL | REMARK | CHECKED BY         |            |
|                                                                                  |                    | PARAMETER                                                                                | CRITERIA                 |       |              | 1                | 2     | -   | -         | -            |                               |        |                    |            |
| 1                                                                                | Visual             | Surface                                                                                  | Fine, Clean              |       |              | FINE             | FINE  | -   | -         | -            |                               |        |                    |            |
|                                                                                  |                    | Sizewise No of Pcs. With Internal Parts                                                  | As per Drg. No. of Parts | 16    | 16           | 16               | -     | -   | -         |              |                               |        |                    |            |
|                                                                                  |                    | Washing & Plating                                                                        | Surface Finishing        | NA    | NA           | NA               | -     | -   | -         |              |                               |        |                    |            |
|                                                                                  |                    | RUBBER MARKING                                                                           | AS PER DRG.              | NA    | NA           | NA               | -     | -   | -         |              |                               |        |                    |            |
|                                                                                  |                    | Marking                                                                                  | WO Ref. No.              | NA    | NA           | NA               | -     | -   | -         |              | ASM No :-<br>CSEX260810-05    |        |                    |            |
|                                                                                  |                    | Assembly Perfection                                                                      | As per Drg.              |       |              | OK               | OK    | -   | -         | -            |                               |        |                    |            |
|                                                                                  |                    | Inner Packing                                                                            | Labeling & Printing      |       | OK           | OK               | -     | -   | -         |              |                               |        |                    |            |
|                                                                                  |                    | Outer Packing                                                                            | Printing & Stamping      |       |              | OK               | OK    | -   | -         | -            |                               |        |                    |            |
|                                                                                  |                    | All Dimensions Are In MM                                                                 |                          |       |              |                  |       |     |           |              |                               |        |                    |            |
| 2                                                                                | DIMENSION          |                                                                                          | VALUE                    | -     | +            | 1                | 2     | -   | -         | -            |                               |        |                    |            |
|                                                                                  |                    | THICKNESS                                                                                | 1.50                     | 1.30  | 1.70         | 1.45             | 1.47  | -   | -         | -            |                               |        |                    |            |
|                                                                                  |                    | I.D                                                                                      | 25.20                    | 24.70 | 25.70        | 25.18            | 25.17 | -   | -         | -            |                               |        |                    |            |
|                                                                                  |                    |                                                                                          |                          |       |              |                  |       |     |           |              |                               |        |                    |            |
| INSPECTED BY:                                                                    |                    | Jay Hadiyal                                                                              |                          |       | APPROVED BY: |                  |       |     | Shreekant |              |                               |        |                    |            |

Conclusion :



Accept



Reject



Hold



|  |                    | <h2 style="text-align: center;">MetalMech-08500-FR-QX-08-Final Inspection Report-EX</h2> |                          |       |              |                  |       |   |              |   |                               |                    |            |
|----------------------------------------------------------------------------------|--------------------|------------------------------------------------------------------------------------------|--------------------------|-------|--------------|------------------|-------|---|--------------|---|-------------------------------|--------------------|------------|
| INSP. No.                                                                        | FIR-015            | Product Name                                                                             | STAR WASHER              |       | Size         |                  | M25   |   | Drawing No.  |   | -                             | Date:              | 26-08-2026 |
| Wo No.                                                                           | 26100080           | Total Quantity                                                                           | 50                       |       | Lot Quantity |                  | 50    |   | Sample Size- |   | 2                             | Variable & Gauging | 2PCS       |
| Sr. No.                                                                          | Checking Parameter | REQUIRED PARAMETER                                                                       |                          |       |              | OBSERVED RESULTS |       |   |              |   | REJECTION<br>REWORK<br>DETAIL | REMARK             | CHECKED BY |
|                                                                                  |                    | PARAMETER                                                                                | CRITERIA                 |       |              | 1                | 2     | - | -            | - |                               |                    |            |
| 1                                                                                | Visual             | Surface                                                                                  | Fine, Clean              |       |              | FINE             | FINE  | - | -            | - |                               |                    |            |
|                                                                                  |                    | Sizewise No of Pcs. With Internal Parts                                                  | As per Drg. No. of Parts | 16    | 16           | 16               | -     | - | -            |   | Measuring Instruments I.D No- |                    |            |
|                                                                                  |                    | Washing & Plating                                                                        | Surface Finishing        | NA    | NA           | NA               | -     | - | -            |   | (1) DV-55                     |                    |            |
|                                                                                  |                    | RUBBER MARKING                                                                           | AS PER DRG.              | NA    | NA           | NA               | -     | - | -            |   |                               |                    |            |
|                                                                                  |                    | Marking                                                                                  | WO Ref. No.              | NA    | NA           | NA               | -     | - | -            |   | ASM No :- CSEX260810-05       |                    |            |
|                                                                                  |                    | Assembly Perfection                                                                      | As per Drg.              |       |              | OK               | OK    | - | -            | - |                               |                    |            |
|                                                                                  |                    | Inner Packing                                                                            | Labeling & Printing      |       | OK           | OK               | -     | - | -            |   |                               |                    |            |
|                                                                                  |                    | Outer Packing                                                                            | Printing & Stamping      |       |              | OK               | OK    | - | -            | - |                               |                    |            |
|                                                                                  |                    | All Dimensions Are In MM                                                                 |                          |       |              |                  |       |   |              |   |                               |                    |            |
| 2                                                                                | DIMENSION          |                                                                                          | VALUE                    | -     | +            | 1                | 2     | - | -            | - |                               |                    |            |
|                                                                                  |                    | O.D                                                                                      | 38.00                    | 37.20 | 38.80        | 38.06            | 38.05 | - | -            | - |                               |                    |            |
|                                                                                  |                    | I.D                                                                                      | 25.20                    | 24.70 | 25.70        | 25.25            | 25.24 | - | -            | - |                               |                    |            |
|                                                                                  |                    | T.L                                                                                      | 4.00                     | 3.70  | 4.30         | 4.06             | 4.05  | - | -            | - |                               |                    |            |
|                                                                                  |                    |                                                                                          |                          |       |              |                  |       |   |              |   |                               |                    |            |
| INSPECTED BY:                                                                    |                    | Jay Hadiyal                                                                              |                          |       | APPROVED BY: |                  |       |   | Shreekant    |   |                               |                    |            |

Conclusion :



Accept



Reject



Hold

