MM-086000-SXUA-QCZA-FR-02-01-Final Inspection Report-Ex-V26I01

INSP. No.	FIR-012	Product Name	LOCK NUT	Size	M40	Drawing No.	DL4IS	Date:	15-10-2026
Wo No.	26100105	Total Quantity	10	Lot Quantity	10	Sample Size-	2	Variable & Gauging	2PCS

Sr. No.	Checking Parameter	REQUIRED PARAMETER				OBSERVED RESULTS					REJECTION REWORK DETAIL	REMARK	CHECKED BY
		PARAMETER	CRITERIA			1	2	-	-	-			
1	Visual	Surface	Fine, Clean			FINE	FINE	-	-	-		Measuring Instruments I.D No-	
		Sizewise No of Pcs. With Internal Parts	As per Drg. No. of Parts	10		10	10	-	-	-		(1) DV-55	
		Washing & Plating	Surface Finishing	NA		NA	NA	-	-	-		(2) PP-01	
		RUBBER MARKING	AS PER DRG.	NA		NA	NA	-	-	-			
		Marking	WO Ref. No.	NA		NA	NA	-	-	-		ASM No :- CSEX260927-09	
		Assembly Perfection	As per Drg.			OK	OK	-	-	-			
		Inner Packing	Labeling & Printing			OK	OK	-	-	-			
		Outer Packing	Printing & Stamping			OK	OK	-	-	-			
		All Dimensions Are In MM											
2	DIMENSION		VALUE	-	+	1	2	-	-	-			
		A/F	46.00	45.84	46.00	45.91	45.92	-	-	-			
		A/C	50.00	49.20	50.80	50.00	50.01	-	-	-			
		T.L	4.50	4.20	4.80	4.49	4.50	-	-	-			
		THREAD	M40x1.5 AS PER P.G GO NOT GO			OK	OK	-	-	-			
		CH.ANGLE	1x45° AS PER PP FOUND			OK	OK	-	-	-			
		CH.ANGLE	30° AS PER PP FOUND			OK	OK	-	-	-			

INSPECTED BY:	*Jay Hadiyal*	*APPROVED BY:*	*Shreekant*

Conclusion :

☑ **Accept** ☐ **Reject** ☐ **Hold**

METALMECH ENGINEERING QA PASSED

METAL MECA
THE SAFEST CONNECTIONS

MM-086000-SXUA-QCZA-FR-02-01-Final Inspection Report-Ex-V26I01

INSP. No.	FIR-012	Product Name	ENTRY COMPONENT	Size	M40	Drawing No.	313001M-04	Date:	15-10-2026
Wo No.	26100105	Total Quantity	10	Lot Quantity	10	Sample Size-	2	Variable & Gauging	2PCS

Sr. No.	Checking Parameter	REQUIRED PARAMETER			OBSERVED RESULTS					REJECTION REWORK DETAIL	REMARK	CHECKED BY
		PARAMETER	CRITERIA		1	2	-	-	-			
1	Visual	Surface	Fine, Clean		FINE	FINE	-	-	-		Measuring Instruments I.D No.	
		Sizewise No of Pcs. With Internal Parts	As per Drg. No. of Parts	10	10	10	-	-	-		(1) DV-55	
		Washing & Plating	Surface Finishing	NA	NA	NA	-	-	-		(2) PP-01	
		RUBBER MARKING	AS PER DRG.	NA	NA	NA	-	-	-			
		Marking	WO Ref. No.	Metalmech Logo MM-EX-A2F404MX6 2026 CE Logo 2460 Ex Logo II 2 GD Ex db IIC Gb, Ex eb IIC Gb, Ex tb IIIC Db, IP66/68 -55°C ≤ Ta ≤ +160°C Presafe 20 ATEX 48906X IECEx PRE 20.0124X	-	-	-		ASM No :- CSEX260927-09	
		Assembly Perfection	As per Drg.		OK	OK	-	-	-			
		Inner Packing	Labeling & Printing		OK	OK	-	-	-			
		Outer Packing	Printing & Stamping		OK	OK	-	-	-			
		All Dimensions Are In MM										
2	DIMENSION		VALUE	-	+	1	2	-	-	-		
		A/F	50.00	49.81	50.00	49.88	49.87	-	-	-		
		A/C	55.00	54.20	55.80	54.97	54.99	-	-	-		
		T.L	37.00	37.00	37.50	37.25	37.24	-	-	-		
		TH.L	13.00	12.50	13.50	13.03	13.01	-	-	-		
		LENGTH	17.00	17.00	17.50	17.22	17.23	-	-	-		
		GR.OD	38.00	37.20	38.80	37.97	37.99	-	-	-		
		GR.LE	2.50	2.30	2.70	2.52	2.54	-	-	-		
		O.D	49.00	48.20	49.80	49.00	48.99	-	-	-		
		O.D.L	11.00	10.50	11.50	11.08	11.11	-	-	-		
		H.L	9.00	8.50	9.50	8.95	8.94	-	-	-		
		I.D	32.50	31.70	33.30	32.50	32.49	-	-	-		
		INT.THL	15.00	14.50	15.50	15.03	15.04	-	-	-		
		THREAD	M40x1.5 AS PER T.R.G GO NOT GO			OK	OK	-	-	-		
		INT.THREAD	M45x1.5 AS PER P.G GO NOT GO			OK	OK	-	-	-		
		CH.ANGLE	1.5x45° AS PER PP FOUND			OK	OK	-	-	-		
		CH.ANGLE	0.5x45° AS PER PP FOUND			OK	OK	-	-	-		
		CH.ANGLE	20° AS PER PP FOUND			OK	OK	-	-	-		
		ANGLE	90° AS PER PP FOUND			OK	OK	-	-	-		

INSPECTED BY:	Jay Hadiyal	APPROVED BY:	Shreekant

Conclusion :

☑ **Accept** ☐ **Reject** ☐ **Hold**

METAL MECH ENGINEERING CA PASSED

METAL MECA
THE SAFEST CONNECTIONS

MM-086000-SXUA-QCZA-FR-02-01-Final Inspection Report-Ex-V26I01

INSP. No.	FIR-012	Product Name	BACK NUT	Size	M40	Drawing No.	314006-04	Date:	15-10-2026
Wo No.	26100105	Total Quantity	10	Lot Quantity	10	Sample Size-	2	Variable & Gauging	2PCS

Sr. No.	Checking Parameter	REQUIRED PARAMETER				OBSERVED RESULTS					REJECTION REWORK DETAIL	REMARK	CHECKED BY
		PARAMETER	CRITERIA			1	2	-	-	-			
1	Visual	Surface	Fine, Clean			FINE	FINE	-	-	-		Measuring Instruments I.D No-	
		Sizewise No of Pcs. With Internal Parts	As per Drg. No. of Parts	10		10	10	-	-	-		(1) DV-55	
		Washing & Plating	Surface Finishing	NA		NA	NA	-	-	-		(2) PP-01	
		RUBBER MARKING	AS PER DRG.	NA		NA	NA	-	-	-			
		Marking	WO Ref. No.	NA		NA	NA	-	-	-		ASM No :- CSEX260927-09	
		Assembly Perfection	As per Drg.			OK	OK	-	-	-			
		Inner Packing	Labeling & Printing			OK	OK	-	-	-			
		Outer Packing	Printing & Stamping			OK	OK	-	-	-			
		All Dimensions Are In MM											
2	DIMENSION		VALUE	-	+	1	2	-	-	-			
		A/F	50.00	49.84	50.00	49.93	49.95	-	-	-			
		A/C	55.00	54.20	55.80	54.98	54.99	-	-	-			
		T.L	19.00	18.50	19.50	18.97	18.99	-	-	-			
		TH.L	13.50	13.00	14.00	13.46	13.48	-	-	-			
		GR.OD	43.00	42.20	43.80	43.06	43.05	-	-	-			
		GR.LE	1.50	1.30	1.70	1.55	1.53	-	-	-			
		H.L	5.50	5.20	5.80	5.45	5.48	-	-	-			
		I.D	40.00	39.20	40.80	40.05	40.04	-	-	-			
		THREAD	M45x1.5 AS PER T.R.G GO NOT GO			OK	OK	-	-	-			
		CH.ANGLE	20° AS PER PP FOUND			OK	OK	-	-	-			
		CH.ANGLE	0.5x45° AS PER PP FOUND			OK	OK	-	-	-			
		CH.ANGLE	1.5x45° AS PER PP FOUND			OK	OK	-	-	-			
		RADIUS	3 MM AS PER PP FOUND			OK	OK	-	-	-			

INSPECTED BY:	*Jay Hadiyal*	*APPROVED BY:*	*Shreekant*

Conclusion :

☑ **Accept** ☐ **Reject** ☐ **Hold**

METALMECH ENGINEERS CA PASSER

METAL MECH®
THE SAFEST CONNECTIONS

MM-086000-SXUA-QCZA-FR-02-01-Final Inspection Report-Ex-V26I01

INSP. No.	FIR-012	Product Name	COMPRESSIBLE INNER SEAL	Size	M40	Drawing No.	GI-04	Date:	15-10-2026
Wo No.	26100105	Total Quantity	10	Lot Quantity	10	Sample Size-	2	Variable & Gauging	2PCS

Sr. No.	Checking Parameter	REQUIRED PARAMETER			OBSERVED RESULTS					REJECTION REWORK DETAIL	REMARK	CHECKED BY
		PARAMETER	CRITERIA		1	2	-	-	-			
1	Visual	Surface	Fine, Clean		FINE	FINE	-	-	-		Measuring Instruments I.D No-	
		Sizewise No of Pcs. With Internal Parts	As per Drg. No. of Parts	10	10	10	-	-	-		(1) DV-55	
		Washing & Plating	Surface Finishing	NA	NA	NA	-	-	-		(2) PP-01	
		RUBBER MARKING	AS PER DRG.	OK	OK	OK	-	-	-			
		Marking	WO Ref. No.	NA	NA	NA	-	-	-		ASM No :- CSEX260927-09	
		Assembly Perfection	As per Drg.		OK	OK	-	-	-			
		Inner Packing	Labeling & Printing		OK	OK	-	-	-			
		Outer Packing	Printing & Stamping		OK	OK	-	-	-			
		All Dimensions Are In MM										
2	DIMENSION		VALUE	-	+	1	2	-	-	-			
		T.L	15.50	15.00	16.00	15.49	15.51	-	-	-		
		O.D.L	6.00	5.70	6.30	6.02	6.04	-	-	-		
		O.D	43.50	43.30	43.50	43.39	43.41	-	-	-		
		O.D.L	9.50	9.00	10.00	9.52	9.53	-	-	-		
		I.D	32.10	32.10	32.30	32.15	32.12	-	-	-		

INSPECTED BY:	*Jay Hadiyal*	*APPROVED BY:*	*Shreekant*

Conclusion :

☑ **Accept** ☐ **Reject** ☐ **Hold**

METALMECH ENGINEERING CA PASSED

METAL MECH®
THE SAFEST CONNECTIONS

MM-086000-SXUA-QCZA-FR-02-01-Final Inspection Report-Ex-V26I01

INSP. No.	FIR-012	**Product Name**	INNER SKID WASHER	**Size**	M40	**Drawing No.**	IW-04	**Date:**	15-10-2026
Wo No.	26100105	**Total Quantity**	10	**Lot Quantity**	10	**Sample Size-**	2	Variable & Gauging	2PCS

Sr. No.	Checking Parameter	REQUIRED PARAMETER			OBSERVED RESULTS					REJECTION REWORK DETAIL	REMARK	CHECKED BY
		PARAMETER	CRITERIA		1	2	-	-	-			
1	Visual	Surface	Fine, Clean		FINE	FINE	-	-	-		Measuring Instruments I.D No-	
		Sizewise No of Pcs. With Internal Parts	As per Drg. No. of Parts	10	10	10	-	-	-		(1) DV-55	
		Washing & Plating	Surface Finishing	NA	NA	NA	-	-	-		(2) PP-01	
		RUBBER MARKING	AS PER DRG.	OK	OK	OK	-	-	-			
		Marking	WO Ref. No.	NA	NA	NA	-	-	-		ASM No :- CSEX260927-09	
		Assembly Perfection	As per Drg.		OK	OK	-	-	-			
		Inner Packing	Labeling & Printing		OK	OK	-	-	-			
		Outer Packing	Printing & Stamping		OK	OK	-	-	-			
		All Dimensions Are In MM										
2	DIMENSION		VALUE	-	+	1	2	-	-	-			
		T.L	5.00	4.70	5.30	5.01	5.03	-	-	-		
		O.D	42.50	42.30	42.50	42.39	42.37	-	-	-		
		O.D	39.50	39.30	39.50	39.50	39.49	-	-	-		
		O.D.L	3.00	3.00	3.20	3.02	3.03	-	-	-		
		I.D	32.20	32.20	32.40	32.25	32.26	-	-	-		

INSPECTED BY:	*Jay Hadiyal*	*APPROVED BY:*	*Shreekant*

Conclusion :

☑ **Accept** ☐ **Reject** ☐ **Hold**

METALMECH ENGINEERING CA PASSED

MM-086000-SXUA-QCZA-FR-02-01-Final Inspection Report-Ex-V26I01

INSP. No.	FIR-012	Product Name	O-RING	Size	M40	Drawing No.	OR-4M	Date:	15-10-2026
Wo No.	26100105	Total Quantity	10	Lot Quantity	10	Sample Size-	2	Variable & Gauging	2PCS

Sr. No.	Checking Parameter	REQUIRED PARAMETER			OBSERVED RESULTS					REJECTION REWORK DETAIL	REMARK	CHECKED BY
		PARAMETER	CRITERIA		1	2	-	-	-			
1	Visual	Surface	Fine, Clean		FINE	FINE	-	-	-		Measuring Instruments I.D No-	
		Sizewise No of Pcs. With Internal Parts	As per Drg. No. of Parts	10	10	10	-	-	-		(1) DV-55	
		Washing & Plating	Surface Finishing	NA	NA	NA	-	-	-		(2) PP-01	
		RUBBER MARKING	AS PER DRG.	NA	NA	NA	-	-	-			
		Marking	WO Ref. No.	NA	NA	NA	-	-	-		ASM No :- CSEX260927-09	
		Assembly Perfection	As per Drg.		OK	OK	-	-	-			
		Inner Packing	Labeling & Printing		OK	OK	-	-	-			
		Outer Packing	Printing & Stamping		OK	OK	-	-	-			
		All Dimensions Are In MM										
2	DIMENSION		VALUE	-	+	1	2	-	-	-			
		THICKNESS	2.50	2.00	2.50	2.05	2.03	-	-	-		
		I.D	30.00	29.50	30.50	30.03	30.05	-	-	-		

INSPECTED BY:	Jay Hadiyal	APPROVED BY:	Shreekant

Conclusion :

☑ **Accept** ☐ **Reject** ☐ **Hold**

METALMECH ENGINEERING QA PASSED

METAL MECH®
THE SAFEST CONNECTIONS

MM-086000-SXUA-QCZA-FR-02-01-Final Inspection Report-Ex-V26I01

INSP. No.	FIR-012	Product Name	EARTH TAG	Size	M40	Drawing No.	-	Date:	15-10-2026
Wo No.	26100105	Total Quantity	10	Lot Quantity	10	Sample Size-	2	Variable & Gauging	2PCS

Sr. No.	Checking Parameter	REQUIRED PARAMETER			OBSERVED RESULTS					REJECTION REWORK DETAIL	REMARK	CHECKED BY
		PARAMETER	CRITERIA		1	2	-	-	-			
1	Visual	Surface	Fine, Clean		FINE	FINE	-	-	-		Measuring Instruments I.D No-	
		Sizewise No of Pcs. With Internal Parts	As per Drg. No. of Parts	10	10	10	-	-	-		(1) DV-55	
		Washing & Plating	Surface Finishing	NA	NA	NA	-	-	-		(2) PP-01	
		RUBBER MARKING	AS PER DRG.	NA	NA	NA	-	-	-			
		Marking	WO Ref. No.	NA	NA	NA	-	-	-		ASM No :- CSEX260927-09	
		Assembly Perfection	As per Drg.		OK	OK	-	-	-			
		Inner Packing	Labeling & Printing		OK	OK	-	-	-			
		Outer Packing	Printing & Stamping		OK	OK	-	-	-			
		All Dimensions Are In MM										
2	DIMENSION		VALUE	-	+	1	2	-	-	-			
		THICKNESS	1.50	1.30	1.70	1.45	1.49	-	-	-		
		O.D	52.20	51.40	53.00	52.22	52.25	-	-	-		
		O.D	16.00	15.50	16.50	16.05	16.09	-	-	-		
		I.D	43.00	42.20	43.80	43.04	43.08	-	-	-		
		I.D	6.50	6.20	6.80	6.54	6.56	-	-	-		

INSPECTED BY:	*Jay Hadiyal*	*APPROVED BY:*	*Shreekant*

Conclusion :

☑ **Accept** ☐ **Reject** ☐ **Hold**

METALMECH ENGINEERING CA PASSED

MM-086000-SXUA-QCZA-FR-02-01-Final Inspection Report-Ex-V26I01

INSP. No.	FIR-012	**Product Name**	SHROUD	**Size**	B-4055	**Drawing No.**	-	**Date:**	15-10-2026
Wo No.	26100105	**Total Quantity**	10	**Lot Quantity**	10	**Sample Size-**	2	Variable & Gauging	2PCS

Sr. No.	**Checking Parameter**	**REQUIRED PARAMETER**			**OBSERVED RESULTS**					**REJECTION REWORK DETAIL**	**REMARK**	**CHECKED BY**
		PARAMETER	**CRITERIA**		**1**	**2**	**-**	**-**	**-**			
1	Visual	Surface	Fine, Clean		FINE	FINE	-	-	-		Measuring Instruments I.D No-	
		Sizewise No of Pcs. With Internal Parts	As per Drg. No. of Parts	10	10	10	-	-	-		(1) DV-55	
		Washing & Plating	Surface Finishing	NA	NA	NA	-	-	-		(2) PP-01	
		RUBBER MARKING	AS PER DRG.	NA	NA	NA	-	-	-			
		Marking	WO Ref. No.	NA	NA	NA	-	-	-		ASM No :- CSEX260927-09	
		Assembly Perfection	As per Drg.		OK	OK	-	-	-			
		Inner Packing	Labeling & Printing		OK	OK	-	-	-			
		Outer Packing	Printing & Stamping		OK	OK	-	-	-			
		All Dimensions Are In MM										
2	DIMENSION		VALUE	-	+	1	2	-	-	-			
		T.L	115.00	114.20	115.80	115.19	115.18	-	-	-		
		I.D	55.00	54.20	55.80	55.06	55.09	-	-	-		

INSPECTED BY:	*Jay Hadiyal*	*APPROVED BY:*	*Shreekant*

Conclusion :

☑ **Accept** ☐ **Reject** ☐ **Hold**

METALMECH ENGINEERING QA PASSED

MM-086000-SXUA-QCZA-FR-02-01-Final Inspection Report-Ex-V26I01

INSP. No.	FIR-012	**Product Name**	NYOLON WASHER	**Size**	M40	**Drawing No.**	-	**Date:**	15-10-2026
Wo No.	26100105	**Total Quantity**	10	**Lot Quantity**	10	**Sample Size-**	2	Variable & Gauging	2PCS

Sr. No.	Checking Parameter	REQUIRED PARAMETER			OBSERVED RESULTS					REJECTION REWORK DETAIL	REMARK	CHECKED BY
		PARAMETER	CRITERIA		1	2	-	-	-			
1	Visual	Surface	Fine, Clean		FINE	FINE	-	-	-		Measuring Instruments I.D No-	
		Sizewise No of Pcs. With Internal Parts	As per Drg. No. of Parts	10	10	10	-	-	-		(1) DV-55	
		Washing & Plating	Surface Finishing	NA	NA	NA	-	-	-		(2) PP-01	
		RUBBER MARKING	AS PER DRG.	NA	NA	NA	-	-	-			
		Marking	WO Ref. No.	NA	NA	NA	-	-	-		ASM No :- CSEX260927-09	
		Assembly Perfection	As per Drg.		OK	OK	-	-	-			
		Inner Packing	Labeling & Printing		OK	OK	-	-	-			
		Outer Packing	Printing & Stamping		OK	OK	-	-	-			
		All Dimensions Are In MM										
2	DIMENSION		VALUE	-	+	1	2	-	-	-		
		THICKNESS	1.50	1.30	1.70	1.55	1.52	-	-	-		
		I.D	41.00	40.20	41.80	41.45	41.49	-	-	-		

INSPECTED BY:	*Jay Hadiyal*	*APPROVED BY:*	*Shreekant*

Conclusion :

☑ **Accept** ☐ **Reject** ☐ **Hold**

METALMECH ENGINEERING QA PASSED

MM-086000-SXUA-QCZA-FR-02-01-Final Inspection Report-Ex-V26I01

INSP. No.	FIR-012	**Product Name**	STAR WASHER	**Size**	M40	**Drawing No.**	-	**Date:**	15-10-2026
Wo No.	26100105	**Total Quantity**	10	**Lot Quantity**	10	**Sample Size-**	2	Variable & Gauging	2PCS

Sr. No.	Checking Parameter	REQUIRED PARAMETER			OBSERVED RESULTS					REJECTION REWORK DETAIL	REMARK	CHECKED BY
		PARAMETER	CRITERIA		1	2	-	-	-			
1	Visual	Surface	Fine, Clean		FINE	FINE	-	-	-		Measuring Instruments I.D No-	
		Sizewise No of Pcs. With Internal Parts	As per Drg. No. of Parts	10	10	10	-	-	-		(1) DV-55	
		Washing & Plating	Surface Finishing	NA	NA	NA	-	-	-		(2) PP-01	
		RUBBER MARKING	AS PER DRG.	NA	NA	NA	-	-	-			
		Marking	WO Ref. No.	NA	NA	NA	-	-	-		ASM No :- CSEX260927-09	
		Assembly Perfection	As per Drg.		OK	OK	-	-	-			
		Inner Packing	Labeling & Printing		OK	OK	-	-	-			
		Outer Packing	Printing & Stamping		OK	OK	-	-	-			
		All Dimensions Are In MM										
2	DIMENSION		VALUE	-	+	1	2	-	-	-		
		T.L	5.00	4.70	5.30	5.05	5.04	-	-	-		
		O.D	58.00	57.20	58.80	58.04	58.06	-	-	-		
		I.D	40.20	39.40	41.00	40.22	40.21	-	-	-		

INSPECTED BY:	*Jay Hadiyal*	*APPROVED BY:*	*Shreekant*

Conclusion :

☑ **Accept** ☐ **Reject** ☐ **Hold**

METALMECH ENGINEERING QA PASSED