

		MetalMech-08500-FR-QX-08-Final Inspection Report-EX											
INSP. No.	FIR-011	Product Name	LOCK NUT		Size		M20		Drawing No.		DL1M	Date:	26-08-2026
Wo No.	26100080	Total Quantity	100		Lot Quantity		100		Sample Size-		3	Variable & Gauging	3PCS
Sr. No.	Checking Parameter	REQUIRED PARAMETER				OBSERVED RESULTS					REJECTION REWORK DETAIL	REMARK	CHECKED BY
		PARAMETER	CRITERIA			1	2	3	-	-			
1	Visual	Surface	Fine, Clean			FINE	FINE	FINE	-	-		Measuring Instruments I.D No-	
		Sizewise No of Pcs. With Internal Parts	As per Drg. No. of Parts	16	16	16	16	-	-		(1) DV-55		
		Washing & Plating	Surface Finishing	NA	NA	NA	NA	-	-		(2) PP-01		
		RUBBER MARKING	AS PER DRG.	NA	NA	NA	NA	-	-				
		Marking	WO Ref. No.	NA	NA	NA	NA	-	-		ASM No :- CSEX260810-04		
		Assembly Perfection	As per Drg.			OK	OK	OK	-	-			
		Inner Packing	Labeling & Printing		OK	OK	OK	-	-				
		Outer Packing	Printing & Stamping			OK	OK	OK	-	-			
		All Dimensions Are In MM											
2	DIMENSION		VALUE	-	+	1	2	3	-	-			
		A/F	24.00	23.87	24.00	23.97	23.94	23.95	-	-			
		A/C	26.00	25.50	26.50	26.00	25.99	25.98	-	-			
		T.L	3.50	3.20	3.80	3.49	3.51	3.50	-	-			
		THREAD	M20x1.5 AS PER P.G GO NOT GO			OK	OK	OK	-	-			
		CH.ANGLE	30° AS PER PP FOUND			OK	OK	OK	-	-			
INSPECTED BY:		Jay Hadiyal			APPROVED BY:				Shreekant				

Conclusion :

☒

Accept

☐

Reject

☐

Hold



		MetalMech-08500-FR-QX-08-Final Inspection Report-EX													
INSP. No.	FIR-011	Product Name	ENTRY COMPONENT			Size		M20		Drawing No.		313001M-01	Date:	26-08-2026	
Wo No.	26100080	Total Quantity	100			Lot Quantity		100		Sample Size-		3	Variable & Gauging	3PCS	
Sr. No.	Checking Parameter	REQUIRED PARAMETER			OBSERVED RESULTS						REJECTION REWORK DETAIL	REMARK	CHECKED BY		
		PARAMETER	CRITERIA		1	2	3	-	-						
1	Visual	Surface	Fine, Clean		FINE	FINE	FINE	-	-						
		Sizewise No of Pes. With Internal Parts	As per Drg. No. of Parts	16	16	16	16	-	-						
		Washing & Plating	Surface Finishing	NA	NA	NA	NA	-	-						
		RUBBER MARKING	AS PER DRG.	NA	NA	NA	NA	-	-						
		Marking	WO Ref. No.	Metalmech Logo MM-EX-EIFUNV201MX6 2026 CE Logo 2460 Ex Logo II 2 GD Ex db HC		OK	OK	OK	-	-					
		Assembly Perfection		As per Drg.		OK	OK	OK	-	-					
		Inner Packing	Labeling & Printing		OK	OK	OK	-	-						
		Outer Packing	Printing & Stamping		OK	OK	OK	-	-						
2	DIMENSION	All Dimensions Are In MM													
			VALUE	-	+	1	2	3	-	-					
		A/F	27.00	26.87	27.00	26.89	26.90	26.91	-	-					
		A/C	30.00	29.50	30.50	29.95	29.94	29.93	-	-					
		T.L	33.00	33.00	33.50	33.25	33.24	33.23	-	-					
		TH.L	13.00	12.50	13.50	13.06	13.09	13.05	-	-					
		LENGTH	17.00	17.00	17.50	17.24	17.26	17.25	-	-					
		GR.OD	18.00	17.50	18.50	18.05	18.03	18.05	-	-					
		GR.LE	2.50	2.30	2.70	2.55	2.54	2.53	-	-					
		O.D	26.50	26.00	27.00	26.50	26.51	26.49	-	-					
		O.D.L	9.00	8.50	9.50	9.01	9.00	9.01	-	-					
		H.L	7.00	6.70	7.30	7.05	7.07	7.04	-	-					
		I.D	14.10	13.60	14.60	14.08	14.07	14.08	-	-					
		INT.THL	11.50	11.00	12.00	11.54	11.56	11.55	-	-					
		THREAD	M20x1.5 AS PER T.R.G GO NOT GO			OK	OK	OK	-	-					
		INT.THREAD	M24x1.5 AS PER P.G GO NOT GO			OK	OK	OK	-	-					
		CHANGLE	1.5x45° AS PER PP FOUND			OK	OK	OK	-	-					
		CHANGLE	0.5x45° AS PER PP FOUND			OK	OK	OK	-	-					
		CHANGLE	20° AS PER PP FOUND			OK	OK	OK	-	-					
		ANGLE	90° AS PER PP FOUND			OK	OK	OK	-	-					
INSPECTED BY:		Jay Hadiyal			APPROVED BY:			Shreekant							

Conclusion :

☒ Accept

☐ Reject

☐ Hold



		MetalMech-08500-FR-QX-08-Final Inspection Report-EX													
INSP. No.	FIR-011	Product Name	INTERMEDIATE BODY			Size		M20		Drawing No.		313002U-01	Date:	26-08-2026	
Wo No.	26100080	Total Quantity	100			Lot Quantity		100		Sample Size-		3	Variable & Gangline	3PCS	
Sr. No.	Checking Parameter	REQUIRED PARAMETER			OBSERVED RESULTS						REJECTION REWORK DETAIL	REMARK	CHECKED BY		
		PARAMETER	CRITERIA		1	2	3	-	-						
1	Visual	Surface	Fine, Clean		FINE	FINE	FINE	-	-						
		Sizewise No of Pcs. With Internal Parts	As per Drg. No. of Parts		16	16	16	16	-	-				Measuring Instruments ID No.	
		Washing & Plating	Surface Finishing		NA	NA	NA	NA	-	-				(1) DV-55	
		RUBBER MARKING	AS PER DRG.		NA	NA	NA	NA	-	-				(2) PP-01	
		Marking	WO Ref. No.		NA	NA	NA	NA	-	-				ASM No :- CSEX260810-04	
		Assembly Perfection	As per Drg.		OK	OK	OK	-	-						
		Inner Packing	Labeling & Printing		OK	OK	OK	-	-						
		Outer Packing	Printing & Stamping		OK	OK	OK	-	-						
		All Dimensions Are In MM													
		2	DIMENSION		VALUE	-	+	1	2	3	-	-			
A/F	31.00			30.84	31.00	31.92	31.91	31.93	-	-			DEVIATION CONFIRMED WITH GAURAV SIR		
A/C	34.00			33.20	34.80	35.00	34.99	34.98	-	-			DEVIATION CONFIRMED WITH GAURAV SIR		
T.L	25.00			24.50	25.50	24.99	25.01	25.00	-	-					
TH.L	10.50			10.00	11.00	10.53	10.55	10.54	-	-					
GR.OD	22.00			21.50	22.50	22.06	22.05	22.04	-	-					
GR.LE	1.00			0.80	1.20	1.00	0.99	1.00	-	-					
H.L	5.00			4.70	5.30	5.05	5.04	5.03	-	-					
TH.L	9.50			9.00	10.00	9.48	9.50	9.49	-	-					
GR.OD	26.00			25.50	26.50	26.03	26.05	26.04	-	-					
GR.LE	1.00			0.80	1.20	1.00	1.02	1.01	-	-					
I.D	20.00			19.50	20.50	20.05	20.06	20.04	-	-					
I.D	22.50			22.00	23.00	22.47	22.49	22.48	-	-					
DEPTH	7.00			6.70	7.30	7.00	7.00	7.01	-	-					
I.D	20.50			20.00	21.00	20.46	20.49	20.48	-	-					
I.D.LE	6.00			5.70	6.30	6.01	5.99	6.00	-	-					
DEPTH	13.00			12.50	13.50	13.02	13.01	13.00	-	-					
THREAD	M24x1.5 AS PER T.R.G GO NOT GO			OK	OK	OK	-	-							
THREAD	M28x1.5 AS PER T.R.G GO NOT GO			OK	OK	OK	-	-							
CH.ANGLE	1x45° AS PER PP FOUND			OK	OK	OK	-	-							
CH.ANGLE	20° AS PER PP FOUND			OK	OK	OK	-	-							
INSPECTED BY:		Jay Hadiyal			APPROVED BY:				Shreekant						

Conclusion :



Accept



Reject



Hold





MetalMech-08500-FR-QX-08-Final Inspection Report-EX

INSP. No.	FIR-011	Product Name		MIDDLE BODY		Size		M20		Drawing No.		313002-01	Date:	26-08-2026
Wo No.	26100080	Total Quantity		100		Lot Quantity		100		Sample Size-		3	Variable & Gauging	3PCS
Sr. No.	Checking Parameter	REQUIRED PARAMETER					OBSERVED RESULTS					REJECTION REWORK DETAIL	REMARK	CHECKED BY
		PARAMETER	CRITERIA			1	2	3	-	-				
1	Visual	Surface	Fine, Clean			FINE	FINE	FINE	-	-				
		Size wise No of Pcs. of Parts	As per Drg. No. of Parts			16	16	16	16	-	-		Measuring Instruments ID No.	
		Washing & Plating	Surface Finishing			NA	NA	NA	NA	-	-		(1) DV-55	
		RUBBER MARKING	AS PER DRG.			NA	NA	NA	NA	-	-		(2) PP-01	
		Marking	WO Ref. No.			NA	NA	NA	NA	-	-		ASM No :- CSEN260810-04	
		Assembly Perfection	As per Drg.			OK	OK	OK	-	-				
		Inner Packing	Labeling & Printing				OK	OK	OK	-	-			
		Outer Packing	Printing & Stamping			OK	OK	OK	-	-				
		All Dimensions Are In MM												
2	DIMENSION		VALUE	-	+	1	2	3	-	-				
		A/F	31.00	30.84	31.00	31.95	31.94	31.93	-	-		DEVIATION CONFIRMED WITH GAURAV SIR		
		A/C	34.00	33.20	34.80	34.97	34.99	34.98	-	-		DEVIATION CONFIRMED WITH GAURAV SIR		
		T.L	27.00	26.50	27.50	27.00	27.01	27.00	-	-				
		TH.L	14.00	13.50	14.50	13.97	13.99	13.98	-	-				
		GR.OD	27.00	26.50	27.50	26.95	26.94	26.96	-	-				
		GR.LE	1.00	0.80	1.20	1.00	0.99	1.00	-	-				
		O.D	30.00	29.50	30.50	29.98	29.97	29.95	-	-				
		O.D.L	6.00	5.70	6.30	6.03	6.02	6.02	-	-				
		H.L	7.00	6.70	7.30	7.05	7.04	7.06	-	-				
		I.D	21.00	20.50	21.50	21.04	21.03	21.02	-	-				
		INT.TH.L	11.50	11.00	12.00	11.52	11.50	11.51	-	-				
		I.D	24.50	24.00	25.00	24.46	24.45	24.47	-	-				
		DEPTH	15.50	15.00	16.00	15.49	15.48	15.48	-	-				
		THREAD	M29x1.5 AS PER T.R.G GO NOT GO			OK	OK	OK	-	-				
		INT.THREAD	M28x1.5 AS PER P.G GO NOT GO			OK	OK	OK	-	-				
		CH.ANGLE	1x45° AS PER PP FOUND			OK	OK	OK	-	-				
		CH.ANGLE	20° AS PER PP FOUND			OK	OK	OK	-	-				
INSPECTED BY:		Jay Hadiyal			APPROVED BY:				Shreekant					

Conclusion :



Accept



Reject



Hold



		MetalMech-08500-FR-QX-08-Final Inspection Report-EX													
INSP. No.	FIR-011	Product Name	BACK NUT		Size		M20		Drawing No.		313003-01	Date:	26-08-2026		
Wo No.	26100080	Total Quantity	100		Lot Quantity		100		Sample Size-		3	Variable & Gauging	3PCS		
Sr. No.	Checking Parameter	REQUIRED PARAMETER			OBSERVED RESULTS					REJECTION REWORK DETAIL	REMARK	CHECKED BY			
		PARAMETER	CRITERIA		1	2	3	-	-						
1	Visual	Surface	Fine, Clean		FINE	FINE	FINE	-	-						
		Sizewise No of Pcs. With Internal Parts	As per Drg. No. of Parts	16	16	16	16	-	-			(1) DV-55			
		Washing & Plating	Surface Finishing	NA	NA	NA	NA	-	-			(2) PP-01			
		RUBBER MARKING	AS PER DRG.	NA	NA	NA	NA	-	-						
		Marking	WO Ref. No.	NA	NA	NA	NA	-	-			ASM No :- CSEX260810-04			
		Assembly Perfection	As per Drg.		OK	OK	OK	-	-						
		Inner Packing	Labeling & Printing		OK	OK	OK	-	-						
		Outer Packing	Printing & Stamping		OK	OK	OK	-	-						
		All Dimensions Are In MM													
		2	DIMENSION	VALUE	-	+	1	2	3	-	-				
A/F	31.00			30.84	31.00	31.95	31.94	31.93	-	-		DEVIATION CONFIRMED WITH GAURAV SIR			
A/C	34.00			33.20	34.80	34.98	34.99	34.98	-	-		DEVIATION CONFIRMED WITH GAURAV SIR			
T.L	20.00			19.50	20.50	20.00	19.99	20.01	-	-					
O.D	30.50			29.70	31.30	30.49	30.50	30.48	-	-					
O.D.L	8.00			7.70	8.30	8.05	8.03	8.05	-	-					
H.L	12.00			11.50	12.50	11.97	11.96	11.95	-	-					
L.D	24.50			24.00	25.00	24.47	24.49	24.48	-	-					
INT.THIL	4.00			3.70	4.30	4.01	3.99	4.01	-	-					
GR.ID	29.20			28.70	29.70	29.22	29.24	29.25	-	-					
GR.LE	12.50			12.00	13.00	12.52	12.49	12.51	-	-					
DEPTH	16.50			16.00	17.00	16.51	16.50	16.50	-	-					
GR.ID	27.50			27.00	28.00	27.55	27.54	27.53	-	-					
GR.LE	2.00			1.80	2.20	2.01	2.01	2.00	-	-					
DEPTH	18.50			18.00	19.00	18.52	18.54	18.55	-	-					
INT.THREAD	M29x1.5 AS PER P.G GO NOT GO			OK	OK	OK	-	-							
CH.ANGLE	1x45° AS PER PP FOUND			OK	OK	OK	-	-							
CH.ANGLE	0.5x45° AS PER PP FOUND			OK	OK	OK	-	-							
CH.ANGLE	30° AS PER PP FOUND			OK	OK	OK	-	-							
CH.ANGLE	45° AS PER PP FOUND			OK	OK	OK	-	-							
INSPECTED BY:		Jay Hadiyal			APPROVED BY:			Shreekant							

Conclusion :



Accept



Reject



Hold



		MetalMech-08500-FR-QX-08-Final Inspection Report-EX														
INSP. No.	FIR-011	Product Name	UNIVERSAL CLAMPING CONE			Size		M20		Drawing No.		313005-01	Date:	26-08-2026		
Wo No.	26100080	Total Quantity	100			Lot Quantity		100		Sample Size-		3	Variable & Gauging	3PCS		
Sr. No.	Checking Parameter	REQUIRED PARAMETER			OBSERVED RESULTS						REJECTION REWORK DETAIL	REMARK	CHECKED BY			
		PARAMETER	CRITERIA		1	2	3	-	-							
1	Visual	Surface	Fine, Clean		FINE	FINE	FINE	-	-							
		Size/wise No of Pcs. With Internal Parts	As per Drg. No. of Parts	16	16	16	16	-	-							
		Washing & Plating	Surface Finishing	NA	NA	NA	NA	-	-							
		RUBBER MARKING	AS PER DRG.	NA	NA	NA	NA	-	-							
		Marking	WO Ref. No.	NA	NA	NA	NA	-	-							
		Assembly Perfection	As per Drg.	OK	OK	OK	-	-								
		Inner Packing	Labeling & Printing	OK	OK	OK	-	-								
		Outer Packing	Printing & Stamping	OK	OK	OK	-	-								
		All Dimensions Are In MM														
		2	DIMENSION		VALUE	-	+	1	2	3	-	-				
T.L	22.00			21.50	22.50	21.99	22.00	22.01	-	-						
O.D	16.50			16.00	17.00	16.55	16.54	16.57	-	-						
O.D.L	4.00			3.70	4.30	4.01	3.99	3.98	-	-						
O.D	17.80			17.30	18.30	17.79	17.78	17.79	-	-						
O.D.L	2.50			2.30	2.70	2.55	2.54	2.58	-	-						
GR.LENGTH	0.50			0.30	0.70	0.55	0.53	0.56	-	-						
O.D	18.80			18.30	19.30	18.79	18.80	18.78	-	-						
O.D.L	7.50			7.20	7.80	7.53	7.56	7.54	-	-						
O.D	22.00			21.50	22.50	22.00	21.99	22.01	-	-						
O.D.L	7.00			6.70	7.30	7.00	7.00	7.01	-	-						
O.D	16.50			16.00	17.00	16.55	16.54	16.56	-	-						
O.D.L	4.50			4.20	4.80	4.55	4.56	4.55	-	-						
O.D	17.00			16.50	17.50	17.03	17.00	17.02	-	-						
O.D	17.50			17.00	18.00	17.52	17.55	17.54	-	-						
O.D	18.00			17.50	18.50	17.97	17.96	17.98	-	-						
O.D.L	7.50			7.20	7.80	7.55	7.54	7.58	-	-						
I.D	14.00			13.50	14.50	14.06	14.05	14.04	-	-						
RADIUS	0.5 MM AS PER PP FOUND			OK	OK	OK	-	-								
RADIUS	0.3 AS PER PP FOUND			OK	OK	OK	-	-								
INSPECTED BY:		Jay Hadiyal			APPROVED BY:				Shreekant							

Conclusion :



Accept



Reject



Hold



		MetalMech-08500-FR-QX-08-Final Inspection Report-EX											
INSP. No.	FIR-011	Product Name	REVERSIBLE ARMOUR RING		Size		M20		Drawing No.		313004-01	Date:	26-08-2026
Wo No.	26100080	Total Quantity	100		Lot Quantity		100		Sample Size-		3	Variable & Gauging	3PCS
Sr. No.	Checking Parameter	REQUIRED PARAMETER				OBSERVED RESULTS					REJECTION REWORK DETAIL	REMARK	CHECKED BY
		PARAMETER	CRITERIA			1	2	3	-	-			
1	Visual	Surface	Fine, Clean			FINE	FINE	FINE	-	-			
		Sizewise No of Pcs. With Internal Parts	As per Drg. No. of Parts	16		16	16	16	-	-		Measuring Instruments I.D No-	
		Washing & Plating	Surface Finishing	NA		NA	NA	NA	-	-		(1) DV-55	
		RUBBER MARKING	AS PER DRG.	NA		NA	NA	NA	-	-		(2) PP-01	
		Marking	WO Ref. No.	NA		NA	NA	NA	-	-		ASM No :- CSEX260810-04	
		Assembly Perfection	As per Drg.			OK	OK	OK	-	-			
		Inner Packing	Labeling & Printing			OK	OK	OK	-	-			
		Outer Packing	Printing & Stamping			OK	OK	OK	-	-			
All Dimensions Are In MM													
2	DIMENSION		VALUE	-	+	1	2	3	-	-			
		T.L	6.00	5.70	6.30	6.00	5.99	6.01	-	-			
		O.D	23.50	23.00	24.00	23.46	23.48	23.47	-	-			
		I.D	18.50	18.00	19.00	18.53	18.55	18.54	-	-			
		I.D	19.50	19.00	20.00	19.53	19.55	19.54	-	-			
INSPECTED BY:		Jay Hadiyal			APPROVED BY:				Shreekant				

Conclusion :



Accept



Reject



Hold



		MetalMech-08500-FR-QX-08-Final Inspection Report-EX												
INSP. No.	FIR-011	Product Name	O-RING			Size	M20			Drawing No.	OR-1M		Date:	26-08-2026
Wo No.	26100080	Total Quantity	100			Lot Quantity	100			Sample Size-	3		Variable & Gauging	3PCS
Sr. No.	Checking Parameter	REQUIRED PARAMETER				OBSERVED RESULTS					REJECTION REWORK DETAIL	REMARK	CHECKED BY	
		PARAMETER	CRITERIA			1	2	3	-	-				
1	Visual	Surface	Fine, Clean			FINE	FINE	FINE	-	-				
		Sizewise No of Pcs. With Internal Parts	As per Drg. No. of Parts	16	16	16	16	-	-					
		Washing & Plating	Surface Finishing	NA	NA	NA	NA	-	-					
		RUBBER MARKING	AS PER DRG.	NA	NA	NA	NA	-	-					
		Marking	WO Ref. No.	NA	NA	NA	NA	-	-					
		Assembly Perfection	As per Drg.			OK	OK	OK	-	-				
		Inner Packing	Labeling & Printing		OK	OK	OK	-	-					
		Outer Packing	Printing & Stamping			OK	OK	OK	-	-				
		All Dimensions Are In MM												
2	DIMENSION		VALUE	-	+	1	2	3	-	-				
		THICKNESS	2.50	2.00	2.50	2.06	2.05	2.04	-	-				
		I.D	16.00	15.50	16.50	16.02	16.01	16.04	-	-				
INSPECTED BY:		Jay Hadiyal				APPROVED BY:				Shreekant				

Conclusion :



Accept



Reject



Hold



		MetalMech-08500-FR-QX-08-Final Inspection Report-EX												
INSP. No.	FIR-011	Product Name	COMPRESSIBLE INNER SEAL			Size		M20		Drawing No.		GI-01	Date:	26-08-2026
Wo No.	26100080	Total Quantity	100			Lot Quantity		100		Sample Size-		3	Variable & Gauging	3PCS
Sr. No.	Checking Parameter	REQUIRED PARAMETER				OBSERVED RESULTS					REJECTION REWORK DETAIL	REMARK	CHECKED BY	
		PARAMETER	CRITERIA			1	2	3	-	-				
1	Visual	Surface	Fine, Clean			FINE	FINE	FINE	-	-				
		Sizewise No of Pcs. With Internal Parts	As per Drg. No. of Parts	16	16	16	16	-	-					
		Washing & Plating	Surface Finishing	NA	NA	NA	NA	-	-					
		RUBBER MARKING	AS PER DRG.	OK	OK	OK	OK	-	-					
		Marking	WO Ref. No.	NA	NA	NA	NA	-	-					
		Assembly Perfection	As per Drg.			OK	OK	OK	-	-				
		Inner Packing	Labeling & Printing		OK	OK	OK	-	-					
		Outer Packing	Printing & Stamping			OK	OK	OK	-	-				
		All Dimensions Are In MM												
2	DIMENSION		VALUE	-	+	1	2	3	-	-				
		T.L	10.50	10.00	11.00	10.50	10.51	10.52	-	-				
		O.D.L	4.00	3.70	4.30	3.94	3.96	3.98	-	-				
		O.D	22.50	22.30	22.50	22.41	22.39	22.42	-	-				
		O.D.L	6.50	6.20	6.80	6.48	6.52	6.50	-	-				
		I.D	14.00	14.00	14.20	14.07	14.09	14.08	-	-				
INSPECTED BY:		Jay Hadiyal			APPROVED BY:				Shreekant					

Conclusion : ☒ Accept ☐ Reject ☐ Hold



		MetalMech-08500-FR-QX-08-Final Inspection Report-EX												
INSP. No.	FIR-011	Product Name	COMPRESSIBLE OUTER SEAL			Size		M20		Drawing No.		GE-01	Date:	26-08-2026
Wo No.	26100080	Total Quantity	100			Lot Quantity		100		Sample Size-		3	Variable & Gauging	3PCS
Sr. No.	Checking Parameter	REQUIRED PARAMETER				OBSERVED RESULTS					REJECTION REWORK DETAIL	REMARK	CHECKED BY	
		PARAMETER	CRITERIA			1	2	3	-	-				
1	Visual	Surface	Fine, Clean			FINE	FINE	FINE	-	-		Measuring Instruments I.D No-		
		Size wise No of Pcs. With Internal Parts	As per Drg. No. of Parts	16	16	16	16	-	-		(1) DV-55			
		Washing & Plating	Surface Finishing	NA	NA	NA	NA	-	-		(2) PP-01			
		RUBBER MARKING	AS PER DRG.	OK	OK	OK	OK	-	-					
		Marking	WO Ref. No.	NA	NA	NA	NA	-	-		ASM No :- CSEX260810-04			
		Assembly Perfection	As per Drg.			OK	OK	OK	-	-				
		Inner Packing	Labeling & Printing		OK	OK	OK	-	-					
		Outer Packing	Printing & Stamping			OK	OK	OK	-	-				
		All Dimensions Are In MM												
2	DIMENSION		VALUE	-	+	1	2	3	-	-				
		T.L	11.00	10.50	11.50	11.01	11.03	11.02	-	-				
		O.D	28.50	28.30	28.50	28.41	28.43	28.42	-	-				
		GR.LENGTH	3.50	3.20	3.80	3.50	3.48	3.49	-	-				
		I.D	20.90	20.90	21.00	20.92	20.93	20.95	-	-				
INSPECTED BY:		Jay Hadiyal				APPROVED BY:				Shreekant				

Conclusion :



Accept



Reject



Hold



		MetalMech-08500-FR-QX-08-Final Inspection Report-EX											
INSP. No.	FIR-011	Product Name	INNER SKID WASHER		Size	M20		Drawing No.	IW-01		Date:	26-08-2026	
Wo No.	26100080	Total Quantity	100		Lot Quantity	100		Sample Size-	3		Variable & Gauging	3PCS	
Sr. No.	Checking Parameter	REQUIRED PARAMETER				OBSERVED RESULTS					REJECTION REWORK DETAIL	REMARK	CHECKED BY
		PARAMETER	CRITERIA			1	2	3	-	-			
1	Visual	Surface	Fine, Clean			FINE	FINE	FINE	-	-			
		Sizewise No of Pcs. With Internal Parts	As per Drg. No. of Parts	16	16	16	16	-	-		Measuring Instruments I.D No-		
		Washing & Plating	Surface Finishing	NA	NA	NA	NA	-	-		(1) DV-55		
		RUBBER MARKING	AS PER DRG.	OK	OK	OK	OK	-	-		(2) PP-01		
		Marking	WO Ref. No.	NA	NA	NA	NA	-	-		ASM No :- CSEX260810-04		
		Assembly Perfection	As per Drg.			OK	OK	OK	-	-			
		Inner Packing	Labeling & Printing		OK	OK	OK	-	-				
		Outer Packing	Printing & Stamping			OK	OK	OK	-	-			
		All Dimensions Are In MM											
2	DIMENSION		VALUE	-	+	1	2	3	-	-			
		T.L	5.00	4.70	5.30	5.03	5.02	5.01	-	-			
		O.D	22.00	21.80	22.00	21.90	21.89	21.90	-	-			
		O.D	19.50	19.30	19.50	19.42	19.39	19.41	-	-			
		O.D.L	3.00	3.00	3.20	3.02	3.00	3.01	-	-			
		I.D	14.00	14.00	14.20	14.10	14.09	14.08	-	-			
INSPECTED BY:		Jay Hadiyal			APPROVED BY:				Shreekant				

Conclusion : ☒ Accept ☐ Reject ☐ Hold



MetalMech-08500-FR-QX-08-Final Inspection Report-EX

INSP. No.	FIR-011	Product Name	OUTER SKID WASHER		Size		M20		Drawing No.		OW-01	Date:	26-08-2026
Wo No.	26100080	Total Quantity	100		Lot Quantity		100		Sample Size-		3	Variable & Gauging	3PCS
Sr. No.	Checking Parameter	REQUIRED PARAMETER				OBSERVED RESULTS					REJECTION REWORK DETAIL	REMARK	CHECKED BY
		PARAMETER	CRITERIA			1	2	3	-	-			
1	Visual	Surface	Fine, Clean			FINE	FINE	FINE	-	-		Measuring Instruments I.D No-	
		Sizewise No of Pcs. With Internal Parts	As per Drg. No. of Parts	16	16	16	16	-	-		(1) DV-55		
		Washing & Plating	Surface Finishing	NA	NA	NA	NA	-	-		(2) PP-01		
		RUBBER MARKING	AS PER DRG.	OK	OK	OK	OK	-	-				
		Marking	WO Ref. No.	NA	NA	NA	NA	-	-		ASM No :- CSEX260810-04		
		Assembly Perfection	As per Drg.			OK	OK	OK	-	-			
		Inner Packing	Labeling & Printing		OK	OK	OK	-	-				
		Outer Packing	Printing & Stamping			OK	OK	OK	-	-			
		All Dimensions Are In MM											
2	DIMENSION		VALUE	-	+	1	2	3	-	-			
		T.L	6.50	6.20	6.80	6.50	6.49	6.50	-	-			
		O.D	27.00	27.00	27.10	27.00	27.01	27.02	-	-			
		O.D	24.50	24.30	24.50	24.39	24.38	24.37	-	-			
		O.D.L	4.00	4.00	4.10	4.02	4.01	4.02	-	-			
		I.D	6.50	6.50	6.60	6.52	6.54	6.54	-	-			
INSPECTED BY:		Jay Hadiyal			APPROVED BY:				Shreekant				

Conclusion :



Accept



Reject



Hold



		MetalMech-08500-FR-QX-08-Final Inspection Report-EX											
INSP. No.	FIR-011	Product Name	NYLON WASHER			Size	M20			Drawing No.		Date:	26-08-2026
Wo No.	26100080	Total Quantity	100			Lot Quantity	100			Sample Size-	3	Variable & Gauging	3PCS
Sr. No.	Checking Parameter	REQUIRED PARAMETER				OBSERVED RESULTS					REJECTION REWORK DETAIL	REMARK	CHECKED BY
		PARAMETER	CRITERIA			1	2	3	-	-			
1	Visual	Surface	Fine, Clean			FINE	FINE	FINE	-	-		Measuring Instruments I.D No-	
		Sizewise No of Pcs. With Internal Parts	As per Drg. No. of Parts	16	16	16	16	-	-		(1) DV-55		
		Washing & Plating	Surface Finishing	NA	NA	NA	NA	-	-		(2) PP-01		
		RUBBER MARKING	AS PER DRG.	OK	OK	OK	OK	-	-				
		Marking	WO Ref. No.	NA	NA	NA	NA	-	-		ASM No :- CSEX260810-04		
		Assembly Perfection	As per Drg.			OK	OK	OK	-	-			
		Inner Packing	Labeling & Printing		OK	OK	OK	-	-				
		Outer Packing	Printing & Stamping			OK	OK	OK	-	-			
		All Dimensions Are In MM											
2	DIMENSION		VALUE	-	+	1	2	3	-	-			
		THICKNESS	1.50	1.30	1.70	1.48	1.45	1.46	-	-			
		I.D	20.20	19.70	20.70	20.15	20.18	20.16	-	-			
INSPECTED BY:		Jay Hadiyal				APPROVED BY:				Shreekant			

Conclusion :



Accept



Reject



Hold



 THE SAFEST CONNECTIONS		MetalMech-08500-FR-QX-08-Final Inspection Report-EX											
INSP. No.	FIR-011	Product Name	SHROUD			Size	C-2032			Drawing No.		Date:	26-08-2026
Wo No.	26100080	Total Quantity	100			Lot Quantity	100			Sample Size-	3	Variable & Gauging	3PCS
Sr. No.	Checking Parameter	REQUIRED PARAMETER				OBSERVED RESULTS					REJECTION REWORK DETAIL	REMARK	CHECKED BY
		PARAMETER	CRITERIA			1	2	3	-	-			
1	Visual	Surface	Fine, Clean			FINE	FINE	FINE	-	-		Measuring Instruments I.D No-	
		Sizewise No of Pcs. With Internal Parts	As per Drg. No. of Parts	16	16	16	16	-	-		(1) DV-55		
		Washing & Plating	Surface Finishing	NA	NA	NA	NA	-	-		(2) PP-01		
		RUBBER MARKING	AS PER DRG.	OK	OK	OK	OK	-	-				
		Marking	WO Ref. No.	NA	NA	NA	NA	-	-		ASM No :- CSEX260810-04		
		Assembly Perfection	As per Drg.			OK	OK	OK	-	-			
		Inner Packing	Labeling & Printing		OK	OK	OK	-	-				
		Outer Packing	Printing & Stamping			OK	OK	OK	-	-			
		All Dimensions Are In MM											
2	DIMENSION		VALUE	-	+	1	2	3	-	-			
		T.L	130.00	129.20	130.80	130.15	130.16	130.11	-	-			
		I.D	32.00	31.20	32.80	32.06	32.09	32.07	-	-			
INSPECTED BY:		Jay Hadiyal				APPROVED BY:				Shreekant			

Conclusion :



Accept



Reject



Hold



		MetalMech-08500-FR-QX-08-Final Inspection Report-EX											
INSP. No.	FIR-011	Product Name	EARTH TAG		Size		M20		Drawing No.		-	Date:	26-08-2026
Wo No.	26100080	Total Quantity	100		Lot Quantity		100		Sample Size-		3	Variable & Gauging	3PCS
Sr. No.	Checking Parameter	REQUIRED PARAMETER				OBSERVED RESULTS					REJECTION REWORK DETAIL	REMARK	CHECKED BY
		PARAMETER	CRITERIA			1	2	3	-	-			
1	Visual	Surface	Fine, Clean			FINE	FINE	FINE	-	-			
		Sizewise No of Pcs. With Internal Parts	As per Drg. No. of Parts	16	16	16	16	-	-				
		Washing & Plating	Surface Finishing	NA	NA	NA	NA	-	-				
		RUBBER MARKING	AS PER DRG.	NA	NA	NA	NA	-	-				
		Marking	WO Ref. No.	NA	NA	NA	NA	-	-				
		Assembly Perfection	As per Drg.			OK	OK	OK	-	-			
		Inner Packing	Labeling & Printing		OK	OK	OK	-	-				
		Outer Packing	Printing & Stamping			OK	OK	OK	-	-			
		All Dimensions Are In MM											
2	DIMENSION		VALUE	-	+	1	2	3	-	-			
		THICKNESS	1.50	1.30	1.70	1.45	1.48	1.46	-	-			
		O.D	30.20	29.40	31.00	30.19	30.21	30.23	-	-			
		O.D	13.20	12.70	13.70	13.25	13.23	13.22	-	-			
		I.D	22.00	21.50	22.50	22.08	22.07	22.06	-	-			
		I.D	6.50	6.20	6.80	6.54	6.56	6.55	-	-			
INSPECTED BY:		Jay Hadiyal			APPROVED BY:				Shreekant				

Conclusion :



Accept



Reject



Hold



		MetalMech-08500-FR-QX-08-Final Inspection Report-EX											
INSP. No.	FIR-011	Product Name	STAR WASHER		Size		M20		Drawing No.		-	Date:	26-08-2026
Wo No.	26100080	Total Quantity	100		Lot Quantity		100		Sample Size-		3	Variable & Gauging	3PCS
Sr. No.	Checking Parameter	REQUIRED PARAMETER				OBSERVED RESULTS					REJECTION REWORK DETAIL	REMARK	CHECKED BY
		PARAMETER	CRITERIA			1	2	3	-	-			
1	Visual	Surface	Fine, Clean			FINE	FINE	FINE	-	-		Measuring Instruments I.D No-	
		Sizewise No of Pcs. With Internal Parts	As per Drg. No. of Parts	16	16	16	16	-	-		(1) DV-55		
		Washing & Plating	Surface Finishing	NA	NA	NA	NA	-	-		(2) PP-01		
		RUBBER MARKING	AS PER DRG.	NA	NA	NA	NA	-	-				
		Marking	WO Ref. No.	NA	NA	NA	NA	-	-		ASM No :- CSEX260810-04		
		Assembly Perfection	As per Drg.			OK	OK	OK	-	-			
		Inner Packing	Labeling & Printing		OK	OK	OK	-	-				
		Outer Packing	Printing & Stamping			OK	OK	OK	-	-			
		All Dimensions Are In MM											
2	DIMENSION		VALUE	-	+	1	2	3	-	-			
		O.D	33.00	32.70	33.30	33.06	33.05	33.07	-	-			
		I.D	21.00	20.50	21.50	21.34	21.36	21.35	-	-			
		T.L	4.00	3.70	4.30	4.06	4.05	4.07	-	-			
INSPECTED BY:		Jay Hadiyal			APPROVED BY:				Shreekant				

Conclusion :



Accept



Reject



Hold

