



MetalMech-08500-FR-QX-08-Final Inspection Report-EX

INSP. No.	FIR-01	Product Name	LOCK NUT		Size	1/2" NPT			Drawing No.	DLINS	Date:	15-09-2026
Wo No.	26000294	Total Quantity	5		Lot Quantity	5			Sample Size-	2	Variable & Gauging	2PCS
Sr. No.	Checking Parameter	REQUIRED PARAMETER				OBSERVED RESULTS				REJECTION REWORK DETAIL	REMARK	CHECKED BY
		PARAMETER	CRITERIA		1	2	-	-	-			
1	Visual	Surface	Fine, Clean		FINE	FINE	-	-	-		Measuring Instruments I.D No-	
		Sizewise No of Pcs. With Internal Parts	As per Drg. No. of Parts	9	9	9	-	-	-		(1) DV-55	
		Washing & Plating	Surface Finishing	NA	NA	NA	-	-	-		(2) PP-01	
		RUBBER MARKING	AS PER DRG.	NA	NA	NA	-	-	-			
		Marking	WO Ref. No.	NA	NA	NA	-	-	-		ASM No :- CSEX260915-02	
		Assembly Perfection	As per Drg.		OK	OK	-	-	-			
		Inner Packing	Labeling & Printing		OK	OK	-	-	-			
		Outer Packing	Printing & Stamping		OK	OK	-	-	-			
		All Dimensions Are In MM										
2	DIMENSION		VALUE	-	+	1	2	-	-	-		
		A/F	24.00	23.87	24.00	23.88	23.87	-	-	-		
		A/C	26.00	25.50	26.50	25.99	26.00	-	-	-		
		T.L	4.00	3.70	4.30	4.00	4.01	-	-	-		
		THREAD	1/2" NPT AS PER P.G GO NOT GO			OK	OK	-	-	-		
		CH.ANGLE	30° AS PER PP FOUND			OK	OK	-	-	-		
INSPECTED BY:		Jay Hadiyal			APPROVED BY:				Shreekant			

Conclusion : ☒ Accept ☐ Reject ☐ Hold





MetalMech-08500-FR-QX-08-Final Inspection Report-EX

INSP. No.	FIR-01	Product Name	ENTRY COMPONENT		Size		1/2" NPT		Drawing No.	313001M-00	Date:	15-09-2026	
Wo No.	26000294	Total Quantity	5		Lot Quantity		5		Sample Size-	2	Variable & Gauging	2PCS	
Sr. No.	Checking Parameter	REQUIRED PARAMETER				OBSERVED RESULTS				REJECTION REWORK DETAIL	REMARK	CHECKED BY	
		PARAMETER	CRITERIA			1	2	-	-				-
1	Visual	Surface	Fine, Clean			FINE	FINE	-	-	-		Measuring Instruments I.D No.	
		Size wise No of Pcs. With Internal Parts	As per Drg. No. of Parts	9	9	9	-	-	-		(1) DV-55		
		Washing & Plating	Surface Finishing	NA	NA	NA	-	-	-		(2) PP-01		
		RUBBER MARKING	AS PER DRG.	NA	NA	NA	-	-	-				
		Marking	WO Ref. No. Metalmech Logo MM-EX- A2F20s161NX6 2026 CE Logo 2460 Ex Logo II 2 GD Ex db IIC Gb, Ex	OK	OK	-	-	-		ASM No :- CSEX260915-02			
		Assembly Perfection	As per Drg.	OK	OK	-	-	-					
		Inner Packing	Labeling & Printing	OK	OK	-	-	-					
		Outer Packing	Printing & Stamping	OK	OK	-	-	-					
		All Dimensions Are In MM											
2	DIMENSION		VALUE	-	+	1	2	-	-	-			
		A/F	25.00	24.87	25.00	25.37	25.39	-	-	-		Deviation Confirmed With Gauge Sir	
		A/C	27.50	27.00	28.00	27.50	27.49	-	-	-			
		T.L	35.00	35.00	35.50	35.09	35.08	-	-	-			
		LENGTH	20.00	20.00	20.50	20.07	20.09	-	-	-			
		O.D	24.50	24.00	25.00	24.50	24.49	-	-	-			
		O.D.L	9.00	8.50	9.50	9.02	9.01	-	-	-			
		H.L	6.00	5.70	6.30	6.05	6.04	-	-	-			
		I.D	9.00	8.50	9.50	9.05	9.04	-	-	-			
		DEPTH	11.50	11.00	12.00	11.55	11.54	-	-	-			
		THREAD	1/2" NPT AS PER T.R.G GO NOT GO			OK	OK	-	-	-			
		INT.THREAD	M20x1.5 AS PER P.G GO NOT GO			OK	OK	-	-	-			
		CH.ANGLE	0.5x45° AS PER PP FOUND			OK	OK	-	-	-			
		CH.ANGLE	1.6x45° AS PER PP FOUND			OK	OK	-	-	-			
		CH.ANGLE	20° AS PER PP FOUND			OK	OK	-	-	-			
		ANGLE	90° AS PER PP FOUND			OK	OK	-	-	-			
		INSPECTED BY:		Jay Hadiyal			APPROVED BY:				Shreekant		

Conclusion :



Accept



Reject



Hold



		MetalMech-08500-FR-QX-08-Final Inspection Report-EX												
INSP. No.	FIR-01	Product Name	BACK NUT		Size	1/2" NPT		Drawing No.	314006-00		Date:	15-09-2026		
Wo No.	26000294	Total Quantity	5		Lot Quantity	5		Sample Size-	2		Variable & Gauging	2PCS		
Sr. No.	Checking Parameter	REQUIRED PARAMETER				OBSERVED RESULTS					REJECTION REWORK DETAIL	REMARK	CHECKED BY	
		PARAMETER	CRITERIA			1	2	-	-	-				
1	Visual	Surface	Fine, Clean			FINE	FINE	-	-	-		Measuring Instruments I.D No-		
		Sizewise No of Pcs. With Internal Parts	As per Drg. No. of Parts	9		9	9	-	-	-		(1) DV-55		
		Washing & Plating	Surface Finishing	NA		NA	NA	-	-	-		(2) PP-01		
		RUBBER MARKING	AS PER DRG.	NA		NA	NA	-	-	-				
		Marking	WO Ref. No.	NA		NA	NA	-	-	-		ASM No :- CSEX260915-02		
		Assembly Perfection	As per Drg.			OK	OK	-	-	-				
		Inner Packing	Labeling & Printing			OK	OK	-	-	-				
		Outer Packing	Printing & Stamping			OK	OK	-	-	-				
		All Dimensions Are In MM												
2	DIMENSION		VALUE	-	+	1	2	-	-	-				
		A/F	25.00	24.87	25.00	25.37	25.35	-	-	-		Deviation Confirmed With Gaurav Sir		
		A/C	27.50	27.00	28.00	27.51	27.50	-	-	-				
		T.L	14.00	13.50	14.50	14.00	13.99	-	-	-				
		TH.L	10.00	9.50	10.50	10.01	10.00	-	-	-				
		GR.DIA	18.00	17.50	18.50	17.93	17.94	-	-	-				
		GR.LE	1.50	1.30	1.70	1.55	1.53	-	-	-				
		H.L	4.00	3.70	4.30	3.95	3.98	-	-	-				
		I.D	16.00	15.50	16.50	16.05	16.04	-	-	-				
		THREAD	M20x1.5 AS PER T.R.G GO NOT GO				OK	OK	-	-	-			
		CH.ANGLE	0.5x45° AS PER PP FOUND				OK	OK	-	-	-			
		CH.ANGLE	1.5x45° AS PER PP FOUND				OK	OK	-	-	-			
		CH.ANGLE	20° AS PER PP FOUND				OK	OK	-	-	-			
		RADIUS	3 MM AS PER PP FOUND				OK	OK	-	-	-			
		INSPECTED BY:		Jay Hadiyal				APPROVED BY:				Shreekant		

Conclusion :

☒ Accept

☐ Reject

☐ Hold



MetalMech-08500-FR-QX-08-Final Inspection Report-EX

INSP. No.	FIR-01	Product Name	COMPRESSIBLE SEALING RING		Size		1/2" NPT		Drawing No.		GI-00	Date:	15-09-2026
Wo No.	26000294	Total Quantity	5		Lot Quantity		5		Sample Size-		2	Variable & Gauging	2PCS
Sr. No.	Checking Parameter	REQUIRED PARAMETER				OBSERVED RESULTS					REJECTION REWORK DETAIL	REMARK	CHECKED BY
		PARAMETER	CRITERIA			1	2	-	-	-			
1	Visual	Surface	Fine, Clean			FINE	FINE	-	-	-		Measuring Instruments I.D No-	
		Sizewise No of Pcs. With Internal Parts	As per Drg. No. of Parts	9	9	9	-	-	-		(1) DV-55		
		Washing & Plating	Surface Finishing	NA	NA	NA	-	-	-		(2) PP-01		
		RUBBER MARKING	AS PER DRG.	OK	OK	OK	-	-	-				
		Marking	WO Ref. No.	NA	NA	NA	-	-	-		ASM No :- CSEX260915-02		
		Assembly Perfection	As per Drg.		OK	OK	-	-	-				
		Inner Packing	Labeling & Printing		OK	OK	-	-	-				
		Outer Packing	Printing & Stamping		OK	OK	-	-	-				
		All Dimensions Are In MM											
2	DIMENSION		VALUE	-	+	1	2	-	-	-			
		T.L	9.50	9.00	10.00	9.54	9.56	-	-	-			
		O.D	18.50	18.30	18.50	18.42	18.44	-	-	-			
		O.D.L	6.50	6.20	6.80	6.54	6.56	-	-	-			
		O.D.L	3.00	2.80	3.20	3.03	3.05	-	-	-			
		I.D	8.70	8.70	8.90	8.75	8.74	-	-	-			
INSPECTED BY:		Jay Hadiyal			APPROVED BY:				Shreekant				

Conclusion :



Accept



Reject



Hold



MetalMech-08500-FR-QX-08-Final Inspection Report-EX

INSP. No.	FIR-01	Product Name	SKID WASHER		Size		1/2" NPT		Drawing No.		IW-00	Date:	15-09-2026
Wo No.	26000294	Total Quantity	5		Lot Quantity		5		Sample Size-		2	Variable & Gauging	2PCS
Sr. No.	Checking Parameter	REQUIRED PARAMETER				OBSERVED RESULTS				REJECTION REWORK DETAIL	REMARK	CHECKED BY	
		PARAMETER	CRITERIA		1	2	-	-	-				
1	Visual	Surface	Fine, Clean		FINE	FINE	-	-	-		Measuring Instruments I.D No-		
		Sizewise No of Pcs. With Internal Parts	As per Drg. No. of Parts	9	9	9	-	-	-		(1) DV-55		
		Washing & Plating	Surface Finishing	NA	NA	NA	-	-	-		(2) PP-01		
		RUBBER MARKING	AS PER DRG.	NA	NA	NA	-	-	-				
		Marking	WO Ref. No.	NA	NA	NA	-	-	-		ASM No :- CSEX260915-02		
		Assembly Perfection	As per Drg.		OK	OK	-	-	-				
		Inner Packing	Labeling & Printing		OK	OK	-	-	-				
		Outer Packing	Printing & Stamping		OK	OK	-	-	-				
		All Dimensions Are In MM											
2	DIMENSION		VALUE	-	+	1	2	-	-	-			
		T.L	4.50	4.20	4.80	4.55	4.54	-	-	-			
		O.D	15.50	15.30	15.50	15.43	15.45	-	-	-			
		O.D.L	2.50	2.50	2.70	2.54	2.56	-	-	-			
		O.D	18.00	17.80	18.00	17.85	17.87	-	-	-			
		I.D	9.30	9.30	9.50	9.36	9.35	-	-	-			
INSPECTED BY:		Jay Hadiyal			APPROVED BY:				Shreekant				

Conclusion :



Accept



Reject



Hold



MetalMech-08500-FR-QX-08-Final Inspection Report-EX

INSP. No.	FIR-01	Product Name	EARTH TAG		Size		1/2" NPT		Drawing No.		-	Date:	15-09-2026
Wo No.	26000294	Total Quantity	5		Lot Quantity		5		Sample Size-		2	Variable & Gauging	2PCS
Sr. No.	Checking Parameter	REQUIRED PARAMETER				OBSERVED RESULTS					REJECTION REWORK DETAIL	REMARK	CHECKED BY
		PARAMETER	CRITERIA			1	2	-	-	-			
1	Visual	Surface	Fine, Clean			FINE	FINE	-	-	-		Measuring Instruments I.D No-	
		Sizewise No of Pcs. With Internal Parts	As per Drg. No. of Parts	9	9	9	-	-	-		(1) DV-55		
		Washing & Plating	Surface Finishing	NA	NA	NA	-	-	-		(2) PP-01		
		RUBBER MARKING	AS PER DRG.	NA	NA	NA	-	-	-				
		Marking	WO Ref. No.	NA	NA	NA	-	-	-		ASM No :- CSEX260915-02		
		Assembly Perfection	As per Drg.			OK	OK	-	-	-			
		Inner Packing	Labeling & Printing		OK	OK	-	-	-				
		Outer Packing	Printing & Stamping			OK	OK	-	-	-			
		All Dimensions Are In MM											
2	DIMENSION		VALUE	-	+	1	2	-	-	-			
		THICKNESS	1.50	1.30	1.70	1.45	1.48	-	-	-			
		O.D	30.20	29.40	31.00	30.19	30.21	-	-	-			
		O.D	13.20	12.70	13.70	13.25	13.23	-	-	-			
		I.D	22.00	21.50	22.50	22.08	22.07	-	-	-			
		I.D	6.50	6.20	6.80	6.54	6.56	-	-	-			
INSPECTED BY:		Jay Hadiyal			APPROVED BY:				Shreekant				

Conclusion :



Accept



Reject



Hold





MetalMech-08500-FR-QX-08-Final Inspection Report-EX

INSP. No.	FIR-01	Product Name	SHROUD		Size		1/2" NPT		Drawing No.		B-2027	Date:	15-09-2026
Wo No.	26000294	Total Quantity	5		Lot Quantity		5		Sample Size-		2	Variable & Gauging	2PCS
Sr. No.	Checking Parameter	REQUIRED PARAMETER				OBSERVED RESULTS				REJECTION REWORK DETAIL	REMARK	CHECKED BY	
		PARAMETER	CRITERIA			1	2	-	-				-
1	Visual	Surface	Fine, Clean			FINE	FINE	-	-	-		Measuring Instruments I.D No-	
		Sizewise No of Pcs. With Internal Parts	As per Drg. No. of Parts	9	9	9	-	-	-		(1) DV-55		
		Washing & Plating	Surface Finishing	NA	NA	NA	-	-	-		(2) PP-01		
		RUBBER MARKING	AS PER DRG.	NA	NA	NA	-	-	-				
		Marking	WO Ref. No.	NA	NA	NA	-	-	-		ASM No :- CSEX260915-02		
		Assembly Perfection	As per Drg.			OK	OK	-	-	-			
		Inner Packing	Labeling & Printing		OK	OK	-	-	-				
		Outer Packing	Printing & Stamping			OK	OK	-	-	-			
		All Dimensions Are In MM											
2	DIMENSION		VALUE	-	+	1	2	-	-	-			
		T.L	80.00	79.20	80.80	80.19	80.20	-	-	-			
		I.D	27.00	26.50	27.50	27.33	27.38	-	-	-			
INSPECTED BY:		Jay Hadiyal			APPROVED BY:				Shreekant				

Conclusion :



Accept



Reject



Hold





MetalMech-08500-FR-QX-08-Final Inspection Report-EX

INSP. No.	FIR-01	Product Name	NYLON WASHER		Size		1/2" NPT		Drawing No.		-	Date:	15-09-2026
Wo No.	26000294	Total Quantity	5		Lot Quantity		5		Sample Size-		2	Variable & Gauging	2PCS
Sr. No.	Checking Parameter	REQUIRED PARAMETER				OBSERVED RESULTS				REJECTION REWORK DETAIL	REMARK	CHECKED BY	
		PARAMETER	CRITERIA			1	2	-	-				-
1	Visual	Surface	Fine, Clean			FINE	FINE	-	-	-		Measuring Instruments I.D No-	
		Sizewise No of Pcs. With Internal Parts	As per Drg. No. of Parts	9	9	9	-	-	-		(1) DV-55		
		Washing & Plating	Surface Finishing	NA	NA	NA	-	-	-		(2) PP-01		
		RUBBER MARKING	AS PER DRG.	NA	NA	NA	-	-	-				
		Marking	WO Ref. No.	NA	NA	NA	-	-	-		ASM No :- CSEX260915-02		
		Assembly Perfection	As per Drg.			OK	OK	-	-	-			
		Inner Packing	Labeling & Printing		OK	OK	-	-	-				
		Outer Packing	Printing & Stamping			OK	OK	-	-	-			
		All Dimensions Are In MM											
2	DIMENSION		VALUE	-	+	1	2	-	-	-			
		THICKNESS	1.50	0.70	2.30	1.45	1.49	-	-	-			
		I.D	22.00	21.20	22.80	22.08	22.06	-	-	-			
INSPECTED BY:		Jay Hadiyal			APPROVED BY:				Shreekant				

Conclusion :



Accept



Reject



Hold





MetalMech-08500-FR-QX-08-Final Inspection Report-EX

INSP. No.	FIR-01	Product Name	STAR WASHER		Size		1/2" NPT		Drawing No.		-	Date:	15-09-2026
Wo No.	26000294	Total Quantity	5		Lot Quantity		5		Sample Size-		2	Variable & Gauging	2PCS
Sr. No.	Checking Parameter	REQUIRED PARAMETER				OBSERVED RESULTS					REJECTION REWORK DETAIL	REMARK	CHECKED BY
		PARAMETER	CRITERIA			1	2	-	-	-			
1	Visual	Surface	Fine, Clean			FINE	FINE	-	-	-		Measuring Instruments I.D No-	
		Sizewise No of Pcs. With Internal Parts	As per Drg. No. of Parts	9	9	9	-	-	-		(1) DV-55		
		Washing & Plating	Surface Finishing	NA	NA	NA	-	-	-		(2) PP-01		
		RUBBER MARKING	AS PER DRG.	NA	NA	NA	-	-	-				
		Marking	WO Ref. No.	NA	NA	NA	-	-	-		ASM No :- CSEX260915-02		
		Assembly Perfection	As per Drg.			OK	OK	-	-	-			
		Inner Packing	Labeling & Printing		OK	OK	-	-	-				
		Outer Packing	Printing & Stamping			OK	OK	-	-	-			
		All Dimensions Are In MM											
2	DIMENSION		VALUE	-	+	1	2	-	-	-			
		O.D	33.00	32.70	33.30	33.06	33.05	-	-	-			
		I.D	22.00	21.50	22.50	22.13	22.15	-	-	-			
		T.L	4.00	3.70	4.30	4.06	4.05	-	-	-			
INSPECTED BY:		Jay Hadiyal			APPROVED BY:				Shreekant				

Conclusion :



Accept



Reject



Hold

