



### MetalMech-08500-FR-QX-08-Final Inspection Report-EX

|                          |                    |                                          |                                 |                                                                                |              |                  |       |              |            |                         |                        |            |  |
|--------------------------|--------------------|------------------------------------------|---------------------------------|--------------------------------------------------------------------------------|--------------|------------------|-------|--------------|------------|-------------------------|------------------------|------------|--|
| INSP. No.                | FIR-01             | Product Name                             | ENTRY COMPONENT                 |                                                                                | Size         | 1/2" NPT         |       | Drawing No.  | 313001M-01 | Date:                   | 05-08-2026             |            |  |
| Wo No.                   | 26000198           | Total Quantity                           | 40                              |                                                                                | Lot Quantity | 40               |       | Sample Size- | 2          | Variable & Gauging      | 2PCS                   |            |  |
| Sr. No.                  | Checking Parameter | REQUIRED PARAMETER                       |                                 |                                                                                |              | OBSERVED RESULTS |       |              |            | REJECTION REWORK DETAIL | REMARK                 | CHECKED BY |  |
|                          |                    | PARAMETER                                | CRITERIA                        |                                                                                | 1            | 2                | -     | -            | -          |                         |                        |            |  |
| 1                        | Visual             | Surface                                  | Fine, Clean                     |                                                                                | FINE         | FINE             | -     | -            | -          |                         |                        |            |  |
|                          |                    | Size wise No of Pcs. With Internal Parts | As per Drg. No. of Parts        | 10                                                                             | 10           | 10               | -     | -            | -          |                         |                        |            |  |
|                          |                    | Washing & Plating                        | Surface Finishing               | NA                                                                             | NA           | NA               | -     | -            | -          |                         |                        |            |  |
|                          |                    | RUBBER MARKING                           | AS PER DRG.                     | NA                                                                             | NA           | NA               | -     | -            | -          |                         |                        |            |  |
|                          |                    | Marking                                  | WO Ref. No.                     | Metalmech Logo MM-EX-EI FUNV201NX6 2026 CE Logo 2460 Ex Logo II 2 GD Ex db IIC | OK           | OK               | -     | -            | -          |                         | ASM No :- CEX260803-04 |            |  |
|                          |                    | Assembly Perfection                      | As per Drg.                     | OK                                                                             | OK           | -                | -     | -            |            |                         |                        |            |  |
|                          |                    | Inner Packing                            | Labeling & Printing             | OK                                                                             | OK           | -                | -     | -            |            |                         |                        |            |  |
|                          |                    | Outer Packing                            | Printing & Stamping             | OK                                                                             | OK           | -                | -     | -            |            |                         |                        |            |  |
| All Dimensions Are In MM |                    |                                          |                                 |                                                                                |              |                  |       |              |            |                         |                        |            |  |
| 2                        | DIMENSION          | VALUE                                    | -                               | +                                                                              | 1            | 2                | -     | -            | -          |                         |                        |            |  |
|                          |                    | A/F                                      | 27.00                           | 26.87                                                                          | 27.20        | 26.93            | 26.95 | -            | -          | -                       |                        |            |  |
|                          |                    | A/C                                      | 30.00                           | 29.50                                                                          | 30.50        | 29.55            | 29.54 | -            | -          | -                       |                        |            |  |
|                          |                    | T.L                                      | 36.00                           | 36.00                                                                          | 36.50        | 36.06            | 36.05 | -            | -          | -                       |                        |            |  |
|                          |                    | TH.L                                     | 20.00                           | 20.00                                                                          | 20.50        | 20.04            | 20.03 | -            | -          | -                       |                        |            |  |
|                          |                    | O.D                                      | 26.50                           | 26.00                                                                          | 27.00        | 26.34            | 26.36 | -            | -          | -                       |                        |            |  |
|                          |                    | O.D.L                                    | 9.00                            | 8.50                                                                           | 9.50         | 9.03             | 9.02  | -            | -          | -                       |                        |            |  |
|                          |                    | H.L                                      | 7.00                            | 6.70                                                                           | 7.30         | 7.05             | 7.04  | -            | -          | -                       |                        |            |  |
|                          |                    | LD                                       | 14.10                           | 13.60                                                                          | 14.60        | 14.13            | 14.14 | -            | -          | -                       |                        |            |  |
|                          |                    | DEPTH                                    | 11.50                           | 11.00                                                                          | 12.00        | 11.55            | 11.53 | -            | -          | -                       |                        |            |  |
|                          |                    | THREAD                                   | 1/2" NPT AS PER T.R.G GO NOT GO |                                                                                | OK           | OK               | -     | -            | -          |                         |                        |            |  |
|                          |                    | INT.THREAD                               | M24x1.5 AS PER P.G GO NOT GO    |                                                                                | OK           | OK               | -     | -            | -          |                         |                        |            |  |
|                          |                    | CH.ANGLE                                 | 1x45° AS PER PP FOUND           |                                                                                | OK           | OK               | -     | -            | -          |                         |                        |            |  |
|                          |                    | CH.ANGLE                                 | 1.6x45° AS PER PP FOUND         |                                                                                | OK           | OK               | -     | -            | -          |                         |                        |            |  |
|                          |                    | CH.ANGLE                                 | 0.5x45° AS PER PP FOUND         |                                                                                | OK           | OK               | -     | -            | -          |                         |                        |            |  |
|                          |                    | CH.ANGLE                                 | 20° AS PER PP FOUND             |                                                                                | OK           | OK               | -     | -            | -          |                         |                        |            |  |
|                          |                    | ANGLE                                    | 90° AS PER PP FOUND             |                                                                                | OK           | OK               | -     | -            | -          |                         |                        |            |  |
|                          |                    |                                          |                                 |                                                                                |              |                  |       |              |            |                         |                        |            |  |
| INSPECTED BY:            |                    | Jay Hadiyal                              |                                 |                                                                                | APPROVED BY: |                  |       |              | Shreekant  |                         |                        |            |  |

Conclusion :



Accept



Reject



Hold





MetalMech-08500-FR-QX-08-Final Inspection Report-EX

|           |                    |                                         |                                |             |              |                  |              |   |              |   |                                  |                                           |            |
|-----------|--------------------|-----------------------------------------|--------------------------------|-------------|--------------|------------------|--------------|---|--------------|---|----------------------------------|-------------------------------------------|------------|
| INSP. No. | FIR-01             | Product Name                            | INTERMEDIATE BODY              |             | Size         |                  | 1/2" NPT     |   | Drawing No.  |   | 313002U-01                       | Date:                                     | 05-08-2026 |
| Wo No.    | 26000198           | Total Quantity                          | 40                             |             | Lot Quantity |                  | 40           |   | Sample Size- |   | 2                                | Variable & Gauging                        | 2PCS       |
| Sr. No.   | Checking Parameter | REQUIRED PARAMETER                      |                                |             |              | OBSERVED RESULTS |              |   |              |   | REJECTION<br>REWORK<br>DETAIL    | REMARK                                    | CHECKED BY |
|           |                    | PARAMETER                               | CRITERIA                       |             | 1            | 2                | -            | - | -            |   |                                  |                                           |            |
| 1         | Visual             | Surface                                 | Fine, Clean                    |             | FINE         | FINE             | -            | - | -            |   | Measuring Instruments<br>I.D No. |                                           |            |
|           |                    | Sizewise No of Pcs. With Internal Parts | As per Drg. No. of Parts       | 10          | 10           | 10               | -            | - | -            |   | (1) DV-35                        |                                           |            |
|           |                    | Washing & Plating                       | Surface Finishing              | NA          | NA           | NA               | -            | - | -            |   | (2) PP-01                        |                                           |            |
|           |                    | RUBBER MARKING                          | AS PER DRG.                    | NA          | NA           | NA               | -            | - | -            |   |                                  |                                           |            |
|           |                    | Marking                                 | WO Ref. No.                    | NA          | NA           | NA               | -            | - | -            |   | ASM No :-<br>CEX260803-04        |                                           |            |
|           |                    | Assembly Perfection                     | As per Drg.                    |             | OK           | OK               | -            | - | -            |   |                                  |                                           |            |
|           |                    | Inner Packing                           | Labeling & Printing            |             |              | OK               | OK           | - | -            | - |                                  |                                           |            |
|           |                    | Outer Packing                           | Printing & Stamping            |             | OK           | OK               | -            | - | -            |   |                                  |                                           |            |
|           |                    | All Dimensions Are In MM                |                                |             |              |                  |              |   |              |   |                                  |                                           |            |
| 2         | DIMENSION          |                                         | VALUE                          | -           | +            | 1                | 2            | - | -            | - |                                  |                                           |            |
|           |                    | A/F                                     | 31.00                          | 30.84       | 31.00        | 31.93            | 31.92        | - | -            | - |                                  | DEVIATION<br>CONFIRMED WITH<br>GAURAV SIR |            |
|           |                    | A/C                                     | 34.00                          | 33.20       | 34.80        | 35.00            | 34.99        | - | -            | - |                                  | DEVIATION<br>CONFIRMED WITH<br>GAURAV SIR |            |
|           |                    | T.L                                     | 25.00                          | 24.50       | 25.50        | 25.02            | 25.01        | - | -            | - |                                  |                                           |            |
|           |                    | TH.L                                    | 10.50                          | 10.00       | 11.00        | 10.53            | 10.52        | - | -            | - |                                  |                                           |            |
|           |                    | GR.OD                                   | 22.00                          | 21.50       | 22.50        | 21.89            | 21.90        | - | -            | - |                                  |                                           |            |
|           |                    | GR.LE                                   | 1.00                           | 0.80        | 1.20         | 1.00             | 0.99         | - | -            | - |                                  |                                           |            |
|           |                    | H.L                                     | 5.00                           | 4.70        | 5.30         | 4.93             | 4.95         | - | -            | - |                                  |                                           |            |
|           |                    | TH.L                                    | 9.50                           | 9.00        | 10.00        | 9.55             | 9.54         | - | -            | - |                                  |                                           |            |
|           |                    | GR.OD                                   | 26.00                          | 25.50       | 26.50        | 25.89            | 25.90        | - | -            | - |                                  |                                           |            |
|           |                    | GR.LE                                   | 1.00                           | 0.80        | 1.20         | 1.00             | 1.01         | - | -            | - |                                  |                                           |            |
|           |                    | I.D                                     | 20.00                          | 19.50       | 20.50        | 20.06            | 20.05        | - | -            | - |                                  |                                           |            |
|           |                    | I.D                                     | 22.50                          | 22.00       | 23.00        | 22.55            | 22.54        | - | -            | - |                                  |                                           |            |
|           |                    | DEPTH                                   | 7.00                           | 6.70        | 7.30         | 6.98             | 6.99         | - | -            | - |                                  |                                           |            |
|           |                    | I.D                                     | 20.50                          | 20.00       | 21.00        | 20.56            | 20.54        | - | -            | - |                                  |                                           |            |
|           |                    | I.D.LE                                  | 6.00                           | 5.70        | 6.30         | 6.01             | 5.99         | - | -            | - |                                  |                                           |            |
|           |                    | DEPTH                                   | 13.00                          | 12.50       | 13.50        | 13.06            | 13.05        | - | -            | - |                                  |                                           |            |
|           |                    | THREAD                                  | M24x1.5 AS PER T.R.G GO NOT GO |             | OK           | OK               | -            | - | -            |   |                                  |                                           |            |
|           |                    | THREAD                                  | M28x1.5 AS PER T.R.G GO NOT GO |             | OK           | OK               | -            | - | -            |   |                                  |                                           |            |
|           |                    | CH.ANGLE                                | 1x45° AS PER PP FOUND          |             | OK           | OK               | -            | - | -            |   |                                  |                                           |            |
|           |                    | CH.ANGLE                                | 20° AS PER PP FOUND            |             | OK           | OK               | -            | - | -            |   |                                  |                                           |            |
|           |                    | INSPECTED BY:                           |                                | Jay Hadiyal |              |                  | APPROVED BY: |   |              |   | Shreekant                        |                                           |            |

Conclusion :



Accept



Reject



Hold





### MetalMech-08500-FR-QX-08-Final Inspection Report-EX

|               |                    |                                             |                                |       |              |                  |       |              |           |                               |            |                                           |   |
|---------------|--------------------|---------------------------------------------|--------------------------------|-------|--------------|------------------|-------|--------------|-----------|-------------------------------|------------|-------------------------------------------|---|
| INSP. No.     | FIR-01             | Product Name                                | MIDDLE BODY                    |       | Size         | 1/2" NPT         |       | Drawing No.  | 313002-01 | Date:                         | 05-08-2026 |                                           |   |
| Wo No.        | 26000198           | Total Quantity                              | 40                             |       | Lot Quantity | 40               |       | Sample Size- | 2         | Variable & Gauging            | 2PCS       |                                           |   |
| Sr. No.       | Checking Parameter | REQUIRED PARAMETER                          |                                |       |              | OBSERVED RESULTS |       |              |           | REJECTION<br>REWORK<br>DETAIL | REMARK     | CHECKED BY                                |   |
|               |                    | PARAMETER                                   | CRITERIA                       |       |              | 1                | 2     | -            | -         |                               |            |                                           | - |
| 1             | Visual             | Surface                                     | Fine, Clean                    |       |              | FINE             | FINE  | -            | -         | -                             |            | Measuring<br>Instruments I.D No.          |   |
|               |                    | Size wise No of Pcs.<br>With Internal Parts | As per Drg. No.<br>of Parts    | 10    |              | 10               | 10    | -            | -         | -                             |            | (1) DV-55                                 |   |
|               |                    | Washing & Plating                           | Surface<br>Finishing           | NA    |              | NA               | NA    | -            | -         | -                             |            | (2) PP-01                                 |   |
|               |                    | RUBBER MARKING                              | AS PER DRG.                    | NA    |              | NA               | NA    | -            | -         | -                             |            |                                           |   |
|               |                    | Marking                                     | WO Ref. No.                    | NA    |              | NA               | NA    | -            | -         | -                             |            | ASM No -><br>CEX260803-04                 |   |
|               |                    | Assembly Perfection                         | As per Drg.                    |       |              | OK               | OK    | -            | -         | -                             |            |                                           |   |
|               |                    | Inner Packing                               | Labeling &<br>Printing         |       |              | OK               | OK    | -            | -         | -                             |            |                                           |   |
|               |                    | Outer Packing                               | Printing & Stamping            |       |              | OK               | OK    | -            | -         | -                             |            |                                           |   |
|               |                    | All Dimensions Are In MM                    |                                |       |              |                  |       |              |           |                               |            |                                           |   |
| 2             | DIMENSION          |                                             | VALUE                          | -     | +            | 1                | 2     | -            | -         | -                             |            |                                           |   |
|               |                    | A/F                                         | 31.00                          | 30.84 | 31.00        | 31.93            | 31.95 | -            | -         | -                             |            | DEVIATION<br>CONFIRMED WITH<br>GAURAV SIR |   |
|               |                    | A/C                                         | 34.00                          | 33.20 | 34.80        | 34.97            | 34.99 | -            | -         | -                             |            | DEVIATION<br>CONFIRMED WITH<br>GAURAV SIR |   |
|               |                    | T.L                                         | 27.00                          | 26.50 | 27.50        | 26.98            | 27.00 | -            | -         | -                             |            |                                           |   |
|               |                    | TH.L                                        | 14.00                          | 13.50 | 14.50        | 14.01            | 14.00 | -            | -         | -                             |            |                                           |   |
|               |                    | GR.OD                                       | 27.00                          | 26.50 | 27.50        | 26.91            | 26.92 | -            | -         | -                             |            |                                           |   |
|               |                    | GR.LE                                       | 1.00                           | 0.80  | 1.20         | 1.00             | 0.99  | -            | -         | -                             |            |                                           |   |
|               |                    | O.D                                         | 30.00                          | 29.50 | 30.50        | 30.02            | 30.01 | -            | -         | -                             |            |                                           |   |
|               |                    | O.D.L                                       | 6.00                           | 5.70  | 6.30         | 5.97             | 5.98  | -            | -         | -                             |            |                                           |   |
|               |                    | H.L                                         | 7.00                           | 6.70  | 7.30         | 7.04             | 7.03  | -            | -         | -                             |            |                                           |   |
|               |                    | L.D                                         | 21.00                          | 20.50 | 21.50        | 21.03            | 21.01 | -            | -         | -                             |            |                                           |   |
|               |                    | INT.THL                                     | 11.50                          | 11.00 | 12.00        | 11.55            | 11.54 | -            | -         | -                             |            |                                           |   |
|               |                    | L.D                                         | 24.50                          | 24.00 | 25.00        | 24.53            | 24.55 | -            | -         | -                             |            |                                           |   |
|               |                    | DEPTH                                       | 15.50                          | 15.00 | 16.00        | 15.55            | 15.58 | -            | -         | -                             |            |                                           |   |
|               |                    | THREAD                                      | M29x1.5 AS PER T.R.G GO NOT GO |       |              | OK               | OK    | -            | -         | -                             |            |                                           |   |
|               |                    | INT.THREAD                                  | M28x1.5 AS PER P.G GO NOT GO   |       |              | OK               | OK    | -            | -         | -                             |            |                                           |   |
|               |                    | CH.ANGLE                                    | 1x45° AS PER PP FOUND          |       |              | OK               | OK    | -            | -         | -                             |            |                                           |   |
|               |                    | CH.ANGLE                                    | 20° AS PER PP FOUND            |       |              | OK               | OK    | -            | -         | -                             |            |                                           |   |
|               |                    |                                             |                                |       |              |                  |       |              |           |                               |            |                                           |   |
| INSPECTED BY: |                    | Jay Hadiyal                                 |                                |       | APPROVED BY: |                  |       |              | Shreekant |                               |            |                                           |   |

Conclusion :



Accept



Reject



Hold





MetalMech-08500-FR-QX-08-Final Inspection Report-EX

| INSP. No.                | FIR-01             | Product Name                                | BACK NUT                     |             | Size         |                  | 1/2" NPT     |   | Drawing No.  |                               | 313003-01                        | Date:                                     | 05-08-2026 |  |
|--------------------------|--------------------|---------------------------------------------|------------------------------|-------------|--------------|------------------|--------------|---|--------------|-------------------------------|----------------------------------|-------------------------------------------|------------|--|
| Wo No.                   | 26000198           | Total Quantity                              | 40                           |             | Lot Quantity |                  | 40           |   | Sample Size- |                               | 2                                | Variable & Gauge                          | 2PCS       |  |
| Sr. No.                  | Checking Parameter | REQUIRED PARAMETER                          |                              |             |              | OBSERVED RESULTS |              |   |              | REJECTION<br>REWORK<br>DETAIL | REMARK                           | CHECKED BY                                |            |  |
|                          |                    | PARAMETER                                   | CRITERIA                     |             | 1            | 2                | -            | - | -            |                               |                                  |                                           |            |  |
| 1                        | Visual             | Surface                                     | Fine, Clean                  |             | FINE         | FINE             | -            | - | -            |                               | Measuring<br>Instruments ID No.- |                                           |            |  |
|                          |                    | Size wise No of Pcs.<br>With Internal Parts | As per Drg. No.<br>of Parts  | 10          | 10           | 10               | -            | - | -            |                               | (1) DV-55                        |                                           |            |  |
|                          |                    | Washing & Plating                           | Surface<br>Finishing         | NA          | NA           | NA               | -            | - | -            |                               | (2) PP-01                        |                                           |            |  |
|                          |                    | RUBBER MARKING                              | AS PER DRG.                  | NA          | NA           | NA               | -            | - | -            |                               |                                  |                                           |            |  |
|                          |                    | Marking                                     | WO Ref. No.                  | NA          | NA           | NA               | -            | - | -            |                               | ASM No :-<br>CEX260803-04        |                                           |            |  |
|                          |                    | Assembly Perfection                         | As per Drg.                  |             | OK           | OK               | -            | - | -            |                               |                                  |                                           |            |  |
|                          |                    | Inner Packing                               | Labeling &<br>Printing       |             | OK           | OK               | -            | - | -            |                               |                                  |                                           |            |  |
|                          |                    | Outer Packing                               | Printing & Stamping          |             | OK           | OK               | -            | - | -            |                               |                                  |                                           |            |  |
| All Dimensions Are In MM |                    |                                             |                              |             |              |                  |              |   |              |                               |                                  |                                           |            |  |
| 2                        | DIMENSION          |                                             | VALUE                        | -           | +            | 1                | 2            | - | -            | -                             |                                  |                                           |            |  |
|                          |                    | A/F                                         | 31.00                        | 30.84       | 31.00        | 31.90            | 31.89        | - | -            | -                             |                                  | DEVIATION<br>CONFIRMED WITH<br>GAURAV SIR |            |  |
|                          |                    | A/C                                         | 34.00                        | 33.20       | 34.80        | 35.01            | 35.00        | - | -            | -                             |                                  | DEVIATION<br>CONFIRMED WITH<br>GAURAV SIR |            |  |
|                          |                    | T.L                                         | 20.00                        | 19.50       | 20.50        | 20.01            | 20.00        | - | -            | -                             |                                  |                                           |            |  |
|                          |                    | O.D                                         | 30.50                        | 29.70       | 31.30        | 30.53            | 30.55        | - | -            | -                             |                                  |                                           |            |  |
|                          |                    | O.D.L                                       | 8.00                         | 7.70        | 8.30         | 8.01             | 7.99         | - | -            | -                             |                                  |                                           |            |  |
|                          |                    | H.L                                         | 12.00                        | 11.50       | 12.50        | 12.02            | 12.01        | - | -            | -                             |                                  |                                           |            |  |
|                          |                    | LD                                          | 24.50                        | 24.00       | 25.00        | 24.51            | 24.50        | - | -            | -                             |                                  |                                           |            |  |
|                          |                    | INT.THL                                     | 4.00                         | 3.70        | 4.30         | 4.01             | 3.99         | - | -            | -                             |                                  |                                           |            |  |
|                          |                    | GR.ID                                       | 29.20                        | 28.70       | 29.70        | 29.22            | 29.24        | - | -            | -                             |                                  |                                           |            |  |
|                          |                    | GR.LE                                       | 12.50                        | 12.00       | 13.00        | 12.52            | 12.49        | - | -            | -                             |                                  |                                           |            |  |
|                          |                    | DEPTH                                       | 16.50                        | 16.00       | 17.00        | 16.51            | 16.50        | - | -            | -                             |                                  |                                           |            |  |
|                          |                    | GR.ID                                       | 27.50                        | 27.00       | 28.00        | 27.52            | 27.51        | - | -            | -                             |                                  |                                           |            |  |
|                          |                    | GR.LE                                       | 2.00                         | 1.80        | 2.20         | 2.01             | 1.99         | - | -            | -                             |                                  |                                           |            |  |
|                          |                    | DEPTH                                       | 18.50                        | 18.00       | 19.00        | 18.52            | 18.54        | - | -            | -                             |                                  |                                           |            |  |
|                          |                    | INT.THREAD                                  | M29x1.5 AS PER P.G GO NOT GO |             |              | OK               | OK           | - | -            | -                             |                                  |                                           |            |  |
|                          |                    | CH.ANGLE                                    | 1x45° AS PER PP FOUND        |             |              | OK               | OK           | - | -            | -                             |                                  |                                           |            |  |
|                          |                    | CH.ANGLE                                    | 0.5x45° AS PER PP FOUND      |             |              | OK               | OK           | - | -            | -                             |                                  |                                           |            |  |
|                          |                    | CH.ANGLE                                    | 30° AS PER PP FOUND          |             |              | OK               | OK           | - | -            | -                             |                                  |                                           |            |  |
|                          |                    | CH.ANGLE                                    | 45° AS PER PP FOUND          |             |              | OK               | OK           | - | -            | -                             |                                  |                                           |            |  |
|                          |                    | INSPECTED BY:                               |                              | Jay Hadiyal |              |                  | APPROVED BY: |   |              |                               | Shreekant                        |                                           |            |  |

Conclusion :



Accept



Reject



Hold





MetalMech-08500-FR-QX-08-Final Inspection Report-EX

|               |                    |                                            |                             |       |              |                  |       |              |           |                               |                                 |            |  |
|---------------|--------------------|--------------------------------------------|-----------------------------|-------|--------------|------------------|-------|--------------|-----------|-------------------------------|---------------------------------|------------|--|
| INSP. No.     | FIR-01             | Product Name                               | UNIVERSAL CLAMPING CONE     |       | Size         | 1/2" NPT         |       | Drawing No.  | 313005-01 | Date:                         | 05-08-2026                      |            |  |
| Wo No.        | 26000198           | Total Quantity                             | 40                          |       | Lot Quantity | 40               |       | Sample Size- | 2         | Variable & Gauging            | 2PCS                            |            |  |
| Sr. No.       | Checking Parameter | REQUIRED PARAMETER                         |                             |       |              | OBSERVED RESULTS |       |              |           | REJECTION<br>REWORK<br>DETAIL | REMARK                          | CHECKED BY |  |
|               |                    | PARAMETER                                  | CRITERIA                    |       | 1            | 2                | -     | -            | -         |                               |                                 |            |  |
|               |                    | Surface                                    | Fine, Clean                 |       | FINE         | FINE             | -     | -            | -         |                               | Measuring Instruments<br>ID No: |            |  |
|               |                    | Sizewise No of Pcs.<br>With Internal Parts | As per Drg. No.<br>of Parts | 10    | 10           | 10               | -     | -            | -         |                               | (1) DV-55                       |            |  |
|               |                    | Washing & Plating                          | Surface<br>Finishing        | NA    | NA           | NA               | -     | -            | -         |                               | (2) PP-01                       |            |  |
|               |                    | RUBBER MARKING                             | AS PER DRG.                 | NA    | NA           | NA               | -     | -            | -         |                               |                                 |            |  |
|               |                    | Marking                                    | WO Ref. No.                 | NA    | NA           | NA               | -     | -            | -         |                               | ASM No :-<br>CEX260803-04       |            |  |
|               |                    | Assembly Perfection                        | As per Drg.                 |       | OK           | OK               | -     | -            | -         |                               |                                 |            |  |
|               |                    | Inner Packing                              | Labeling &<br>Printing      |       | OK           | OK               | -     | -            | -         |                               |                                 |            |  |
|               |                    | Outer Packing                              | Printing & Stamping         |       | OK           | OK               | -     | -            | -         |                               |                                 |            |  |
|               |                    | All Dimensions Are In MM                   |                             |       |              |                  |       |              |           |                               |                                 |            |  |
|               |                    |                                            | VALUE                       | -     | +            | 1                | 2     | -            | -         | -                             |                                 |            |  |
|               |                    | T.L                                        | 22.00                       | 21.50 | 22.50        | 22.00            | 22.01 | -            | -         | -                             |                                 |            |  |
|               |                    | O.D                                        | 16.50                       | 16.00 | 17.00        | 16.56            | 16.55 | -            | -         | -                             |                                 |            |  |
|               |                    | O.D.L                                      | 4.00                        | 3.70  | 4.30         | 4.01             | 3.99  | -            | -         | -                             |                                 |            |  |
|               |                    | O.D                                        | 17.80                       | 17.30 | 18.30        | 17.79            | 17.78 | -            | -         | -                             |                                 |            |  |
|               |                    | O.D.L                                      | 2.50                        | 2.30  | 2.70         | 2.52             | 2.50  | -            | -         | -                             |                                 |            |  |
|               |                    | GR.LENGTH                                  | 0.50                        | 0.30  | 0.70         | 0.50             | 0.49  | -            | -         | -                             |                                 |            |  |
|               |                    | O.D                                        | 18.80                       | 18.30 | 19.30        | 18.79            | 18.80 | -            | -         | -                             |                                 |            |  |
|               |                    | O.D.L                                      | 7.50                        | 7.20  | 7.80         | 7.52             | 7.50  | -            | -         | -                             |                                 |            |  |
|               |                    | O.D                                        | 22.00                       | 21.50 | 22.50        | 21.91            | 21.93 | -            | -         | -                             |                                 |            |  |
|               |                    | O.D.L                                      | 7.00                        | 6.70  | 7.30         | 7.00             | 7.00  | -            | -         | -                             |                                 |            |  |
|               |                    | O.D                                        | 16.50                       | 16.00 | 17.00        | 16.55            | 16.54 | -            | -         | -                             |                                 |            |  |
|               |                    | O.D.L                                      | 4.50                        | 4.20  | 4.80         | 4.52             | 4.50  | -            | -         | -                             |                                 |            |  |
|               |                    | O.D                                        | 17.00                       | 16.50 | 17.50        | 17.03            | 17.00 | -            | -         | -                             |                                 |            |  |
|               |                    | O.D                                        | 17.50                       | 17.00 | 18.00        | 17.52            | 17.53 | -            | -         | -                             |                                 |            |  |
|               |                    | O.D                                        | 18.00                       | 17.50 | 18.50        | 18.03            | 18.01 | -            | -         | -                             |                                 |            |  |
|               |                    | O.D.L                                      | 7.50                        | 7.20  | 7.80         | 7.52             | 7.51  | -            | -         | -                             |                                 |            |  |
|               |                    | I.D                                        | 14.00                       | 13.50 | 14.50        | 14.05            | 14.04 | -            | -         | -                             |                                 |            |  |
|               |                    | RADIUS                                     | 0.5 MM AS PER PP FOUND      |       |              | OK               | OK    | -            | -         | -                             |                                 |            |  |
|               |                    | RADIUS                                     | 0.3 AS PER PP FOUND         |       |              | OK               | OK    | -            | -         | -                             |                                 |            |  |
|               |                    |                                            |                             |       |              |                  |       |              |           |                               |                                 |            |  |
| INSPECTED BY: |                    | Jay Hadiyal                                |                             |       |              | APPROVED BY:     |       |              |           | Shreekant                     |                                 |            |  |

Conclusion :



Accept



Reject



Hold



|  |                    | MetalMech-08500-FR-QX-08-Final Inspection Report-EX |                          |       |              |                  |          |   |              |   |                               |                    |            |
|---------------------------------------------------------------------------------|--------------------|-----------------------------------------------------|--------------------------|-------|--------------|------------------|----------|---|--------------|---|-------------------------------|--------------------|------------|
| INSP. No.                                                                       | FIR-01             | Product Name                                        | REVERSIBLE ARMOUR RING   |       | Size         |                  | 1/2" NPT |   | Drawing No.  |   | 313004-01                     | Date:              | 05-08-2026 |
| Wo No.                                                                          | 26000198           | Total Quantity                                      | 40                       |       | Lot Quantity |                  | 40       |   | Sample Size- |   | 2                             | Variable & Gauging | 2PCS       |
| Sr. No.                                                                         | Checking Parameter | REQUIRED PARAMETER                                  |                          |       |              | OBSERVED RESULTS |          |   |              |   | REJECTION<br>REWORK<br>DETAIL | REMARK             | CHECKED BY |
|                                                                                 |                    | PARAMETER                                           | CRITERIA                 |       |              | 1                | 2        | - | -            | - |                               |                    |            |
| 1                                                                               | Visual             | Surface                                             | Fine, Clean              |       |              | FINE             | FINE     | - | -            | - |                               |                    |            |
|                                                                                 |                    | Sizewise No of Pcs. With Internal Parts             | As per Drg. No. of Parts | 10    | 10           | 10               | -        | - | -            |   | Measuring Instruments I.D No- |                    |            |
|                                                                                 |                    | Washing & Plating                                   | Surface Finishing        | NA    | NA           | NA               | -        | - | -            |   | (1) DV-55                     |                    |            |
|                                                                                 |                    | RUBBER MARKING                                      | AS PER DRG.              | NA    | NA           | NA               | -        | - | -            |   | (2) PP-01                     |                    |            |
|                                                                                 |                    | Marking                                             | WO Ref. No.              | NA    | NA           | NA               | -        | - | -            |   | ASM No :- CEX260803-04        |                    |            |
|                                                                                 |                    | Assembly Perfection                                 | As per Drg.              |       |              | OK               | OK       | - | -            | - |                               |                    |            |
|                                                                                 |                    | Inner Packing                                       | Labeling & Printing      |       | OK           | OK               | -        | - | -            |   |                               |                    |            |
|                                                                                 |                    | Outer Packing                                       | Printing & Stamping      |       |              | OK               | OK       | - | -            | - |                               |                    |            |
| All Dimensions Are In MM                                                        |                    |                                                     |                          |       |              |                  |          |   |              |   |                               |                    |            |
| 2                                                                               | DIMENSION          |                                                     | VALUE                    | -     | +            | 1                | 2        | - | -            | - |                               |                    |            |
|                                                                                 |                    | T.L                                                 | 6.00                     | 5.70  | 6.30         | 6.00             | 6.00     | - | -            | - |                               |                    |            |
|                                                                                 |                    | O.D                                                 | 23.50                    | 23.00 | 24.00        | 23.49            | 23.48    | - | -            | - |                               |                    |            |
|                                                                                 |                    | I.D                                                 | 18.50                    | 18.00 | 19.00        | 18.55            | 18.54    | - | -            | - |                               |                    |            |
|                                                                                 |                    | I.D                                                 | 19.50                    | 19.00 | 20.00        | 19.56            | 19.59    | - | -            | - |                               |                    |            |
|                                                                                 |                    |                                                     |                          |       |              |                  |          |   |              |   |                               |                    |            |
| INSPECTED BY:                                                                   |                    | Jay Hadiyal                                         |                          |       | APPROVED BY: |                  |          |   | Shreekant    |   |                               |                    |            |

Conclusion : ☒ Accept ☐ Reject ☐ Hold



|  |                    | <h2 style="text-align: center;">MetalMech-08500-FR-QX-08-Final Inspection Report-EX</h2> |                          |       |              |                  |          |   |              |   |                               |                    |            |
|---------------------------------------------------------------------------------|--------------------|------------------------------------------------------------------------------------------|--------------------------|-------|--------------|------------------|----------|---|--------------|---|-------------------------------|--------------------|------------|
| INSP. No.                                                                       | FIR-01             | Product Name                                                                             | COMPRESSIBLE INNER SEAL  |       | Size         |                  | 1/2" NPT |   | Drawing No.  |   | GI-01                         | Date:              | 05-08-2026 |
| Wo No.                                                                          | 26000198           | Total Quantity                                                                           | 40                       |       | Lot Quantity |                  | 40       |   | Sample Size- |   | 2                             | Variable & Gauging | 2PCS       |
| Sr. No.                                                                         | Checking Parameter | REQUIRED PARAMETER                                                                       |                          |       |              | OBSERVED RESULTS |          |   |              |   | REJECTION<br>REWORK<br>DETAIL | REMARK             | CHECKED BY |
|                                                                                 |                    | PARAMETER                                                                                | CRITERIA                 |       |              | 1                | 2        | - | -            | - |                               |                    |            |
| 1                                                                               | Visual             | Surface                                                                                  | Fine, Clean              |       |              | FINE             | FINE     | - | -            | - |                               |                    |            |
|                                                                                 |                    | Sizewise No of Pcs. With Internal Parts                                                  | As per Drg. No. of Parts | 10    | 10           | 10               | -        | - | -            |   | Measuring Instruments I.D No- |                    |            |
|                                                                                 |                    | Washing & Plating                                                                        | Surface Finishing        | NA    | NA           | NA               | -        | - | -            |   | (1) DV-55                     |                    |            |
|                                                                                 |                    | RUBBER MARKING                                                                           | AS PER DRG.              | OK    | OK           | OK               | -        | - | -            |   | (2) PP-01                     |                    |            |
|                                                                                 |                    | Marking                                                                                  | WO Ref. No.              | NA    | NA           | NA               | -        | - | -            |   | ASM No :- CEX260803-04        |                    |            |
|                                                                                 |                    | Assembly Perfection                                                                      | As per Drg.              |       |              | OK               | OK       | - | -            | - |                               |                    |            |
|                                                                                 |                    | Inner Packing                                                                            | Labeling & Printing      |       | OK           | OK               | -        | - | -            |   |                               |                    |            |
|                                                                                 |                    | Outer Packing                                                                            | Printing & Stamping      |       |              | OK               | OK       | - | -            | - |                               |                    |            |
|                                                                                 |                    | All Dimensions Are In MM                                                                 |                          |       |              |                  |          |   |              |   |                               |                    |            |
| 2                                                                               | DIMENSION          |                                                                                          | VALUE                    | -     | +            | 1                | 2        | - | -            | - |                               |                    |            |
|                                                                                 |                    | T.L                                                                                      | 10.50                    | 10.00 | 11.00        | 10.54            | 10.56    | - | -            | - |                               |                    |            |
|                                                                                 |                    | O.D.L                                                                                    | 4.00                     | 3.70  | 4.30         | 3.94             | 3.96     | - | -            | - |                               |                    |            |
|                                                                                 |                    | O.D                                                                                      | 22.50                    | 22.30 | 22.50        | 22.41            | 22.39    | - | -            | - |                               |                    |            |
|                                                                                 |                    | O.D.L                                                                                    | 6.50                     | 6.20  | 6.80         | 6.48             | 6.50     | - | -            | - |                               |                    |            |
|                                                                                 |                    | I.D                                                                                      | 14.00                    | 14.00 | 14.20        | 14.07            | 14.09    | - | -            | - |                               |                    |            |
|                                                                                 |                    |                                                                                          |                          |       |              |                  |          |   |              |   |                               |                    |            |
| INSPECTED BY:                                                                   |                    | Jay Hadiyal                                                                              |                          |       | APPROVED BY: |                  |          |   | Shreekant    |   |                               |                    |            |

Conclusion :



Accept



Reject



Hold





## MetalMech-08500-FR-QX-08-Final Inspection Report-EX

|               |                    |                                             |                             |       |              |                  |          |   |              |   |                                  |                    |            |
|---------------|--------------------|---------------------------------------------|-----------------------------|-------|--------------|------------------|----------|---|--------------|---|----------------------------------|--------------------|------------|
| INSP. No.     | FIR-01             | Product Name                                | COMPRESSIBLE OUTER SEAL     |       | Size         |                  | 1/2" NPT |   | Drawing No.  |   | GE-01                            | Date:              | 05-08-2026 |
| Wo No.        | 26000198           | Total Quantity                              | 40                          |       | Lot Quantity |                  | 40       |   | Sample Size- |   | 2                                | Variable & Gauging | 2PCS       |
| Sr. No.       | Checking Parameter | REQUIRED PARAMETER                          |                             |       |              | OBSERVED RESULTS |          |   |              |   | REJECTION<br>REWORK<br>DETAIL    | REMARK             | CHECKED BY |
|               |                    | PARAMETER                                   | CRITERIA                    |       | 1            | 2                | -        | - | -            |   |                                  |                    |            |
| 1             | Visual             | Surface                                     | Fine, Clean                 |       | FINE         | FINE             | -        | - | -            |   | Measuring<br>Instruments I.D No- |                    |            |
|               |                    | Size wise No of Pcs.<br>With Internal Parts | As per Drg. No.<br>of Parts | 10    | 10           | 10               | -        | - | -            |   | (1) DV-55                        |                    |            |
|               |                    | Washing & Plating                           | Surface<br>Finishing        | NA    | NA           | NA               | -        | - | -            |   | (2) PP-01                        |                    |            |
|               |                    | RUBBER MARKING                              | AS PER DRG.                 | OK    | OK           | OK               | -        | - | -            |   |                                  |                    |            |
|               |                    | Marking                                     | WO Ref. No.                 | NA    | NA           | NA               | -        | - | -            |   | ASM No :-<br>CEX260803-04        |                    |            |
|               |                    | Assembly Perfection                         | As per Drg.                 |       | OK           | OK               | -        | - | -            |   |                                  |                    |            |
|               |                    | Inner Packing                               | Labeling &<br>Printing      |       | OK           | OK               | -        | - | -            |   |                                  |                    |            |
|               |                    | Outer Packing                               | Printing & Stamping         |       | OK           | OK               | -        | - | -            |   |                                  |                    |            |
|               |                    | All Dimensions Are In MM                    |                             |       |              |                  |          |   |              |   |                                  |                    |            |
| 2             | DIMENSION          |                                             | VALUE                       | -     | +            | 1                | 2        | - | -            | - |                                  |                    |            |
|               |                    | T.L                                         | 11.00                       | 10.50 | 11.50        | 11.01            | 11.03    | - | -            | - |                                  |                    |            |
|               |                    | O.D                                         | 28.50                       | 28.30 | 28.50        | 28.41            | 28.43    | - | -            | - |                                  |                    |            |
|               |                    | GR.LENGTH                                   | 3.50                        | 3.20  | 3.80         | 3.50             | 3.48     | - | -            | - |                                  |                    |            |
|               |                    | I.D                                         | 20.90                       | 20.90 | 21.00        | 20.92            | 20.93    | - | -            | - |                                  |                    |            |
|               |                    |                                             |                             |       |              |                  |          |   |              |   |                                  |                    |            |
| INSPECTED BY: |                    | Jay Hadiyal                                 |                             |       | APPROVED BY: |                  |          |   | Shreekant    |   |                                  |                    |            |

Conclusion :



Accept



Reject



Hold





|  |                    | <h2 style="text-align: center;">MetalMech-08500-FR-QX-08-Final Inspection Report-EX</h2> |                          |       |       |                  |          |   |   |              |                               |                    |            |
|---------------------------------------------------------------------------------|--------------------|------------------------------------------------------------------------------------------|--------------------------|-------|-------|------------------|----------|---|---|--------------|-------------------------------|--------------------|------------|
| INSP. No.                                                                       | FIR-01             | Product Name                                                                             | INNER SKID WASHER        |       |       | Size             | 1/2" NPT |   |   | Drawing No.  | IW-01                         | Date:              | 05-08-2026 |
| Wo No.                                                                          | 26000198           | Total Quantity                                                                           | 40                       |       |       | Lot Quantity     | 40       |   |   | Sample Size- | 2                             | Variable & Gauging | 2PCS       |
| Sr. No.                                                                         | Checking Parameter | REQUIRED PARAMETER                                                                       |                          |       |       | OBSERVED RESULTS |          |   |   |              | REJECTION<br>REWORK<br>DETAIL | REMARK             | CHECKED BY |
|                                                                                 |                    | PARAMETER                                                                                | CRITERIA                 |       |       | 1                | 2        | - | - | -            |                               |                    |            |
| 1                                                                               | Visual             | Surface                                                                                  | Fine, Clean              |       |       | FINE             | FINE     | - | - | -            |                               |                    |            |
|                                                                                 |                    | Size wise No of Pcs. With Internal Parts                                                 | As per Drg. No. of Parts | 10    | 10    | 10               | -        | - | - |              | Measuring Instruments I.D No- |                    |            |
|                                                                                 |                    | Washing & Plating                                                                        | Surface Finishing        | NA    | NA    | NA               | -        | - | - |              | (1) DV-55                     |                    |            |
|                                                                                 |                    | RUBBER MARKING                                                                           | AS PER DRG.              | OK    | OK    | OK               | -        | - | - |              | (2) PP-01                     |                    |            |
|                                                                                 |                    | Marking                                                                                  | WO Ref. No.              | NA    | NA    | NA               | -        | - | - |              | ASM No :- CEX260803-04        |                    |            |
|                                                                                 |                    | Assembly Perfection                                                                      | As per Drg.              |       |       | OK               | OK       | - | - | -            |                               |                    |            |
|                                                                                 |                    | Inner Packing                                                                            | Labeling & Printing      |       | OK    | OK               | -        | - | - |              |                               |                    |            |
|                                                                                 |                    | Outer Packing                                                                            | Printing & Stamping      |       |       | OK               | OK       | - | - | -            |                               |                    |            |
|                                                                                 |                    | All Dimensions Are In MM                                                                 |                          |       |       |                  |          |   |   |              |                               |                    |            |
| 2                                                                               | DIMENSION          |                                                                                          | VALUE                    | -     | +     | 1                | 2        | - | - | -            |                               |                    |            |
|                                                                                 |                    | T.L                                                                                      | 5.00                     | 4.70  | 5.30  | 5.03             | 5.02     | - | - | -            |                               |                    |            |
|                                                                                 |                    | O.D                                                                                      | 22.00                    | 21.80 | 22.00 | 21.90            | 21.89    | - | - | -            |                               |                    |            |
|                                                                                 |                    | O.D                                                                                      | 19.50                    | 19.30 | 19.50 | 19.42            | 19.39    | - | - | -            |                               |                    |            |
|                                                                                 |                    | O.D.L                                                                                    | 3.00                     | 3.00  | 3.20  | 3.02             | 3.00     | - | - | -            |                               |                    |            |
|                                                                                 |                    | I.D                                                                                      | 14.00                    | 14.00 | 14.20 | 14.10            | 14.09    | - | - | -            |                               |                    |            |
|                                                                                 |                    |                                                                                          |                          |       |       |                  |          |   |   |              |                               |                    |            |
| INSPECTED BY:                                                                   |                    | Jay Hadiyal                                                                              |                          |       |       | APPROVED BY:     |          |   |   | Shreekant    |                               |                    |            |

Conclusion : ☒ Accept ☐ Reject ☐ Hold



|  |                    | <h2 style="text-align: center;">MetalMech-08500-FR-QX-08-Final Inspection Report-EX</h2> |                          |       |              |                  |          |   |              |   |                               |                    |            |
|---------------------------------------------------------------------------------|--------------------|------------------------------------------------------------------------------------------|--------------------------|-------|--------------|------------------|----------|---|--------------|---|-------------------------------|--------------------|------------|
| INSP. No.                                                                       | FIR-01             | Product Name                                                                             | OUTER SKID WASHER        |       | Size         |                  | 1/2" NPT |   | Drawing No.  |   | OW-01                         | Date:              | 05-08-2026 |
| Wo No.                                                                          | 26000198           | Total Quantity                                                                           | 40                       |       | Lot Quantity |                  | 40       |   | Sample Size- |   | 2                             | Variable & Gauging | 2PCS       |
| Sr. No.                                                                         | Checking Parameter | REQUIRED PARAMETER                                                                       |                          |       |              | OBSERVED RESULTS |          |   |              |   | REJECTION<br>REWORK<br>DETAIL | REMARK             | CHECKED BY |
|                                                                                 |                    | PARAMETER                                                                                | CRITERIA                 |       |              | 1                | 2        | - | -            | - |                               |                    |            |
| 1                                                                               | Visual             | Surface                                                                                  | Fine, Clean              |       |              | FINE             | FINE     | - | -            | - |                               |                    |            |
|                                                                                 |                    | Sizewise No of Pcs. With Internal Parts                                                  | As per Drg. No. of Parts | 10    | 10           | 10               | -        | - | -            |   | Measuring Instruments I.D No- |                    |            |
|                                                                                 |                    | Washing & Plating                                                                        | Surface Finishing        | NA    | NA           | NA               | -        | - | -            |   | (1) DV-55                     |                    |            |
|                                                                                 |                    | RUBBER MARKING                                                                           | AS PER DRG.              | OK    | OK           | OK               | -        | - | -            |   | (2) PP-01                     |                    |            |
|                                                                                 |                    | Marking                                                                                  | WO Ref. No.              | NA    | NA           | NA               | -        | - | -            |   | ASM No :- CEX260803-04        |                    |            |
|                                                                                 |                    | Assembly Perfection                                                                      | As per Drg.              |       |              | OK               | OK       | - | -            | - |                               |                    |            |
|                                                                                 |                    | Inner Packing                                                                            | Labeling & Printing      |       | OK           | OK               | -        | - | -            |   |                               |                    |            |
|                                                                                 |                    | Outer Packing                                                                            | Printing & Stamping      |       |              | OK               | OK       | - | -            | - |                               |                    |            |
|                                                                                 |                    | All Dimensions Are In MM                                                                 |                          |       |              |                  |          |   |              |   |                               |                    |            |
| 2                                                                               | DIMENSION          |                                                                                          | VALUE                    | -     | +            | 1                | 2        | - | -            | - |                               |                    |            |
|                                                                                 |                    | T.L                                                                                      | 6.50                     | 6.20  | 6.80         | 6.50             | 6.49     | - | -            | - |                               |                    |            |
|                                                                                 |                    | O.D                                                                                      | 27.00                    | 27.00 | 27.10        | 27.00            | 27.01    | - | -            | - |                               |                    |            |
|                                                                                 |                    | O.D                                                                                      | 24.50                    | 24.30 | 24.50        | 24.39            | 24.38    | - | -            | - |                               |                    |            |
|                                                                                 |                    | O.D.L                                                                                    | 4.00                     | 4.00  | 4.10         | 4.02             | 4.01     | - | -            | - |                               |                    |            |
|                                                                                 |                    | I.D                                                                                      | 6.50                     | 6.50  | 6.60         | 6.52             | 6.54     | - | -            | - |                               |                    |            |
|                                                                                 |                    |                                                                                          |                          |       |              |                  |          |   |              |   |                               |                    |            |
| INSPECTED BY:                                                                   |                    | Jay Hadiyal                                                                              |                          |       | APPROVED BY: |                  |          |   | Shreekant    |   |                               |                    |            |

Conclusion :



Accept



Reject



Hold

