

## MetalMech-08500-FR-QX-08-Final Inspection Report-EX

|               |                    |                                            |                              |       |              |                  |       |   |              |   |                               |                                  |            |
|---------------|--------------------|--------------------------------------------|------------------------------|-------|--------------|------------------|-------|---|--------------|---|-------------------------------|----------------------------------|------------|
| INSP. No.     | FIR-04             | Product Name                               | LOCK NUT                     |       | Size         |                  | M40   |   | Drawing No.  |   | DL4IS                         | Date:                            | 13-08-2026 |
| Wo No.        | 26000215           | Total Quantity                             | 10                           |       | Lot Quantity |                  | 10    |   | Sample Size- |   | 2                             | Variable & Gauging               | 2PCS       |
| Sr. No.       | Checking Parameter | REQUIRED PARAMETER                         |                              |       |              | OBSERVED RESULTS |       |   |              |   | REJECTION<br>REWORK<br>DETAIL | REMARK                           | CHECKED BY |
|               |                    | PARAMETER                                  | CRITERIA                     |       |              | 1                | 2     | - | -            | - |                               |                                  |            |
| 1             | Visual             | Surface                                    | Fine, Clean                  |       |              | FINE             | FINE  | - | -            | - |                               | Measuring<br>Instruments I.D No- |            |
|               |                    | Sizewise No of Pcs.<br>With Internal Parts | As per Drg.<br>No. of Parts  | 3     |              | 3                | 3     | - | -            | - |                               | (1) DV-55                        |            |
|               |                    | Washing & Plating                          | Surface<br>Finishing         | NA    |              | NA               | NA    | - | -            | - |                               | (2) PP-01                        |            |
|               |                    | RUBBER MARKING                             | AS PER DRG.                  | NA    |              | NA               | NA    | - | -            | - |                               |                                  |            |
|               |                    | Marking                                    | WO Ref. No.                  | NA    |              | NA               | NA    | - | -            | - |                               | ASM No :-<br>CSEX260810-11       |            |
|               |                    | Assembly Perfection                        | As per Drg.                  |       |              | OK               | OK    | - | -            | - |                               |                                  |            |
|               |                    | Inner Packing                              | Labeling &<br>Printing       |       |              | OK               | OK    | - | -            | - |                               |                                  |            |
|               |                    | Outer Packing                              | Printing & Stamping          |       |              | OK               | OK    | - | -            | - |                               |                                  |            |
|               |                    | All Dimensions Are In MM                   |                              |       |              |                  |       |   |              |   |                               |                                  |            |
| 2             | DIMENSION          |                                            | VALUE                        | -     | +            | 1                | 2     | - | -            | - |                               |                                  |            |
|               |                    | A/F                                        | 46.00                        | 45.84 | 46.00        | 45.91            | 45.92 | - | -            | - |                               |                                  |            |
|               |                    | A/C                                        | 50.00                        | 49.20 | 50.80        | 50.00            | 50.01 |   |              |   |                               |                                  |            |
|               |                    | T.L                                        | 4.50                         | 4.20  | 4.80         | 4.49             | 4.50  |   |              |   |                               |                                  |            |
|               |                    | THREAD                                     | M40x1.5 AS PER P.G GO NOT GO |       |              | OK               | OK    | - | -            | - |                               |                                  |            |
|               |                    | CH.ANGLE                                   | 1x45° AS PER PP FOUND        |       |              | OK               | OK    | - | -            | - |                               |                                  |            |
|               |                    | CH.ANGLE                                   | 30° AS PER PP FOUND          |       |              | OK               | OK    | - | -            | - |                               |                                  |            |
|               |                    |                                            |                              |       |              |                  |       |   |              |   |                               |                                  |            |
| INSPECTED BY: |                    | Jay Hadiyal                                |                              |       | APPROVED BY: |                  |       |   | Shreekant    |   |                               |                                  |            |

Conclusion :



Accept



Reject



Hold





MetalMech-08500-FR-QX-08-Final Inspection Report-EX

|               |                    |                                            |                             |       |              |                  |       |   |              |   |                                  |                    |            |
|---------------|--------------------|--------------------------------------------|-----------------------------|-------|--------------|------------------|-------|---|--------------|---|----------------------------------|--------------------|------------|
| INSP. No.     | FIR-04             | Product Name                               | O-RING                      |       | Size         |                  | M40   |   | Drawing No.  |   | OR-4M                            | Date:              | 13-08-2026 |
| Wo No.        | 26000215           | Total Quantity                             | 10                          |       | Lot Quantity |                  | 10    |   | Sample Size- |   | 2                                | Variable & Gauging | 2PCS       |
| Sr. No.       | Checking Parameter | REQUIRED PARAMETER                         |                             |       |              | OBSERVED RESULTS |       |   |              |   | REJECTION<br>REWORK<br>DETAIL    | REMARK             | CHECKED BY |
|               |                    | PARAMETER                                  | CRITERIA                    |       | 1            | 2                | -     | - | -            |   |                                  |                    |            |
| 1             | Visual             | Surface                                    | Fine, Clean                 |       | FINE         | FINE             | -     | - | -            |   | Measuring<br>Instruments I.D No- |                    |            |
|               |                    | Sizewise No of Pcs.<br>With Internal Parts | As per Drg.<br>No. of Parts | 3     | 3            | 3                | -     | - | -            |   | (1) DV-55                        |                    |            |
|               |                    | Washing & Plating                          | Surface<br>Finishing        | NA    | NA           | NA               | -     | - | -            |   | (2) PP-01                        |                    |            |
|               |                    | RUBBER MARKING                             | AS PER DRG.                 | NA    | NA           | NA               | -     | - | -            |   |                                  |                    |            |
|               |                    | Marking                                    | WO Ref. No.                 | NA    | NA           | NA               | -     | - | -            |   | ASM No :-<br>CSEX260810-11       |                    |            |
|               |                    | Assembly Perfection                        | As per Drg.                 |       | OK           | OK               | -     | - | -            |   |                                  |                    |            |
|               |                    | Inner Packing                              | Labeling &<br>Printing      |       | OK           | OK               | -     | - | -            |   |                                  |                    |            |
|               |                    | Outer Packing                              | Printing & Stamping         |       | OK           | OK               | -     | - | -            |   |                                  |                    |            |
|               |                    | All Dimensions Are In MM                   |                             |       |              |                  |       |   |              |   |                                  |                    |            |
| 2             | DIMENSION          |                                            | VALUE                       | -     | +            | 1                | 2     | - | -            | - |                                  |                    |            |
|               |                    | THICKNESS                                  | 2.50                        | 2.00  | 2.50         | 2.06             | 2.05  | - | -            | - |                                  |                    |            |
|               |                    | I.D                                        | 30.00                       | 29.50 | 30.50        | 30.03            | 30.05 | - | -            | - |                                  |                    |            |
|               |                    |                                            |                             |       |              |                  |       |   |              |   |                                  |                    |            |
| INSPECTED BY: |                    | Jay Hadiyal                                |                             |       | APPROVED BY: |                  |       |   | Shreekant    |   |                                  |                    |            |

Conclusion :

☒

Accept

☐

Reject

☐

Hold



|  |                    | MetalMech-08500-FR-QX-08-Final Inspection Report-EX |                                |                                                                                    |                  |       |       |              |           |                         |                    |                               |
|----------------------------------------------------------------------------------|--------------------|-----------------------------------------------------|--------------------------------|------------------------------------------------------------------------------------|------------------|-------|-------|--------------|-----------|-------------------------|--------------------|-------------------------------|
| INSP. No.                                                                        | FIR-04             | Product Name                                        | PLUG                           |                                                                                    | Size             | M40   |       | Drawing No.  | PLG4M     |                         | Date:              | 13-08-2026                    |
| Wo No.                                                                           | 26000215           | Total Quantity                                      | 10                             |                                                                                    | Lot Quantity     | 10    |       | Sample Size- | 2         |                         | Variable & Gauging | 2PCS                          |
| Sr. No.                                                                          | Checking Parameter | REQUIRED PARAMETER                                  |                                |                                                                                    | OBSERVED RESULTS |       |       |              |           | REJECTION Rework Detail | REMARK             | CHECKED BY                    |
|                                                                                  |                    | PARAMETER                                           | CRITERIA                       |                                                                                    | 1                | 2     | -     | -            | -         |                         |                    |                               |
| 1                                                                                | Visual             | Surface                                             | Fine, Clean                    |                                                                                    | FINE             | FINE  | -     | -            | -         |                         |                    |                               |
|                                                                                  |                    | Sizewise No of Pcs. With Internal Parts             | As per Drg. No. of Parts       | 3                                                                                  | 3                | 3     | -     | -            | -         |                         |                    | Measuring Instruments I.D.No. |
|                                                                                  |                    | Washing & Plating                                   | Surface Finishing              | NA                                                                                 | NA               | NA    | -     | -            | -         |                         |                    | (1) DV-55                     |
|                                                                                  |                    | RUBBER MARKING                                      | AS PER DRG.                    | NA                                                                                 | NA               | NA    | -     | -            | -         |                         |                    | (2) PP-01                     |
|                                                                                  |                    | Marking                                             | WO Ref. No.                    | Metalmech Logo MM-EX-PLG4MX6 2026 CE Logo 2460 Ex Logo II 2 GD Ex db IIC Gb, Ex eb | OK               | OK    | -     | -            | -         |                         |                    | ASM No :- CSEX260810-11       |
|                                                                                  |                    | Assembly Perfection                                 | As per Drg.                    |                                                                                    | OK               | OK    | -     | -            | -         |                         |                    |                               |
|                                                                                  |                    | Inner Packing                                       | Labeling & Printing            |                                                                                    | OK               | OK    | -     | -            | -         |                         |                    |                               |
|                                                                                  |                    | Outer Packing                                       | Printing & Stamping            |                                                                                    | OK               | OK    | -     | -            | -         |                         |                    |                               |
|                                                                                  |                    | All Dimensions Are In MM                            |                                |                                                                                    |                  |       |       |              |           |                         |                    |                               |
| 2                                                                                | DIMENSION          |                                                     | VALUE                          | -                                                                                  | +                | 1     | 2     | -            | -         | -                       |                    |                               |
|                                                                                  |                    | T.L                                                 | 24.00                          | 23.50                                                                              | 24.50            | 24.02 | 24.03 | -            | -         | -                       |                    |                               |
|                                                                                  |                    | TH.L                                                | 15.00                          | 14.50                                                                              | 15.50            | 15.03 | 15.05 | -            | -         | -                       |                    |                               |
|                                                                                  |                    | LENGTH                                              | 18.00                          | 17.50                                                                              | 18.50            | 18.01 | 18.02 | -            | -         | -                       |                    |                               |
|                                                                                  |                    | GR.OD                                               | 38.00                          | 37.20                                                                              | 38.80            | 37.95 | 37.94 | -            | -         | -                       |                    |                               |
|                                                                                  |                    | GR.LE                                               | 1.50                           | 1.30                                                                               | 1.70             | 1.54  | 1.56  | -            | -         | -                       |                    |                               |
|                                                                                  |                    | O.D                                                 | 48.00                          | 47.20                                                                              | 48.80            | 48.02 | 48.01 | -            | -         | -                       |                    |                               |
|                                                                                  |                    | O.D.L                                               | 6.00                           | 5.70                                                                               | 6.30             | 6.08  | 6.06  | -            | -         | -                       |                    |                               |
|                                                                                  |                    | GR.ID                                               | 17.50                          | 17.00                                                                              | 18.00            | 17.55 | 17.57 | -            | -         | -                       |                    |                               |
|                                                                                  |                    | GR.LE                                               | 4.00                           | 3.70                                                                               | 4.30             | 4.07  | 4.09  | -            | -         | -                       |                    |                               |
|                                                                                  |                    | INT-(A/F)                                           | 14.00                          | 14.00                                                                              | 14.20            | 14.09 | 14.10 | -            | -         | -                       |                    |                               |
|                                                                                  |                    | INT-(A/F)-LENGTH                                    | 10.00                          | 9.50                                                                               | 10.50            | 10.07 | 10.09 | -            | -         | -                       |                    |                               |
|                                                                                  |                    | DEPTH                                               | 14.00                          | 13.50                                                                              | 14.50            | 14.06 | 14.08 | -            | -         | -                       |                    |                               |
|                                                                                  |                    | THREAD                                              | M40x1.5 AS PER T.R.G GO NOT GO |                                                                                    |                  | OK    | OK    | -            | -         | -                       |                    |                               |
|                                                                                  |                    | CHANGLE                                             | 1.5x45° AS PER PP FOUND        |                                                                                    |                  | OK    | OK    | -            | -         | -                       |                    |                               |
|                                                                                  |                    | CHANGLE                                             | 3x45° AS PER PP FOUND          |                                                                                    |                  | OK    | OK    | -            | -         | -                       |                    |                               |
|                                                                                  |                    | ANGLE                                               | 67° AS PER PP FOUND            |                                                                                    |                  | OK    | OK    | -            | -         | -                       |                    |                               |
| INSPECTED BY:                                                                    |                    | Jay Hadiyal                                         |                                |                                                                                    | APPROVED BY:     |       |       |              | Shreekant |                         |                    |                               |

Conclusion :



Accept



Reject



Hold

