METAL MECH®
THE SAFEST CONNECTIONS

MM-086000-SXUA-QCZA-FR-02-01-Final Inspection Report-Ex-V26I01

INSP. No.	FIR-01	Product Name	LOCK NUT	Size	1/2" NPT	Drawing No.	DL1NS	Date:	15-10-2026
Wo No.	26100105	Total Quantity	60	Lot Quantity	60	Sample Size-	3	Variable & Gauging	3PCS

Sr. No.	Checking Parameter	REQUIRED PARAMETER			OBSERVED RESULTS					REJECTION REWORK DETAIL	REMARK	CHECKED BY
		PARAMETER	CRITERIA		1	2	3	-	-			
1	Visual	Surface	Fine, Clean		FINE	FINE	FINE	-	-		Measuring Instruments I.D No-	
		Sizewise No of Pcs. With Internal Parts	As per Drg. No. of Parts	9	9	9	9	-	-		(1) DV-55	
		Washing & Plating	Surface Finishing	NA	NA	NA	NA	-	-		(2) PP-01	
		RUBBER MARKING	AS PER DRG.	NA	NA	NA	NA	-	-			
		Marking	WO Ref. No.	NA	NA	NA	NA	-	-		ASM No :- CSEX260927-11	
		Assembly Perfection	As per Drg.		OK	OK	OK	-	-			
		Inner Packing	Labeling & Printing		OK	OK	OK	-	-			
		Outer Packing	Printing & Stamping		OK	OK	OK	-	-			
		All Dimensions Are In MM										

			VALUE	-	+	1	2	3	-	-			
2	DIMENSION	A/F	24.00	23.87	24.00	23.90	23.89	23.91	-	-			
		A/C	26.00	25.50	26.50	25.99	26.00	26.01	-	-			
		T.L	4.00	3.70	4.30	4.00	4.01	4.02	-	-			
		THREAD	1/2" NPT AS PER P.G GO NOT GO			OK	OK	OK	-	-			
		CH.ANGLE	30° AS PER PP FOUND			OK	OK	OK	-	-			

INSPECTED BY:	Jay Hadiyal	APPROVED BY:	Shreekant

Conclusion :

☑ **Accept** ☐ **Reject** ☐ **Hold**

METALMECH ENGINEERING CA PASSED

MM-086000-SXUA-QCZA-FR-02-01-Final Inspection Report-Ex-V26I01

INSP. No.	FIR-01	**Product Name**	ENTRY COMPONENT	**Size**	1/2" NPT	**Drawing No.**	313001M-01	**Date:**	15-10-2026
Wo No.	26100105	**Total Quantity**	60	**Lot Quantity**	60	**Sample Size-**	3	Variable & Gauging	3PCS

Sr. No.	Checking Parameter	REQUIRED PARAMETER			OBSERVED RESULTS					REJECTION REWORK DETAIL	REMARK	CHECKED BY
		PARAMETER	CRITERIA		1	2	3	-	-			
1	Visual	Surface	Fine, Clean		FINE	FINE	FINE	-	-		Measuring Instruments I.D No.-	
		Sizewise No of Pcs. With Internal Parts	As per Drg. No. of Parts	9	9	9	9	-	-		(1) DV-55	
		Washing & Plating	Surface Finishing	NA	NA	NA	NA	-	-		(2) PP-01	
		RUBBER MARKING	AS PER DRG.	NA	NA	NA	NA	-	-			
		Marking	WO Ref. No.	Metalmech Logo MM-EX-A2F201NX6 2026 CE Logo 2460 Ex Logo II 2 GD Ex db IIC Gb, Ex eb IIC Gb, Ex tb IIIC Db, IP66/68 -55^{0}C ≤ Ta ≤ +160^{0}C Presafe 20 ATEX 48906X IECEx PRE 20.0124X			-	-		ASM No :- CSEX260927-11	
		Assembly Perfection	As per Drg.		OK	OK	OK	-	-			
		Inner Packing	Labeling & Printing		OK	OK	OK	-	-			
		Outer Packing	Printing & Stamping		OK	OK	OK	-	-			
		All Dimensions Are In MM										
2	DIMENSION		VALUE	- +	1	2	3	-	-			
		A/F	27.00	26.87 27.20	26.93	26.95	26.94	-	-			
		A/C	30.00	29.50 30.50	29.51	29.50	29.51	-	-			
		T.L	36.00	36.00 36.50	36.03	36.05	36.04	-	-			
		TH.L	20.00	20.00 20.50	20.04	20.03	20.05	-	-			
		O.D	26.50	26.00 27.00	26.36	26.35	26.36	-	-			
		O.D.L	9.00	8.50 9.50	9.03	9.02	9.03	-	-			
		H.L	7.00	6.70 7.30	7.05	7.04	7.06	-	-			
		I.D	14.10	13.60 14.60	14.12	14.12	14.11	-	-			
		DEPTH	11.50	11.00 12.00	11.51	11.53	11.55	-	-			
		THREAD	1/2" NPT AS PER T.R.G GO NOT GO		OK	OK	OK	-	-			
		INT.THREAD	M24x1.5 AS PER P.G GO NOT GO		OK	OK	OK	-	-			
		CH.ANGLE	1x45° AS PER PP FOUND		OK	OK	OK	-	-			
		CH.ANGLE	1.6x45° AS PER PP FOUND		OK	OK	OK	-	-			
		CH.ANGLE	0.5x45° AS PER PP FOUND		OK	OK	OK	-	-			
		CH.ANGLE	20° AS PER PP FOUND		OK	OK	OK	-	-			
		ANGLE	90° AS PER PP FOUND		OK	OK	OK	-	-			

INSPECTED BY:	*Jay Hadiyal*	*APPROVED BY:*	*Shreekant*

Conclusion :

☑ **Accept** ☐ **Reject** ☐ **Hold**

METALMECH ENGINEERING CA PASSED

MM-086000-SXUA-QCZA-FR-02-01-Final Inspection Report-Ex-V26I01

INSP. No.	FIR-01	**Product Name**	BACK NUT	**Size**	1/2" NPT	**Drawing No.**	314006-01	**Date:**	15-10-2026
Wo No.	26100105	**Total Quantity**	60	**Lot Quantity**	60	**Sample Size-**	3	Variable & Gauging	3PCS

Sr. No.	Checking Parameter	REQUIRED PARAMETER			OBSERVED RESULTS					REJECTION REWORK DETAIL	REMARK	CHECKED BY
		PARAMETER	CRITERIA		1	2	3	-	-			
1	Visual	Surface	Fine, Clean		FINE	FINE	FINE	-	-		Measuring Instruments I.D No-	
		Sizewise No of Pcs. With Internal Parts	As per Drg. No. of Parts	9	9	9	9	-	-		(1) DV-55	
		Washing & Plating	Surface Finishing	NA	NA	NA	NA	-	-		(2) PP-01	
		RUBBER MARKING	AS PER DRG.	NA	NA	NA	NA	-	-			
		Marking	WO Ref. No.	NA	NA	NA	NA	-	-		ASM No :- CSEX260927-11	
		Assembly Perfection	As per Drg.		OK	OK	OK	-	-			
		Inner Packing	Labeling & Printing		OK	OK	OK	-	-			
		Outer Packing	Printing & Stamping		OK	OK	OK	-	-			
		All Dimensions Are In MM										
2	DIMENSION		VALUE	-	+	1	2	3	-	-			
		A/F	27.00	26.87	27.00	26.91	26.90	26.91	-	-			
		A/C	30.00	29.50	30.50	29.53	29.52	29.53	-	-			
		T.L	15.00	14.50	15.50	15.01	15.00	15.00	-	-			
		TH.L	10.50	10.00	11.00	10.49	10.50	10.48	-	-			
		GR.OD	22.00	21.50	22.50	21.93	21.95	21.96	-	-			
		GR.LE	1.50	1.30	1.70	1.53	1.52	1.53	-	-			
		H.L	4.50	4.20	4.80	4.43	4.45	4.49	-	-			
		I.D	20.00	19.50	20.50	20.05	20.03	20.05	-	-			
		THREAD	M24x1.5 AS PER T.R.G GO NOT GO			OK	OK	OK	-	-			
		CH.ANGLE	0.5x45° AS PER PP FOUND			OK	OK	OK	-	-			
		CH.ANGLE	1.5x45° AS PER PP FOUND			OK	OK	OK	-	-			
		CH.ANGLE	20° AS PER PP FOUND			OK	OK	OK	-	-			
		RADIUS	3 MM AS PER PP FOUND			OK	OK	OK	-	-			

INSPECTED BY:	*Jay Hadiyal*	*APPROVED BY:*	*Shreekant*

Conclusion :

☑ **Accept** ☐ **Reject** ☐ **Hold**

METALMECH ENGINEERING GROUP QA PASSED

MM-086000-SXUA-QCZA-FR-02-01-Final Inspection Report-Ex-V26I01

INSP. No.	FIR-01	**Product Name**	COMPRESSIBLE SEALING RING	**Size**	1/2" NPT	**Drawing No.**	GI-01	**Date:**	15-10-2026
Wo No.	26100105	**Total Quantity**	60	**Lot Quantity**	60	**Sample Size-**	3	Variable & Gauging	3PCS

Sr. No.	**Checking Parameter**	**REQUIRED PARAMETER**			**OBSERVED RESULTS**					**REJECTION REWORK DETAIL**	**REMARK**	**CHECKED BY**
		PARAMETER	**CRITERIA**		**1**	**2**	**3**	-	-			
1	Visual	Surface	Fine, Clean		FINE	FINE	FINE	-	-		Measuring Instruments I.D No-	
		Sizewise No of Pcs. With Internal Parts	As per Drg. No. of Parts	9	9	9	9	-	-		**(1) DV-55**	
		Washing & Plating	Surface Finishing	NA	NA	NA	NA	-	-		**(2) PP-01**	
		RUBBER MARKING	AS PER DRG.	OK	OK	OK	OK	-	-			
		Marking	WO Ref. No.	NA	NA	NA	NA	-	-		**ASM No :- CSEX260927-11**	
		Assembly Perfection	As per Drg.		OK	OK	OK	-	-			
		Inner Packing	Labeling & Printing		OK	OK	OK	-	-			
		Outer Packing	Printing & Stamping		OK	OK	OK	-	-			
		All Dimensions Are In MM										
2	DIMENSION		VALUE	-	+	1	2	3	-	-		
		T.L	10.50	10.00	11.00	10.63	10.65	10.64	-	-		
		O.D	22.50	22.30	22.50	22.43	22.46	22.45	-	-		
		O.D.L	6.50	6.20	6.80	6.53	6.52	6.55	-	-		
		O.D.L	4.00	3.70	4.30	4.05	4.04	4.03	-	-		
		I.D	14.00	14.00	14.20	14.06	14.05	14.04	-	-		

INSPECTED BY:	*Jay Hadiyal*	*APPROVED BY:*	*Shreekant*

Conclusion :

☑ **Accept** ☐ **Reject** ☐ **Hold**

METALMECH ENGINEERING QA PASSED

MM-086000-SXUA-QCZA-FR-02-01-Final Inspection Report-Ex-V26I01

INSP. No.	FIR-01	**Product Name**	SKID WASHER	**Size**	1/2" NPT	**Drawing No.**	IW-01	**Date:**	15-10-2026
Wo No.	26100105	**Total Quantity**	60	**Lot Quantity**	60	**Sample Size-**	3	**Variable & Gauging**	3PCS

Sr. No.	Checking Parameter	REQUIRED PARAMETER			OBSERVED RESULTS					REJECTION REWORK DETAIL	REMARK	CHECKED BY
		PARAMETER	CRITERIA		1	2	3	-	-			
1	Visual	Surface	Fine, Clean		FINE	FINE	FINE	-	-		Measuring Instruments I.D No-	
		Sizewise No of Pcs. With Internal Parts	As per Drg. No. of Parts	9	9	9	9	-	-		(1) DV-55	
		Washing & Plating	Surface Finishing	NA	NA	NA	NA	-	-		(2) PP-01	
		RUBBER MARKING	AS PER DRG.	NA	NA	NA	NA	-	-			
		Marking	WO Ref. No.	NA	NA	NA	NA	-	-		ASM No :- CSEX260927-11	
		Assembly Perfection	As per Drg.		OK	OK	OK	-	-			
		Inner Packing	Labeling & Printing		OK	OK	OK	-	-			
		Outer Packing	Printing & Stamping		OK	OK	OK	-	-			
		All Dimensions Are In MM										
2	DIMENSION		VALUE	-	+	1	2	3	-	-			
		T.L	5.00	4.70	5.30	5.04	5.06	5.08	-	-			
		O.D	22.00	21.80	22.00	21.93	21.94	21.92	-	-			
		O.D.L	3.00	3.00	3.20	3.05	3.03	3.04	-	-			
		O.D	19.50	19.30	19.50	19.46	19.45	19.45	-	-			
		I.D	14.00	14.00	14.20	14.05	14.08	14.06	-	-			

INSPECTED BY:	*Jay Hadiyal*	*APPROVED BY:*	*Shreekant*

Conclusion :

☑ **Accept** ☐ **Reject** ☐ **Hold**

METALMECH ENGINEERING QA PASSED

MM-086000-SXUA-QCZA-FR-02-01-Final Inspection Report-Ex-V26I01

INSP. No.	FIR-01	**Product Name**	EARTH TAG	**Size**	1/2" NPT	**Drawing No.**	-	**Date:**	15-10-2026
Wo No.	26100105	**Total Quantity**	60	**Lot Quantity**	60	**Sample Size-**	3	Variable & Gauging	3PCS

Sr. No.	Checking Parameter	REQUIRED PARAMETER			OBSERVED RESULTS					REJECTION REWORK DETAIL	REMARK	CHECKED BY
		PARAMETER	CRITERIA		1	2	3	-	-			
1	Visual	Surface	Fine, Clean		FINE	FINE	FINE	-	-		Measuring Instruments I.D No-	
		Sizewise No of Pcs. With Internal Parts	As per Drg. No. of Parts	9	9	9	9	-	-		(1) DV-55	
		Washing & Plating	Surface Finishing	NA	NA	NA	NA	-	-		(2) PP-01	
		RUBBER MARKING	AS PER DRG.	NA	NA	NA	NA	-	-			
		Marking	WO Ref. No.	NA	NA	NA	NA	-	-		ASM No :- CSEX260927-11	
		Assembly Perfection	As per Drg.		OK	OK	OK	-	-			
		Inner Packing	Labeling & Printing		OK	OK	OK	-	-			
		Outer Packing	Printing & Stamping		OK	OK	OK	-	-			
		All Dimensions Are In MM										
2	DIMENSION		VALUE	-	+	1	2	3	-	-			
		THICKNESS	1.50	1.30	1.70	1.45	1.48	1.46	-	-		
		O.D	30.20	29.40	31.00	30.19	30.21	30.20	-	-		
		O.D	13.20	12.70	13.70	13.25	13.23	13.26	-	-		
		I.D	22.00	21.50	22.50	22.08	22.07	22.06	-	-		
		I.D	6.50	6.20	6.80	6.54	6.56	6.58	-	-		

INSPECTED BY:	*Jay Hadiyal*	*APPROVED BY:*	*Shreekant*

Conclusion :

☑ **Accept** ☐ **Reject** ☐ **Hold**

METALMECH ENGINEERING QA PASSED

MM-086000-SXUA-QCZA-FR-02-01-Final Inspection Report-Ex-V26I01

INSP. No.	FIR-01	**Product Name**	SHROUD	**Size**	B-2030	**Drawing No.**	-	**Date:**	15-10-2026
Wo No.	26100105	**Total Quantity**	60	**Lot Quantity**	60	**Sample Size-**	3	Variable & Gauging	3PCS

Sr. No.	Checking Parameter	REQUIRED PARAMETER			OBSERVED RESULTS					REJECTION REWORK DETAIL	REMARK	CHECKED BY
		PARAMETER	CRITERIA		1	2	3	-	-			
1	Visual	Surface	Fine, Clean		FINE	FINE	FINE	-	-		Measuring Instruments I.D No-	
		Sizewise No of Pcs. With Internal Parts	As per Drg. No. of Parts	9	9	9	9	-	-		(1) DV-55	
		Washing & Plating	Surface Finishing	NA	NA	NA	NA	-	-		(2) PP-01	
		RUBBER MARKING	AS PER DRG.	NA	NA	NA	NA	-	-			
		Marking	WO Ref. No.	NA	NA	NA	NA	-	-		ASM No :- CSEX260927-11	
		Assembly Perfection	As per Drg.		OK	OK	OK	-	-			
		Inner Packing	Labeling & Printing		OK	OK	OK	-	-			
		Outer Packing	Printing & Stamping		OK	OK	OK	-	-			
		All Dimensions Are In MM										
2	DIMENSION		VALUE	-	+	1	2	3	-	-			
		T.L	90.00	89.20	90.80	90.15	90.12	90.11	-	-		
		I.D	30.00	29.50	30.50	30.03	30.09	30.06	-	-		

INSPECTED BY:	*Jay Hadiyal*	*APPROVED BY:*	*Shreekant*

Conclusion :

☑ **Accept** ☐ **Reject** ☐ **Hold**

METALMECH ENGINEERING QA PASSED

METAL MECH®
THE SAFEST CONNECTIONS

MM-086000-SXUA-QCZA-FR-02-01-Final Inspection Report-Ex-V26I01

INSP. No.	FIR-01	**Product Name**	NYLON WASHER	**Size**	1/2" NPT	**Drawing No.**	-	**Date:**	15-10-2026
Wo No.	26100105	**Total Quantity**	60	**Lot Quantity**	60	**Sample Size-**	3	Variable & Gauging	3PCS

Sr. No.	Checking Parameter	REQUIRED PARAMETER			OBSERVED RESULTS					REJECTION REWORK DETAIL	REMARK	CHECKED BY
		PARAMETER	CRITERIA		1	2	3	-	-			
1	Visual	Surface	Fine, Clean		FINE	FINE	FINE	-	-		Measuring Instruments I.D No-	
		Sizewise No of Pcs. With Internal Parts	As per Drg. No. of Parts	9	9	9	9	-	-		(1) DV-55	
		Washing & Plating	Surface Finishing	NA	NA	NA	NA	-	-		(2) PP-01	
		RUBBER MARKING	AS PER DRG.	NA	NA	NA	NA	-	-			
		Marking	WO Ref. No.	NA	NA	NA	NA	-	-		ASM No :- CSEX260927-11	
		Assembly Perfection	As per Drg.		OK	OK	OK	-	-			
		Inner Packing	Labeling & Printing		OK	OK	OK	-	-			
		Outer Packing	Printing & Stamping		OK	OK	OK	-	-			
		All Dimensions Are In MM										
2	DIMENSION		VALUE	-	+	1	2	3	-	-			
		THICKNESS	1.50	1.30	1.70	1.45	1.44	1.43	-	-		
		I.D	22.00	21.50	22.50	22.15	22.16	22.12	-	-		

INSPECTED BY:	*Jay Hadiyal*	*APPROVED BY:*	*Shreekant*

Conclusion :

☑ **Accept** ☐ **Reject** ☐ **Hold**

METALMECH ENGINEERING QA PASSED

MM-086000-SXUA-QCZA-FR-02-01-Final Inspection Report-Ex-V26I01

INSP. No.	FIR-01	Product Name	STAR WASHER	Size	1/2" NPT	Drawing No.	-	Date:	15-10-2026
Wo No.	26100105	Total Quantity	60	Lot Quantity	60	Sample Size-	3	Variable & Gauging	3PCS

Sr. No.	Checking Parameter	REQUIRED PARAMETER			OBSERVED RESULTS					REJECTION REWORK DETAIL	REMARK	CHECKED BY
		PARAMETER	CRITERIA		1	2	3	-	-			
1	Visual	Surface	Fine, Clean		FINE	FINE	FINE	-	-		Measuring Instruments I.D No-	
		Sizewise No of Pcs. With Internal Parts	As per Drg. No. of Parts	9	9	9	9	-	-		(1) DV-55	
		Washing & Plating	Surface Finishing	NA	NA	NA	NA	-	-		(2) PP-01	
		RUBBER MARKING	AS PER DRG.	NA	NA	NA	NA	-	-			
		Marking	WO Ref. No.	NA	NA	NA	NA	-	-		ASM No :- CSEX260927-11	
		Assembly Perfection	As per Drg.		OK	OK	OK	-	-			
		Inner Packing	Labeling & Printing		OK	OK	OK	-	-			
		Outer Packing	Printing & Stamping		OK	OK	OK	-	-			
		All Dimensions Are In MM										

			VALUE	-	+	1	2	3	-	-			
2	DIMENSION	O.D	33.00	32.70	33.30	33.06	33.05	33.04	-	-			
		I.D	21.50	21.00	22.00	21.59	21.60	21.61	-	-			
		T.L	4.00	3.70	4.30	4.06	4.05	4.08	-	-			

INSPECTED BY:	*Jay Hadiyal*	*APPROVED BY:*	*Shreekant*

Conclusion :

☑ **Accept** ☐ **Reject** ☐ **Hold**

METALMECH ENGINEERING QA PASSED