



MetalMech-08500-FR-QX-08-Final Inspection Report-EX

INSP. No.	FIR-01	Product Name	LOCK NUT		Size		M25		Drawing No.		DL2M	Date:	13-08-2026
Wo No.	26000215	Total Quantity	2		Lot Quantity		2		Sample Size-		2	Variable & Gauging	2PCS
Sr. No.	Checking Parameter	REQUIRED PARAMETER				OBSERVED RESULTS					REJECTION REWORK DETAIL	REMARK	CHECKED BY
		PARAMETER	CRITERIA		1	2	-	-	-				
1	Visual	Surface	Fine, Clean		FINE	FINE	-	-	-		Measuring Instruments I.D No.		
		Sizewise No of Pcs. With Internal Parts	As per Drg. No. of Parts	15	15	15	-	-	-		(1) DV-55		
		Washing & Plating	Surface Finishing	NA	NA	NA	-	-	-		(2) PP-01		
		RUBBER MARKING	AS PER DRG.	NA	NA	NA	-	-	-				
		Marking	WO Ref. No.	NA	NA	NA	-	-	-		ASM No :- CSEX260810-08		
		Assembly Perfection	As per Drg.		OK	OK	-	-	-				
		Inner Packing	Labeling & Printing		OK	OK	-	-	-				
		Outer Packing	Printing & Stamping		OK	OK	-	-	-				
		All Dimensions Are In MM											
2	DIMENSION		VALUE	-	+	1	2	-	-	-			
		A/F	30.00	29.84	30.00	29.95	29.94	-	-	-			
		A/C	33.00	32.20	33.80	33.01	33.03	-	-	-			
		T.L	4.00	3.70	4.30	4.04	4.06	-	-	-			
		THREAD	M25x1.5 AS PER P.G GO NOT GO			OK	OK	-	-	-			
		CH.ANGLE	30° AS PER PP FOUND			OK	OK	-	-	-			
INSPECTED BY:		Jay Hadiyal			APPROVED BY:				Shreekant				

Conclusion : ☒ Accept ☐ Reject ☐ Hold





MetalMech-08500-FR-QX-08-Final Inspection Report-EX

INSP. No.	FIR-01	Product Name	ENTRY COMPONENT		Size		M25		Drawing No.		313001M-02	Date:	13-08-2026
Wo No.	26000215	Total Quantity	2		Lot Quantity		2		Sample Size-		2	Variable & Gauging	2PCS
Sr. No.	Checking Parameter	REQUIRED PARAMETER				OBSERVED RESULTS				REJECTION REWORK DETAIL	REMARK	CHECKED BY	
		PARAMETER	CRITERIA		1	2	-	-	-				
		Surface	Fine, Clean		FINE	FINE	-	-	-				
		Size wise No of Pcs. With Internal Parts	As per Drg. No. of Parts	15	15	15	-	-	-			Measuring Instruments ID No. (1) DV-55	
		Washing & Plating	Surface Finishing	NA	NA	NA	-	-	-			(2) PP-01	
		RUBBER MARKING	AS PER DRG.	NA	NA	NA	-	-	-				
		Marking	WO Ref. No.	Metalmech Logo MM-EX-EIFUNV2552MX6 2026 CE Logo 2460 Ex Logo II 2 GD Ex db BC	OK	OK	-	-	-			ASM No :- CSEX260810-08	
		Assembly Perfection	As per Drg.		OK	OK	-	-	-				
		Inner Packing	Labeling & Printing		OK	OK	-	-	-				
		Outer Packing	Printing & Stamping		OK	OK	-	-	-				
		All Dimensions Are In MM											
		VALUE	-	+	1	2	-	-	-				
		A/F	36.00	35.84	36.00	35.89	35.90	-	-	-			
		A/C	40.00	39.20	40.80	39.91	39.93	-	-	-			
		T.L	37.00	37.00	37.50	37.25	37.24	-	-	-			
		TH.L	13.00	12.50	13.50	13.05	13.03	-	-	-			
		LENGTH	17.00	17.00	17.50	17.23	17.25	-	-	-			
		GR.OD	23.00	22.50	23.50	23.00	22.99	-	-	-			
		GR.LE	2.50	2.30	2.70	2.53	2.55	-	-	-			
		O.D	35.00	34.20	35.80	34.95	34.94	-	-	-			
		O.D.L	11.00	10.50	11.50	11.02	11.01	-	-	-			
		H.L	9.00	8.50	9.50	8.98	8.99	-	-	-			
		I.D	20.00	19.50	20.50	20.04	20.03	-	-	-			
		INT.TH.L	14.50	14.00	15.00	14.55	14.53	-	-	-			
		THREAD	M25x1.5 AS PER T.R.G GO NOT GO		OK	OK	-	-	-				
		INT.THREAD	M32x1.5 AS PER P.G GO NOT GO		OK	OK	-	-	-				
		CH.ANGLE	1.5x45° AS PER PP FOUND		OK	OK	-	-	-				
		CH.ANGLE	0.5x45° AS PER PP FOUND		OK	OK	-	-	-				
		CH.ANGLE	20° AS PER PP FOUND		OK	OK	-	-	-				
		ANGLE	90° AS PER PP FOUND		OK	OK	-	-	-				
INSPECTED BY:		Jay Hadiyal			APPROVED BY:				Shreekant				

Conclusion :



Accept



Reject



Hold



MetalMech-08500-FR-QX-08-Final Inspection Report-EX

INSP. No.	FIR-01	Product Name	INTERMEDIATE BODY		Size	M25		Drawing No.	313002U-02		Date:	13-08-2026
Wo No.	26000215	Total Quantity	2		Lot Quantity	2		Sample Size-	2		Variable & Gauging	2PCS
Sr. No.	Checking Parameter	REQUIRED PARAMETER				OBSERVED RESULTS				REJECTION REWORK DETAIL	REMARK	CHECKED BY
		PARAMETER	CRITERIA	1	2	-	-	-				
1	Visual	Surface	Fine, Clean	FINE	FINE	-	-	-				
		Sizewise No of Pcs. With Internal Parts	As per Drg. No. of Parts	15	15	-	-	-			Measuring Instruments ID No.	
		Washing & Plating	Surface Finishing	NA	NA	-	-	-			(1) DV-55	
		RUBBER MARKING	AS PER DRG.	NA	NA	-	-	-			(2) PP-01	
		Marking	WO Ref. No.	NA	NA	-	-	-			ASM No 1:- CSEX260810-08	
		Assembly Perfection	As per Drg.	OK	OK	-	-	-				
		Inner Packing	Labeling & Printing	OK	OK	-	-	-				
		Outer Packing	Printing & Stamping	OK	OK	-	-	-				
All Dimensions Are In MM												
2	DIMENSION		VALUE	-	+	1	2	-	-	-		
		A/F	36.00	35.84	36.20	35.90	35.89	-	-	-		
		A/C	40.00	39.20	40.80	39.99	40.00	-	-	-		
		T.L	29.00	28.50	29.50	29.00	28.99	-	-	-		
		TH.L	13.50	13.00	14.00	13.56	13.55	-	-	-		
		GR.OD	30.00	29.50	30.50	29.99	29.98	-	-	-		
		GR.LE	1.00	0.80	1.20	1.01	1.03	-	-	-		
		H.L	6.00	5.70	6.30	6.05	6.03	-	-	-		
		TH.L	9.50	9.00	10.00	9.50	9.49	-	-	-		
		GR.OD	32.00	31.20	32.80	32.06	32.09	-	-	-		
		GR.LE	1.00	0.80	1.20	1.01	1.03	-	-	-		
		I.D	26.50	26.00	27.00	26.55	26.54	-	-	-		
		I.D	29.30	28.80	29.80	29.31	29.30	-	-	-		
		DEPTH	8.00	7.70	8.30	7.97	7.99	-	-	-		
		THREAD	M32x1.5 AS PER T.R.G GO NOT GO			OK	OK	-	-	-		
		THREAD	M34x1.5 AS PER T.R.G GO NOT GO			OK	OK	-	-	-		
		CH.ANGLE	1x45° AS PER PP FOUND			OK	OK	-	-	-		
		CH.ANGLE	20° AS PER PP FOUND			OK	OK	-	-	-		
		CH.ANGLE	0.5x45° AS PER PP FOUND			OK	OK	-	-	-		
		INSPECTED BY: Jay Hadiyal APPROVED BY: Shreekant										

Conclusion :



Accept



Reject



Hold





MetalMech-08500-FR-QX-08-Final Inspection Report-EX

INSP. No.	FIR-01	Product Name	MIDDLE BODY	Size	M25	Drawing No.	313002-02	Date:	13-08-2026			
Wo No.	26000215	Total Quantity	2	Lot Quantity	2	Sample Size-	2	Variable & Gauging	2PCS			
Sr. No.	Checking Parameter	REQUIRED PARAMETER			OBSERVED RESULTS					REJECTION Rework Detail	REMARK	CHECKED BY
		PARAMETER	CRITERIA		1	2	-	-	-			
1	Visual	Surface	Fine, Clean		FINE	FINE	-	-	-		Measuring Instruments I.D.No.	
		Size wise No of Pcs. With Internal Parts	As per Drg. No. of Parts	15	15	15	-	-	-		(1) DV-55	
		Washing & Plating	Surface Finishing	NA	NA	NA	-	-	-		(2) PP-01	
		RUBBER MARKING	AS PER DRG.	NA	NA	NA	-	-	-			
		Marking	WO Ref. No.	NA	NA	NA	-	-	-		ASM No :- CSEX260810-08	
		Assembly Perfection	As per Drg.		OK	OK	-	-	-			
		Inner Packing	Labeling & Printline		OK	OK	-	-	-			
		Outer Packing	Printing & Stamping		OK	OK	-	-	-			
		All Dimensions Are In MM										
2	DIMENSION		VALUE	-	+	1	2	-	-	-		
		A/F	36.00	35.84	36.00	35.90	35.89	-	-	-		
		A/C	40.00	39.20	40.80	39.95	39.91	-	-	-		
		T.L	32.00	31.20	32.80	31.96	31.95	-	-	-		
		TH.L	15.00	14.50	15.50	14.96	14.95	-	-	-		
		GR.OD	33.00	32.20	33.80	32.96	32.94	-	-	-		
		GR.LE	1.50	1.30	1.70	1.53	1.55	-	-	-		
		O.D	35.50	34.70	36.30	35.47	35.46	-	-	-		
		O.D.L	9.00	8.50	9.50	9.04	9.06	-	-	-		
		H.L	8.00	7.70	8.30	8.02	8.01	-	-	-		
		I.D	26.50	26.00	27.00	26.50	26.49	-	-	-		
		I.D	27.50	27.00	28.00	27.45	27.49	-	-	-		
		I.D.LE	4.50	4.20	4.80	4.54	4.56	-	-	-		
		INT.TH.L	11.50	11.00	12.00	11.55	11.54	-	-	-		
		GR.ID	32.00	31.20	32.80	32.00	31.99	-	-	-		
		GR.LE	4.00	3.70	4.30	4.04	4.06	-	-	-		
		DEPTH	15.50	15.00	16.00	15.55	15.54	-	-	-		
		THREAD	M35x1.5 AS PER T.R.G GO NOT GO			OK	OK	-	-	-		
		INT.THREAD	M34x1.5 AS PER P.G GO NOT GO			OK	OK	-	-	-		
		CH.ANGLE	1x45° AS PER PP FOUND			OK	OK	-	-	-		
		CH.ANGLE	30° AS PER PP FOUND			OK	OK	-	-	-		
INSPECTED BY:		Jay Hadiyal			APPROVED BY:				Shreekant			

Conclusion :



Accept



Reject



Hold





MetalMech-08500-FR-QX-08-Final Inspection Report-EX

INSP. No.	FIR-01	Product Name	BACK NUT		Size	M25		Drawing No.	313003-02	Date:	13-08-2026		
Wo No.	26000215	Total Quantity	2		Lot Quantity	2		Sample Size-	2	Variable & Gauging	2PCS		
Sr. No.	Checking Parameter	REQUIRED PARAMETER				OBSERVED RESULTS				REJECTION REWORK DETAIL	REMARK	CHECKED BY	
		PARAMETER	CRITERIA		1	2	-	-	-				
		Surface	Fine, Clean		FINE	FINE	-	-	-		Measuring Instruments ID No.		
		Size wise No of Pcs. With Internal Parts	As per Drg.	15	15	15	-	-	-		(1) DV-55		
		Washing & Plating	Surface Finishing	NA	NA	NA	-	-	-		(2) PP-01		
		RUBBER MARKING	AS PER DRG.	NA	NA	NA	-	-	-				
		Marking	WO Ref. No.	NA	NA	NA	-	-	-		ASM No :- CSEX260810-08		
		Assembly Perfection	As per Drg.		OK	OK	-	-	-				
		Inner Packing	Labeling & Printing		OK	OK	-	-	-				
		Outer Packing	Printing & Stamping		OK	OK	-	-	-				
		All Dimensions Are In MM											
			VALUE	-	+	1	2	-	-	-			
		A/F	38.00	37.84	38.00	37.92	37.91	-	-	-			
		A/C	42.00	41.20	42.80	41.96	41.95	-	-	-			
		T.L	23.00	22.50	23.50	23.00	22.99	-	-	-			
		O.D	37.50	36.70	38.30	37.41	37.40	-	-	-			
		O.D.L	10.00	9.50	10.50	10.04	10.06	-	-	-			
		H.L	13.00	12.50	13.50	12.97	12.99	-	-	-			
		I.D	30.50	29.70	31.30	30.55	30.54	-	-	-			
		INT.TH.L	4.00	3.70	4.30	4.04	4.06	-	-	-			
		GR.ID	35.20	34.40	36.00	35.23	35.25	-	-	-			
		GR.LE	14.50	14.00	15.00	14.55	14.54	-	-	-			
		DEPTH	18.50	18.00	19.00	18.53	18.56	-	-	-			
		GR.ID	33.50	32.70	34.30	33.54	33.53	-	-	-			
		GR.LE	3.00	2.80	3.20	3.03	3.02	-	-	-			
		DEPTH	21.00	20.50	21.50	21.04	21.06	-	-	-			
		INT.THREAD	M35x1.5 AS PER P.G GO NOT GO		OK	OK	-	-	-				
		CH.ANGLE	0.5x45° AS PER PP FOUND		OK	OK	-	-	-				
		CH.ANGLE	1x45° AS PER PP FOUND		OK	OK	-	-	-				
		CH.ANGLE	30° AS PER PP FOUND		OK	OK	-	-	-				
		CH.ANGLE	45° AS PER PP FOUND		OK	OK	-	-	-				
INSPECTED BY:		Jay Hadiyal				APPROVED BY:				Shreekant			

Conclusion :



Accept



Reject



Hold





MetalMech-08500-FR-QX-08-Final Inspection Report-EX

INSP. No.	FIR-01	Product Name	UNIVERSAL CLAMPING CONE		Size		M25		Drawing No.		313005-02	Date:	13-08-2026
Wo No.	26000215	Total Quantity	2		Lot Quantity		2		Sample Size-		2	Variable & Gauging	2PCS
Sr. No.	Checking Parameter	REQUIRED PARAMETER				OBSERVED RESULTS				REJECTION REWORK DETAIL	REMARK	CHECKED BY	
		PARAMETER	CRITERIA		1	2	-	-	-				
1	Visual	Surface	Fine, Clean		FINE	FINE	-	-	-		Measuring Instruments I.I.D No.		
		Size wise No of Pcs. With Internal Parts	As per Drg. No. of Parts	15	15	-	-	-		(1) DV-55			
		Washing & Plating	Surface Finishing	NA	NA	-	-	-		(2) PP-01			
		RUBBER MARKING	AS PER DRG.	NA	NA	-	-	-					
		Marking	WO Ref. No.	NA	NA	-	-	-		ASM No > CSEX260810-08			
		Assembly Perfection	As per Drg.		OK	OK	-	-	-				
		Inner Packing	Labeling & Printline		OK	OK	-	-	-				
		Outer Packing	Printing & Stamping		OK	OK	-	-	-				
		All Dimensions Are In MM											
2	DIMENSION		VALUE	-	+	1	2	-	-	-			
		T.L	25.00	24.50	25.50	25.01	25.00	-	-	-			
		O.D	23.50	23.00	24.00	23.47	23.49	-	-	-			
		O.D.L	4.50	4.20	4.80	4.55	4.54	-	-	-			
		O.D	25.00	24.50	25.50	24.95	24.97	-	-	-			
		O.D.L	2.50	2.30	2.70	2.53	2.55	-	-	-			
		GR.LENGTH	0.50	0.30	0.70	0.48	0.50	-	-	-			
		O.D	26.00	25.50	26.50	25.98	26.00	-	-	-			
		O.D.L	8.50	8.00	9.00	8.53	8.55	-	-	-			
		O.D	29.00	28.50	29.50	28.98	28.97	-	-	-			
		O.D.L	8.00	7.70	8.30	8.05	8.04	-	-	-			
		O.D	22.50	22.00	23.00	22.48	22.50	-	-	-			
		O.D.L	5.50	5.20	5.80	5.53	5.55	-	-	-			
		O.D	23.50	23.00	24.00	23.47	23.49	-	-	-			
		O.D	24.00	23.50	24.50	23.98	24.00	-	-	-			
		O.D	24.50	24.00	25.00	24.48	24.50	-	-	-			
		O.D.L	8.50	8.00	9.00	8.53	8.55	-	-	-			
		I.D	20.00	19.50	20.50	20.05	20.04	-	-	-			
		RADIUS	0.5 MM AS PER PP FOUND			OK	OK	-	-	-			
		RADIUS	0.3 MM AS PER PP FOUND			OK	OK	-	-	-			

INSPECTED BY: Jay HadiyalAPPROVED BY: Shreekant

Conclusion :

☒ Accept ☐ Reject ☐ Hold





MetalMech-08500-FR-QX-08-Final Inspection Report-EX

INSP. No.	FIR-01	Product Name	REVERSIBLE ARMOUR RING		Size		M25		Drawing No.		313004-02	Date:	13-08-2026
Wo No.	26000215	Total Quantity	2		Lot Quantity		2		Sample Size-		2	Variable & Gauging	2PCS
Sr. No.	Checking Parameter	REQUIRED PARAMETER				OBSERVED RESULTS					REJECTION REWORK DETAIL	REMARK	CHECKED BY
		PARAMETER	CRITERIA			1	2	-	-	-			
1	Visual	Surface	Fine, Clean			FINE	FINE	-	-	-		Measuring Instruments I.D No-	
		Sizewise No of Pcs. With Internal Parts	As per Drg. No. of Parts	15		15	15	-	-	-		(1) DV-55	
		Washing & Plating	Surface Finishing	NA		NA	NA	-	-	-		(2) PP-01	
		RUBBER MARKING	AS PER DRG.	NA		NA	NA	-	-	-			
		Marking	WO Ref. No.	NA		NA	NA	-	-	-		ASM No :- CSEX260810-08	
		Assembly Perfection	As per Drg.			OK	OK	-	-	-			
		Inner Packing	Labeling & Printing			OK	OK	-	-	-			
		Outer Packing	Printing & Stamping			OK	OK	-	-	-			
		All Dimensions Are In MM											
2	DIMENSION		VALUE	-	+	1	2	-	-	-			
		T.L	6.00	5.70	6.30	6.05	6.04	-	-	-			
		O.D	30.00	29.50	30.50	30.01	30.00	-	-	-			
		I.D	25.50	25.00	26.00	25.52	25.51	-	-	-			
		I.D	26.50	26.00	27.00	26.56	26.54	-	-	-			
INSPECTED BY:		Jay Hadiyal			APPROVED BY:				Shreekant				

Conclusion :



Accept



Reject



Hold





MetalMech-08500-FR-QX-08-Final Inspection Report-EX

INSP. No.	FIR-01	Product Name	COMPRESSIBLE INNER SEAL		Size		M25		Drawing No.		GI-02	Date:	13-08-2026
Wo No.	26000215	Total Quantity	2		Lot Quantity		2		Sample Size-		2	Variable & Gauging	2PCS
Sr. No.	Checking Parameter	REQUIRED PARAMETER				OBSERVED RESULTS				REJECTION REWORK DETAIL	REMARK	CHECKED BY	
		PARAMETER	CRITERIA		1	2	-	-	-				
1	Visual	Surface	Fine, Clean		FINE	FINE	-	-	-		Measuring Instruments I.D No-		
		Sizewise No of Pcs. With Internal Parts	As per Drg. No. of Parts	15	15	15	-	-	-		(1) DV-55		
		Washing & Plating	Surface Finishing	NA	NA	NA	-	-	-		(2) PP-01		
		RUBBER MARKING	AS PER DRG.	OK	OK	OK	-	-	-				
		Marking	WO Ref. No.	NA	NA	NA	-	-	-		ASM No :- CSEX260810-08		
		Assembly Perfection	As per Drg.		OK	OK	-	-	-				
		Inner Packing	Labeling & Printing		OK	OK	-	-	-				
		Outer Packing	Printing & Stamping		OK	OK	-	-	-				
		All Dimensions Are In MM											
2	DIMENSION		VALUE	-	+	1	2	-	-	-			
		T.L	14.00	13.50	14.50	13.55	13.58	-	-	-			
		O.D.L	5.00	4.70	5.30	5.05	5.04	-	-	-			
		O.D	30.50	30.30	30.50	30.36	30.39	-	-	-			
		O.D.L	9.00	8.50	9.50	8.59	8.54	-	-	-			
		I.D	19.80	19.80	20.00	19.88	19.90	-	-	-			
INSPECTED BY:		Jay Hadiyal			APPROVED BY:				Shreekant				

Conclusion :



Accept



Reject



Hold



 THE SAFEST CONNECTIONS		MetalMech-08500-FR-QX-08-Final Inspection Report-EX											
INSP. No.	FIR-01	Product Name	O-RING		Size		M25		Drawing No.		OR-2M	Date:	13-08-2026
Wo No.	26000215	Total Quantity	2		Lot Quantity		2		Sample Size-		2	Variable & Gauging	2PCS
Sr. No.	Checking Parameter	REQUIRED PARAMETER				OBSERVED RESULTS					REJECTION REWORK DETAIL	REMARK	CHECKED BY
		PARAMETER	CRITERIA		1	2	-	-	-				
1	Visual	Surface	Fine, Clean		FINE	FINE	-	-	-		Measuring Instruments I.D No-		
		Sizewise No of Pcs. With Internal Parts	As per Drg. No. of Parts	15	15	15	-	-	-		(1) DV-55		
		Washing & Plating	Surface Finishing	NA	NA	NA	-	-	-		(2) PP-01		
		RUBBER MARKING	AS PER DRG.	NA	NA	NA	-	-	-				
		Marking	WO Ref. No.	NA	NA	NA	-	-	-		ASM No :- CSEX260810-08		
		Assembly Perfection	As per Drg.		OK	OK	-	-	-				
		Inner Packing	Labeling & Printing		OK	OK	-	-	-				
		Outer Packing	Printing & Stamping		OK	OK	-	-	-				
		All Dimensions Are In MM											
2	DIMENSION		VALUE	-	+	1	2	-	-	-			
		THICKNESS	2.50	2.00	2.50	2.06	2.05	-	-	-			
		I.D	20.00	19.50	20.50	20.04	20.06	-	-	-			
INSPECTED BY:		Jay Hadiyal			APPROVED BY:				Shreekant				

Conclusion :

☒

Accept

☐

Reject

☐

Hold





MetalMech-08500-FR-QX-08-Final Inspection Report-EX

INSP. No.	FIR-01	Product Name	COMPRESSIBLE OUTER SEAL		Size		M25		Drawing No.		GE-02S	Date:	13-08-2026
Wo No.	26000215	Total Quantity	2		Lot Quantity		2		Sample Size-		2	Variable & Gauging	2PCS
Sr. No.	Checking Parameter	REQUIRED PARAMETER				OBSERVED RESULTS					REJECTION REWORK DETAIL	REMARK	CHECKED BY
		PARAMETER	CRITERIA		1	2	-	-	-				
1	Visual	Surface	Fine, Clean		FINE	FINE	-	-	-				
		Sizewise No of Pcs. With Internal Parts	As per Drg. No. of Parts	15	15	15	-	-	-		Measuring Instruments I.D No-		
		Washing & Plating	Surface Finishing	NA	NA	NA	-	-	-		(1) DV-55		
		RUBBER MARKING	AS PER DRG.	OK	OK	OK	-	-	-		(2) PP-01		
		Marking	WO Ref. No.	NA	NA	NA	-	-	-		ASM No :- CSEX260810-08		
		Assembly Perfection	As per Drg.		OK	OK	-	-	-				
		Inner Packing	Labeling & Printing		OK	OK	-	-	-				
		Outer Packing	Printing & Stamping		OK	OK	-	-	-				
		All Dimensions Are In MM											
2	DIMENSION		VALUE	-	+	1	2	-	-	-			
		T.L	15.00	14.50	15.50	15.11	15.19	-	-	-			
		O.D	35.20	35.00	35.20	35.11	35.13	-	-	-			
		GR.LENGTH	3.50	3.20	3.80	3.55	3.54	-	-	-			
		I.D	21.80	21.70	21.90	21.86	21.88	-	-	-			
INSPECTED BY:		Jay Hadiyal			APPROVED BY:				Shreekant				

Conclusion :



Accept



Reject



Hold





MetalMech-08500-FR-QX-08-Final Inspection Report-EX

INSP. No.	FIR-01	Product Name	INNER SKID WASHER		Size		M25		Drawing No.		IW-02	Date:	13-08-2026
Wo No.	26000215	Total Quantity	2		Lot Quantity		2		Sample Size-		2	Variable & Gauging	2PCS
Sr. No.	Checking Parameter	REQUIRED PARAMETER				OBSERVED RESULTS					REJECTION REWORK DETAIL	REMARK	CHECKED BY
		PARAMETER	CRITERIA		1	2	-	-	-				
1	Visual	Surface	Fine, Clean		FINE	FINE	-	-	-		Measuring Instruments I.D No-		
		Sizewise No of Pcs. With Internal Parts	As per Drg. No. of Parts	15	15	15	-	-	-		(1) DV-55		
		Washing & Plating	Surface Finishing	NA	NA	NA	-	-	-		(2) PP-01		
		RUBBER MARKING	AS PER DRG.	OK	OK	OK	-	-	-				
		Marking	WO Ref. No.	NA	NA	NA	-	-	-		ASM No :- CSEX260810-08		
		Assembly Perfection	As per Drg.		OK	OK	-	-	-				
		Inner Packing	Labeling & Printing		OK	OK	-	-	-				
		Outer Packing	Printing & Stamping		OK	OK	-	-	-				
		All Dimensions Are In MM											
2	DIMENSION		VALUE	-	+	1	2	-	-	-			
		T.L	5.00	4.70	5.30	5.05	5.04	-	-	-			
		O.D	30.00	29.80	30.00	29.90	29.89	-	-	-			
		O.D	26.00	25.80	26.00	25.93	25.95	-	-	-			
		O.D.L	3.00	3.00	3.20	3.04	3.03	-	-	-			
		I.D	19.90	19.90	20.10	19.95	19.94	-	-	-			
INSPECTED BY:		Jay Hadiyal			APPROVED BY:				Shreekant				

Conclusion :



Accept



Reject



Hold





MetalMech-08500-FR-QX-08-Final Inspection Report-EX

INSP. No.	FIR-01	Product Name	OUTER SKID WASHER		Size		M25		Drawing No.		OW-02	Date:	13-08-2026
Wo No.	26000215	Total Quantity	2		Lot Quantity		2		Sample Size-		2	Variable & Gauging	2PCS
Sr. No.	Checking Parameter	REQUIRED PARAMETER				OBSERVED RESULTS					REJECTION REWORK DETAIL	REMARK	CHECKED BY
		PARAMETER	CRITERIA			1	2	-	-	-			
1	Visual	Surface	Fine, Clean			FINE	FINE	-	-	-		Measuring Instruments I.D No-	
		Sizewise No of Pcs. With Internal Parts	As per Drg. No. of Parts	15	15	15	-	-	-		(1) DV-55		
		Washing & Plating	Surface Finishing	NA	NA	NA	-	-	-		(2) PP-01		
		RUBBER MARKING	AS PER DRG.	OK	OK	OK	-	-	-				
		Marking	WO Ref. No.	NA	NA	NA	-	-	-		ASM No :- CSEX260810-08		
		Assembly Perfection	As per Drg.			OK	OK	-	-	-			
		Inner Packing	Labeling & Printing		OK	OK	-	-	-				
		Outer Packing	Printing & Stamping			OK	OK	-	-	-			
		All Dimensions Are In MM											
2	DIMENSION		VALUE	-	+	1	2	-	-	-			
		T.L	6.00	5.70	6.30	6.04	6.06	-	-	-			
		O.D	33.00	33.00	33.10	33.03	33.05	-	-	-			
		O.D	30.00	29.80	30.00	29.93	29.96	-	-	-			
		O.D.L	4.00	4.00	4.10	4.03	4.05	-	-	-			
		I.D	26.20	26.20	26.40	26.25	26.24	-	-	-			
INSPECTED BY:		Jay Hadiyal			APPROVED BY:				Shreekant				

Conclusion :



Accept



Reject



Hold





MetalMech-08500-FR-QX-08-Final Inspection Report-EX

INSP. No.	FIR-01	Product Name	SHROUD		Size		M25		Drawing No.		41-MM	Date:	13-08-2026
Wo No.	26000215	Total Quantity	2		Lot Quantity		2		Sample Size-		2	Variable & Gauging	2PCS
Sr. No.	Checking Parameter	REQUIRED PARAMETER				OBSERVED RESULTS					REJECTION REWORK DETAIL	REMARK	CHECKED BY
		PARAMETER	CRITERIA			1	2	-	-	-			
1	Visual	Surface	Fine, Clean			FINE	FINE	-	-	-		Measuring Instruments I.D No-	
		Sizewise No of Pcs. With Internal Parts	As per Drg. No. of Parts	15	15	15	-	-	-		(1) DV-55		
		Washing & Plating	Surface Finishing	NA	NA	NA	-	-	-		(2) PP-01		
		RUBBER MARKING	AS PER DRG.	NA	NA	NA	-	-	-				
		Marking	WO Ref. No.	NA	NA	NA	-	-	-		ASM No :- CSEX260810-08		
		Assembly Perfection	As per Drg.			OK	OK	-	-	-			
		Inner Packing	Labeling & Printing		OK	OK	-	-	-				
		Outer Packing	Printing & Stamping			OK	OK	-	-	-			
		All Dimensions Are In MM											
2	DIMENSION		VALUE	-	+	1	2	-	-	-			
		T.L	105.00	104.20	105.80	105.12	105.18	-	-	-			
		I.D	41.00	40.20	41.80	41.08	41.07	-	-	-			
INSPECTED BY:		Jay Hadiyal			APPROVED BY:				Shreekant				

Conclusion :



Accept



Reject



Hold





MetalMech-08500-FR-QX-08-Final Inspection Report-EX

INSP. No.	FIR-01	Product Name	EARTH TAG		Size		M25		Drawing No.			Date:	13-08-2026
Wo No.	26000215	Total Quantity	2		Lot Quantity		2		Sample Size-		2	Variable & Gauging	2PCS
Sr. No.	Checking Parameter	REQUIRED PARAMETER				OBSERVED RESULTS					REJECTION REWORK DETAIL	REMARK	CHECKED BY
		PARAMETER	CRITERIA			1	2	-	-	-			
1	Visual	Surface	Fine, Clean			FINE	FINE	-	-	-		Measuring Instruments I.D No-	
		Sizewise No of Pcs. With Internal Parts	As per Drg. No. of Parts	15	15	15	-	-	-		(1) DV-55		
		Washing & Plating	Surface Finishing	NA	NA	NA	-	-	-		(2) PP-01		
		RUBBER MARKING	AS PER DRG.	NA	NA	NA	-	-	-				
		Marking	WO Ref. No.	NA	NA	NA	-	-	-		ASM No :- CSEX260810-08		
		Assembly Perfection	As per Drg.			OK	OK	-	-	-			
		Inner Packing	Labeling & Printing		OK	OK	-	-	-				
		Outer Packing	Printing & Stamping			OK	OK	-	-	-			
		All Dimensions Are In MM											
2	DIMENSION		VALUE	-	+	1	2	-	-	-			
		THICKNESS	1.50	1.30	1.70	1.55	1.53	-	-	-			
		O.D	37.00	36.20	37.80	37.22	37.25	-	-	-			
		O.D	13.20	12.70	13.70	13.35	13.31	-	-	-			
		I.D	27.00	26.50	27.50	27.07	27.05	-	-	-			
		I.D	6.50	6.20	6.80	6.55	6.54	-	-	-			
									-	-			
INSPECTED BY:		Jay Hadiyal			APPROVED BY:				Shreekant				

Conclusion :



Accept



Reject



Hold





MetalMech-08500-FR-QX-08-Final Inspection Report-EX

INSP. No.	FIR-01	Product Name	NYLON WASHER		Size	M25		Drawing No.		Date:	13-08-2026		
Wo No.	26000215	Total Quantity	2		Lot Quantity	2		Sample Size-	2	Variable & Gauging	2PCS		
Sr. No.	Checking Parameter	REQUIRED PARAMETER				OBSERVED RESULTS					REJECTION REWORK DETAIL	REMARK	CHECKED BY
		PARAMETER	CRITERIA		1	2	-	-	-				
1	Visual	Surface	Fine, Clean		FINE	FINE	-	-	-		Measuring Instruments I.D No-		
		Sizewise No of Pcs. With Internal Parts	As per Drg. No. of Parts	15	15	15	-	-	-		(1) DV-55		
		Washing & Plating	Surface Finishing	NA	NA	NA	-	-	-		(2) PP-01		
		RUBBER MARKING	AS PER DRG.	NA	NA	NA	-	-	-				
		Marking	WO Ref. No.	NA	NA	NA	-	-	-		ASM No :- CSEX260810-08		
		Assembly Perfection	As per Drg.		OK	OK	-	-	-				
		Inner Packing	Labeling & Printing		OK	OK	-	-	-				
		Outer Packing	Printing & Stamping		OK	OK	-	-	-				
		All Dimensions Are In MM											
2	DIMENSION		VALUE	-	+	1	2	-	-	-			
		THICKNESS	1.50	1.30	1.70	1.45	1.47	-	-	-			
		I.D	25.20	24.70	25.70	25.18	25.17	-	-	-			
INSPECTED BY:		Jay Hadiyal			APPROVED BY:				Shreekant				

Conclusion :



Accept



Reject



Hold

