



MetalMech-08500-FR-QX-08-Final Inspection Report-EX

INSP. No.	FIR-03	Product Name	ENTRY COMPONENT		Size	M50		Drawing No.	313001M-05		Date:	14-09-2026
Wo No.	26000258	Total Quantity	2		Lot Quantity	2		Sample Size	2		Variable & Gauging	2PCS
Sr. No.	Checking Parameter	REQUIRED PARAMETER				OBSERVED RESULTS				REJECTION REWORK DETAIL	REMARK	CHECKED BY
		PARAMETER	CRITERIA		1	2	-	-	-			
		Surface	Fine, Clean		FINE	FINE	-	-	-		Measuring Instruments I/F No.	
		Size wise No of Pcs. With Internal Parts	As per Drg. No. of Parts		11	11	-	-	-		(1) DV-55	
		Washing & Plating	Surface Finishing		NA	NA	-	-	-		(2) PP-01	
		RUBBER MARKING	AS PER DRG.		NA	NA	-	-	-			
		Marking	WO Ref. No. MetalMech Logo MM-EX- E1FUNV505MX6 2026 CF Logo 2460 Ex Logo II 2 GD Ex db IIC		OK	OK	-	-	-		ASM No :- CSEX260826-04	
		Assembly Perfection	As per Drg.		OK	OK	-	-	-			
		Inner Packing	Labeling & Printing		OK	OK	-	-	-			
		Outer Packing	Printing & Stamping		OK	OK	-	-	-			
		All Dimensions Are In MM										
			VALUE	-	+	1	2	-	-	-		
		A/F	60.00	59.81	60.00	59.88	59.90	-	-	-		
		A/C	65.00	64.20	65.80	65.02	65.01	-	-	-		
		T.L	38.00	38.00	38.50	38.27	38.29	-	-	-		
		TH.L	13.00	12.50	13.50	13.09	13.08	-	-	-		
		LENGTH	17.00	17.00	17.50	17.23	17.25	-	-	-		
		GR.OD	48.00	47.20	48.80	48.00	47.99	-	-	-		
		GR.LE	2.50	2.30	2.70	2.52	2.54	-	-	-		
		O.D	59.00	58.20	59.80	58.98	58.99	-	-	-		
		O.D.L	12.00	11.50	12.50	12.01	12.03	-	-	-		
		H.L	9.00	8.50	9.50	9.03	9.05	-	-	-		
		L.D	44.50	43.70	45.30	44.50	44.49	-	-	-		
		DEPTH	15.00	14.50	15.50	15.10	15.13	-	-	-		
		THREAD	M50x1.5 AS PER T.R.G GO NOT GO			OK	OK	-	-	-		
		INT.THREAD	M56x1.5 AS PER P.G GO NOT GO			OK	OK	-	-	-		
		CH.ANGLE	1x45° AS PER PP FOUND			OK	OK	-	-	-		
		CH.ANGLE	1.5x45° AS PER PP FOUND			OK	OK	-	-	-		
		CH.ANGLE	20° AS PER PP FOUND			OK	OK	-	-	-		
		ANGLE	90° AS PER PP FOUND			OK	OK	-	-	-		
INSPECTED BY:		Jay Hadiyal			APPROVED BY:				Shreekant			

Conclusion :



Accept



Reject



Hold





MetalMech-08500-FR-QX-08-Final Inspection Report-EX

INSP. No.	FIR-03	Product Name	INTERMEDIATE BODY		Size		M50		Drawing No.		313002U-05	Date:	14-09-2026	
Wo No.	26000258	Total Quantity	2		Lot Quantity		2		Sample Size		2	Variable & Conpling	2PCS	
Sr. No.	Checking Parameter	REQUIRED PARAMETER				OBSERVED RESULTS				REJECTION REWORK DETAIL	REMARK	CHECKED BY		
		PARAMETER	CRITERIA		1	2	-	-	-					
1	Visual	Surface	Fine, Clean		FINE	FINE	-	-	-		Measuring Instrument ID No.			
		Size wise No of Pcs. With Internal Parts	As per Drg. No. of Parts	11	11	11	-	-	-		(1) DV-55			
		Washing & Plating	Surface Finishing	NA	NA	NA	-	-	-		(2) PP-01			
		RUBBER MARKING	AS PER DRG.	NA	NA	NA	-	-	-					
		Marking	WO Ref. No.	NA	NA	NA	-	-	-		ASM No :- CSEK260826-04			
		Assembly Perfection	As per Drg.		OK	OK	-	-	-					
		Inner Packing	Labeling & Printing		OK	OK	-	-	-					
		Outer Packing	Printing & Stamping		OK	OK	-	-	-					
		All Dimensions Are In MM												
2	DIMENSION		VALUE	-	+	1	2	-	-	-				
		A/F	65.00	64.81	65.00	65.05	65.08	-	-	-				
		A/C	70.00	69.20	70.80	69.96	69.98	-	-	-				
		T.L	34.00	33.20	34.80	34.05	34.07	-	-	-				
		TH.L	13.50	13.00	14.00	13.47	13.48	-	-	-				
		GR.OD	54.00	53.20	54.80	54.11	54.13	-	-	-				
		GR.LE	1.00	0.80	1.20	1.01	1.03	-	-	-				
		H.L	7.50	7.20	7.80	7.50	7.49	-	-	-				
		TH.L	13.00	12.50	13.50	12.99	13.00	-	-	-				
		GR.OD	62.00	61.20	62.80	61.43	61.45	-	-	-				
		GR.LE	1.00	0.80	1.20	1.01	1.03	-	-	-				
		I.D	49.50	48.70	50.30	49.52	49.51	-	-	-				
		I.D	57.50	56.70	58.30	57.56	57.55	-	-	-				
		DEPTH	4.00	3.70	4.30	4.05	4.08	-	-	-				
		I.D	54.50	53.70	55.30	54.55	54.54	-	-	-				
		I.D.LE	14.50	14.00	15.00	14.53	14.56	-	-	-				
		DEPTH	18.50	18.00	19.00	18.52	18.51	-	-	-				
		THREAD	M56x1.5 AS PER T.R.G GO NOT GO			OK	OK	-	-	-				
		THREAD	M64x2 AS PER T.R.G GO NOT GO			OK	OK	-	-	-				
		CH.ANGLE	2x45° AS PER PP FOUND			OK	OK	-	-	-				
		CH.ANGLE	1.5x45° AS PER PP FOUND			OK	OK	-	-	-				
		CH.ANGLE	20° AS PER PP FOUND			OK	OK	-	-	-				
		CH.ANGLE	0.5x45° AS PER PP FOUND			OK	OK	-	-	-				
		INSPECTED BY:		Jay Hadiyal			APPROVED BY:				Shreekant			

Conclusion :



Accept



Reject



Hold





MetalMech-08500-FR-QX-08-Final Inspection Report-EX

INSP. No.	FIR-03	Product Name	MIDDLE BODY	Size	M50	Drawing No.	3130002-05	Date:	14-09-2026			
Wo No.	26000258	Total Quantity	2	Lot Quantity	2	Sample Size	2	Variable & Ganging	2PCS			
Sr. No.	Checking Parameter	REQUIRED PARAMETER			OBSERVED RESULTS					REJECTION REWORK DETAIL	REMARK	CHECKED BY
		PARAMETER	CRITERIA		1	2	-	-	-			
1	Visual	Surface	Fine, Clean		FINE	FINE	-	-	-		Measuring Instrument ID No.:-	
		Sizewise No of Pcs. With Internal Parts	As per Drg. No. of Parts	11	11	11	-	-	-		(1) DV-55	
		Washing & Plating	Surface Finishing	NA	NA	NA	-	-	-		(2) PP-01	
		RUBBER MARKING	AS PER DRG.	NA	NA	NA	-	-	-			
		Marking	WO Ref. No.	NA	NA	NA	-	-	-		ASM No :- CSEK260826-04	
		Assembly Perfection	As per Drg.	OK	OK	-	-	-				
		Inner Packing	Labeling & Printing		OK	OK	-	-	-			
		Outer Packing	Printing & Stamping		OK	OK	-	-	-			
		All Dimensions Are in MM										
2	DIMENSION		VALUE	-	+	1	2	-	-	-		
		A/F	70.00	69.81	70.00	69.92	69.94	-	-	-		
		A/C	76.00	75.20	76.80	76.01	76.00	-	-	-		
		T.L	35.00	34.20	35.80	35.05	35.04	-	-	-		
		TH.L	18.00	17.50	18.50	18.00	17.99	-	-	-		
		GR.OD	65.00	64.20	65.80	64.45	64.48	-	-	-		
		GR.LE	1.00	0.80	1.20	1.01	1.03	-	-	-		
		H.L	8.00	7.70	8.30	8.08	8.06	-	-	-		
		O.D	68.00	67.20	68.80	67.99	67.98	-	-	-		
		O.D.L	9.00	8.50	9.50	9.02	9.03	-	-	-		
		LD	54.00	53.20	54.80	54.05	54.07	-	-	-		
		LD	55.00	54.20	55.80	55.07	55.06	-	-	-		
		LD.LE	5.00	4.70	5.30	5.03	5.05	-	-	-		
		INT.TH.L	15.50	14.70	16.30	15.55	15.53	-	-	-		
		GR.ID	60.50	59.70	61.30	60.53	60.52	-	-	-		
		GR.LE	9.50	9.00	10.00	9.53	9.55	-	-	-		
		DEPTH	25.00	24.50	25.50	25.13	25.15	-	-	-		
		THREAD	M67x2 AS PER T.R.G GO NOT GO			OK	OK	-	-	-		
		INT.THREAD	M64x2 AS PER P.G GO NOT GO			OK	OK	-	-	-		
		CHANGLE	0.5x45° AS PER PP FOUND			OK	OK	-	-	-		
		CHANGLE	2x45° AS PER PP FOUND			OK	OK	-	-	-		
		CHANGLE	30° AS PER PP FOUND			OK	OK	-	-	-		
INSPECTED BY:		Jay Hadiyal			APPROVED BY:				Shreekant			

Conclusion :

☒ Accept

☐ Reject

☐ Hold



INSPECTION REPORT		MetalMech-08500-FR-QX-08-Final Inspection Report-EX											
INSP. No.	FIR-03	Product Name	BACK NUT		Size		M50		Drawing No.		313003-05	Date:	14-09-2026
Wo No.	26000258	Total Quantity	2		Lot Quantity		2		Sample Size		2	Variable & Gauging	2PCS
Sr. No.	Checking Parameter	REQUIRED PARAMETER				OBSERVED RESULTS				REJECTION REWORK DETAIL	REMARK	CHECKED BY	
		PARAMETER	CRITERIA			1	2	-	-				-
1	Visual	Surface	Fine, Clean			FINE	FINE	-	-	-			
		Size/wise No of Pcs. With Internal Parts	As per Drg. No. of Parts	11		11	11	-	-	-			
		Washing & Plating	Surface Finishing	NA		NA	NA	-	-	-			
		RUBBER MARKING	AS PER DRG.	NA		NA	NA	-	-	-			
		Marking	WO Ref. No.	NA		NA	NA	-	-	-			
		Assembly Perfection	As per Drg.			OK	OK	-	-	-			
		Inner Packing	Labeling & Printing			OK	OK	-	-	-			
		Outer Packing	Printing & Stamping			OK	OK	-	-	-			
		All Dimensions Are In MM											
2	DIMENSION		VALUE	-	+	1	2	-	-	-			
		A/F	70.00	69.81	70.00	69.94	69.93	-	-	-			
		A/C	76.00	75.20	76.80	76.00	75.99	-	-	-			
		T.L	25.00	24.50	25.50	24.91	24.90	-	-	-			
		O.D	69.50	68.70	70.30	69.50	69.49	-	-	-			
		O.D.L	12.00	11.50	12.50	12.02	12.04	-	-	-			
		H.L	13.00	12.50	13.50	13.01	13.00	-	-	-			
		LD	60.50	59.70	61.30	60.55	60.53	-	-	-			
		INT.TH	5.00	4.70	5.30	5.03	5.05	-	-	-			
		GR.ID	67.20	66.40	68.00	67.25	67.23	-	-	-			
		GR.LE	15.00	14.50	15.50	15.05	15.06	-	-	-			
		DEPTH	20.00	19.50	20.50	20.04	20.06	-	-	-			
		GR.ID	65.00	64.20	65.80	65.03	65.05	-	-	-			
		GR.LE	3.00	2.80	3.20	3.02	3.01	-	-	-			
		DEPTH	23.00	22.50	23.50	23.06	23.05	-	-	-			
		INT.THREAD	M67x2 AS PER P.G GO NOT GO			OK	OK	-	-	-			
		CH.ANGLE	0.5x45° AS PER PP FOUND			OK	OK	-	-	-			
		CH.ANGLE	1.5x45° AS PER PP FOUND			OK	OK	-	-	-			
CH.ANGLE	45° AS PER PP FOUND			OK	OK	-	-	-					
INSPECTED BY:		Jay Hadiyal			APPROVED BY:			Shreekant					

Conclusion :

☒ Accept

☐ Reject

☐ Hold



		MetalMech-08500-FR-QX-08-Final Inspection Report-EX														
INSP. No.	FIR-03	Product Name	UNIVERSAL CLAMPING CONE			Size	M50		Drawing No.	313005-05		Date:	14-09-2026			
Wo No.	26000238	Total Quantity	2			Lot Quantity	2		Sample Size	2		Variable & Gauging	2PCS			
Sr. No.	Checking Parameter	REQUIRED PARAMETER				OBSERVED RESULTS				REJECTION REWORK DETAIL	REMARK	CHECKED BY				
		PARAMETER	CRITERIA			1	2	-	-				-			
1	Visual	Surface	Fine, Clean			FINE	FINE	-	-	-						
		Sizewise No of Pcs. With Internal Parts	As per Drg. No. of Parts	11	11	11	-	-	-							
		Washing & Plating	Surface Finishing	NA	NA	NA	-	-	-							
		RUBBER MARKING	AS PER DRG.	NA	NA	NA	-	-	-							
		Marking	WO Ref. No.	NA	NA	NA	-	-	-							
		Assembly Perfection	As per Drg.			OK	OK	-	-	-						
		Inner Packing	Labeling & Printing		OK	OK	-	-	-							
		Outer Packing	Printing & Stamping			OK	OK	-	-	-						
		All Dimensions Are In MM														
		2	DIMENSION	VALUE	-	+	1	2	-	-	-					
T.L	32.00			31.20	32.80	32.01	32.03	-	-	-						
O.D	49.00			48.20	49.80	49.02	49.01	-	-	-						
O.D.L	6.50			6.20	6.80	6.52	6.54	-	-	-						
O.D	52.80			52.00	53.60	52.82	52.79	-	-	-						
O.D	54.00			53.20	54.80	54.02	54.01	-	-	-						
GR.LE	2.50			2.30	2.70	2.52	2.51	-	-	-						
O.D.L	14.00			13.50	14.50	14.03	14.05	-	-	-						
O.D	57.00			56.20	57.80	57.04	57.06	-	-	-						
O.D.L	4.00			3.70	4.30	4.05	4.09	-	-	-						
O.D	47.00			46.20	47.80	47.03	47.05	-	-	-						
O.D	49.00			48.20	49.80	49.02	49.01	-	-	-						
O.D	50.00			49.20	50.80	50.00	49.99	-	-	-						
O.D	51.50			50.70	52.30	51.53	51.55	-	-	-						
O.D.L	8.50			8.00	9.00	8.52	8.51	-	-	-						
O.D.L	14.00			13.50	14.50	14.05	14.03	-	-	-						
LD	44.10			43.30	44.90	44.13	44.12	-	-	-						
GROOVE,STEP,LE	0.5 MM AS PER PP FOUND			OK	OK	-	-	-								
RADIUS	0.50 MM AS PER PP FOUND			OK	OK	-	-	-								
RADIUS	0.3 MM AS PER PP FOUND			OK	OK	-	-	-								
INSPECTED BY:				Jay Hadiyal			APPROVED BY:				Shreekant					

Conclusion :



Accept



Reject



Hold





MetalMech-08500-FR-QX-08-Final Inspection Report-EX

INSP. No.	FIR-03	Product Name	REVERSIBLE ARMoured RING		Size		M50		Drawing No.		313004-05	Date:	14-09-2026
Wo No.	26000258	Total Quantity	2		Lot Quantity		2		Sample Size		2	Variable & Gauging	2PCS
Sr. No.	Checking Parameter	REQUIRED PARAMETER				OBSERVED RESULTS				REJECTION REWORK DETAIL	REMARK	CHECKED BY	
		PARAMETER	CRITERIA		1	2	-	-	-				
1	Visual	Surface	Fine, Clean		FINE	FINE	-	-	-		Measuring Instruments I.D No-		
		Sizewise No of Pcs. With Internal Parts	As per Drg. No. of Parts	11	11	11	-	-	-		(1) DV-55		
		Washing & Plating	Surface Finishing	NA	NA	NA	-	-	-		(2) PP-01		
		RUBBER MARKING	AS PER DRG.	NA	NA	NA	-	-	-				
		Marking	WO Ref. No.	NA	NA	NA	-	-	-		ASM No :- CSEX260826-04		
		Assembly Perfection	As per Drg.		OK	OK	-	-	-				
		Inner Packing	Labeling & Printing		OK	OK	-	-	-				
		Outer Packing	Printing & Stamping		OK	OK	-	-	-				
		All Dimensions Are In MM											
2	DIMENSION		VALUE	-	+	1	2	-	-	-			
		T.L	12.00	11.50	12.50	12.00	11.99	-	-	-			
		O.D	59.50	58.70	60.30	59.45	59.44	-	-	-			
		I.D	54.50	53.70	55.30	54.56	54.55	-	-	-			
		I.D	53.00	52.20	53.80	53.07	53.06	-	-	-			
INSPECTED BY:		Jay Hadiyal			APPROVED BY:				Shreekant				

Conclusion :



Accept



Reject



Hold





MetalMech-08500-FR-QX-08-Final Inspection Report-EX

INSP. No.	FIR-03	Product Name	COMPRESSIBLE INNER SEAL		Size		M50		Drawing No.		GI-05	Date:	14-09-2026
Wo No.	26000258	Total Quantity	2		Lot Quantity		2		Sample Size		2	Variable & Gauging	2PCS
Sr. No.	Checking Parameter	REQUIRED PARAMETER				OBSERVED RESULTS					REJECTION REWORK DETAIL	REMARK	CHECKED BY
		PARAMETER	CRITERIA			1	2	-	-	-			
1	Visual	Surface	Fine, Clean			FINE	FINE	-	-	-			
		Sizewise No of Pcs. With Internal Parts	As per Drg. No. of Parts	11	11	11	-	-	-		Measuring Instruments I.D No-		
		Washing & Plating	Surface Finishing	NA	NA	NA	-	-	-		(1) DV-55		
		RUBBER MARKING	AS PER DRG.	OK	OK	OK	-	-	-		(2) PP-01		
		Marking	WO Ref. No.	NA	NA	NA	-	-	-		ASM No :- CSEX260826-04		
		Assembly Perfection	As per Drg.			OK	OK	-	-	-			
		Inner Packing	Labeling & Printing		OK	OK	-	-	-				
		Outer Packing	Printing & Stamping			OK	OK	-	-	-			
		All Dimensions Are In MM											
2	DIMENSION		VALUE	-	+	1	2	-	-	-			
		T.L	15.50	15.00	16.00	15.52	15.53	-	-	-			
		O.D.L	5.50	5.20	5.80	5.51	5.53	-	-	-			
		O.D	54.50	54.30	54.50	54.41	54.39	-	-	-			
		O.D.L	10.00	9.50	10.50	10.02	10.01	-	-	-			
		I.D	43.90	43.90	44.10	43.92	43.94	-	-	-			
INSPECTED BY:		Jay Hadiyal			APPROVED BY:				Shreekant				

Conclusion :



Accept



Reject



Hold





MetalMech-08500-FR-QX-08-Final Inspection Report-EX

INSP. No.	FIR-03	Product Name	O-RING	Size	M50	Drawing No.	OR-5M	Date:	14-09-2026			
Wo No.	26000258	Total Quantity	2	Lot Quantity	2	Sample Size	2	Variable & Gauging	2PCS			
Sr. No.	Checking Parameter	REQUIRED PARAMETER			OBSERVED RESULTS					REJECTION REWORK DETAIL	REMARK	CHECKED BY
		PARAMETER	CRITERIA		1	2	-	-	-			
1	Visual	Surface	Fine, Clean		FINE	FINE	-	-	-		Measuring Instruments I.D No-	
		Sizewise No of Pcs. With Internal Parts	As per Drg. No. of Parts	11	11	11	-	-	-		(1) DV-55	
		Washing & Plating	Surface Finishing	NA	NA	NA	-	-	-		(2) PP-01	
		RUBBER MARKING	AS PER DRG.	NA	NA	NA	-	-	-			
		Marking	WO Ref. No.	NA	NA	NA	-	-	-		ASM No :- CSEX260826-04	
		Assembly Perfection	As per Drg.		OK	OK	-	-	-			
		Inner Packing	Labeling & Printing		OK	OK	-	-	-			
		Outer Packing	Printing & Stamping		OK	OK	-	-	-			
		All Dimensions Are In MM										
2	DIMENSION		VALUE	-	+	1	2	-	-	-		
		THICKNESS	2.50	2.00	2.50	2.05	2.04	-	-	-		
		I.D	45.00	44.20	45.80	45.03	45.05	-	-	-		
INSPECTED BY:		Jay Hadiyal			APPROVED BY:			Shreekant				

Conclusion :



Accept



Reject



Hold





MetalMech-08500-FR-QX-08-Final Inspection Report-EX

INSP. No.	FIR-03	Product Name	COMPRESSIBLE OUTER SEAL		Size		M50		Drawing No.		GE-05	Date:	14-09-2026
Wo No.	26000258	Total Quantity	2		Lot Quantity		2		Sample Size		2	Variable & Gauging	2PCS
Sr. No.	Checking Parameter	REQUIRED PARAMETER				OBSERVED RESULTS					REJECTION REWORK DETAIL	REMARK	CHECKED BY
		PARAMETER	CRITERIA			1	2	-	-	-			
1	Visual	Surface	Fine, Clean			FINE	FINE	-	-	-		Measuring Instruments I.D No-	
		Sizewise No of Pcs. With Internal Parts	As per Drg. No. of Parts	11	11	11	-	-	-		(1) DV-55		
		Washing & Plating	Surface Finishing	NA	NA	NA	-	-	-		(2) PP-01		
		RUBBER MARKING	AS PER DRG.	OK	OK	OK	-	-	-				
		Marking	WO Ref. No.	NA	NA	NA	-	-	-		ASM No :- CSEX260826-04		
		Assembly Perfection	As per Drg.			OK	OK	-	-	-			
		Inner Packing	Labeling & Printing		OK	OK	-	-	-				
		Outer Packing	Printing & Stamping			OK	OK	-	-	-			
		All Dimensions Are In MM											
2	DIMENSION		VALUE	-	+	1	2	-	-	-			
		T.L	15.00	14.50	15.50	15.05	15.03	-	-	-			
		O.D	67.20	67.00	67.20	67.12	67.14	-	-	-			
		GR.LENGTH	5.50	5.20	5.80	5.52	5.51	-	-	-			
		I.D	53.00	52.90	53.10	52.98	52.97	-	-	-			
INSPECTED BY:		Jay Hadiyal			APPROVED BY:				Shreekant				

Conclusion :



Accept



Reject



Hold



MetalMech-08500-FR-QX-08-Final Inspection Report-EX

INSP. No.	FIR-03	Product Name	INNER SKID WASHER		Size	M50		Drawing No.	IW-05		Date:	14-09-2026	
Wo No.	26000258	Total Quantity	2		Lot Quantity	2		Sample Size	2		Variable & Gauging	2PCS	
Sr. No.	Checking Parameter	REQUIRED PARAMETER				OBSERVED RESULTS					REJECTION REWORK DETAIL	REMARK	CHECKED BY
		PARAMETER	CRITERIA			1	2	-	-	-			
1	Visual	Surface	Fine, Clean			FINE	FINE	-	-	-		Measuring Instruments I.D No-	
		Sizewise No of Pcs. With Internal Parts	As per Drg. No. of Parts	11	11	11	-	-	-		(1) DV-55		
		Washing & Plating	Surface Finishing	NA	NA	NA	-	-	-		(2) PP-01		
		RUBBER MARKING	AS PER DRG.	NA	NA	NA	-	-	-				
		Marking	WO Ref. No.	NA	NA	NA	-	-	-		ASM No :- CSEX260826-04		
		Assembly Perfection	As per Drg.			OK	OK	-	-	-			
		Inner Packing	Labeling & Printing		OK	OK	-	-	-				
		Outer Packing	Printing & Stamping			OK	OK	-	-	-			
		All Dimensions Are In MM											
2	DIMENSION		VALUE	-	+	1	2	-	-	-			
		T.L	5.50	5.20	5.80	5.52	5.51	-	-	-			
		O.D	53.00	52.80	53.00	52.92	52.90	-	-	-			
		O.D	48.50	48.30	48.50	48.40	48.39	-	-	-			
		O.D.L	3.50	3.50	3.70	3.55	3.54	-	-	-			
		I.D	44.00	44.00	44.20	44.05	44.03	-	-	-			
INSPECTED BY:		<i>Jay Hadiyal</i>			APPROVED BY:			<i>Shreekant</i>					

Conclusion :



Accept



Reject



Hold





MetalMech-08500-FR-QX-08-Final Inspection Report-EX

INSP. No.	FIR-03	Product Name	OUTER SKID WASHER		Size		M50		Drawing No.	OW-05	Date:	14-09-2026
Wo No.	26000258	Total Quantity	2		Lot Quantity		2		Sample Size	2	Variable & Gauging	2PCS
Sr. No.	Checking Parameter	REQUIRED PARAMETER				OBSERVED RESULTS				REJECTION REWORK DETAIL	REMARK	CHECKED BY
		PARAMETER	CRITERIA		1	2	-	-	-			
1	Visual	Surface	Fine, Clean		FINE	FINE	-	-	-			
		Sizewise No of Pcs. With Internal Parts	As per Drg. No. of Parts	11	11	11	-	-	-		Measuring Instruments I.D No-	
		Washing & Plating	Surface Finishing	NA	NA	NA	-	-	-		(1) DV-55	
		RUBBER MARKING	AS PER DRG.	NA	NA	NA	-	-	-		(2) PP-01	
		Marking	WO Ref. No.	NA	NA	NA	-	-	-		ASM No :- CSEX260826-04	
		Assembly Perfection	As per Drg.		OK	OK	-	-	-			
		Inner Packing	Labeling & Printing		OK	OK	-	-	-			
		Outer Packing	Printing & Stamping		OK	OK	-	-	-			
		All Dimensions Are In MM										
2	DIMENSION		VALUE	-	+	1	2	-	-	-		
		T.L	6.50	6.20	6.80	6.52	6.54	-	-	-		
		O.D	64.00	64.00	64.10	64.01	64.03	-	-	-		
		O.D	59.50	59.30	59.50	59.41	59.40	-	-	-		
		O.D.L	4.00	4.00	4.10	4.02	4.01	-	-	-		
		I.D	53.00	53.00	53.20	53.05	53.06	-	-	-		
INSPECTED BY:		Jay Hadiyal			APPROVED BY:				Shreekant			

Conclusion :



Accept



Reject



Hold

