

## MetalMech-08500-FR-QX-08-Final Inspection Report-EX

|                      |                           |                                         |                              |       |                     |                         |          |                     |          |          |                                        |               |                   |
|----------------------|---------------------------|-----------------------------------------|------------------------------|-------|---------------------|-------------------------|----------|---------------------|----------|----------|----------------------------------------|---------------|-------------------|
| <b>INSP. No.</b>     | FIR-01                    | <b>Product Name</b>                     | LOCK NUT                     |       | <b>Size</b>         | M20                     |          | <b>Drawing No.</b>  | DL1S     |          | <b>Date:</b>                           | 14-09-2026    |                   |
| <b>Wo No.</b>        | 26000277                  | <b>Total Quantity</b>                   | 40                           |       | <b>Lot Quantity</b> | 40                      |          | <b>Sample Size-</b> | 2        |          | <b>Variable &amp; Gauging</b>          | 2PCS          |                   |
| <b>Sr. No.</b>       | <b>Checking Parameter</b> | <b>REQUIRED PARAMETER</b>               |                              |       |                     | <b>OBSERVED RESULTS</b> |          |                     |          |          | <b>REJECTION<br/>REWORK<br/>DETAIL</b> | <b>REMARK</b> | <b>CHECKED BY</b> |
|                      |                           | <b>PARAMETER</b>                        | <b>CRITERIA</b>              |       |                     | <b>1</b>                | <b>2</b> | <b>-</b>            | <b>-</b> | <b>-</b> |                                        |               |                   |
| 1                    | Visual                    | Surface                                 | Fine, Clean                  |       |                     | FINE                    | FINE     | -                   | -        | -        |                                        |               |                   |
|                      |                           | Sizewise No of Pcs. With Internal Parts | As per Drg. No. of Parts     | 16    | 16                  | 16                      | -        | -                   | -        |          |                                        |               |                   |
|                      |                           | Washing & Plating                       | Surface Finishing            | NA    | NA                  | NA                      | -        | -                   | -        |          |                                        |               |                   |
|                      |                           | RUBBER MARKING                          | AS PER DRG.                  | NA    | NA                  | NA                      | -        | -                   | -        |          |                                        |               |                   |
|                      |                           | Marking                                 | WO Ref. No.                  | NA    | NA                  | NA                      | -        | -                   | -        |          |                                        |               |                   |
|                      |                           | Assembly Perfection                     | As per Drg.                  |       |                     | OK                      | OK       | -                   | -        | -        |                                        |               |                   |
|                      |                           | Inner Packing                           | Labeling & Printing          |       | OK                  | OK                      | -        | -                   | -        |          |                                        |               |                   |
|                      |                           | Outer Packing                           | Printing & Stamping          |       |                     | OK                      | OK       | -                   | -        | -        |                                        |               |                   |
|                      |                           | All Dimensions Are In MM                |                              |       |                     |                         |          |                     |          |          |                                        |               |                   |
| 2                    | DIMENSION                 |                                         | VALUE                        | -     | +                   | 1                       | 2        | -                   | -        | -        |                                        |               |                   |
|                      |                           | A/F                                     | 24.00                        | 23.87 | 24.00               | 23.97                   | 23.94    | -                   | -        | -        |                                        |               |                   |
|                      |                           | A/C                                     | 26.00                        | 25.50 | 26.50               | 26.00                   | 25.99    | -                   | -        | -        |                                        |               |                   |
|                      |                           | T.L                                     | 3.50                         | 3.20  | 3.80                | 3.49                    | 3.51     | -                   | -        | -        |                                        |               |                   |
|                      |                           | THREAD                                  | M20x1.5 AS PER P.G GO NOT GO |       |                     | OK                      | OK       | -                   | -        | -        |                                        |               |                   |
|                      |                           | CH.ANGLE                                | 30° AS PER PP FOUND          |       |                     | OK                      | OK       | -                   | -        | -        |                                        |               |                   |
|                      |                           |                                         |                              |       |                     |                         |          |                     |          |          |                                        |               |                   |
| <b>INSPECTED BY:</b> |                           | Jay Hadiyal                             |                              |       | <b>APPROVED BY:</b> |                         |          | Shreekant           |          |          |                                        |               |                   |

Conclusion :



Accept



Reject



Hold



|  |                    | MetalMech-08500-FR-QX-08-Final Inspection Report-EX |                                |                                                                                                 |       |                  |       |     |   |                               |        |                              |                    |            |
|----------------------------------------------------------------------------------|--------------------|-----------------------------------------------------|--------------------------------|-------------------------------------------------------------------------------------------------|-------|------------------|-------|-----|---|-------------------------------|--------|------------------------------|--------------------|------------|
| INSP. No.                                                                        | FIR-01             | Product Name                                        | ENTRY COMPONENT                |                                                                                                 |       | Size             |       | M20 |   | Drawing No.                   |        | 313001M-018                  | Date:              | 14-09-2026 |
| Wo No.                                                                           | 26000277           | Total Quantity                                      | 40                             |                                                                                                 |       | Lot Quantity     |       | 40  |   | Sample Size-                  |        | 2                            | Variable & Gauging | 2PCS       |
| Sr. No.                                                                          | Checking Parameter | REQUIRED PARAMETER                                  |                                |                                                                                                 |       | OBSERVED RESULTS |       |     |   | REJECTION<br>REWORK<br>DETAIL | REMARK | CHECKED BY                   |                    |            |
|                                                                                  |                    | PARAMETER                                           | CRITERIA                       |                                                                                                 | 1     | 2                | -     | -   | - |                               |        |                              |                    |            |
|                                                                                  |                    | Surface                                             | Fine, Clean                    |                                                                                                 | FINE  | FINE             | -     | -   | - |                               |        |                              |                    |            |
|                                                                                  |                    | Size wise No of Pcs. With Internal Parts            | As per Drg. No. of Parts       | 16                                                                                              | 16    | 16               | -     | -   | - |                               |        | Measuring Instruments ID No. |                    |            |
|                                                                                  |                    | Washing & Plating                                   | Surface Finishing              | NA                                                                                              | NA    | NA               | -     | -   | - |                               |        | (1) DV-55                    |                    |            |
|                                                                                  |                    | RUBBER MARKING                                      | AS PER DRG.                    | NA                                                                                              | NA    | NA               | -     | -   | - |                               |        | (2) PP-01                    |                    |            |
|                                                                                  |                    | Marking                                             | WO Ref. No.                    | Metalmech Logo MM-EX-<br>EIFUNV20S1MM6 2026 CE Logo 2460<br>Ex Logo II 2 GD Ex db-11C Gb, Ex eb | OK    | OK               | -     | -   | - |                               |        | ASM No :-<br>CSEX260912-03   |                    |            |
|                                                                                  |                    | Assembly Perfection                                 | As per Drg.                    |                                                                                                 | OK    | OK               | -     | -   | - |                               |        |                              |                    |            |
|                                                                                  |                    | Inner Packing                                       | Labeling & Printing            |                                                                                                 | OK    | OK               | -     | -   | - |                               |        |                              |                    |            |
|                                                                                  |                    | Outer Packing                                       | Printing & Stamping            |                                                                                                 | OK    | OK               | -     | -   | - |                               |        |                              |                    |            |
|                                                                                  |                    | All Dimensions Are In MM                            |                                |                                                                                                 |       |                  |       |     |   |                               |        |                              |                    |            |
|                                                                                  |                    |                                                     | VALUE                          | -                                                                                               | +     | 1                | 2     | -   | - | -                             |        |                              |                    |            |
|                                                                                  |                    | A/F                                                 | 25.00                          | 24.87                                                                                           | 25.00 | 24.93            | 24.95 | -   | - | -                             |        |                              |                    |            |
|                                                                                  |                    | A/C                                                 | 27.50                          | 27.00                                                                                           | 28.00 | 27.50            | 27.49 | -   | - | -                             |        |                              |                    |            |
|                                                                                  |                    | T.L                                                 | 32.00                          | 32.00                                                                                           | 32.50 | 32.25            | 32.24 | -   | - | -                             |        |                              |                    |            |
|                                                                                  |                    | TH.L                                                | 13.00                          | 12.50                                                                                           | 13.50 | 13.03            | 13.05 | -   | - | -                             |        |                              |                    |            |
|                                                                                  |                    | LENGTH                                              | 17.00                          | 17.00                                                                                           | 17.50 | 17.25            | 17.24 | -   | - | -                             |        |                              |                    |            |
|                                                                                  |                    | GR.OD                                               | 18.00                          | 18.00                                                                                           | 18.50 | 17.95            | 17.94 | -   | - | -                             |        |                              |                    |            |
|                                                                                  |                    | GR.LE                                               | 2.50                           | 2.30                                                                                            | 2.70  | 2.52             | 2.51  | -   | - | -                             |        |                              |                    |            |
|                                                                                  |                    | O.D                                                 | 24.50                          | 24.00                                                                                           | 25.00 | 24.50            | 24.49 | -   | - | -                             |        |                              |                    |            |
|                                                                                  |                    | O.D.L                                               | 9.00                           | 8.50                                                                                            | 9.50  | 9.02             | 9.01  | -   | - | -                             |        |                              |                    |            |
|                                                                                  |                    | H.L                                                 | 6.00                           | 5.70                                                                                            | 6.30  | 6.03             | 6.05  | -   | - | -                             |        |                              |                    |            |
|                                                                                  |                    | I.D                                                 | 12.00                          | 11.50                                                                                           | 12.50 | 12.05            | 12.04 | -   | - | -                             |        |                              |                    |            |
|                                                                                  |                    | DEPTH                                               | 11.50                          | 11.00                                                                                           | 12.00 | 11.53            | 11.55 | -   | - | -                             |        |                              |                    |            |
|                                                                                  |                    | THREAD                                              | M20x1.5 AS PER T.R.G GO NOT GO |                                                                                                 | OK    | OK               | -     | -   | - |                               |        |                              |                    |            |
|                                                                                  |                    | INT.THREAD                                          | M20x1.5 AS PER P.G GO NOT GO   |                                                                                                 | OK    | OK               | -     | -   | - |                               |        |                              |                    |            |
|                                                                                  |                    | CH.ANGLE                                            | 0.5x45° AS PER PP FOUND        |                                                                                                 | OK    | OK               | -     | -   | - |                               |        |                              |                    |            |
|                                                                                  |                    | CH.ANGLE                                            | 1.5x45° AS PER PP FOUND        |                                                                                                 | OK    | OK               | -     | -   | - |                               |        |                              |                    |            |
|                                                                                  |                    | CH.ANGLE                                            | 20° AS PER PP FOUND            |                                                                                                 | OK    | OK               | -     | -   | - |                               |        |                              |                    |            |
|                                                                                  |                    | ANGLE                                               | 90° AS PER PP FOUND            |                                                                                                 | OK    | OK               | -     | -   | - |                               |        |                              |                    |            |
|                                                                                  |                    |                                                     |                                |                                                                                                 |       |                  |       |     |   |                               |        |                              |                    |            |

INSPECTED BY: Jay Hadiyal

APPROVED BY: Shreekant

Conclusion :



Accept



Reject



Hold





MetalMech-08500-FR-QX-08-Final Inspection Report-EX

|               |                    |                                             |                                |       |              |                  |       |              |             |                               |                                  |            |  |
|---------------|--------------------|---------------------------------------------|--------------------------------|-------|--------------|------------------|-------|--------------|-------------|-------------------------------|----------------------------------|------------|--|
| INSP. No.     | FIR-01             | Product Name                                | INTERMEDIATE BODY              |       | Size         | M20              |       | Drawing No.  | 313002U-018 | Date:                         | 14-09-2026                       |            |  |
| Wo No.        | 26000277           | Total Quantity                              | 40                             |       | Lot Quantity | 40               |       | Sample Size- | 2           | Variable & Gauging            | 2PCS                             |            |  |
| Sr. No.       | Checking Parameter | REQUIRED PARAMETER                          |                                |       |              | OBSERVED RESULTS |       |              |             | REJECTION<br>REWORK<br>DETAIL | REMARK                           | CHECKED BY |  |
|               |                    | PARAMETER                                   | CRITERIA                       |       | 1            | 2                | -     | -            | -           |                               |                                  |            |  |
|               |                    | Surface                                     | Fine, Clean                    |       | FINE         | FINE             | -     | -            | -           |                               | Measuring<br>Instruments I.D No. |            |  |
|               |                    | Size wise No of Pcs.<br>With Internal Parts | As per Drg. No.<br>of Parts    | 16    | 16           | 16               | -     | -            | -           |                               | (1) DV-55                        |            |  |
|               |                    | Washing & Plating                           | Surface<br>Finishing           |       | NA           | NA               | -     | -            | -           |                               | (2) PP-01                        |            |  |
|               |                    | RUBBER MARKING                              | AS PER DRG.                    |       | NA           | NA               | -     | -            | -           |                               |                                  |            |  |
|               |                    | Marking                                     | WO Ref. No.                    | NA    | NA           | NA               | -     | -            | -           |                               | ASM No :-<br>CSEX260912-03       |            |  |
|               |                    | Assembly Perfection                         | As per Drg.                    |       | OK           | OK               | -     | -            | -           |                               |                                  |            |  |
|               |                    | Inner Packing                               | Labeling &<br>Printing         |       | OK           | OK               | -     | -            | -           |                               |                                  |            |  |
|               |                    | Outer Packing                               | Printing & Stamping            |       | OK           | OK               | -     | -            | -           |                               |                                  |            |  |
|               |                    | All Dimensions Are In MM                    |                                |       |              |                  |       |              |             |                               |                                  |            |  |
|               |                    |                                             | VALUE                          | -     | +            | 1                | 2     | -            | -           | -                             |                                  |            |  |
|               |                    | A/F                                         | 25.00                          | 24.87 | 25.00        | 24.93            | 24.95 | -            | -           | -                             |                                  |            |  |
|               |                    | A/C                                         | 27.50                          | 27.00 | 28.00        | 27.45            | 27.47 | -            | -           | -                             |                                  |            |  |
|               |                    | T.L                                         | 22.00                          | 21.50 | 22.50        | 22.03            | 22.02 | -            | -           | -                             |                                  |            |  |
|               |                    | TH.L                                        | 10.00                          | 9.50  | 10.50        | 9.98             | 9.97  | -            | -           | -                             |                                  |            |  |
|               |                    | GR.OD                                       | 18.00                          | 17.50 | 18.50        | 18.03            | 18.05 | -            | -           | -                             |                                  |            |  |
|               |                    | GR.LE                                       | 1.00                           | 0.80  | 1.20         | 1.01             | 1.00  | -            | -           | -                             |                                  |            |  |
|               |                    | H.L                                         | 4.00                           | 3.70  | 4.30         | 4.05             | 4.04  | -            | -           | -                             |                                  |            |  |
|               |                    | TH.L                                        | 8.00                           | 7.70  | 8.30         | 8.04             | 8.06  | -            | -           | -                             |                                  |            |  |
|               |                    | GR.OD                                       | 20.00                          | 19.50 | 20.50        | 20.02            | 20.01 | -            | -           | -                             |                                  |            |  |
|               |                    | GR.LE                                       | 1.00                           | 0.80  | 1.20         | 1.01             | 1.00  | -            | -           | -                             |                                  |            |  |
|               |                    | I.D                                         | 16.00                          | 15.50 | 16.50        | 15.95            | 15.94 | -            | -           | -                             |                                  |            |  |
|               |                    | I.D                                         | 18.00                          | 17.50 | 18.50        | 17.93            | 17.95 | -            | -           | -                             |                                  |            |  |
|               |                    | DEPTH                                       | 7.00                           | 6.70  | 7.30         | 7.00             | 6.99  | -            | -           | -                             |                                  |            |  |
|               |                    | I.D                                         | 17.00                          | 16.50 | 17.50        | 17.03            | 17.02 | -            | -           | -                             |                                  |            |  |
|               |                    | I.D.LE                                      | 4.50                           | 4.20  | 4.80         | 4.50             | 4.51  | -            | -           | -                             |                                  |            |  |
|               |                    | DEPTH                                       | 11.50                          | 11.00 | 12.00        | 11.51            | 11.53 | -            | -           | -                             |                                  |            |  |
|               |                    | THREAD                                      | M20x1.5 AS PER T.R.G GO NOT GO |       |              | OK               | OK    | -            | -           | -                             |                                  |            |  |
|               |                    | THREAD                                      | M22x1.5 AS PER T.R.G GO NOT GO |       |              | OK               | OK    | -            | -           | -                             |                                  |            |  |
|               |                    | CH.ANGLE                                    | 1.5x45° AS PER PP FOUND        |       |              | OK               | OK    | -            | -           | -                             |                                  |            |  |
|               |                    | CH.ANGLE                                    | 0.5x45° AS PER PP FOUND        |       |              | OK               | OK    | -            | -           | -                             |                                  |            |  |
|               |                    | CH.ANGLE                                    | 20° AS PER PP FOUND            |       |              | OK               | OK    | -            | -           | -                             |                                  |            |  |
|               |                    |                                             |                                |       |              |                  |       |              |             |                               |                                  |            |  |
| INSPECTED BY: |                    | Jay Hadiyal                                 |                                |       |              | APPROVED BY:     |       |              |             | Shreekant                     |                                  |            |  |

Conclusion :



Accept



Reiect



Hold



## MetalMech-08500-FR-QX-08-Final Inspection Report-EX

|               |                    |                                            |                              |       |              |                  |       |   |              |                               |                                |                    |            |
|---------------|--------------------|--------------------------------------------|------------------------------|-------|--------------|------------------|-------|---|--------------|-------------------------------|--------------------------------|--------------------|------------|
| INSP. No.     | FIR-01             | Product Name                               | MIDDLE BODY                  |       | Size         |                  | M20   |   | Drawing No.  |                               | 313002-018                     | Date:              | 14-09-2026 |
| Wo No.        | 26000277           | Total Quantity                             | 40                           |       | Lot Quantity |                  | 40    |   | Sample Size- |                               | 2                              | Variable & Gauging | 2PCS       |
| Sr. No.       | Checking Parameter | REQUIRED PARAMETER                         |                              |       |              | OBSERVED RESULTS |       |   |              | REJECTION<br>REWORK<br>DETAIL | REMARK                         | CHECKED BY         |            |
|               |                    | PARAMETER                                  | CRITERIA                     |       | 1            | 2                | -     | - | -            |                               |                                |                    |            |
| 1             | Visual             | Surface                                    | Fine, Clean                  |       | FINE         | FINE             | -     | - | -            |                               | Measuring<br>Instrument ID No. |                    |            |
|               |                    | Sizewise No of Pcs.<br>With Internal Parts | As per Drg. No.<br>of Parts  | 16    | 16           | 16               | -     | - | -            |                               | (1) DV-55                      |                    |            |
|               |                    | Washing & Plating                          | Surface<br>Finishing         | NA    | NA           | NA               | -     | - | -            |                               | (2) PP-01                      |                    |            |
|               |                    | RUBBER MARKING                             | AS PER DRG.                  | NA    | NA           | NA               | -     | - | -            |                               |                                |                    |            |
|               |                    | Marking                                    | WO Ref. No.                  | NA    | NA           | NA               | -     | - | -            |                               | ASM No :-<br>CSEX260912-03     |                    |            |
|               |                    | Assembly Perfection                        | As per Drg.                  |       | OK           | OK               | -     | - | -            |                               |                                |                    |            |
|               |                    | Inner Packing                              | Labeling &<br>Printing       |       |              | OK               | OK    | - | -            | -                             |                                |                    |            |
|               |                    | Outer Packing                              | Printing & Stamping          |       | OK           | OK               | -     | - | -            |                               |                                |                    |            |
|               |                    | All Dimensions Are in MM                   |                              |       |              |                  |       |   |              |                               |                                |                    |            |
| 2             | DIMENSION          |                                            | VALUE                        | -     | +            | 1                | 2     | - | -            | -                             |                                |                    |            |
|               |                    | A/F                                        | 25.00                        | 24.87 | 25.00        | 24.89            | 24.91 | - | -            | -                             |                                |                    |            |
|               |                    | A/C                                        | 27.50                        | 27.00 | 28.00        | 27.49            | 27.48 | - | -            | -                             |                                |                    |            |
|               |                    | T.L                                        | 28.00                        | 27.50 | 28.50        | 28.01            | 28.00 | - | -            | -                             |                                |                    |            |
|               |                    | TH.L                                       | 12.00                        | 11.50 | 12.50        | 12.02            | 12.01 | - | -            | -                             |                                |                    |            |
|               |                    | GR.OD                                      | 20.50                        | 20.00 | 21.00        | 20.55            | 20.54 | - | -            | -                             |                                |                    |            |
|               |                    | GR.LE                                      | 1.00                         | 0.80  | 1.20         | 1.01             | 1.00  | - | -            | -                             |                                |                    |            |
|               |                    | O.D                                        | 24.50                        | 24.00 | 25.00        | 24.43            | 24.45 | - | -            | -                             |                                |                    |            |
|               |                    | O.D.L                                      | 8.00                         | 7.70  | 8.30         | 8.02             | 8.01  | - | -            | -                             |                                |                    |            |
|               |                    | H.L                                        | 8.00                         | 7.70  | 8.30         | 8.05             | 8.04  | - | -            | -                             |                                |                    |            |
|               |                    | I.D                                        | 16.00                        | 15.50 | 16.50        | 16.01            | 16.00 | - | -            | -                             |                                |                    |            |
|               |                    | I.D                                        | 17.00                        | 16.50 | 17.50        | 17.02            | 17.04 | - | -            | -                             |                                |                    |            |
|               |                    | I.D.LE                                     | 4.00                         | 3.70  | 4.30         | 4.01             | 4.03  | - | -            | -                             |                                |                    |            |
|               |                    | INT.TH.L                                   | 9.50                         | 9.00  | 10.00        | 9.50             | 9.49  | - | -            | -                             |                                |                    |            |
|               |                    | I.D                                        | 20.00                        | 19.50 | 20.50        | 19.97            | 19.96 | - | -            | -                             |                                |                    |            |
|               |                    | DEPTH                                      | 14.00                        | 13.50 | 14.50        | 14.04            | 14.60 | - | -            | -                             |                                |                    |            |
|               |                    | THREAD                                     | M22x1 AS PER T.R.G GO NOT GO |       | OK           | OK               | -     | - | -            |                               |                                |                    |            |
|               |                    | INT.THREAD                                 | M22x1.5 AS PER P.G GO NOT GO |       | OK           | OK               | -     | - | -            |                               |                                |                    |            |
|               |                    | CH.ANGLE                                   | 0.5x45° AS PER PP FOUND      |       | OK           | OK               | -     | - | -            |                               |                                |                    |            |
|               |                    | CH.ANGLE                                   | 1x45° AS PER PP FOUND        |       | OK           | OK               | -     | - | -            |                               |                                |                    |            |
|               |                    | CH.ANGLE                                   | 1.5x45° AS PER PP FOUND      |       | OK           | OK               | -     | - | -            |                               |                                |                    |            |
|               |                    | CH.ANGLE                                   | 30° AS PER PP FOUND          |       | OK           | OK               | -     | - | -            |                               |                                |                    |            |
|               |                    |                                            |                              |       |              |                  |       |   |              |                               |                                |                    |            |
| INSPECTED BY: |                    | Jay Hadiyal                                |                              |       | APPROVED BY: |                  |       |   | Shreekant    |                               |                                |                    |            |

Conclusion :



Accept



Reject



Hold





### MetalMech-08500-FR-QX-08-Final Inspection Report-EX

|               |                    |                                             |                             |       |              |                  |       |              |            |                               |                                  |            |  |
|---------------|--------------------|---------------------------------------------|-----------------------------|-------|--------------|------------------|-------|--------------|------------|-------------------------------|----------------------------------|------------|--|
| INSP. No.     | FIR-01             | Product Name                                | BACK NUT                    |       | Size         | M20              |       | Drawing No.  | 313003-018 | Date:                         | 14-09-2026                       |            |  |
| Wo No.        | 26000277           | Total Quantity                              | 40                          |       | Lot Quantity | 40               |       | Sample Size- | 2          | Variable & Gauging            | 2PCS                             |            |  |
| Sr. No.       | Checking Parameter | REQUIRED PARAMETER                          |                             |       |              | OBSERVED RESULTS |       |              |            | REJECTION<br>REWORK<br>DETAIL | REMARK                           | CHECKED BY |  |
|               |                    | PARAMETER                                   | CRITERIA                    |       | 1            | 2                | -     | -            | -          |                               |                                  |            |  |
|               |                    | Surface                                     | Fine, Clean                 |       | FINE         | FINE             | -     | -            | -          |                               | Measuring<br>Instruments I.D No- |            |  |
|               |                    | Size wise No of Pcs.<br>With Internal Parts | As per Drg. No.<br>of Parts | 16    | 16           | 16               | -     | -            | -          |                               | (1) DV-55                        |            |  |
|               |                    | Washing & Plating                           | Surface<br>Finishing        | NA    | NA           | NA               | -     | -            | -          |                               | (2) PP-01                        |            |  |
|               |                    | RUBBER MARKING                              | AS PER DRG.                 | NA    | NA           | NA               | -     | -            | -          |                               |                                  |            |  |
|               |                    | Marking                                     | WO Ref. No.                 | NA    | NA           | NA               | -     | -            | -          |                               | ASM No :-<br>CSEX260912-03       |            |  |
|               |                    | Assembly Perfection                         | As per Drg.                 |       | OK           | OK               | -     | -            | -          |                               |                                  |            |  |
|               |                    | Inner Packing                               | Labeling &<br>Printing      |       | OK           | OK               | -     | -            | -          |                               |                                  |            |  |
|               |                    | Outer Packing                               | Printing & Stamping         |       | OK           | OK               | -     | -            | -          |                               |                                  |            |  |
|               |                    | All Dimensions Are In MM                    |                             |       |              |                  |       |              |            |                               |                                  |            |  |
|               |                    |                                             | VALUE                       | -     | +            | 1                | 2     | -            | -          | -                             |                                  |            |  |
|               |                    | A/F                                         | 25.00                       | 24.87 | 25.00        | 24.90            | 24.89 | -            | -          | -                             |                                  |            |  |
|               |                    | A/C                                         | 27.50                       | 27.00 | 28.00        | 27.46            | 27.49 | -            | -          | -                             |                                  |            |  |
|               |                    | T.L                                         | 17.00                       | 16.50 | 17.50        | 17.00            | 16.99 | -            | -          | -                             |                                  |            |  |
|               |                    | O.D                                         | 24.00                       | 23.50 | 24.50        | 23.98            | 23.97 | -            | -          | -                             |                                  |            |  |
|               |                    | O.D.L                                       | 8.00                        | 7.70  | 8.30         | 8.02             | 8.01  | -            | -          | -                             |                                  |            |  |
|               |                    | H.L                                         | 9.00                        | 8.50  | 9.50         | 8.96             | 8.95  | -            | -          | -                             |                                  |            |  |
|               |                    | LD                                          | 19.00                       | 18.50 | 19.50        | 19.00            | 18.99 | -            | -          | -                             |                                  |            |  |
|               |                    | INT.THLL                                    | 3.00                        | 2.80  | 3.20         | 3.02             | 3.01  | -            | -          | -                             |                                  |            |  |
|               |                    | GR.ID                                       | 22.20                       | 21.70 | 22.70        | 22.25            | 22.24 | -            | -          | -                             |                                  |            |  |
|               |                    | GR.LE                                       | 10.50                       | 10.00 | 11.00        | 10.51            | 10.53 | -            | -          | -                             |                                  |            |  |
|               |                    | DEPTH                                       | 13.50                       | 13.00 | 14.00        | 13.52            | 13.51 | -            | -          | -                             |                                  |            |  |
|               |                    | GR.ID                                       | 21.00                       | 20.50 | 21.50        | 21.03            | 21.02 | -            | -          | -                             |                                  |            |  |
|               |                    | GR.LE                                       | 2.50                        | 2.30  | 2.70         | 2.52             | 2.50  | -            | -          | -                             |                                  |            |  |
|               |                    | DEPTH                                       | 16.00                       | 15.50 | 16.50        | 15.95            | 15.98 | -            | -          | -                             |                                  |            |  |
|               |                    | INT.THREAD                                  | M22x1 AS PER P.G GO NOT GO  |       | OK           | OK               | -     | -            | -          |                               |                                  |            |  |
|               |                    | CH.ANGLE                                    | 1x45° AS PER PP FOUND       |       | OK           | OK               | -     | -            | -          |                               |                                  |            |  |
|               |                    | CH.ANGLE                                    | 0.5x45° AS PER PP FOUND     |       | OK           | OK               | -     | -            | -          |                               |                                  |            |  |
|               |                    | CH.ANGLE                                    | 45° AS PER PP FOUND         |       | OK           | OK               | -     | -            | -          |                               |                                  |            |  |
|               |                    |                                             |                             |       |              |                  |       |              |            |                               |                                  |            |  |
| INSPECTED BY: |                    | Jay Hadiyal                                 |                             |       | APPROVED BY: |                  |       |              | Shreekant  |                               |                                  |            |  |

Conclusion :



Accept



Reject



Hold



|  |                        | MetalMech-08500-FR-QX-08-Final Inspection Report-EX |                          |       |              |                  |       |   |              |                               |            |                    |            |  |  |
|----------------------------------------------------------------------------------|------------------------|-----------------------------------------------------|--------------------------|-------|--------------|------------------|-------|---|--------------|-------------------------------|------------|--------------------|------------|--|--|
| INSP. No.                                                                        | FIR-01                 | Product Name                                        | UNIVERSAL CLAMPING CONE  |       | Size         |                  | M20   |   | Drawing No.  |                               | 313005-018 | Date:              | 14-09-2026 |  |  |
| Wo No.                                                                           | 26000277               | Total Quantity                                      | 40                       |       | Lot Quantity |                  | 40    |   | Sample Size- |                               | 2          | Variable & Gauging | 2PCS       |  |  |
| Sr. No.                                                                          | Checking Parameter     | REQUIRED PARAMETER                                  |                          |       |              | OBSERVED RESULTS |       |   |              | REJECTION<br>REWORK<br>DETAIL | REMARK     | CHECKED BY         |            |  |  |
|                                                                                  |                        | PARAMETER                                           | CRITERIA                 |       |              | 1                | 2     | - | -            |                               |            |                    | -          |  |  |
| 1                                                                                | Visual                 | Surface                                             | Fine, Clean              |       |              | FINE             | FINE  | - | -            | -                             |            |                    |            |  |  |
|                                                                                  |                        | Sizewise No of Pcs. With Internal Parts             | As per Drg. No. of Parts | 16    | 16           | 16               | -     | - | -            |                               |            |                    |            |  |  |
|                                                                                  |                        | Washing & Plating                                   | Surface Finishing        | NA    | NA           | NA               | -     | - | -            |                               |            |                    |            |  |  |
|                                                                                  |                        | RUBBER MARKING                                      | AS PER DRG.              | NA    | NA           | NA               | -     | - | -            |                               |            |                    |            |  |  |
|                                                                                  |                        | Marking                                             | WO Ref. No.              | NA    | NA           | NA               | -     | - | -            |                               |            |                    |            |  |  |
|                                                                                  |                        | Assembly Perfection                                 | As per Drg.              |       |              | OK               | OK    | - | -            | -                             |            |                    |            |  |  |
|                                                                                  |                        | Inner Packing                                       | Labeling & Printing      |       | OK           | OK               | -     | - | -            |                               |            |                    |            |  |  |
|                                                                                  |                        | Outer Packing                                       | Printing & Stamping      |       |              | OK               | OK    | - | -            | -                             |            |                    |            |  |  |
|                                                                                  |                        | All Dimensions Are In MM                            |                          |       |              |                  |       |   |              |                               |            |                    |            |  |  |
|                                                                                  |                        | 2                                                   | DIMENSION                |       | VALUE        | -                | +     | 1 | 2            | -                             | -          | -                  |            |  |  |
| T.L                                                                              | 22.00                  |                                                     |                          | 21.50 | 22.50        | 22.03            | 22.02 | - | -            | -                             |            |                    |            |  |  |
| O.D                                                                              | 14.00                  |                                                     |                          | 13.50 | 14.50        | 14.05            | 14.04 | - | -            | -                             |            |                    |            |  |  |
| O.D.L                                                                            | 3.50                   |                                                     |                          | 3.20  | 3.80         | 3.52             | 3.51  | - | -            | -                             |            |                    |            |  |  |
| GR.OD                                                                            | 15.50                  |                                                     |                          | 15.00 | 16.00        | 15.51            | 15.49 | - | -            | -                             |            |                    |            |  |  |
| GR.LE                                                                            | 2.50                   |                                                     |                          | 2.30  | 2.70         | 2.52             | 2.51  | - | -            | -                             |            |                    |            |  |  |
| O.D                                                                              | 16.20                  |                                                     |                          | 15.70 | 16.70        | 16.20            | 16.19 | - | -            | -                             |            |                    |            |  |  |
| O.D.L                                                                            | 7.50                   |                                                     |                          | 7.20  | 7.80         | 7.52             | 7.49  | - | -            | -                             |            |                    |            |  |  |
| O.D                                                                              | 17.50                  |                                                     |                          | 17.00 | 18.00        | 17.52            | 17.53 | - | -            | -                             |            |                    |            |  |  |
| O.D.L                                                                            | 7.00                   |                                                     |                          | 6.70  | 7.30         | 7.07             | 7.05  | - | -            | -                             |            |                    |            |  |  |
| O.D                                                                              | 14.00                  |                                                     |                          | 13.50 | 14.50        | 14.00            | 13.99 | - | -            | -                             |            |                    |            |  |  |
| O.D.L                                                                            | 4.50                   |                                                     |                          | 4.20  | 4.80         | 4.51             | 4.50  | - | -            | -                             |            |                    |            |  |  |
| O.D                                                                              | 14.50                  |                                                     |                          | 14.00 | 15.00        | 14.52            | 14.51 | - | -            | -                             |            |                    |            |  |  |
| O.D                                                                              | 15.00                  |                                                     |                          | 14.50 | 15.50        | 15.02            | 15.01 | - | -            | -                             |            |                    |            |  |  |
| O.D                                                                              | 15.50                  |                                                     |                          | 15.00 | 16.00        | 15.51            | 15.49 | - | -            | -                             |            |                    |            |  |  |
| O.D.L                                                                            | 7.50                   |                                                     |                          | 7.20  | 7.80         | 7.49             | 7.51  | - | -            | -                             |            |                    |            |  |  |
| LD                                                                               | 12.00                  |                                                     |                          | 11.50 | 12.50        | 12.05            | 12.04 | - | -            | -                             |            |                    |            |  |  |
| GROOVE.STEP.LE                                                                   | 0.50                   |                                                     |                          | 0.30  | 0.70         | 0.50             | 0.49  | - | -            | -                             |            |                    |            |  |  |
| RADIUS                                                                           | 0.5 MM AS PER PP FOUND |                                                     |                          |       | OK           | OK               | -     | - | -            |                               |            |                    |            |  |  |
| RADIUS                                                                           | 0.3 AS PER PP FOUND    |                                                     |                          |       | OK           | OK               | -     | - | -            |                               |            |                    |            |  |  |
|                                                                                  |                        |                                                     |                          |       |              |                  |       |   |              |                               |            |                    |            |  |  |
| INSPECTED BY:                                                                    |                        | Jay Hadiyal                                         |                          |       |              | APPROVED BY:     |       |   |              | Shreekant                     |            |                    |            |  |  |

Conclusion :



Accept



Reject



Hold



## MetalMech-08500-FR-QX-08-Final Inspection Report-EX

|               |                    |                                            |                             |       |              |                  |       |   |              |   |                               |                                  |            |
|---------------|--------------------|--------------------------------------------|-----------------------------|-------|--------------|------------------|-------|---|--------------|---|-------------------------------|----------------------------------|------------|
| INSP. No.     | FIR-01             | Product Name                               | REVERSIBLE ARMOUR RING      |       | Size         |                  | M20   |   | Drawing No.  |   | 313004-01S                    | Date:                            | 14-09-2026 |
| Wo No.        | 26000277           | Total Quantity                             | 40                          |       | Lot Quantity |                  | 40    |   | Sample Size- |   | 2                             | Variable & Gauging               | 2PCS       |
| Sr. No.       | Checking Parameter | REQUIRED PARAMETER                         |                             |       |              | OBSERVED RESULTS |       |   |              |   | REJECTION<br>REWORK<br>DETAIL | REMARK                           | CHECKED BY |
|               |                    | PARAMETER                                  | CRITERIA                    |       |              | 1                | 2     | - | -            | - |                               |                                  |            |
| 1             | Visual             | Surface                                    | Fine, Clean                 |       |              | FINE             | FINE  | - | -            | - |                               | Measuring<br>Instruments I.D No- |            |
|               |                    | Sizewise No of Pcs.<br>With Internal Parts | As per Drg. No.<br>of Parts | 16    | 16           | 16               | -     | - | -            |   | (1) DV-55                     |                                  |            |
|               |                    | Washing & Plating                          | Surface<br>Finishing        | NA    | NA           | NA               | -     | - | -            |   | (2) PP-01                     |                                  |            |
|               |                    | RUBBER MARKING                             | AS PER DRG.                 | NA    | NA           | NA               | -     | - | -            |   |                               |                                  |            |
|               |                    | Marking                                    | WO Ref. No.                 | NA    | NA           | NA               | -     | - | -            |   | ASM No :-<br>CSEX260912-03    |                                  |            |
|               |                    | Assembly Perfection                        | As per Drg.                 |       |              | OK               | OK    | - | -            | - |                               |                                  |            |
|               |                    | Inner Packing                              | Labeling &<br>Printing      |       | OK           | OK               | -     | - | -            |   |                               |                                  |            |
|               |                    | Outer Packing                              | Printing & Stamping         |       |              | OK               | OK    | - | -            | - |                               |                                  |            |
|               |                    | All Dimensions Are In MM                   |                             |       |              |                  |       |   |              |   |                               |                                  |            |
| 2             | DIMENSION          |                                            | VALUE                       | -     | +            | 1                | 2     | - | -            | - |                               |                                  |            |
|               |                    | T.L                                        | 6.00                        | 5.70  | 6.30         | 6.01             | 6.01  | - | -            | - |                               |                                  |            |
|               |                    | O.D                                        | 19.00                       | 18.50 | 19.50        | 18.73            | 18.75 | - | -            | - |                               |                                  |            |
|               |                    | I.D                                        | 16.00                       | 15.50 | 16.50        | 16.01            | 16.00 | - | -            | - |                               |                                  |            |
|               |                    | I.D                                        | 16.50                       | 16.00 | 17.00        | 16.50            | 16.49 | - | -            | - |                               |                                  |            |
|               |                    |                                            |                             |       |              |                  |       |   |              |   |                               |                                  |            |
| INSPECTED BY: |                    | Jay Hadiyal                                |                             |       | APPROVED BY: |                  |       |   | Shreekant    |   |                               |                                  |            |

Conclusion :



Accept



Reject



Hold





## MetalMech-08500-FR-QX-08-Final Inspection Report-EX

| INSP. No.     | FIR-01             | Product Name                               | O-RING                      | Size         | M20              | Drawing No.  | OR-1M | Date:              | 14-09-2026 |                               |                                  |            |
|---------------|--------------------|--------------------------------------------|-----------------------------|--------------|------------------|--------------|-------|--------------------|------------|-------------------------------|----------------------------------|------------|
| Wo No.        | 26000277           | Total Quantity                             | 40                          | Lot Quantity | 40               | Sample Size- | 2     | Variable & Gauging | 2PCS       |                               |                                  |            |
| Sr. No.       | Checking Parameter | REQUIRED PARAMETER                         |                             |              | OBSERVED RESULTS |              |       |                    |            | REJECTION<br>REWORK<br>DETAIL | REMARK                           | CHECKED BY |
|               |                    | PARAMETER                                  | CRITERIA                    |              | 1                | 2            | -     | -                  | -          |                               |                                  |            |
| 1             | Visual             | Surface                                    | Fine, Clean                 |              | FINE             | FINE         | -     | -                  | -          |                               | Measuring<br>Instruments I.D No- |            |
|               |                    | Sizewise No of Pcs.<br>With Internal Parts | As per Drg. No.<br>of Parts | 16           | 16               | 16           | -     | -                  | -          |                               | (1) DV-55                        |            |
|               |                    | Washing & Plating                          | Surface<br>Finishing        | NA           | NA               | NA           | -     | -                  | -          |                               | (2) PP-01                        |            |
|               |                    | RUBBER MARKING                             | AS PER DRG.                 | NA           | NA               | NA           | -     | -                  | -          |                               |                                  |            |
|               |                    | Marking                                    | WO Ref. No.                 | NA           | NA               | NA           | -     | -                  | -          |                               | ASM No :-<br>CSEX260912-03       |            |
|               |                    | Assembly Perfection                        | As per Drg.                 |              | OK               | OK           | -     | -                  | -          |                               |                                  |            |
|               |                    | Inner Packing                              | Labeling &<br>Printing      |              | OK               | OK           | -     | -                  | -          |                               |                                  |            |
|               |                    | Outer Packing                              | Printing & Stamping         |              | OK               | OK           | -     | -                  | -          |                               |                                  |            |
|               |                    | All Dimensions Are In MM                   |                             |              |                  |              |       |                    |            |                               |                                  |            |
| 2             | DIMENSION          |                                            | VALUE                       | -            | +                | 1            | 2     | -                  | -          | -                             |                                  |            |
|               |                    | THICKNESS                                  | 2.50                        | 2.00         | 2.50             | 2.05         | 2.04  | -                  | -          | -                             |                                  |            |
|               |                    | I.D                                        | 16.00                       | 15.50        | 16.50            | 16.05        | 16.04 | -                  | -          | -                             |                                  |            |
|               |                    |                                            |                             |              |                  |              |       |                    |            |                               |                                  |            |
| INSPECTED BY: |                    | Jay Hadiyal                                |                             |              | APPROVED BY:     |              |       |                    | Shreekant  |                               |                                  |            |

Conclusion :



Accept



Reject



Hold



## MetalMech-08500-FR-QX-08-Final Inspection Report-EX

|               |                    |                                            |                             |       |              |                  |       |   |              |   |                               |                                  |            |
|---------------|--------------------|--------------------------------------------|-----------------------------|-------|--------------|------------------|-------|---|--------------|---|-------------------------------|----------------------------------|------------|
| INSP. No.     | FIR-01             | Product Name                               | COMPRESSIBLE INNER SEAL     |       | Size         |                  | M20   |   | Drawing No.  |   | GI-01s                        | Date:                            | 14-09-2026 |
| Wo No.        | 26000277           | Total Quantity                             | 40                          |       | Lot Quantity |                  | 40    |   | Sample Size- |   | 2                             | Variable & Gauging               | 2PCS       |
| Sr. No.       | Checking Parameter | REQUIRED PARAMETER                         |                             |       |              | OBSERVED RESULTS |       |   |              |   | REJECTION<br>REWORK<br>DETAIL | REMARK                           | CHECKED BY |
|               |                    | PARAMETER                                  | CRITERIA                    |       |              | 1                | 2     | - | -            | - |                               |                                  |            |
| 1             | Visual             | Surface                                    | Fine, Clean                 |       |              | FINE             | FINE  | - | -            | - |                               | Measuring<br>Instruments I.D No- |            |
|               |                    | Sizewise No of Pcs.<br>With Internal Parts | As per Drg. No.<br>of Parts | 16    | 16           | 16               | -     | - | -            |   | (1) DV-55                     |                                  |            |
|               |                    | Washing & Plating                          | Surface<br>Finishing        | NA    | NA           | NA               | -     | - | -            |   | (2) PP-01                     |                                  |            |
|               |                    | RUBBER MARKING                             | AS PER DRG.                 | OK    | OK           | OK               | -     | - | -            |   |                               |                                  |            |
|               |                    | Marking                                    | WO Ref. No.                 | NA    | NA           | NA               | -     | - | -            |   | ASM No :-<br>CSEX260912-03    |                                  |            |
|               |                    | Assembly Perfection                        | As per Drg.                 |       | OK           | OK               | -     | - | -            |   |                               |                                  |            |
|               |                    | Inner Packing                              | Labeling &<br>Printing      |       | OK           | OK               | -     | - | -            |   |                               |                                  |            |
|               |                    | Outer Packing                              | Printing & Stamping         |       | OK           | OK               | -     | - | -            |   |                               |                                  |            |
|               |                    | All Dimensions Are In MM                   |                             |       |              |                  |       |   |              |   |                               |                                  |            |
| 2             | DIMENSION          |                                            | VALUE                       | -     | +            | 1                | 2     | - | -            | - |                               |                                  |            |
|               |                    | T.L                                        | 9.50                        | 9.00  | 10.00        | 9.49             | 9.51  | - | -            | - |                               |                                  |            |
|               |                    | O.D.L                                      | 3.00                        | 2.70  | 3.30         | 3.01             | 3.03  | - | -            | - |                               |                                  |            |
|               |                    | O.D                                        | 18.50                       | 18.30 | 18.50        | 18.43            | 18.45 | - | -            | - |                               |                                  |            |
|               |                    | O.D.L                                      | 6.50                        | 6.20  | 6.80         | 6.53             | 6.55  | - | -            | - |                               |                                  |            |
|               |                    | I.D                                        | 11.70                       | 11.70 | 11.90        | 11.77            | 11.76 | - | -            | - |                               |                                  |            |
|               |                    |                                            |                             |       |              |                  |       |   |              |   |                               |                                  |            |
| INSPECTED BY: |                    | Jay Hadiyal                                |                             |       | APPROVED BY: |                  |       |   | Shreekant    |   |                               |                                  |            |

Conclusion :



Accept



Reject



Hold





MetalMech-08500-FR-QX-08-Final Inspection Report-EX

|               |                    |                                         |                         |                          |              |                  |       |   |              |   |                               |                               |            |
|---------------|--------------------|-----------------------------------------|-------------------------|--------------------------|--------------|------------------|-------|---|--------------|---|-------------------------------|-------------------------------|------------|
| INSP. No.     | FIR-01             | Product Name                            | COMPRESSIBLE OUTER SEAL |                          | Size         |                  | M20   |   | Drawing No.  |   | GE-01S                        | Date:                         | 14-09-2026 |
| Wo No.        | 26000277           | Total Quantity                          | 40                      |                          | Lot Quantity |                  | 40    |   | Sample Size- |   | 2                             | Variable & Gauging            | 2PCS       |
| Sr. No.       | Checking Parameter | REQUIRED PARAMETER                      |                         |                          |              | OBSERVED RESULTS |       |   |              |   | REJECTION<br>REWORK<br>DETAIL | REMARK                        | CHECKED BY |
|               |                    | PARAMETER                               | CRITERIA                |                          | 1            | 2                | -     | - | -            |   |                               |                               |            |
| 1             | Visual             | Surface                                 |                         | Fine, Clean              |              | FINE             | FINE  | - | -            | - |                               |                               |            |
|               |                    | Sizewise No of Pcs. With Internal Parts |                         | As per Drg. No. of Parts | 16           | 16               | 16    | - | -            | - |                               | Measuring Instruments I.D No- |            |
|               |                    | Washing & Plating                       |                         | Surface Finishing        | NA           | NA               | NA    | - | -            | - |                               | (1) DV-55                     |            |
|               |                    | RUBBER MARKING                          |                         | AS PER DRG.              | OK           | OK               | OK    | - | -            | - |                               | (2) PP-01                     |            |
|               |                    | Marking                                 |                         | WO Ref. No.              | NA           | NA               | NA    | - | -            | - |                               | ASM No :- CSEX260912-03       |            |
|               |                    | Assembly Perfection                     |                         | As per Drg.              |              | OK               | OK    | - | -            | - |                               |                               |            |
|               |                    | Inner Packing                           |                         | Labeling & Printing      |              | OK               | OK    | - | -            | - |                               |                               |            |
|               |                    | Outer Packing                           |                         | Printing & Stamping      |              | OK               | OK    | - | -            | - |                               |                               |            |
|               |                    | All Dimensions Are In MM                |                         |                          |              |                  |       |   |              |   |                               |                               |            |
| 2             | DIMENSION          |                                         | VALUE                   | -                        | +            | 1                | 2     | - | -            | - |                               |                               |            |
|               |                    | T.L                                     | 10.00                   | 9.50                     | 10.50        | 10.01            | 10.00 | - | -            | - |                               |                               |            |
|               |                    | O.D                                     | 22.20                   | 22.00                    | 22.20        | 22.12            | 22.11 | - | -            | - |                               |                               |            |
|               |                    | GR.LENGTH                               | 3.50                    | 3.20                     | 3.80         | 3.49             | 3.51  | - | -            | - |                               |                               |            |
|               |                    | I.D                                     | 15.70                   | 15.70                    | 15.80        | 15.75            | 15.74 | - | -            | - |                               |                               |            |
|               |                    |                                         |                         |                          |              |                  |       |   |              |   |                               |                               |            |
| INSPECTED BY: |                    | Jay Hadiyal                             |                         |                          | APPROVED BY: |                  |       |   | Shreekant    |   |                               |                               |            |

Conclusion :



Accept



Reject



Hold



## MetalMech-08500-FR-QX-08-Final Inspection Report-EX

|               |                    |                                            |                             |       |              |                  |       |   |              |   |                               |                                  |            |
|---------------|--------------------|--------------------------------------------|-----------------------------|-------|--------------|------------------|-------|---|--------------|---|-------------------------------|----------------------------------|------------|
| INSP. No.     | FIR-01             | Product Name                               | INNER SKID WASHER           |       | Size         |                  | M20   |   | Drawing No.  |   | IW-01S                        | Date:                            | 14-09-2026 |
| Wo No.        | 26000277           | Total Quantity                             | 40                          |       | Lot Quantity |                  | 40    |   | Sample Size- |   | 2                             | Variable & Gauging               | 2PCS       |
| Sr. No.       | Checking Parameter | REQUIRED PARAMETER                         |                             |       |              | OBSERVED RESULTS |       |   |              |   | REJECTION<br>REWORK<br>DETAIL | REMARK                           | CHECKED BY |
|               |                    | PARAMETER                                  | CRITERIA                    |       |              | 1                | 2     | - | -            | - |                               |                                  |            |
| 1             | Visual             | Surface                                    | Fine, Clean                 |       |              | FINE             | FINE  | - | -            | - |                               | Measuring<br>Instruments I.D No- |            |
|               |                    | Sizewise No of Pcs.<br>With Internal Parts | As per Drg. No.<br>of Parts | 16    | 16           | 16               | -     | - | -            |   | (1) DV-55                     |                                  |            |
|               |                    | Washing & Plating                          | Surface<br>Finishing        | NA    | NA           | NA               | -     | - | -            |   | (2) PP-01                     |                                  |            |
|               |                    | RUBBER MARKING                             | AS PER DRG.                 | OK    | OK           | OK               | -     | - | -            |   |                               |                                  |            |
|               |                    | Marking                                    | WO Ref. No.                 | NA    | NA           | NA               | -     | - | -            |   | ASM No :-<br>CSEX260912-03    |                                  |            |
|               |                    | Assembly Perfection                        | As per Drg.                 |       |              | OK               | OK    | - | -            | - |                               |                                  |            |
|               |                    | Inner Packing                              | Labeling &<br>Printing      |       | OK           | OK               | -     | - | -            |   |                               |                                  |            |
|               |                    | Outer Packing                              | Printing & Stamping         |       |              | OK               | OK    | - | -            | - |                               |                                  |            |
|               |                    | All Dimensions Are In MM                   |                             |       |              |                  |       |   |              |   |                               |                                  |            |
| 2             | DIMENSION          |                                            | VALUE                       | -     | +            | 1                | 2     | - | -            | - |                               |                                  |            |
|               |                    | T.L                                        | 4.50                        | 4.20  | 4.80         | 4.53             | 4.51  | - | -            | - |                               |                                  |            |
|               |                    | O.D                                        | 18.00                       | 17.80 | 18.00        | 17.90            | 17.92 | - | -            | - |                               |                                  |            |
|               |                    | O.D                                        | 15.50                       | 15.30 | 15.50        | 15.42            | 15.40 | - | -            | - |                               |                                  |            |
|               |                    | O.D.L                                      | 2.50                        | 2.50  | 2.70         | 2.52             | 2.54  | - | -            | - |                               |                                  |            |
|               |                    | I.D                                        | 12.00                       | 12.00 | 12.20        | 12.05            | 12.04 | - | -            | - |                               |                                  |            |
|               |                    |                                            |                             |       |              |                  |       |   |              |   |                               |                                  |            |
| INSPECTED BY: |                    | Jay Hadiyal                                |                             |       | APPROVED BY: |                  |       |   | Shreekant    |   |                               |                                  |            |

Conclusion :



Accept



Reject



Hold



## MetalMech-08500-FR-QX-08-Final Inspection Report-EX

|               |                    |                                            |                             |       |              |                  |       |   |              |   |                               |                                  |            |
|---------------|--------------------|--------------------------------------------|-----------------------------|-------|--------------|------------------|-------|---|--------------|---|-------------------------------|----------------------------------|------------|
| INSP. No.     | FIR-01             | Product Name                               | OUTER SKID WASHER           |       | Size         |                  | M20   |   | Drawing No.  |   | OW-01s                        | Date:                            | 14-09-2026 |
| Wo No.        | 26000277           | Total Quantity                             | 40                          |       | Lot Quantity |                  | 40    |   | Sample Size- |   | 2                             | Variable & Gauging               | 2PCS       |
| Sr. No.       | Checking Parameter | REQUIRED PARAMETER                         |                             |       |              | OBSERVED RESULTS |       |   |              |   | REJECTION<br>REWORK<br>DETAIL | REMARK                           | CHECKED BY |
|               |                    | PARAMETER                                  | CRITERIA                    |       |              | 1                | 2     | - | -            | - |                               |                                  |            |
| 1             | Visual             | Surface                                    | Fine, Clean                 |       |              | FINE             | FINE  | - | -            | - |                               | Measuring<br>Instruments I.D No- |            |
|               |                    | Sizewise No of Pcs.<br>With Internal Parts | As per Drg. No.<br>of Parts | 16    | 16           | 16               | -     | - | -            |   | (1) DV-55                     |                                  |            |
|               |                    | Washing & Plating                          | Surface<br>Finishing        | NA    | NA           | NA               | -     | - | -            |   | (2) PP-01                     |                                  |            |
|               |                    | RUBBER MARKING                             | AS PER DRG.                 | NA    | NA           | NA               | -     | - | -            |   |                               |                                  |            |
|               |                    | Marking                                    | WO Ref. No.                 | NA    | NA           | NA               | -     | - | -            |   | ASM No :-<br>CSEX260912-03    |                                  |            |
|               |                    | Assembly Perfection                        | As per Drg.                 |       |              | OK               | OK    | - | -            | - |                               |                                  |            |
|               |                    | Inner Packing                              | Labeling &<br>Printing      |       | OK           | OK               | -     | - | -            |   |                               |                                  |            |
|               |                    | Outer Packing                              | Printing & Stamping         |       |              | OK               | OK    | - | -            | - |                               |                                  |            |
|               |                    | All Dimensions Are In MM                   |                             |       |              |                  |       |   |              |   |                               |                                  |            |
| 2             | DIMENSION          |                                            | VALUE                       | -     | +            | 1                | 2     | - | -            | - |                               |                                  |            |
|               |                    | T.L                                        | 6.50                        | 6.20  | 6.80         | 6.52             | 6.54  | - | -            | - |                               |                                  |            |
|               |                    | O.D                                        | 20.50                       | 20.50 | 20.60        | 20.52            | 20.55 | - | -            | - |                               |                                  |            |
|               |                    | O.D                                        | 18.50                       | 18.30 | 18.50        | 18.40            | 18.39 | - | -            | - |                               |                                  |            |
|               |                    | O.D.L                                      | 4.00                        | 4.00  | 4.10         | 4.02             | 4.01  | - | -            | - |                               |                                  |            |
|               |                    | I.D                                        | 16.00                       | 16.00 | 16.20        | 16.03            | 16.05 | - | -            | - |                               |                                  |            |
|               |                    |                                            |                             |       |              |                  |       |   |              |   |                               |                                  |            |
| INSPECTED BY: |                    | Jay Hadiyal                                |                             |       | APPROVED BY: |                  |       |   | Shreekant    |   |                               |                                  |            |

Conclusion :



Accept



Reject



Hold



## MetalMech-08500-FR-QX-08-Final Inspection Report-EX

|               |                    |                                            |                             |       |              |                  |       |   |              |   |                               |                                  |            |
|---------------|--------------------|--------------------------------------------|-----------------------------|-------|--------------|------------------|-------|---|--------------|---|-------------------------------|----------------------------------|------------|
| INSP. No.     | FIR-01             | Product Name                               | EARTH TAG                   |       | Size         |                  | M20   |   | Drawing No.  |   |                               | Date:                            | 14-09-2026 |
| Wo No.        | 26000277           | Total Quantity                             | 40                          |       | Lot Quantity |                  | 40    |   | Sample Size- |   | 2                             | Variable & Gauging               | 2PCS       |
| Sr. No.       | Checking Parameter | REQUIRED PARAMETER                         |                             |       |              | OBSERVED RESULTS |       |   |              |   | REJECTION<br>REWORK<br>DETAIL | REMARK                           | CHECKED BY |
|               |                    | PARAMETER                                  | CRITERIA                    |       |              | 1                | 2     | - | -            | - |                               |                                  |            |
| 1             | Visual             | Surface                                    | Fine, Clean                 |       |              | FINE             | FINE  | - | -            | - |                               | Measuring<br>Instruments I.D No- |            |
|               |                    | Sizewise No of Pcs.<br>With Internal Parts | As per Drg. No.<br>of Parts | 16    | 16           | 16               | -     | - | -            |   | (1) DV-55                     |                                  |            |
|               |                    | Washing & Plating                          | Surface<br>Finishing        | NA    | NA           | NA               | -     | - | -            |   | (2) PP-01                     |                                  |            |
|               |                    | RUBBER MARKING                             | AS PER DRG.                 | OK    | OK           | OK               | -     | - | -            |   |                               |                                  |            |
|               |                    | Marking                                    | WO Ref. No.                 | NA    | NA           | NA               | -     | - | -            |   | ASM No :-<br>CSEX260912-03    |                                  |            |
|               |                    | Assembly Perfection                        | As per Drg.                 |       |              | OK               | OK    | - | -            | - |                               |                                  |            |
|               |                    | Inner Packing                              | Labeling &<br>Printing      |       | OK           | OK               | -     | - | -            |   |                               |                                  |            |
|               |                    | Outer Packing                              | Printing & Stamping         |       |              | OK               | OK    | - | -            | - |                               |                                  |            |
|               |                    | All Dimensions Are In MM                   |                             |       |              |                  |       |   |              |   |                               |                                  |            |
| 2             | DIMENSION          |                                            | VALUE                       | -     | +            | 1                | 2     | - | -            | - |                               |                                  |            |
|               |                    | THICKNESS                                  | 1.50                        | 1.30  | 1.70         | 1.45             | 1.48  | - | -            | - |                               |                                  |            |
|               |                    | O.D                                        | 30.20                       | 29.40 | 31.00        | 30.19            | 30.21 | - | -            | - |                               |                                  |            |
|               |                    | O.D                                        | 13.20                       | 12.70 | 13.70        | 13.25            | 13.23 | - | -            | - |                               |                                  |            |
|               |                    | I.D                                        | 22.00                       | 21.50 | 22.50        | 22.08            | 22.07 | - | -            | - |                               |                                  |            |
|               |                    | I.D                                        | 6.50                        | 6.20  | 6.80         | 6.54             | 6.56  | - | -            | - |                               |                                  |            |
|               |                    |                                            |                             |       |              |                  |       |   |              |   |                               |                                  |            |
| INSPECTED BY: |                    | Jay Hadiyal                                |                             |       | APPROVED BY: |                  |       |   | Shreekant    |   |                               |                                  |            |

Conclusion :



Accept



Reject



Hold





MetalMech-08500-FR-QX-08-Final Inspection Report-EX

|               |                    |                                            |                             |       |              |                  |       |              |   |       |                               |                                  |            |
|---------------|--------------------|--------------------------------------------|-----------------------------|-------|--------------|------------------|-------|--------------|---|-------|-------------------------------|----------------------------------|------------|
| INSP. No.     | FIR-01             | Product Name                               | NYLON WASHER                |       | Size         | M20              |       | Drawing No.  |   | Date: | 14-09-2026                    |                                  |            |
| Wo No.        | 26000277           | Total Quantity                             | 40                          |       | Lot Quantity | 40               |       | Sample Size- |   | 2     | Variable & Gauging            | 2PCS                             |            |
| Sr. No.       | Checking Parameter | REQUIRED PARAMETER                         |                             |       |              | OBSERVED RESULTS |       |              |   |       | REJECTION<br>REWORK<br>DETAIL | REMARK                           | CHECKED BY |
|               |                    | PARAMETER                                  | CRITERIA                    |       |              | 1                | 2     | -            | - | -     |                               |                                  |            |
| 1             | Visual             | Surface                                    | Fine, Clean                 |       |              | FINE             | FINE  | -            | - | -     |                               | Measuring<br>Instruments I.D No- |            |
|               |                    | Sizewise No of Pcs.<br>With Internal Parts | As per Drg. No.<br>of Parts | 16    | 16           | 16               | -     | -            | - |       | (1) DV-55                     |                                  |            |
|               |                    | Washing & Plating                          | Surface<br>Finishing        | NA    | NA           | NA               | -     | -            | - |       | (2) PP-01                     |                                  |            |
|               |                    | RUBBER MARKING                             | AS PER DRG.                 | OK    | OK           | OK               | -     | -            | - |       |                               |                                  |            |
|               |                    | Marking                                    | WO Ref. No.                 | NA    | NA           | NA               | -     | -            | - |       | ASM No :-<br>CSEX260912-03    |                                  |            |
|               |                    | Assembly Perfection                        | As per Drg.                 |       |              | OK               | OK    | -            | - | -     |                               |                                  |            |
|               |                    | Inner Packing                              | Labeling &<br>Printing      |       | OK           | OK               | -     | -            | - |       |                               |                                  |            |
|               |                    | Outer Packing                              | Printing & Stamping         |       |              | OK               | OK    | -            | - | -     |                               |                                  |            |
|               |                    | All Dimensions Are In MM                   |                             |       |              |                  |       |              |   |       |                               |                                  |            |
| 2             | DIMENSION          |                                            | VALUE                       | -     | +            | 1                | 2     | -            | - | -     |                               |                                  |            |
|               |                    | THICKNESS                                  | 1.50                        | 1.30  | 1.70         | 1.48             | 1.45  | -            | - | -     |                               |                                  |            |
|               |                    | I.D                                        | 20.20                       | 19.70 | 20.70        | 20.26            | 20.25 | -            | - | -     |                               |                                  |            |
|               |                    |                                            |                             |       |              |                  |       |              |   |       |                               |                                  |            |
| INSPECTED BY: |                    | Jay Hadiyal                                |                             |       | APPROVED BY: |                  |       | Shreekant    |   |       |                               |                                  |            |

Conclusion : ☒ Accept ☐ Reject ☐ Hold





MetalMech-08500-FR-QX-08-Final Inspection Report-EX

|               |                    |                                            |                             |        |              |                  |        |              |   |       |                               |                                  |            |
|---------------|--------------------|--------------------------------------------|-----------------------------|--------|--------------|------------------|--------|--------------|---|-------|-------------------------------|----------------------------------|------------|
| INSP. No.     | FIR-01             | Product Name                               | SHROUD                      |        | Size         | M20              |        | Drawing No.  |   | Date: | 14-09-2026                    |                                  |            |
| Wo No.        | 26000277           | Total Quantity                             | 40                          |        | Lot Quantity | 40               |        | Sample Size- |   | 2     | Variable & Gauging            | 2PCS                             |            |
| Sr. No.       | Checking Parameter | REQUIRED PARAMETER                         |                             |        |              | OBSERVED RESULTS |        |              |   |       | REJECTION<br>REWORK<br>DETAIL | REMARK                           | CHECKED BY |
|               |                    | PARAMETER                                  | CRITERIA                    |        |              | 1                | 2      | -            | - | -     |                               |                                  |            |
| 1             | Visual             | Surface                                    | Fine, Clean                 |        |              | FINE             | FINE   | -            | - | -     |                               | Measuring<br>Instruments I.D No- |            |
|               |                    | Sizewise No of Pcs.<br>With Internal Parts | As per Drg. No.<br>of Parts | 16     | 16           | 16               | -      | -            | - |       | (1) DV-55                     |                                  |            |
|               |                    | Washing & Plating                          | Surface<br>Finishing        | NA     | NA           | NA               | -      | -            | - |       | (2) PP-01                     |                                  |            |
|               |                    | RUBBER MARKING                             | AS PER DRG.                 | OK     | OK           | OK               | -      | -            | - |       |                               |                                  |            |
|               |                    | Marking                                    | WO Ref. No.                 | NA     | NA           | NA               | -      | -            | - |       | ASM No :-<br>CSEX260912-03    |                                  |            |
|               |                    | Assembly Perfection                        | As per Drg.                 |        |              | OK               | OK     | -            | - | -     |                               |                                  |            |
|               |                    | Inner Packing                              | Labeling &<br>Printing      |        | OK           | OK               | -      | -            | - |       |                               |                                  |            |
|               |                    | Outer Packing                              | Printing & Stamping         |        |              | OK               | OK     | -            | - | -     |                               |                                  |            |
|               |                    | All Dimensions Are In MM                   |                             |        |              |                  |        |              |   |       |                               |                                  |            |
| 2             | DIMENSION          |                                            | VALUE                       | -      | +            | 1                | 2      | -            | - | -     |                               |                                  |            |
|               |                    | T.L                                        | 125.00                      | 124.20 | 125.80       | 125.22           | 125.21 | -            | - | -     |                               |                                  |            |
|               |                    | I.D                                        | 27.00                       | 26.20  | 27.80        | 27.05            | 27.09  | -            | - | -     |                               |                                  |            |
|               |                    |                                            |                             |        |              |                  |        |              |   |       |                               |                                  |            |
| INSPECTED BY: |                    | Jay Hadiyal                                |                             |        | APPROVED BY: |                  |        | Shreekant    |   |       |                               |                                  |            |

Conclusion : ☒ Accept ☐ Reject ☐ Hold





MetalMech-08500-FR-QX-08-Final Inspection Report-EX

|               |                    |                                            |                             |       |              |                  |       |              |           |                    |                                  |        |            |
|---------------|--------------------|--------------------------------------------|-----------------------------|-------|--------------|------------------|-------|--------------|-----------|--------------------|----------------------------------|--------|------------|
| INSP. No.     | FIR-01             | Product Name                               | STAR WASHER                 |       | Size         | M20              |       | Drawing No.  | -         | Date:              | 14-09-2026                       |        |            |
| Wo No.        | 26000277           | Total Quantity                             | 40                          |       | Lot Quantity | 40               |       | Sample Size- | 2         | Variable & Gauging | 2PCS                             |        |            |
| Sr. No.       | Checking Parameter | REQUIRED PARAMETER                         |                             |       |              | OBSERVED RESULTS |       |              |           |                    | REJECTION<br>REWORK<br>DETAIL    | REMARK | CHECKED BY |
|               |                    | PARAMETER                                  | CRITERIA                    |       | 1            | 2                | -     | -            | -         |                    |                                  |        |            |
| 1             | Visual             | Surface                                    | Fine, Clean                 |       | FINE         | FINE             | -     | -            | -         |                    | Measuring<br>Instruments I.D No- |        |            |
|               |                    | Sizewise No of Pcs.<br>With Internal Parts | As per Drg. No.<br>of Parts | 16    | 16           | 16               | -     | -            | -         |                    | (1) DV-55                        |        |            |
|               |                    | Washing & Plating                          | Surface<br>Finishing        | NA    | NA           | NA               | -     | -            | -         |                    | (2) PP-01                        |        |            |
|               |                    | RUBBER MARKING                             | AS PER DRG.                 | OK    | OK           | OK               | -     | -            | -         |                    |                                  |        |            |
|               |                    | Marking                                    | WO Ref. No.                 | NA    | NA           | NA               | -     | -            | -         |                    | ASM No :-<br>CSEX260912-03       |        |            |
|               |                    | Assembly Perfection                        | As per Drg.                 |       | OK           | OK               | -     | -            | -         |                    |                                  |        |            |
|               |                    | Inner Packing                              | Labeling &<br>Printing      |       | OK           | OK               | -     | -            | -         |                    |                                  |        |            |
|               |                    | Outer Packing                              | Printing & Stamping         |       | OK           | OK               | -     | -            | -         |                    |                                  |        |            |
|               |                    | All Dimensions Are In MM                   |                             |       |              |                  |       |              |           |                    |                                  |        |            |
| 2             | DIMENSION          |                                            | VALUE                       | -     | +            | 1                | 2     | -            | -         | -                  |                                  |        |            |
|               |                    | O.D                                        | 33.00                       | 32.70 | 33.30        | 33.06            | 33.05 | -            | -         | -                  |                                  |        |            |
|               |                    | I.D                                        | 21.00                       | 20.50 | 21.50        | 21.36            | 21.35 | -            | -         | -                  |                                  |        |            |
|               |                    | T.L                                        | 4.00                        | 3.70  | 4.30         | 4.06             | 4.05  | -            | -         | -                  |                                  |        |            |
|               |                    |                                            |                             |       |              |                  |       |              |           |                    |                                  |        |            |
| INSPECTED BY: |                    | Jay Hadiyal                                |                             |       | APPROVED BY: |                  |       |              | Shreekant |                    |                                  |        |            |

Conclusion : ☒ Accept ☐ Reject ☐ Hold

