# MM-086000-SXUA-QCZA-FR-02-01-Final Inspection Report-Ex-V26I01

| INSP. No. | FIR-04 | Product Name | ENTRY COMPONENT | Size | M40 | Drawing No. | 313001M-04 | Date: | 04-11-2026 |
|---|---|---|---|---|---|---|---|---|---|
| Wo No. | 26000343 | Total Quantity | 10 | Lot Quantity | 10 | Sample Size- | 2 | Variable & Gauging | 2PCS |

| Sr. No. | Checking Parameter | REQUIRED PARAMETER | | | OBSERVED RESULTS | | | | | REJECTION REWORK DETAIL | REMARK | CHECKED BY |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | PARAMETER | CRITERIA | | 1 | 2 | - | - | - | | | |
| 1 | Visual | Surface | Fine, Clean | | FINE | FINE | - | - | - | | Measuring Instruments LD No- | |
| | | Sizewise No of Pcs. With Internal Parts | As per Drg. No. of Parts | 12 | 12 | 12 | - | - | - | | (1) DV-55 | |
| | | Washing & Plating | Surface Finishing | NA | NA | NA | - | - | - | | (2) PP-01 | |
| | | RUBBER MARKING | AS PER DRG. | NA | NA | NA | - | - | - | | | |
| | | Marking | WO Ref. No. | Metalmech Logo MM-EX-E1FUNV404MX6 2026 CE Logo 2460 Ex Logo II 2 GD Ex db IIC Gb, Ex eb IIC Gb, Ex tb IIIC Db, IP66/68 -55°C ≤ Ta ≤ +160°C Presafe 20 ATEX 48906X IECEx PRE 20.0124X | - | - | - | | ASM No:- CSEX261101-06/07 | |
| | | Assembly Perfection | As per Drg. | | OK | OK | - | - | - | | | |
| | | Inner Packing | Labeling & Printing | | OK | OK | - | - | - | | | |
| | | Outer Packing | Printing & Stamping | | OK | OK | - | - | - | | | |
| | | All Dimensions Are In MM | | | | | | | | | | |
| 2 | DIMENSION | | VALUE | - | + | 1 | 2 | - | - | - | | | |
| | | A/F | 50.00 | 49.81 | 50.00 | 49.92 | 49.91 | - | - | - | | |
| | | A/C | 55.00 | 54.20 | 55.80 | 54.95 | 54.93 | - | - | - | | |
| | | T.L | 37.00 | 37.00 | 37.50 | 37.25 | 37.23 | - | - | - | | |
| | | TH.L | 13.00 | 12.50 | 13.50 | 13.06 | 13.09 | - | - | - | | |
| | | LENGTH | 17.00 | 17.00 | 17.50 | 17.23 | 17.22 | - | - | - | | |
| | | GR.OD | 38.00 | 37.20 | 38.80 | 38.00 | 37.99 | - | - | - | | |
| | | GR.LE | 2.50 | 2.30 | 2.70 | 2.52 | 2.54 | - | - | - | | |
| | | O.D | 49.00 | 48.20 | 49.80 | 48.99 | 49.00 | - | - | - | | |
| | | O.D.L | 11.00 | 10.50 | 11.50 | 11.03 | 11.02 | - | - | - | | |
| | | H.L | 9.00 | 8.50 | 9.50 | 9.07 | 9.06 | - | - | - | | |
| | | I.D | 32.50 | 31.70 | 33.30 | 32.51 | 32.50 | - | - | - | | |
| | | INT.THL | 15.00 | 14.50 | 15.50 | 15.06 | 15.09 | - | - | - | | |
| | | THREAD | M40x1.5 AS PER T.R.G GO NOT GO | | | OK | OK | - | - | - | | |
| | | INT.THREAD | M45x1.5 AS PER P.G GO NOT GO | | | OK | OK | - | - | - | | |
| | | CH.ANGLE | 1.5x45° AS PER PP FOUND | | | OK | OK | - | - | - | | |
| | | CH.ANGLE | 0.5x45° AS PER PP FOUND | | | OK | OK | - | - | - | | |
| | | CH.ANGLE | 20° AS PER PP FOUND | | | OK | OK | - | - | - | | |
| | | ANGLE | 90° AS PER PP FOUND | | | OK | OK | - | - | - | | |

| *INSPECTED BY:* | *Jay Hadiyal* | *APPROVED BY:* | *Shreekant* |
|---|---|---|---|

**Conclusion :**

☑ **Accept** ☐ **Reject** ☐ **Hold**

METALMECH ENGINEERING CA PASSED

# MM-086000-SXUA-QCZA-FR-02-01-Final Inspection Report-Ex-V26I01

| | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|
| **INSP. No.** | FIR-04 | **Product Name** | INTERMIDIATE BODY | **Size** | M40 | **Drawing No.** | 313002U-04 | **Date:** | 04-11-2026 | | |
| **Wo No.** | 26000343 | **Total Quantity** | 10 | **Lot Quantity** | 10 | **Sample Size-** | 2 | **Variable & Gauging** | 2PCS | | |

| **Sr. No.** | **Checking Parameter** | **REQUIRED PARAMETER** | | | | **OBSERVED RESULTS** | | | | | **REJECTION REWORK DETAIL** | **REMARK** | **CHECKED BY** |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | **PARAMETER** | **CRITERIA** | | | **1** | **2** | - | - | - | | | |
| 1 | Visual | Surface | Fine, Clean | | | FINE | FINE | - | - | - | | Measuring Instruments I.D No- | |
| | | Sizewise No of Pcs. With Internal Parts | As per Drg. No. of Parts | 12 | | 12 | 12 | - | - | - | | (1) DV-55 | |
| | | Washing & Plating | Surface Finishing | NA | | NA | NA | - | - | - | | (2) PP-01 | |
| | | RUBBER MARKING | AS PER DRG. | NA | | NA | NA | - | - | - | | | |
| | | Marking | WO Ref. No. | NA | | NA | NA | - | - | - | | ASM No:- CSEX261101-06/07 | |
| | | Assembly Perfection | As per Drg. | | | OK | OK | - | - | - | | | |
| | | Inner Packing | Labeling & Printing | | | OK | OK | - | - | - | | | |
| | | Outer Packing | Printing & Stamping | | | OK | OK | - | - | - | | | |
| | | **All Dimensions Are In MM** | | | | | | | | | | | |
| 2 | DIMENSION | | VALUE | - | + | 1 | 2 | - | - | - | | | |
| | | A/F | 50.00 | 49.81 | 50.00 | 50.75 | 50.74 | - | - | - | | Deviation Confirmed With Gaurav Sir | |
| | | A/C | 55.00 | 54.20 | 55.80 | 54.93 | 54.95 | - | - | - | | | |
| | | T.L | 29.00 | 28.50 | 29.50 | 29.01 | 29.00 | - | - | - | | | |
| | | TH.L | 13.50 | 13.00 | 14.00 | 13.46 | 13.44 | - | - | - | | | |
| | | GR.OD | 43.00 | 42.20 | 43.80 | 43.04 | 43.06 | - | - | - | | | |
| | | GR.LE | 1.00 | 0.80 | 1.20 | 1.01 | 1.00 | - | - | - | | | |
| | | H.L | 6.00 | 5.70 | 6.30 | 6.06 | 6.09 | - | - | - | | | |
| | | TH.L | 9.50 | 9.00 | 10.00 | 9.47 | 9.49 | - | - | - | | | |
| | | GR.OD | 46.00 | 45.20 | 46.80 | 46.00 | 45.99 | - | - | - | | | |
| | | GR.LE | 1.00 | 0.80 | 1.20 | 1.00 | 1.01 | - | - | - | | | |
| | | I.D | 40.00 | 39.20 | 40.80 | 40.02 | 40.01 | - | - | - | | | |
| | | I.D | 42.50 | 41.70 | 43.30 | 42.52 | 42.50 | - | - | - | | | |
| | | DEPTH | 8.00 | 7.70 | 8.30 | 8.03 | 8.05 | - | - | - | | | |
| | | THREAD | M45x1.5 AS PER T.R.G GO NOT GO | | | OK | OK | - | - | - | | | |
| | | THREAD | M48x1.5 AS PER T.R.G GO NOT GO | | | OK | OK | - | - | - | | | |
| | | CH.ANGLE | 1x45° AS PER PP FOUND | | | OK | OK | - | - | - | | | |
| | | CH.ANGLE | 20° AS PER PP FOUND | | | OK | OK | - | - | - | | | |
| | | CH.ANGLE | 0.5x45° AS PER PP FOUND | | | OK | OK | - | - | - | | | |

| *INSPECTED BY:* | *Jay Hadiyal* | *APPROVED BY:* | *Shreekant* |
|---|---|---|---|

**Conclusion :**

☑ **Accept** ☐ **Reject** ☐ **Hold**

METAL MECH ENGINEERS PVT. LTD. QA PASSED

# MM-086000-SXUA-QCZA-FR-02-01-Final Inspection Report-Ex-V26I01

| INSP. No. | FIR-04 | Product Name | MIDDLE BODY | Size | M40 | Drawing No. | 313002-04 | Date: | 04-11-2026 |
|---|---|---|---|---|---|---|---|---|---|
| Wo No. | 26000343 | Total Quantity | 10 | Lot Quantity | 10 | Sample Size- | 2 | Variable & Gauging | 2PCS |

| Sr. No. | Checking Parameter | REQUIRED PARAMETER | | | OBSERVED RESULTS | | | | | REJECTION REWORK DETAIL | REMARK | CHECKED BY |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | PARAMETER | CRITERIA | | 1 | 2 | - | - | - | | | |
| 1 | Visual | Surface | Fine, Clean | | FINE | FINE | - | - | - | | Measuring Instruments I.D No- | |
| | | Sizewise No of Pcs. With Internal Parts | As per Drg. No. of Parts | 12 | 12 | 12 | - | - | - | | (1) DV-55 | |
| | | Washing & Plating | Surface Finishing | NA | NA | NA | - | - | - | | (2) PP-01 | |
| | | RUBBER MARKING | AS PER DRG. | NA | NA | NA | - | - | - | | | |
| | | Marking | WO Ref. No. | NA | NA | NA | - | - | - | | ASM No:- CSEN261101-06/07 | |
| | | Assembly Perfection | As per Drg. | | OK | OK | - | - | - | | | |
| | | Inner Packing | Labeling & Printing | | OK | OK | - | - | - | | | |
| | | Outer Packing | Printing & Stamping | | OK | OK | - | - | - | | | |
| | | All Dimensions Are In MM | | | | | | | | | | |
| 2 | DIMENSION | | VALUE | - | + | 1 | 2 | - | - | - | | | |
| | | A/F | 55.00 | 54.81 | 55.00 | 54.88 | 54.90 | - | - | - | | |
| | | A/C | 60.00 | 59.20 | 60.80 | 59.98 | 60.00 | - | - | - | | |
| | | T.L | 32.00 | 31.20 | 32.80 | 32.00 | 32.01 | - | - | - | | |
| | | TH.L | 15.00 | 14.50 | 15.50 | 14.99 | 14.98 | - | - | - | | |
| | | GR.OD | 50.00 | 49.20 | 50.80 | 50.03 | 50.02 | - | - | - | | |
| | | GR.LE | 1.00 | 0.80 | 1.20 | 1.00 | 0.99 | - | - | - | | |
| | | H.L | 9.00 | 8.50 | 9.50 | 9.03 | 9.05 | - | - | - | | |
| | | O.D | 53.00 | 52.20 | 53.80 | 53.01 | 53.00 | - | - | - | | |
| | | O.D.L | 8.00 | 7.70 | 8.30 | 8.02 | 7.99 | - | - | - | | |
| | | I.D | 40.50 | 39.70 | 41.30 | 40.58 | 40.59 | - | - | - | | |
| | | I.D | 41.50 | 40.70 | 42.30 | 41.53 | 41.52 | - | - | - | | |
| | | I.D.LE | 5.00 | 4.70 | 5.30 | 5.02 | 4.99 | - | - | - | | |
| | | INT.THL | 11.50 | 11.00 | 12.00 | 11.49 | 11.51 | - | - | - | | |
| | | GR.ID | 46.00 | 45.20 | 46.80 | 46.08 | 46.07 | - | - | - | | |
| | | GR.LE | 7.00 | 6.70 | 7.30 | 7.01 | 6.99 | - | - | - | | |
| | | DEPTH | 18.50 | 18.00 | 19.00 | 18.49 | 18.48 | - | - | - | | |
| | | THREAD | M48x1.5 AS PER T.R.G GO NOT GO | | | OK | OK | - | - | - | | |
| | | INT.THREAD | M52x1.5 AS PER P.G GO NOT GO | | | OK | OK | - | - | - | | |
| | | CH.ANGLE | 1x45° AS PER PP FOUND | | | OK | OK | - | - | - | | |
| | | CH.ANGLE | 30° AS PER PP FOUND | | | OK | OK | - | - | - | | |
| | | | | | | | | | | | | |

| INSPECTED BY: | Jay Hadiyal | APPROVED BY: | Shreekant |
|---|---|---|---|

**Conclusion :**

☑ **Accept** ☐ **Reject** ☐ **Hold**

METAMECH ENGINEERS PVT. LTD. QA PASSED

METAL MECA
THE SAFEST CONNECTIONS

# MM-086000-SXUA-QCZA-FR-02-01-Final Inspection Report-Ex-V26I01

| INSP. No. | FIR-04 | Product Name | BACK NUT | Size | M40 | Drawing No. | 313003-04 | Date: | 04-11-2026 |
|---|---|---|---|---|---|---|---|---|---|
| Wo No. | 26000343 | Total Quantity | 10 | Lot Quantity | 10 | Sample Size- | 2 | Variable & Gauging | 2PCS |

| Sr. No. | Checking Parameter | REQUIRED PARAMETER | | OBSERVED RESULTS | | | | | REJECTION REWORK DETAIL | REMARK | CHECKED BY |
|---|---|---|---|---|---|---|---|---|---|---|---|
| | | PARAMETER | CRITERIA | 1 | 2 | - | - | - | | | |
| 1 | Visual | Surface | Fine, Clean | FINE | FINE | - | - | - | | Measuring Instruments I.D No- | |
| | | Sizewise No of Pcs. With Internal Parts | As per Drg. No. of Parts 12 | 12 | 12 | - | - | - | | (1) DV-55 | |
| | | Washing & Plating | Surface Finishing NA | NA | NA | - | - | - | | (2) PP-01 | |
| | | RUBBER MARKING | AS PER DRG. NA | NA | NA | - | - | - | | | |
| | | Marking | WO Ref. No. NA | NA | NA | - | - | - | | ASM No:- CSEX261101-06/07 | |
| | | Assembly Perfection | As per Drg. | OK | OK | - | - | - | | | |
| | | Inner Packing | Labeling & Printing | OK | OK | - | - | - | | | |
| | | Outer Packing | Printing & Stamping | OK | OK | - | - | - | | | |
| | | All Dimensions Are In MM | | | | | | | | | |
| 2 | DIMENSION | | VALUE - + | 1 | 2 | - | - | - | | | |
| | | A/F | 55.00 54.81 55.00 | 54.86 | 54.85 | - | - | - | | | |
| | | A/C | 60.00 59.20 60.80 | 59.77 | 59.79 | - | - | - | | | |
| | | T.L | 23.00 22.50 23.50 | 23.03 | 23.05 | - | - | - | | | |
| | | O.D | 54.50 53.70 55.30 | 54.42 | 54.41 | - | - | - | | | |
| | | O.D.L | 10.00 9.50 10.50 | 10.02 | 10.00 | - | - | - | | | |
| | | H.L | 13.00 12.50 13.50 | 13.03 | 13.05 | - | - | - | | | |
| | | I.D | 45.50 44.70 46.30 | 45.45 | 45.48 | - | - | - | | | |
| | | INT.THL | 4.00 3.70 4.30 | 4.02 | 4.01 | - | - | - | | | |
| | | GR.ID | 52.20 51.40 53.00 | 52.25 | 52.23 | - | - | - | | | |
| | | GR.LE | 14.50 14.00 15.00 | 14.52 | 14.54 | - | - | - | | | |
| | | DEPTH | 18.50 18.00 19.00 | 18.52 | 18.55 | - | - | - | | | |
| | | GR.ID | 50.50 49.70 51.30 | 50.51 | 50.53 | - | - | - | | | |
| | | GR.LE | 2.50 2.30 2.70 | 2.52 | 2.54 | - | - | - | | | |
| | | DEPTH | 21.00 20.50 21.50 | 21.04 | 21.03 | - | - | - | | | |
| | | INT.THREAD | M52x1.5 AS PER P.G GO NOT GO | OK | OK | - | - | - | | | |
| | | CH.ANGLE | 0.5x45° AS PER PP FOUND | OK | OK | - | - | - | | | |
| | | CH.ANGLE | 1x45° AS PER PP FOUND | OK | OK | - | - | - | | | |
| | | CH.ANGLE | 45° AS PER PP FOUND | OK | OK | - | - | - | | | |

| INSPECTED BY: | Jay Hadiyal | APPROVED BY: | Shreekant |
|---|---|---|---|

**Conclusion :**

☑ **Accept** ☐ **Reject** ☐ **Hold**

METALMECH ENGINEERS QA PASSED

# MM-086000-SXUA-QCZA-FR-02-01-Final Inspection Report-Ex-V26I01

| | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|
| **INSP. No.** | FIR-04 | **Product Name** | UNIVERSAL CLAMPING CONE | | **Size** | M40 | | **Drawing No.** | 313005-04 | **Date:** | 04-11-2026 |
| **Wo No.** | 26000343 | **Total Quantity** | 10 | | **Lot Quantity** | 10 | | **Sample Size-** | 2 | Variable & Gauging | 2PCS |

| Sr. No. | Checking Parameter | REQUIRED PARAMETER | | | OBSERVED RESULTS | | | | | REJECTION REWORK DETAIL | REMARK | CHECKED BY |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | PARAMETER | CRITERIA | | 1 | 2 | - | - | - | | | |
| 1 | Visual | Surface | Fine, Clean | | FINE | FINE | - | - | - | | Measuring Instruments LD No- | |
| | | Sizewise No of Pcs. With Internal Parts | As per Drg. No. of Parts | 12 | 12 | 12 | - | - | - | | (1) DV-55 | |
| | | Washing & Plating | Surface Finishing | NA | NA | NA | - | - | - | | (2) PP-01 | |
| | | RUBBER MARKING | AS PER DRG. | NA | NA | NA | - | - | - | | | |
| | | Marking | WO Ref. No. | NA | NA | NA | - | - | - | | ASM No:- CSEX261101-06/07 | |
| | | Assembly Perfection | As per Drg. | | OK | OK | - | - | - | | | |
| | | Inner Packing | Labeling & Printing | | OK | OK | - | - | - | | | |
| | | Outer Packing | Printing & Stamping | | OK | OK | - | - | - | | | |
| | | **All Dimensions Are In MM** | | | | | | | | | | |
| 2 | DIMENSION | | VALUE | - + | 1 | 2 | - | - | - | | | |
| | | T.L | 30.00 | 29.50 30.50 | 30.00 | 29.99 | - | - | - | | | |
| | | O.D | 36.00 | 35.20 36.80 | 36.13 | 36.16 | - | - | - | | | |
| | | O.D.L | 5.50 | 5.20 5.80 | 5.52 | 5.54 | - | - | - | | | |
| | | O.D | 38.50 | 37.70 39.30 | 38.55 | 38.59 | - | - | - | | | |
| | | O.D.L | 2.50 | 2.30 2.70 | 2.52 | 2.54 | - | - | - | | | |
| | | GR.LENGTH | 0.50 | 0.30 0.70 | 0.50 | 0.49 | - | - | - | | | |
| | | O.D | 39.80 | 39.00 40.60 | 39.80 | 39.77 | - | - | - | | | |
| | | O.D.L | 11.00 | 10.50 11.50 | 11.05 | 11.04 | - | - | - | | | |
| | | O.D | 42.00 | 41.20 42.80 | 42.05 | 42.06 | - | - | - | | | |
| | | O.D.L | 8.00 | 7.70 8.30 | 8.04 | 8.06 | - | - | - | | | |
| | | O.D | 34.50 | 33.70 35.30 | 34.48 | 34.49 | - | - | - | | | |
| | | O.D.L | 6.50 | 6.20 6.80 | 6.55 | 6.54 | - | - | - | | | |
| | | O.D | 36.00 | 35.20 36.80 | 35.99 | 35.98 | - | - | - | | | |
| | | O.D | 36.50 | 35.70 37.30 | 36.52 | 36.49 | - | - | - | | | |
| | | O.D | 37.50 | 36.70 38.30 | 37.51 | 37.53 | - | - | - | | | |
| | | O.D.L | 11.00 | 10.70 11.30 | 11.01 | 11.00 | - | - | - | | | |
| | | I.D | 32.50 | 31.70 33.30 | 32.51 | 32.50 | - | - | - | | | |
| | | RADIUS | 0.50 MM AS PER PP FOUND | | OK | OK | - | - | - | | | |
| | | RADIUS | 0.3 MM AS PER PP FOUND | | OK | OK | - | - | - | | | |
| | | | | | | | | | | | | |

| | | | |
|---|---|---|---|
| *INSPECTED BY:* | *Jay Hadiyal* | *APPROVED BY:* | *Shreekant* |

**Conclusion :**

☑ **Accept** ☐ **Reject** ☐ **Hold**

METALMECH ENGINEERING CA PASSED

# MM-086000-SXUA-QCZA-FR-02-01-Final Inspection Report-Ex-V26I01

| | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|
| **INSP. No.** | FIR-04 | **Product Name** | REVERSIBLE ARMOURED RING | **Size** | M40 | **Drawing No.** | 313004-04 | **Date:** | 04-11-2026 |
| **Wo No.** | 26000343 | **Total Quantity** | 10 | **Lot Quantity** | 10 | **Sample Size-** | 2 | **Variable & Gauging** | 2PCS |

| **Sr. No.** | **Checking Parameter** | **REQUIRED PARAMETER** | | | **OBSERVED RESULTS** | | | | | **REJECTION REWORK DETAIL** | **REMARK** | **CHECKED BY** |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | **PARAMETER** | **CRITERIA** | | **1** | **2** | **-** | **-** | **-** | | | |
| 1 | Visual | Surface | Fine, Clean | | FINE | FINE | - | - | - | | Measuring Instruments I.D No- | |
| | | Sizewise No of Pcs. With Internal Parts | As per Drg. No. of Parts | 12 | 12 | 12 | - | - | - | | **(1) DV-55** | |
| | | Washing & Plating | Surface Finishing | NA | NA | NA | - | - | - | | **(2) PP-01** | |
| | | RUBBER MARKING | AS PER DRG. | NA | NA | NA | - | - | - | | | |
| | | Marking | WO Ref. No. | NA | NA | NA | - | - | - | | ASM No:- CSEX261101-06/07 | |
| | | Assembly Perfection | As per Drg. | | OK | OK | - | - | - | | | |
| | | Inner Packing | Labeling & Printing | | OK | OK | - | - | - | | | |
| | | Outer Packing | Printing & Stamping | | OK | OK | - | - | - | | | |
| | | **All Dimensions Are In MM** | | | | | | | | | | |

| | | | VALUE | - | + | 1 | 2 | - | - | - | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 2 | DIMENSION | T.L | 9.00 | 8.50 | 9.50 | 8.99 | 9.00 | - | - | - | | | |
| | | O.D | 44.00 | 43.20 | 44.80 | 44.03 | 44.05 | - | - | - | | | |
| | | I.D | 39.50 | 38.70 | 40.30 | 39.55 | 39.54 | - | - | - | | | |
| | | I.D | 40.30 | 39.50 | 41.10 | 40.38 | 40.37 | - | - | - | | | |
| | | | | | | | | | | | | | |

| *INSPECTED BY:* | *Jay Hadiyal* | *APPROVED BY:* | *Shreekant* |
|---|---|---|---|

**Conclusion :**

☑ **Accept** ☐ **Reject** ☐ **Hold**

METALMECH ENGINEERING CA PASSED

METAL MECH®
THE SAFEST CONNECTIONS

# MM-086000-SXUA-QCZA-FR-02-01-Final Inspection Report-Ex-V26I01

| INSP. No. | FIR-04 | Product Name | O-RING | Size | M40 | Drawing No. | OR-4M | Date: | 04-11-2026 |
|---|---|---|---|---|---|---|---|---|---|
| Wo No. | 26000343 | Total Quantity | 10 | Lot Quantity | 10 | Sample Size- | 2 | Variable & Gauging | 2PCS |

| Sr. No. | Checking Parameter | REQUIRED PARAMETER | | | OBSERVED RESULTS | | | | | REJECTION REWORK DETAIL | REMARK | CHECKED BY |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | PARAMETER | CRITERIA | | 1 | 2 | - | - | - | | | |
| 1 | Visual | Surface | Fine, Clean | | FINE | FINE | - | - | - | | Measuring Instruments I.D No- | |
| | | Sizewise No of Pcs. With Internal Parts | As per Drg. No. of Parts | 12 | 12 | 12 | - | - | - | | (1) DV-55 | |
| | | Washing & Plating | Surface Finishing | NA | NA | NA | - | - | - | | (2) PP-01 | |
| | | RUBBER MARKING | AS PER DRG. | NA | NA | NA | - | - | - | | | |
| | | Marking | WO Ref. No. | NA | NA | NA | - | - | - | | ASM No:- CSEX261101-06/07 | |
| | | Assembly Perfection | As per Drg. | | OK | OK | - | - | - | | | |
| | | Inner Packing | Labeling & Printing | | OK | OK | - | - | - | | | |
| | | Outer Packing | Printing & Stamping | | OK | OK | - | - | - | | | |
| | | All Dimensions Are In MM | | | | | | | | | | |
| 2 | DIMENSION | | VALUE | - | + | 1 | 2 | - | - | - | | |
| | | THICKNESS | 2.50 | 2.00 | 2.50 | 2.06 | 2.05 | - | - | - | | |
| | | I.D | 30.00 | 29.50 | 30.50 | 30.03 | 30.05 | - | - | - | | |
| | | | | | | | | | | | | |

| *INSPECTED BY:* | *Jay Hadiyal* | *APPROVED BY:* | *Shreekant* |
|---|---|---|---|

**Conclusion :**

☑ **Accept** ☐ **Reject** ☐ **Hold**

METALMECH ENGINEERING QA PASSED

METAL MECA®
THE SAFEST CONNECTIONS

# MM-086000-SXUA-QCZA-FR-02-01-Final Inspection Report-Ex-V26I01

| INSP. No. | FIR-04 | Product Name | COMPRESSIBLE INNER SEAL | Size | M40 | Drawing No. | GI-04 | Date: | 04-11-2026 |
|---|---|---|---|---|---|---|---|---|---|
| Wo No. | 26000343 | Total Quantity | 10 | Lot Quantity | 10 | Sample Size- | 2 | Variable & Gauging | 2PCS |

| Sr. No. | Checking Parameter | REQUIRED PARAMETER | | | OBSERVED RESULTS | | | | | REJECTION REWORK DETAIL | REMARK | CHECKED BY |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | PARAMETER | CRITERIA | | 1 | 2 | - | - | - | | | |
| 1 | Visual | Surface | Fine, Clean | | FINE | FINE | - | - | - | | Measuring Instruments I.D No- | |
| | | Sizewise No of Pcs. With Internal Parts | As per Drg. No. of Parts | 12 | 12 | 12 | - | - | - | | (1) DV-55 | |
| | | Washing & Plating | Surface Finishing | NA | NA | NA | - | - | - | | (2) PP-01 | |
| | | RUBBER MARKING | AS PER DRG. | OK | OK | OK | - | - | - | | | |
| | | Marking | WO Ref. No. | NA | NA | NA | - | - | - | | ASM No:- CSEX261101-06/07 | |
| | | Assembly Perfection | As per Drg. | | OK | OK | - | - | - | | | |
| | | Inner Packing | Labeling & Printing | | OK | OK | - | - | - | | | |
| | | Outer Packing | Printing & Stamping | | OK | OK | - | - | - | | | |
| | | All Dimensions Are In MM | | | | | | | | | | |
| 2 | DIMENSION | | VALUE | - | + | 1 | 2 | - | - | - | | | |
| | | T.L | 15.50 | 15.00 | 16.00 | 15.49 | 15.50 | - | - | - | | | |
| | | O.D.L | 6.00 | 5.70 | 6.30 | 6.02 | 5.99 | - | - | - | | | |
| | | O.D | 43.50 | 43.30 | 43.50 | 43.39 | 43.41 | - | - | - | | | |
| | | O.D.L | 9.50 | 9.00 | 10.00 | 9.52 | 9.54 | - | - | - | | | |
| | | I.D | 32.10 | 32.10 | 32.30 | 32.15 | 32.12 | - | - | - | | | |
| | | | | | | | | | | | | |

| INSPECTED BY: | Jay Hadiyal | APPROVED BY: | Shreekant |
|---|---|---|---|

**Conclusion :**

☑ **Accept** ☐ **Reject** ☐ **Hold**

METALMECH ENGINEERING QA PASSED

# MM-086000-SXUA-QCZA-FR-02-01-Final Inspection Report-Ex-V26I01

| | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|
| **INSP. No.** | FIR-04 | **Product Name** | COMPRESSIBLE OUTER SEAL | **Size** | M40 | **Drawing No.** | GE-04 | **Date:** | 04-11-2026 |
| **Wo No.** | 26000343 | **Total Quantity** | 10 | **Lot Quantity** | 10 | **Sample Size-** | 2 | **Variable & Gauging** | 2PCS |

| **Sr. No.** | **Checking Parameter** | **REQUIRED PARAMETER** | | | **OBSERVED RESULTS** | | | | | **REJECTION REWORK DETAIL** | **REMARK** | **CHECKED BY** |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | **PARAMETER** | **CRITERIA** | | **1** | **2** | **-** | **-** | **-** | | | |
| 1 | Visual | Surface | Fine, Clean | | FINE | FINE | - | - | - | | Measuring Instruments I.D No- | |
| | | Sizewise No of Pcs. With Internal Parts | As per Drg. No. of Parts | 12 | 12 | 12 | - | - | - | | **(1) DV-55** | |
| | | Washing & Plating | Surface Finishing | NA | NA | NA | - | - | - | | **(2) PP-01** | |
| | | RUBBER MARKING | AS PER DRG. | OK | OK | OK | - | - | - | | | |
| | | Marking | WO Ref. No. | NA | NA | NA | - | - | - | | ASM No:- CSEX261101-06/07 | |
| | | Assembly Perfection | As per Drg. | | OK | OK | - | - | - | | | |
| | | Inner Packing | Labeling & Printing | | OK | OK | - | - | - | | | |
| | | Outer Packing | Printing & Stamping | | OK | OK | - | - | - | | | |
| | | **All Dimensions Are In MM** | | | | | | | | | | |

| | | | VALUE | - | + | 1 | 2 | - | - | - | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 2 | DIMENSION | T.L | 15.00 | 14.50 | 15.50 | 15.03 | 15.02 | - | - | - | | | |
| | | O.D | 52.20 | 52.00 | 52.20 | 52.01 | 52.00 | - | - | - | | | |
| | | GR.LENGTH | 5.00 | 4.70 | 5.30 | 5.02 | 4.99 | - | - | - | | | |
| | | I.D | 40.00 | 39.90 | 40.10 | 40.04 | 40.06 | - | - | - | | | |
| | | | | | | | | | | | | | |

| *INSPECTED BY:* | *Jay Hadiyal* | *APPROVED BY:* | *Shreekant* |
|---|---|---|---|

**Conclusion :**

☑ **Accept** ☐ **Reject** ☐ **Hold**

METALMECH ENGINEERING CA PASSED

METAL MECA®
THE SAFEST CONNECTIONS

# MM-086000-SXUA-QCZA-FR-02-01-Final Inspection Report-Ex-V26I01

| INSP. No. | FIR-04 | Product Name | INNER SKID WASHER | Size | M40 | Drawing No. | IW-04 | Date: | 04-11-2026 |
|---|---|---|---|---|---|---|---|---|---|
| Wo No. | 26000343 | Total Quantity | 10 | Lot Quantity | 10 | Sample Size- | 2 | Variable & Gauging | 2PCS |

| Sr. No. | Checking Parameter | REQUIRED PARAMETER | | | OBSERVED RESULTS | | | | | REJECTION REWORK DETAIL | REMARK | CHECKED BY |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | PARAMETER | CRITERIA | | 1 | 2 | - | - | - | | | |
| 1 | Visual | Surface | Fine, Clean | | FINE | FINE | - | - | - | | Measuring Instruments I.D No- | |
| | | Sizewise No of Pcs. With Internal Parts | As per Drg. No. of Parts | 12 | 12 | 12 | - | - | - | | (1) DV-55 | |
| | | Washing & Plating | Surface Finishing | NA | NA | NA | - | - | - | | (2) PP-01 | |
| | | RUBBER MARKING | AS PER DRG. | OK | OK | OK | - | - | - | | | |
| | | Marking | WO Ref. No. | NA | NA | NA | - | - | - | | ASM No:- CSEX261101-06/07 | |
| | | Assembly Perfection | As per Drg. | | OK | OK | - | - | - | | | |
| | | Inner Packing | Labeling & Printing | | OK | OK | - | - | - | | | |
| | | Outer Packing | Printing & Stamping | | OK | OK | - | - | - | | | |
| | | All Dimensions Are In MM | | | | | | | | | | |
| 2 | DIMENSION | | VALUE | - | + | 1 | 2 | - | - | - | | | |
| | | T.L | 5.00 | 4.70 | 5.30 | 5.00 | 4.99 | - | - | - | | |
| | | O.D | 42.50 | 42.30 | 42.50 | 42.39 | 42.41 | - | - | - | | |
| | | O.D | 39.50 | 39.30 | 39.50 | 39.50 | 39.49 | - | - | - | | |
| | | O.D.L | 3.00 | 3.00 | 3.20 | 3.02 | 3.01 | - | - | - | | |
| | | I.D | 32.20 | 32.20 | 32.40 | 32.25 | 32.23 | - | - | - | | |
| | | | | | | | | | | | | |

| INSPECTED BY: | Jay Hadiyal | APPROVED BY: | Shreekant |
|---|---|---|---|

**Conclusion :**

☑ **Accept** ☐ **Reject** ☐ **Hold**

METALMECH ENGINEERING QA PASSED

METAL MECA®
THE SAFEST CONNECTIONS

# MM-086000-SXUA-QCZA-FR-02-01-Final Inspection Report-Ex-V26I01

| INSP. No. | FIR-04 | Product Name | OUTER SKID WASHER | Size | M40 | Drawing No. | OW-04 | Date: | 04-11-2026 |
|---|---|---|---|---|---|---|---|---|---|
| Wo No. | 26000343 | Total Quantity | 10 | Lot Quantity | 10 | Sample Size- | 2 | Variable & Gauging | 2PCS |

| Sr. No. | Checking Parameter | REQUIRED PARAMETER | | | OBSERVED RESULTS | | | | | REJECTION REWORK DETAIL | REMARK | CHECKED BY |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | PARAMETER | CRITERIA | | 1 | 2 | - | - | - | | | |
| 1 | Visual | Surface | Fine, Clean | | FINE | FINE | - | - | - | | Measuring Instruments I.D No- | |
| | | Sizewise No of Pcs. With Internal Parts | As per Drg. No. of Parts | 12 | 12 | 12 | - | - | - | | (1) DV-55 | |
| | | Washing & Plating | Surface Finishing | NA | NA | NA | - | - | - | | (2) PP-01 | |
| | | RUBBER MARKING | AS PER DRG. | OK | OK | OK | - | - | - | | | |
| | | Marking | WO Ref. No. | NA | NA | NA | - | - | - | | ASM No:- CSEX261101-06/07 | |
| | | Assembly Perfection | As per Drg. | | OK | OK | - | - | - | | | |
| | | Inner Packing | Labeling & Printing | | OK | OK | - | - | - | | | |
| | | Outer Packing | Printing & Stamping | | OK | OK | - | - | - | | | |
| | | All Dimensions Are In MM | | | | | | | | | | |
| 2 | DIMENSION | | VALUE | - | + | 1 | 2 | - | - | - | | | |
| | | T.L | 6.50 | 6.20 | 6.80 | 6.48 | 6.50 | - | - | - | | |
| | | O.D | 50.00 | 50.00 | 50.10 | 50.01 | 50.03 | - | - | - | | |
| | | O.D | 44.50 | 44.30 | 44.50 | 44.39 | 44.41 | - | - | - | | |
| | | O.D.L | 4.50 | 4.50 | 4.60 | 4.54 | 4.52 | - | - | - | | |
| | | I.D | 40.50 | 40.50 | 40.70 | 40.52 | 40.54 | - | - | - | | |
| | | | | | | | | | | | | |

| INSPECTED BY: | Jay Hadiyal | APPROVED BY: | Shreekant |
|---|---|---|---|

**Conclusion :**

☑ **Accept** ☐ **Reject** ☐ **Hold**



METAL MECH®
THE SAFEST CONNECTIONS

# MM-086000-SXUA-QCZA-FR-02-01-Final Inspection Report-Ex-V26I01

| INSP. No. | FIR-04 | Product Name | SHROUD | Size | M40 | Drawing No. | | Date: | 04-11-2026 |
|---|---|---|---|---|---|---|---|---|---|
| Wo No. | 26000343 | Total Quantity | 10 | Lot Quantity | 10 | Sample Size- | 2 | Variable & Gauging | 2PCS |

| Sr. No. | Checking Parameter | REQUIRED PARAMETER | | | OBSERVED RESULTS | | | | | REJECTION REWORK DETAIL | REMARK | CHECKED BY |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | PARAMETER | CRITERIA | | 1 | 2 | - | - | - | | | |
| 1 | Visual | Surface | Fine, Clean | | FINE | FINE | - | - | - | | Measuring Instruments I.D No- | |
| | | Sizewise No of Pcs. With Internal Parts | As per Drg. No. of Parts | 12 | 12 | 12 | - | - | - | | (1) DV-55 | |
| | | Washing & Plating | Surface Finishing | NA | NA | NA | - | - | - | | (2) PP-01 | |
| | | RUBBER MARKING | AS PER DRG. | OK | OK | OK | - | - | - | | | |
| | | Marking | WO Ref. No. | NA | NA | NA | - | - | - | | ASM No:- CSEX261101-06/07 | |
| | | Assembly Perfection | As per Drg. | | OK | OK | - | - | - | | | |
| | | Inner Packing | Labeling & Printing | | OK | OK | - | - | - | | | |
| | | Outer Packing | Printing & Stamping | | OK | OK | - | - | - | | | |
| | | All Dimensions Are In MM | | | | | | | | | | |

| | | | VALUE | - | + | 1 | 2 | - | - | - | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 2 | DIMENSION | T.L | 160.00 | 159.20 | 160.80 | 160.03 | 160.05 | - | - | - | | | |
| | | I.D | 58.00 | 57.20 | 58.80 | 58.05 | 58.04 | - | - | - | | | |
| | | | | | | | | | | | | | |

| INSPECTED BY: | Jay Hadiyal | APPROVED BY: | Shreekant |
|---|---|---|---|

**Conclusion :**

☑ **Accept** ☐ **Reject** ☐ **Hold**

METALMECH ENGINEERING QA PASSED

# MM-086000-SXUA-QCZA-FR-02-01-Final Inspection Report-Ex-V26I01

| | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|
| **INSP. No.** | FIR-04 | **Product Name** | EARTH TAG | **Size** | M40 | **Drawing No.** | | **Date:** | 04-11-2026 |
| **Wo No.** | 26000343 | **Total Quantity** | 10 | **Lot Quantity** | 10 | **Sample Size-** | 2 | **Variable & Gauging** | 2PCS |

| **Sr. No.** | **Checking Parameter** | **REQUIRED PARAMETER** | | | **OBSERVED RESULTS** | | | | | **REJECTION REWORK DETAIL** | **REMARK** | **CHECKED BY** |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | **PARAMETER** | **CRITERIA** | | **1** | **2** | **-** | **-** | **-** | | | |
| 1 | Visual | Surface | Fine, Clean | | FINE | FINE | - | - | - | | Measuring Instruments I.D No- | |
| | | Sizewise No of Pcs. With Internal Parts | As per Drg. No. of Parts | 12 | 12 | 12 | - | - | - | | (1) DV-55 | |
| | | Washing & Plating | Surface Finishing | NA | NA | NA | - | - | - | | (2) PP-01 | |
| | | RUBBER MARKING | AS PER DRG. | NA | NA | NA | - | - | - | | | |
| | | Marking | WO Ref. No. | NA | NA | NA | - | - | - | | ASM No:- CSEX261101-06/07 | |
| | | Assembly Perfection | As per Drg. | | OK | OK | - | - | - | | | |
| | | Inner Packing | Labeling & Printing | | OK | OK | - | - | - | | | |
| | | Outer Packing | Printing & Stamping | | OK | OK | - | - | - | | | |
| | | **All Dimensions Are In MM** | | | | | | | | | | |

| | | | VALUE | - | + | 1 | 2 | - | - | - | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 2 | DIMENSION | THICKNESS | 1.50 | 1.30 | 1.70 | 1.45 | 1.49 | - | - | - | | | |
| | | O.D | 52.20 | 51.40 | 53.00 | 52.22 | 52.25 | - | - | - | | | |
| | | O.D | 16.00 | 15.50 | 16.50 | 16.05 | 16.09 | - | - | - | | | |
| | | I.D | 43.00 | 42.20 | 43.80 | 43.04 | 43.08 | - | - | - | | | |
| | | I.D | 6.50 | 6.20 | 6.80 | 6.54 | 6.56 | - | - | - | | | |
| | | | | | | | | | | | | | |

| *INSPECTED BY:* | *Jay Hadiyal* | *APPROVED BY:* | *Shreekant* |
|---|---|---|---|

**Conclusion :**

☑ **Accept** ☐ **Reject** ☐ **Hold**

METALMECH ENGINEERING QA PASSED