



## MetalMech-08500-FR-QX-08-Final Inspection Report-EX

|               |                    |                                            |                              |       |              |                  |       |              |       |                               |                                  |            |
|---------------|--------------------|--------------------------------------------|------------------------------|-------|--------------|------------------|-------|--------------|-------|-------------------------------|----------------------------------|------------|
| INSP. No.     | FIR-03             | Product Name                               | LOCK NUT                     |       | Size         | M32              |       | Drawing No.  | DL3IS | Date:                         | 13-08-2026                       |            |
| Wo No.        | 26000236           | Total Quantity                             | 2                            |       | Lot Quantity | 2                |       | Sample Size- | 2     | Variable & Gauging            | 2PCS                             |            |
| Sr. No.       | Checking Parameter | REQUIRED PARAMETER                         |                              |       |              | OBSERVED RESULTS |       |              |       | REJECTION<br>REWORK<br>DETAIL | REMARK                           | CHECKED BY |
|               |                    | PARAMETER                                  | CRITERIA                     |       | 1            | 2                | -     | -            | -     |                               |                                  |            |
| 1             | Visual             | Surface                                    | Fine, Clean                  |       | FINE         | FINE             | -     | -            | -     |                               |                                  |            |
|               |                    | Sizewise No of Pcs.<br>With Internal Parts | As per Drg.<br>No. of Parts  | 3     | 3            | 3                | -     | -            | -     |                               | Measuring<br>Instruments I.D No- |            |
|               |                    | Washing & Plating                          | Surface<br>Finishing         | NA    | NA           | NA               | -     | -            | -     |                               | (1) DV-55                        |            |
|               |                    | RUBBER MARKING                             | AS PER DRG.                  | NA    | NA           | NA               | -     | -            | -     |                               | (2) PP-01                        |            |
|               |                    | Marking                                    | WO Ref. No.                  | NA    | NA           | NA               | -     | -            | -     |                               | ASM No :-<br>CSEX260812-03       |            |
|               |                    | Assembly Perfection                        | As per Drg.                  |       | OK           | OK               | -     | -            | -     |                               |                                  |            |
|               |                    | Inner Packing                              | Labeling &<br>Printing       |       | OK           | OK               | -     | -            | -     |                               |                                  |            |
|               |                    | Outer Packing                              | Printing & Stamping          |       | OK           | OK               | -     | -            | -     |                               |                                  |            |
|               |                    | All Dimensions Are In MM                   |                              |       |              |                  |       |              |       |                               |                                  |            |
| 2             | DIMENSION          |                                            | VALUE                        | -     | +            | 1                | 2     | -            | -     | -                             |                                  |            |
|               |                    | A/F                                        | 36.00                        | 35.84 | 36.00        | 35.94            | 35.96 | -            | -     | -                             |                                  |            |
|               |                    | A/C                                        | 39.00                        | 38.20 | 39.80        | 39.01            | 39.03 | -            | -     | -                             |                                  |            |
|               |                    | T.L                                        | 4.00                         | 3.70  | 4.30         | 4.04             | 4.06  | -            | -     | -                             |                                  |            |
|               |                    | THREAD                                     | M32x1.5 AS PER P.G GO NOT GO |       |              | OK               | OK    | -            | -     | -                             |                                  |            |
|               |                    | CH.ANGLE                                   | 30° AS PER PP FOUND          |       |              | OK               | OK    | -            | -     | -                             |                                  |            |
|               |                    |                                            |                              |       |              |                  |       |              |       |                               |                                  |            |
| INSPECTED BY: |                    | Jay Hadiyal                                |                              |       | APPROVED BY: |                  |       | Shreekant    |       |                               |                                  |            |

Conclusion :



Accept



Reject



Hold



|  |                    | MetalMech-08500-FR-QX-08-Final Inspection Report-EX |                                |                                                                                    |              |                  |       |     |           |                         |        |            |                    |            |  |
|----------------------------------------------------------------------------------|--------------------|-----------------------------------------------------|--------------------------------|------------------------------------------------------------------------------------|--------------|------------------|-------|-----|-----------|-------------------------|--------|------------|--------------------|------------|--|
| INSP. No.                                                                        | FIR-03             | Product Name                                        |                                | PLUG                                                                               |              | Size             |       | M32 |           | Drawing No.             |        | PLG3M      | Date:              | 13-08-2026 |  |
| Wo No.                                                                           | 26000236           | Total Quantity                                      |                                | 2                                                                                  |              | Lot Quantity     |       | 2   |           | Sample Size-            |        | 2          | Variable & Gauging | 2PCS       |  |
| Sr. No.                                                                          | Checking Parameter | REQUIRED PARAMETER                                  |                                |                                                                                    |              | OBSERVED RESULTS |       |     |           | REJECTION Rework Detail | REMARK | CHECKED BY |                    |            |  |
|                                                                                  |                    | PARAMETER                                           | CRITERIA                       |                                                                                    | 1            | 2                | -     | -   | -         |                         |        |            |                    |            |  |
| 1                                                                                | Visual             | Surface                                             | Fine, Clean                    |                                                                                    | FINE         | FINE             | -     | -   | -         |                         |        |            |                    |            |  |
|                                                                                  |                    | Sizewise No of Pcs. With Internal Parts             | As per Drg. No. of Parts       | 3                                                                                  | 3            | 3                | -     | -   | -         |                         |        |            |                    |            |  |
|                                                                                  |                    | Washing & Plating                                   | Surface Finishing              | NA                                                                                 | NA           | NA               | -     | -   | -         |                         |        |            |                    |            |  |
|                                                                                  |                    | RUBBER MARKING                                      | AS PER DRG.                    | NA                                                                                 | NA           | NA               | -     | -   | -         |                         |        |            |                    |            |  |
|                                                                                  |                    | Marking                                             | WO Ref. No.                    | Metalmech Logo MM-EX-PLG3MX6 2026 CE Logo 2460 Ex Logo II 2 GD Ex db IIC Gb, Ex eb | OK           | OK               | -     | -   | -         |                         |        |            |                    |            |  |
|                                                                                  |                    | Assembly Perfection                                 | As per Drg.                    |                                                                                    | OK           | OK               | -     | -   | -         |                         |        |            |                    |            |  |
|                                                                                  |                    | Inner Packing                                       | Labeling & Printing            |                                                                                    | OK           | OK               | -     | -   | -         |                         |        |            |                    |            |  |
|                                                                                  |                    | Outer Packing                                       | Printing & Stamping            |                                                                                    | OK           | OK               | -     | -   | -         |                         |        |            |                    |            |  |
| All Dimensions Are In MM                                                         |                    |                                                     |                                |                                                                                    |              |                  |       |     |           |                         |        |            |                    |            |  |
| 2                                                                                | DIMENSION          |                                                     | VALUE                          | -                                                                                  | +            | 1                | 2     | -   | -         | -                       |        |            |                    |            |  |
|                                                                                  |                    | T.L                                                 | 22.00                          | 21.50                                                                              | 22.50        | 22.20            | 22.19 | -   | -         | -                       |        |            |                    |            |  |
|                                                                                  |                    | O.D                                                 | 40.00                          | 39.20                                                                              | 40.80        | 39.99            | 40.00 | -   | -         | -                       |        |            |                    |            |  |
|                                                                                  |                    | O.D.L                                               | 6.00                           | 5.70                                                                               | 6.30         | 6.08             | 6.09  | -   | -         | -                       |        |            |                    |            |  |
|                                                                                  |                    | TH.L                                                | 13.00                          | 12.50                                                                              | 13.50        | 13.06            | 13.09 | -   | -         | -                       |        |            |                    |            |  |
|                                                                                  |                    | LENGTH                                              | 16.00                          | 15.50                                                                              | 16.50        | 16.05            | 16.08 | -   | -         | -                       |        |            |                    |            |  |
|                                                                                  |                    | GR.OD                                               | 30.00                          | 29.50                                                                              | 30.50        | 29.95            | 29.94 | -   | -         | -                       |        |            |                    |            |  |
|                                                                                  |                    | GR.LE                                               | 1.50                           | 1.30                                                                               | 1.70         | 1.55             | 1.54  | -   | -         | -                       |        |            |                    |            |  |
|                                                                                  |                    | INT-(A/F)                                           | 14.00                          | 14.00                                                                              | 14.20        | 14.13            | 14.12 | -   | -         | -                       |        |            |                    |            |  |
|                                                                                  |                    | INT-(A/F).LE                                        | 10.00                          | 9.50                                                                               | 10.50        | 10.25            | 10.24 | -   | -         | -                       |        |            |                    |            |  |
|                                                                                  |                    | GR.ID                                               | 17.50                          | 17.00                                                                              | 18.00        | 17.54            | 17.56 | -   | -         | -                       |        |            |                    |            |  |
|                                                                                  |                    | GR.LE                                               | 4.00                           | 3.70                                                                               | 4.30         | 4.08             | 4.07  | -   | -         | -                       |        |            |                    |            |  |
|                                                                                  |                    | DEPTH                                               | 14.00                          | 13.50                                                                              | 14.50        | 14.32            | 14.31 | -   | -         | -                       |        |            |                    |            |  |
|                                                                                  |                    | CH.DIA                                              | 17 MM AS PER PP FOUND          |                                                                                    |              | OK               | OK    | -   | -         | -                       |        |            |                    |            |  |
|                                                                                  |                    | THREAD                                              | M32x1.5 AS PER T.R.G GO NOT GO |                                                                                    |              | OK               | OK    | -   | -         | -                       |        |            |                    |            |  |
|                                                                                  |                    | CH.ANGLE                                            | 1.5x45° AS PER PP FOUND        |                                                                                    |              | OK               | OK    | -   | -         | -                       |        |            |                    |            |  |
|                                                                                  |                    | CH.ANGLE                                            | 2x45° AS PER PP FOUND          |                                                                                    |              | OK               | OK    | -   | -         | -                       |        |            |                    |            |  |
|                                                                                  |                    | GR.ANGLE                                            | 67° AS PER PP FOUND            |                                                                                    |              | OK               | OK    | -   | -         | -                       |        |            |                    |            |  |
| INSPECTED BY:                                                                    |                    | Jay Hadiyal                                         |                                |                                                                                    | APPROVED BY: |                  |       |     | Shreekant |                         |        |            |                    |            |  |

Conclusion :



Accept



Reject



Hold





MetalMech-08500-FR-QX-08-Final Inspection Report-EX

|               |                    |                                            |                             |       |              |                  |       |   |              |   |                                  |                    |            |
|---------------|--------------------|--------------------------------------------|-----------------------------|-------|--------------|------------------|-------|---|--------------|---|----------------------------------|--------------------|------------|
| INSP. No.     | FIR-03             | Product Name                               | O-RING                      |       | Size         |                  | M32   |   | Drawing No.  |   | OR-3M                            | Date:              | 13-08-2026 |
| Wo No.        | 26000236           | Total Quantity                             | 2                           |       | Lot Quantity |                  | 2     |   | Sample Size- |   | 2                                | Variable & Gauging | 2PCS       |
| Sr. No.       | Checking Parameter | REQUIRED PARAMETER                         |                             |       |              | OBSERVED RESULTS |       |   |              |   | REJECTION<br>REWORK<br>DETAIL    | REMARK             | CHECKED BY |
|               |                    | PARAMETER                                  | CRITERIA                    |       | 1            | 2                | -     | - | -            |   |                                  |                    |            |
| 1             | Visual             | Surface                                    | Fine, Clean                 |       | FINE         | FINE             | -     | - | -            |   | Measuring<br>Instruments I.D No- |                    |            |
|               |                    | Sizewise No of Pcs.<br>With Internal Parts | As per Drg.<br>No. of Parts | 3     | 3            | 3                | -     | - | -            |   | (1) DV-55                        |                    |            |
|               |                    | Washing & Plating                          | Surface<br>Finishing        | NA    | NA           | NA               | -     | - | -            |   | (2) PP-01                        |                    |            |
|               |                    | RUBBER MARKING                             | AS PER DRG.                 | NA    | NA           | NA               | -     | - | -            |   |                                  |                    |            |
|               |                    | Marking                                    | WO Ref. No.                 | NA    | NA           | NA               | -     | - | -            |   | ASM No :-<br>CSEX260812-03       |                    |            |
|               |                    | Assembly Perfection                        | As per Drg.                 |       | OK           | OK               | -     | - | -            |   |                                  |                    |            |
|               |                    | Inner Packing                              | Labeling &<br>Printing      |       | OK           | OK               | -     | - | -            |   |                                  |                    |            |
|               |                    | Outer Packing                              | Printing & Stamping         |       | OK           | OK               | -     | - | -            |   |                                  |                    |            |
|               |                    | All Dimensions Are In MM                   |                             |       |              |                  |       |   |              |   |                                  |                    |            |
| 2             | DIMENSION          |                                            | VALUE                       | -     | +            | 1                | 2     | - | -            | - |                                  |                    |            |
|               |                    | THICKNESS                                  | 2.50                        | 2.00  | 2.50         | 2.04             | 2.06  | - | -            | - |                                  |                    |            |
|               |                    | I.D                                        | 29.00                       | 28.50 | 29.50        | 29.03            | 29.05 | - | -            | - |                                  |                    |            |
|               |                    |                                            |                             |       |              |                  |       |   |              |   |                                  |                    |            |
| INSPECTED BY: |                    | Jay Hadiyal                                |                             |       | APPROVED BY: |                  |       |   | Shreekant    |   |                                  |                    |            |

Conclusion :

☒

Accept

☐

Reject

☐

Hold

