



MetalMech-08500-FR-QX-08-Final Inspection Report-EX

|               |                    |                                            |                               |       |              |                  |       |              |       |                               |                                  |            |
|---------------|--------------------|--------------------------------------------|-------------------------------|-------|--------------|------------------|-------|--------------|-------|-------------------------------|----------------------------------|------------|
| INSP. No.     | FIR-023            | Product Name                               | LOCK NUT                      |       | Size         | 1/2" NPT         |       | Drawing No.  | DLINS | Date:                         | 21-09-2026                       |            |
| Wo No.        | 26100080           | Total Quantity                             | 75                            |       | Lot Quantity | 75               |       | Sample Size- | 3     | Variable & Gauging            | 3PCS                             |            |
| Sr. No.       | Checking Parameter | REQUIRED PARAMETER                         |                               |       |              | OBSERVED RESULTS |       |              |       | REJECTION<br>REWORK<br>DETAIL | REMARK                           | CHECKED BY |
|               |                    | PARAMETER                                  | CRITERIA                      |       | 1            | 2                | 3     | -            | -     |                               |                                  |            |
| 1             | Visual             | Surface                                    | Fine, Clean                   |       | FINE         | FINE             | FINE  | -            | -     |                               | Measuring<br>Instruments I.D No- |            |
|               |                    | Sizewise No of Pcs.<br>With Internal Parts | As per Drg. No.<br>of Parts   | 2     | 2            | 2                | 2     | -            | -     |                               | (1) DV-55                        |            |
|               |                    | Washing & Plating                          | Surface<br>Finishing          | NA    | NA           | NA               | NA    | -            | -     |                               | (2) PP-01                        |            |
|               |                    | RUBBER MARKING                             | AS PER DRG.                   | NA    | NA           | NA               | NA    | -            | -     |                               |                                  |            |
|               |                    | Marking                                    | WO Ref. No.                   | NA    | NA           | NA               | NA    | -            | -     |                               | ASM No :-<br>CSEX260831-02       |            |
|               |                    | Assembly Perfection                        | As per Drg.                   |       | OK           | OK               | OK    | -            | -     |                               |                                  |            |
|               |                    | Inner Packing                              | Labeling &<br>Printing        |       | OK           | OK               | OK    | -            | -     |                               |                                  |            |
|               |                    | Outer Packing                              | Printing & Stamping           |       | OK           | OK               | OK    | -            | -     |                               |                                  |            |
|               |                    | All Dimensions Are In MM                   |                               |       |              |                  |       |              |       |                               |                                  |            |
| 2             | DIMENSION          |                                            | VALUE                         | -     | +            | 1                | 2     | 3            | -     | -                             |                                  |            |
|               |                    | A/F                                        | 24.00                         | 23.87 | 24.00        | 23.90            | 23.89 | 23.90        | -     | -                             |                                  |            |
|               |                    | A/C                                        | 26.00                         | 25.50 | 26.50        | 25.99            | 26.00 | 25.98        | -     | -                             |                                  |            |
|               |                    | T.L                                        | 4.00                          | 3.70  | 4.30         | 4.00             | 4.01  | 4.00         | -     | -                             |                                  |            |
|               |                    | THREAD                                     | 1/2" NPT AS PER P.G GO NOT GO |       |              | OK               | OK    | OK           | -     | -                             |                                  |            |
|               |                    |                                            |                               |       |              |                  |       |              |       |                               |                                  |            |
| INSPECTED BY: |                    | Jay Hadiyal                                |                               |       | APPROVED BY: |                  |       | Shreekant    |       |                               |                                  |            |

Conclusion : ☒ Accept ☐ Reject ☐ Hold





MetalMech-08500-FR-QX-08-Final Inspection Report-EX

|               |                    |                                            |                             |       |              |                  |       |              |           |                               |                                  |            |
|---------------|--------------------|--------------------------------------------|-----------------------------|-------|--------------|------------------|-------|--------------|-----------|-------------------------------|----------------------------------|------------|
| INSP. No.     | FIR-023            | Product Name                               | TEFLON WASHER               |       | Size         | 1/2" NPT         |       | Drawing No.  | -         | Date:                         | 21-09-2026                       |            |
| Wo No.        | 26100080           | Total Quantity                             | 75                          |       | Lot Quantity | 75               |       | Sample Size- | 3         | Variable & Gauging            | 3PCS                             |            |
| Sr. No.       | Checking Parameter | REQUIRED PARAMETER                         |                             |       |              | OBSERVED RESULTS |       |              |           | REJECTION<br>REWORK<br>DETAIL | REMARK                           | CHECKED BY |
|               |                    | PARAMETER                                  | CRITERIA                    |       | 1            | 2                | 3     | -            | -         |                               |                                  |            |
| 1             | Visual             | Surface                                    | Fine, Clean                 |       | FINE         | FINE             | FINE  | -            | -         |                               | Measuring<br>Instruments I.D No- |            |
|               |                    | Sizewise No of Pcs.<br>With Internal Parts | As per Drg. No.<br>of Parts | 2     | 2            | 2                | 2     | -            | -         |                               | (1) DV-55                        |            |
|               |                    | Washing & Plating                          | Surface<br>Finishing        | NA    | NA           | NA               | NA    | -            | -         |                               | (2) PP-01                        |            |
|               |                    | RUBBER MARKING                             | AS PER DRG.                 | NA    | NA           | NA               | NA    | -            | -         |                               |                                  |            |
|               |                    | Marking                                    | WO Ref. No.                 | NA    | NA           | NA               | NA    | -            | -         |                               | ASM No :-<br>CSEX260831-02       |            |
|               |                    | Assembly Perfection                        | As per Drg.                 |       | OK           | OK               | OK    | -            | -         |                               |                                  |            |
|               |                    | Inner Packing                              | Labeling &<br>Printing      |       | OK           | OK               | OK    | -            | -         |                               |                                  |            |
|               |                    | Outer Packing                              | Printing & Stamping         |       | OK           | OK               | OK    | -            | -         |                               |                                  |            |
|               |                    | All Dimensions Are In MM                   |                             |       |              |                  |       |              |           |                               |                                  |            |
| 2             | DIMENSION          |                                            | VALUE                       | -     | +            | 1                | 2     | 3            | -         | -                             |                                  |            |
|               |                    | THICKNESS                                  | 2.00                        | 1.80  | 2.20         | 2.03             | 2.02  | 2.01         | -         | -                             |                                  |            |
|               |                    | O.D                                        | 26.00                       | 25.50 | 26.50        | 26.05            | 26.03 | 26.06        | -         | -                             |                                  |            |
|               |                    | I.D                                        | 21.50                       | 21.00 | 22.00        | 21.74            | 21.71 | 21.73        | -         | -                             |                                  |            |
|               |                    |                                            |                             |       |              |                  |       |              |           |                               |                                  |            |
| INSPECTED BY: |                    | Jay Hadiyal                                |                             |       | APPROVED BY: |                  |       |              | Shreekant |                               |                                  |            |

Conclusion : ☒ Accept ☐ Reject ☐ Hold



## MetalMech-08500-FR-QX-08-Final Inspection Report-EX

|               |                    |                                            |                                 |       |              |                  |          |           |              |   |                                  |                                        |            |
|---------------|--------------------|--------------------------------------------|---------------------------------|-------|--------------|------------------|----------|-----------|--------------|---|----------------------------------|----------------------------------------|------------|
| INSP. No.     | FIR-023            | Product Name                               | PLUG                            |       | Size         |                  | 1/2" NPT |           | Drawing No.  |   | -                                | Date:                                  | 21-09-2026 |
| Wo No.        | 26100080           | Total Quantity                             | 75                              |       | Lot Quantity |                  | 75       |           | Sample Size- |   | 3                                | Variable & Gauging                     | 3PCS       |
| Sr. No.       | Checking Parameter | REQUIRED PARAMETER                         |                                 |       |              | OBSERVED RESULTS |          |           |              |   | REJECTION<br>REWORK<br>DETAIL    | REMARK                                 | CHECKED BY |
|               |                    | PARAMETER                                  | CRITERIA                        |       | 1            | 2                | 3        | -         | -            |   |                                  |                                        |            |
| 1             | Visual             | Surface                                    | Fine, Clean                     |       | FINE         | FINE             | FINE     | -         | -            |   | Measuring<br>Instruments I.D No- |                                        |            |
|               |                    | Sizewise No of Pcs.<br>With Internal Parts | As per Drg. No.<br>of Parts     | 2     | 2            | 2                | 2        | -         | -            |   | (1) DV-55                        |                                        |            |
|               |                    | Washing & Plating                          | Surface<br>Finishing            | NA    | NA           | NA               | NA       | -         | -            |   | (2) PP-01                        |                                        |            |
|               |                    | RUBBER MARKING                             | AS PER DRG.                     | NA    | NA           | NA               | NA       | -         | -            |   |                                  |                                        |            |
|               |                    | Marking                                    | WO Ref. No.                     | OK    | OK           | OK               | OK       | -         | -            |   | ASM No :-<br>CSEX260831-02       |                                        |            |
|               |                    | Assembly Perfection                        | As per Drg.                     |       | OK           | OK               | OK       | -         | -            |   |                                  |                                        |            |
|               |                    | Inner Packing                              | Labeling &<br>Printing          |       | OK           | OK               | OK       | -         | -            |   |                                  |                                        |            |
|               |                    | Outer Packing                              | Printing & Stamping             |       | OK           | OK               | OK       | -         | -            |   |                                  |                                        |            |
|               |                    | All Dimensions Are In MM                   |                                 |       |              |                  |          |           |              |   |                                  |                                        |            |
| 2             | DIMENSION          |                                            | VALUE                           | -     | +            | 1                | 2        | 3         | -            | - |                                  |                                        |            |
|               |                    | A/F                                        | 26.00                           | 25.87 | 26.00        | 26.85            | 26.84    | 26.82     | -            | - |                                  | Deviation Confirmed<br>With Gaurav Sir |            |
|               |                    | TH.LE                                      | 20.00                           | 19.50 | 20.50        | 20.03            | 20.02    | 20.01     | -            | - |                                  |                                        |            |
|               |                    | H.L                                        | 10.00                           | 9.50  | 10.50        | 10.01            | 10.03    | 10.02     | -            | - |                                  |                                        |            |
|               |                    | I.D-1                                      | 2.00                            | 1.80  | 2.20         | 2.03             | 2.02     | 2.01      | -            | - |                                  |                                        |            |
|               |                    | I.D-2                                      | 2.00                            | 1.80  | 2.20         | 2.02             | 2.01     | 2.03      | -            | - |                                  |                                        |            |
|               |                    | THREAD                                     | 1/2" NPT AS PER T.R.G GO NOT GO |       |              | OK               | OK       | OK        | -            | - |                                  |                                        |            |
|               |                    | INT.THREAD                                 | M15x1 AS PER P.G GO NOT GO      |       |              | OK               | OK       | OK        | -            | - |                                  |                                        |            |
|               |                    |                                            |                                 |       |              |                  |          |           |              |   |                                  |                                        |            |
| INSPECTED BY: |                    | Jay Hadiyal                                |                                 |       | APPROVED BY: |                  |          | Shreekant |              |   |                                  |                                        |            |

Conclusion :



Accept



Reject



Hold

