# MM-086000-SXUA-QCZA-FR-02-01-Final Inspection Report-Ex-V26I01

| INSP. No. | FIR-013 | Product Name | LOCK NUT | Size | M50 | Drawing No. | DL5IS | Date: | 15-10-2026 |
|---|---|---|---|---|---|---|---|---|---|
| Wo No. | 26100105 | Total Quantity | 10 | Lot Quantity | 10 | Sample Size | 2 | Variable & Gauging | 2PCS |

| Sr. No. | Checking Parameter | REQUIRED PARAMETER | | | OBSERVED RESULTS | | | | | REJECTION REWORK DETAIL | REMARK | CHECKED BY |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | PARAMETER | CRITERIA | | 1 | 2 | - | - | - | | | |
| 1 | Visual | Surface | Fine, Clean | | FINE | FINE | - | - | - | | Measuring Instruments I.D No- | |
| | | Sizewise No of Pcs. With Internal Parts | As per Drg. No. of Parts | 10 | 10 | 10 | - | - | - | | (1) DV-55 | |
| | | Washing & Plating | Surface Finishing | NA | NA | NA | - | - | - | | (2) PP-01 | |
| | | RUBBER MARKING | AS PER DRG. | NA | NA | NA | - | - | - | | | |
| | | Marking | WO Ref. No. | NA | NA | NA | - | - | - | | ASM No - CEX260927-10 | |
| | | Assembly Perfection | As per Drg. | | OK | OK | - | - | - | | | |
| | | Inner Packing | Labeling & Printing | | OK | OK | - | - | - | | | |
| | | Outer Packing | Printing & Stamping | | OK | OK | - | - | - | | | |
| | | All Dimensions Are In MM | | | | | | | | | | |
| 2 | DIMENSION | | VALUE | - | + | 1 | 2 | - | - | - | | | |
| | | A/F | 55.00 | 54.81 | 55.00 | 54.95 | 54.94 | - | - | - | | |
| | | A/C | 60.00 | 59.20 | 60.80 | 60.01 | 60.03 | - | - | - | | |
| | | T.L | 7.00 | 6.70 | 7.30 | 7.02 | 7.04 | - | - | - | | |
| | | THREAD | M50x1.5 AS PER P.G GO NOT GO | | | OK | OK | - | - | - | | |
| | | CH.ANGLE | 30° AS PER PP FOUND | | | OK | OK | - | - | - | | |
| | | | | | | | | | | | | |

| INSPECTED BY: | Jay Hadiyal | APPROVED BY: | Shreekant |
|---|---|---|---|

**Conclusion :**

☑ **Accept** ☐ **Reject** ☐ **Hold**

METALMECH ENGINEERING CA PASSED JB Hadiyal

METAL MECA
THE SAFEST CONNECTIONS

# MM-086000-SXUA-QCZA-FR-02-01-Final Inspection Report-Ex-V26I01

| | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| **INSP. No.** | FIR-013 | **Product Name** | ENTRY COMPONENT | **Size** | M50 | **Drawing No.** | 313001M-05 | **Date:** | 15-10-2026 |
| **Wo No.** | 26100105 | **Total Quantity** | 10 | **Lot Quantity** | 10 | **Sample Size** | 2 | Variable & Gauging | 2PCS |

| Sr. No. | Checking Parameter | REQUIRED PARAMETER | | OBSERVED RESULTS | | | | | REJECTION REWORK DETAIL | REMARK | CHECKED BY |
|---|---|---|---|---|---|---|---|---|---|---|---|
| | | PARAMETER | CRITERIA | 1 | 2 | - | - | - | | | |
| 1 | Visual | Surface | Fine, Clean | FINE | FINE | - | - | - | | Measuring Instruments I.D No- | |
| | | Sizewise No of Pcs. With Internal Parts | As per Drg. No. of Parts 10 | 10 | 10 | - | - | - | | (1) DV-55 | |
| | | Washing & Plating | Surface Finishing NA | NA | NA | - | - | - | | (2) PP-01 | |
| | | RUBBER MARKING | AS PER DRG. NA | NA | NA | - | - | - | | | |
| | | Marking | WO Ref. No. Metalmech Logo MM-EX-A2F505MX6 2026 CE Logo 2460 Ex Logo II 2 GD Ex db IIC Gb, Ex eb IIC Gb, Ex tb IIIC Db, IP66/68 -55°C ≤ Ta ≤ +160°C Presafe 20 ATEX 48906X IECEx PRE 20.0124X | | | - | - | - | | ASM No - CEX260927-10 | |
| | | Assembly Perfection | As per Drg. | OK | OK | - | - | - | | | |
| | | Inner Packing | Labeling & Printing | OK | OK | - | - | - | | | |
| | | Outer Packing | Printing & Stamping | OK | OK | - | - | - | | | |
| | | **All Dimensions Are In MM** | | | | | | | | | |
| 2 | DIMENSION | | VALUE - + | 1 | 2 | - | - | - | | | |
| | | A/F | 60.00 59.81 60.00 | 59.88 | 59.90 | - | - | - | | | |
| | | A/C | 65.00 64.20 65.80 | 65.02 | 65.01 | - | - | - | | | |
| | | T.L | 38.00 38.00 38.50 | 38.27 | 38.29 | - | - | - | | | |
| | | TH.L | 13.00 12.50 13.50 | 13.09 | 13.08 | - | - | - | | | |
| | | LENGTH | 17.00 17.00 17.50 | 17.23 | 17.25 | - | - | - | | | |
| | | GR.OD | 48.00 47.20 48.80 | 48.00 | 47.99 | - | - | - | | | |
| | | GR.LE | 2.50 2.30 2.70 | 2.52 | 2.54 | - | - | - | | | |
| | | O.D | 59.00 58.20 59.80 | 58.98 | 58.99 | - | - | - | | | |
| | | O.D.L | 12.00 11.50 12.50 | 12.01 | 12.03 | - | - | - | | | |
| | | H.L | 9.00 8.50 9.50 | 9.03 | 9.05 | - | - | - | | | |
| | | I.D | 44.50 43.70 45.30 | 44.50 | 44.49 | - | - | - | | | |
| | | DEPTH | 15.00 14.50 15.50 | 15.10 | 15.13 | - | - | - | | | |
| | | THREAD | M50x1.5 AS PER T.R.G GO NOT GO | OK | OK | - | - | - | | | |
| | | INT.THREAD | M56x1.5 AS PER P.G GO NOT GO | OK | OK | - | - | - | | | |
| | | CH.ANGLE | 1x45° AS PER PP FOUND | OK | OK | - | - | - | | | |
| | | CH.ANGLE | 1.5x45° AS PER PP FOUND | OK | OK | - | - | - | | | |
| | | CH.ANGLE | 20° AS PER PP FOUND | OK | OK | - | - | - | | | |
| | | ANGLE | 90° AS PER PP FOUND | OK | OK | - | - | - | | | |
| | | | | | | | | | | | |

| *INSPECTED BY:* | *Jay Hadiyal* | *APPROVED BY:* | *Shreekant* |
|---|---|---|---|

**Conclusion :**

☑ **Accept** ☐ **Reject** ☐ **Hold**

METALMECH ENGINEERS CA PASSED

METAL MECA
THE SAFEST CONNECTIONS

# MM-086000-SXUA-QCZA-FR-02-01-Final Inspection Report-Ex-V26I01

| INSP. No. | FIR-013 | Product Name | BACK NUT | Size | M50 | Drawing No. | 314006-05 | Date: | 15-10-2026 |
|---|---|---|---|---|---|---|---|---|---|
| Wo No. | 26100105 | Total Quantity | 10 | Lot Quantity | 10 | Sample Size | 2 | Variable & Gauging | 2PCS |

| Sr. No. | Checking Parameter | REQUIRED PARAMETER | | | OBSERVED RESULTS | | | | | REJECTION REWORK DETAIL | REMARK | CHECKED BY |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | PARAMETER | CRITERIA | | 1 | 2 | - | - | - | | | |
| 1 | Visual | Surface | Fine, Clean | | FINE | FINE | - | - | - | | Measuring Instruments I.D No- | |
| | | Sizewise No of Pcs. With Internal Parts | As per Drg. No. of Parts | 10 | 10 | 10 | - | - | - | | (1) DV-55 | |
| | | Washing & Plating | Surface Finishing | NA | NA | NA | - | - | - | | (2) PP-01 | |
| | | RUBBER MARKING | AS PER DRG. | NA | NA | NA | - | - | - | | | |
| | | Marking | WO Ref. No. | NA | NA | NA | - | - | - | | ASM No - CEX260927-10 | |
| | | Assembly Perfection | As per Drg. | | OK | OK | - | - | - | | | |
| | | Inner Packing | Labeling & Printing | | OK | OK | - | - | - | | | |
| | | Outer Packing | Printing & Stamping | | OK | OK | - | - | - | | | |
| | | All Dimensions Are In MM | | | | | | | | | | |
| 2 | DIMENSION | | VALUE | - | + | 1 | 2 | - | - | - | | |
| | | A/F | 60.00 | 59.81 | 60.00 | 59.90 | 59.89 | - | - | - | | |
| | | A/C | 65.00 | 64.20 | 65.80 | 65.01 | 65.02 | - | - | - | | |
| | | T.L | 21.00 | 20.50 | 21.50 | 21.04 | 21.03 | - | - | - | | |
| | | TH.L | 13.50 | 13.00 | 14.00 | 13.49 | 13.45 | - | - | - | | |
| | | GR.DIA | 54.00 | 53.20 | 54.80 | 53.91 | 53.90 | - | - | - | | |
| | | GR.LE | 1.50 | 1.30 | 1.70 | 1.53 | 1.54 | - | - | - | | |
| | | H.L | 7.50 | 7.20 | 7.80 | 7.53 | 7.55 | - | - | - | | |
| | | I.D | 49.50 | 48.70 | 50.30 | 49.53 | 49.55 | - | - | - | | |
| | | THREAD | M56x1.5 AS PER T.R.G GO NOT GO | | | OK | OK | - | - | - | | |
| | | CH.ANGLE | 20° AS PER PP FOUND | | | OK | OK | - | - | - | | |
| | | CH.ANGLE | 1.5x45° AS PER PP FOUND | | | OK | OK | - | - | - | | |
| | | RADIUS | 3 MM AS PER PP FOUND | | | OK | OK | - | - | - | | |
| | | | | | | | | | | | | |

| *INSPECTED BY:* | *Jay Hadiyal* | *APPROVED BY:* | *Shreekant* |
|---|---|---|---|

**Conclusion :**

☑ **Accept** ☐ **Reject** ☐ **Hold**

METAL MECH ENGINEERING LTD. CA PASSED

METAL MECA®
THE SAFEST CONNECTIONS

# MM-086000-SXUA-QCZA-FR-02-01-Final Inspection Report-Ex-V26I01

| INSP. No. | FIR-013 | Product Name | O-RING | Size | M50 | Drawing No. | OR-5M | Date: | 15-10-2026 |
|---|---|---|---|---|---|---|---|---|---|
| Wo No. | 26100105 | Total Quantity | 10 | Lot Quantity | 10 | Sample Size | 2 | Variable & Gauging | 2PCS |

| Sr. No. | Checking Parameter | REQUIRED PARAMETER | | | OBSERVED RESULTS | | | | | REJECTION REWORK DETAIL | REMARK | CHECKED BY |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | PARAMETER | CRITERIA | | 1 | 2 | - | - | - | | | |
| 1 | Visual | Surface | Fine, Clean | | FINE | FINE | - | - | - | | Measuring Instruments I.D No- | |
| | | Sizewise No of Pcs. With Internal Parts | As per Drg. No. of Parts | 10 | 10 | 10 | - | - | - | | (1) DV-55 | |
| | | Washing & Plating | Surface Finishing | NA | NA | NA | - | - | - | | (2) PP-01 | |
| | | RUBBER MARKING | AS PER DRG. | NA | NA | NA | - | - | - | | | |
| | | Marking | WO Ref. No. | NA | NA | NA | - | - | - | | ASM No - CEX260927-10 | |
| | | Assembly Perfection | As per Drg. | | OK | OK | - | - | - | | | |
| | | Inner Packing | Labeling & Printing | | OK | OK | - | - | - | | | |
| | | Outer Packing | Printing & Stamping | | OK | OK | - | - | - | | | |
| | | All Dimensions Are In MM | | | | | | | | | | |

| 2 | DIMENSION | | VALUE | - | + | 1 | 2 | - | - | - | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | THICKNESS | 2.50 | 2.00 | 2.50 | 2.05 | 2.04 | - | - | - | | | |
| | | I.D | 45.00 | 44.20 | 45.80 | 45.03 | 45.05 | - | - | - | | | |
| | | | | | | | | | | | | | |

| INSPECTED BY: | Jay Hadiyal | APPROVED BY: | Shreekant |
|---|---|---|---|

**Conclusion :**

☑ **Accept** ☐ **Reject** ☐ **Hold**

METALMECH ENGINEERING QA PASSED J B Hadiyal

# MM-086000-SXUA-QCZA-FR-02-01-Final Inspection Report-Ex-V26I01

| | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|
| **INSP. No.** | FIR-013 | **Product Name** | COMPRESSIBLE OUTER SEAL | **Size** | M50 | **Drawing No.** | GE-05 | **Date:** | 15-10-2026 |
| **Wo No.** | 26100105 | **Total Quantity** | 10 | **Lot Quantity** | 10 | **Sample Size** | 2 | Variable & Gauging | 2PCS |

| Sr. No. | Checking Parameter | REQUIRED PARAMETER | | | OBSERVED RESULTS | | | | | REJECTION REWORK DETAIL | REMARK | CHECKED BY |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | PARAMETER | CRITERIA | | 1 | 2 | - | - | - | | | |
| 1 | Visual | Surface | Fine, Clean | | FINE | FINE | - | - | - | | Measuring Instruments I.D No- | |
| | | Sizewise No of Pcs. With Internal Parts | As per Drg. No. of Parts | 10 | 10 | 10 | - | - | - | | (1) DV-55 | |
| | | Washing & Plating | Surface Finishing | NA | NA | NA | - | - | - | | (2) PP-01 | |
| | | RUBBER MARKING | AS PER DRG. | OK | OK | OK | - | - | - | | | |
| | | Marking | WO Ref. No. | NA | NA | NA | - | - | - | | ASM No - CEX260927-10 | |
| | | Assembly Perfection | As per Drg. | | OK | OK | - | - | - | | | |
| | | Inner Packing | Labeling & Printing | | OK | OK | - | - | - | | | |
| | | Outer Packing | Printing & Stamping | | OK | OK | - | - | - | | | |
| | | **All Dimensions Are In MM** | | | | | | | | | | |
| 2 | DIMENSION | | VALUE | - | + | 1 | 2 | - | - | - | | |
| | | T.L | 15.00 | 14.50 | 15.50 | 15.05 | 15.04 | - | - | - | | |
| | | O.D | 67.20 | 67.00 | 67.20 | 67.12 | 67.11 | - | - | - | | |
| | | GR.LENGTH | 5.50 | 5.20 | 5.80 | 5.52 | 5.54 | - | - | - | | |
| | | I.D | 53.00 | 52.90 | 53.10 | 52.98 | 52.96 | - | - | - | | |
| | | | | | | | | | | | | |

| | | | |
|---|---|---|---|
| *INSPECTED BY:* | *Jay Hadiyal* | *APPROVED BY:* | *Shreekant* |

**Conclusion :**

☑ **Accept** ☐ **Reject** ☐ **Hold**

METALMECH ENGINEERING QA PASSED J B Hadiyal

# MM-086000-SXUA-QCZA-FR-02-01-Final Inspection Report-Ex-V26I01

| | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|
| **INSP. No.** | FIR-013 | **Product Name** | INNER SKID WASHER | **Size** | M50 | **Drawing No.** | IW-05 | **Date:** | 15-10-2026 |
| **Wo No.** | 26100105 | **Total Quantity** | 10 | **Lot Quantity** | 10 | **Sample Size** | 2 | **Variable & Gauging** | 2PCS |

| **Sr. No.** | **Checking Parameter** | **REQUIRED PARAMETER** | | | **OBSERVED RESULTS** | | | | | **REJECTION REWORK DETAIL** | **REMARK** | **CHECKED BY** |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | **PARAMETER** | **CRITERIA** | | **1** | **2** | **-** | **-** | **-** | | | |
| 1 | Visual | Surface | Fine, Clean | | FINE | FINE | - | - | - | | Measuring Instruments I.D No- | |
| | | Sizewise No of Pcs. With Internal Parts | As per Drg. No. of Parts | 10 | 10 | 10 | - | - | - | | **(1) DV-55** | |
| | | Washing & Plating | Surface Finishing | NA | NA | NA | - | - | - | | **(2) PP-01** | |
| | | RUBBER MARKING | AS PER DRG. | NA | NA | NA | - | - | - | | | |
| | | Marking | WO Ref. No. | NA | NA | NA | - | - | - | | **ASM No - CEX260927-10** | |
| | | Assembly Perfection | As per Drg. | | OK | OK | - | - | - | | | |
| | | Inner Packing | Labeling & Printing | | OK | OK | - | - | - | | | |
| | | Outer Packing | Printing & Stamping | | OK | OK | - | - | - | | | |
| | | **All Dimensions Are In MM** | | | | | | | | | | |
| 2 | DIMENSION | | VALUE | - | + | 1 | 2 | - | - | - | | | |
| | | T.L | 5.50 | 5.20 | 5.80 | 5.52 | 5.55 | - | - | - | | |
| | | O.D | 53.00 | 52.80 | 53.00 | 52.92 | 52.95 | - | - | - | | |
| | | O.D | 48.50 | 48.30 | 48.50 | 48.40 | 48.39 | - | - | - | | |
| | | O.D.L | 3.50 | 3.50 | 3.70 | 3.55 | 3.54 | - | - | - | | |
| | | I.D | 44.00 | 44.00 | 44.20 | 44.05 | 44.07 | - | - | - | | |
| | | | | | | | | | | | | |

| *INSPECTED BY:* | *Jay Hadiyal* | *APPROVED BY:* | *Shreekant* |
|---|---|---|---|

**Conclusion :**

☑ **Accept** ☐ **Reject** ☐ **Hold**

METALMECH ENGINEERING QA PASSED JB Hadiyal

METAL MECH®
THE SAFEST CONNECTIONS

# MM-086000-SXUA-QCZA-FR-02-01-Final Inspection Report-Ex-V26I01

| INSP. No. | FIR-013 | Product Name | EARTH TAG | Size | M50 | Drawing No. | - | Date: | 15-10-2026 |
|---|---|---|---|---|---|---|---|---|---|
| Wo No. | 26100105 | Total Quantity | 10 | Lot Quantity | 10 | Sample Size | 2 | Variable & Gauging | 2PCS |

| Sr. No. | Checking Parameter | REQUIRED PARAMETER | | | OBSERVED RESULTS | | | | | REJECTION REWORK DETAIL | REMARK | CHECKED BY |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | PARAMETER | CRITERIA | | 1 | 2 | - | - | - | | | |
| 1 | Visual | Surface | Fine, Clean | | FINE | FINE | - | - | - | | Measuring Instruments I.D No- | |
| | | Sizewise No of Pcs. With Internal Parts | As per Drg. No. of Parts | 10 | 10 | 10 | - | - | - | | (1) DV-55 | |
| | | Washing & Plating | Surface Finishing | NA | NA | NA | - | - | - | | (2) PP-01 | |
| | | RUBBER MARKING | AS PER DRG. | NA | NA | NA | - | - | - | | | |
| | | Marking | WO Ref. No. | NA | NA | NA | - | - | - | | ASM No - CEX260927-10 | |
| | | Assembly Perfection | As per Drg. | | OK | OK | - | - | - | | | |
| | | Inner Packing | Labeling & Printing | | OK | OK | - | - | - | | | |
| | | Outer Packing | Printing & Stamping | | OK | OK | - | - | - | | | |
| | | All Dimensions Are In MM | | | | | | | | | | |
| 2 | DIMENSION | | VALUE | - | + | 1 | 2 | - | - | - | | | |
| | | THICKNESS | 1.50 | 1.30 | 1.70 | 1.53 | 1.52 | - | - | - | | |
| | | O.D | 64.35 | 63.55 | 65.15 | 64.38 | 64.36 | - | - | - | | |
| | | O.D | 16.00 | 15.50 | 16.50 | 16.07 | 16.05 | - | - | - | | |
| | | I.D | 51.00 | 50.20 | 51.80 | 51.05 | 51.09 | - | - | - | | |
| | | I.D | 7.00 | 6.70 | 7.30 | 7.07 | 7.05 | - | - | - | | |
| | | | | | | | | | | | | |

| INSPECTED BY: | Jay Hadiyal | APPROVED BY: | Shreekant |
|---|---|---|---|

**Conclusion :**

☑ **Accept** ☐ **Reject** ☐ **Hold**



# MM-086000-SXUA-QCZA-FR-02-01-Final Inspection Report-Ex-V26I01

| | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|
| **INSP. No.** | FIR-013 | **Product Name** | SHROUD | **Size** | B-4064 | **Drawing No.** | - | **Date:** | 15-10-2026 |
| **Wo No.** | 26100105 | **Total Quantity** | 10 | **Lot Quantity** | 10 | **Sample Size** | 2 | Variable & Gauging | 2PCS |

| Sr. No. | Checking Parameter | REQUIRED PARAMETER | | | OBSERVED RESULTS | | | | | REJECTION REWORK DETAIL | REMARK | CHECKED BY |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | PARAMETER | CRITERIA | | 1 | 2 | - | - | - | | | |
| 1 | Visual | Surface | Fine, Clean | | FINE | FINE | - | - | - | | Measuring Instruments I.D No- | |
| | | Sizewise No of Pcs. With Internal Parts | As per Drg. No. of Parts | 10 | 10 | 10 | - | - | - | | (1) DV-55 | |
| | | Washing & Plating | Surface Finishing | NA | NA | NA | - | - | - | | (2) PP-01 | |
| | | RUBBER MARKING | AS PER DRG. | NA | NA | NA | - | - | - | | | |
| | | Marking | WO Ref. No. | NA | NA | NA | - | - | - | | ASM No - CEX260927-10 | |
| | | Assembly Perfection | As per Drg. | | OK | OK | - | - | - | | | |
| | | Inner Packing | Labeling & Printing | | OK | OK | - | - | - | | | |
| | | Outer Packing | Printing & Stamping | | OK | OK | - | - | - | | | |
| | | **All Dimensions Are In MM** | | | | | | | | | | |
| 2 | DIMENSION | | VALUE | - | + | 1 | 2 | - | - | - | | | |
| | | T.L | 130.00 | 129.20 | 130.80 | 130.25 | 130.29 | - | - | - | | |
| | | I.D | 64.00 | 63.20 | 64.80 | 64.19 | 64.21 | - | - | - | | |
| | | | | | | | | | | | | |

| | | | |
|---|---|---|---|
| *INSPECTED BY:* | *Jay Hadiyal* | *APPROVED BY:* | *Shreekant* |

**Conclusion :**

☑ **Accept** ☐ **Reject** ☐ **Hold**

METALMECH ENGINEERING QA PASSED J B Hadiyal

# MM-086000-SXUA-QCZA-FR-02-01-Final Inspection Report-Ex-V26I01

| | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|
| **INSP. No.** | FIR-013 | **Product Name** | NYLON WASHER | **Size** | M50 | **Drawing No.** | - | **Date:** | 15-10-2026 |
| **Wo No.** | 26100105 | **Total Quantity** | 10 | **Lot Quantity** | 10 | **Sample Size** | 2 | **Variable & Gauging** | 2PCS |

| **Sr. No.** | **Checking Parameter** | **REQUIRED PARAMETER** | | | **OBSERVED RESULTS** | | | | | **REJECTION REWORK DETAIL** | **REMARK** | **CHECKED BY** |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | **PARAMETER** | **CRITERIA** | | **1** | **2** | **-** | **-** | **-** | | | |
| 1 | Visual | Surface | Fine, Clean | | FINE | FINE | - | - | - | | Measuring Instruments I.D No- | |
| | | Sizewise No of Pcs. With Internal Parts | As per Drg. No. of Parts | 10 | 10 | 10 | - | - | - | | **(1) DV-55** | |
| | | Washing & Plating | Surface Finishing | NA | NA | NA | - | - | - | | **(2) PP-01** | |
| | | RUBBER MARKING | AS PER DRG. | NA | NA | NA | - | - | - | | | |
| | | Marking | WO Ref. No. | NA | NA | NA | - | - | - | | **ASM No - CEX260927-10** | |
| | | Assembly Perfection | As per Drg. | | OK | OK | - | - | - | | | |
| | | Inner Packing | Labeling & Printing | | OK | OK | - | - | - | | | |
| | | Outer Packing | Printing & Stamping | | OK | OK | - | - | - | | | |
| | | **All Dimensions Are In MM** | | | | | | | | | | |
| 2 | DIMENSION | | VALUE | - | + | 1 | 2 | - | - | - | | | |
| | | THICKNESS | 1.50 | 1.30 | 1.70 | 1.48 | 1.45 | - | - | - | | |
| | | I.D | 51.00 | 50.20 | 51.80 | 51.05 | 51.08 | - | - | - | | |
| | | | | | | | | | | | | |

| | | | |
|---|---|---|---|
| *INSPECTED BY:* | *Jay Hadiyal* | *APPROVED BY:* | *Shreekant* |

**Conclusion :**

☑ **Accept** ☐ **Reject** ☐ **Hold**

METALMECH ENGINEERING QA PASSED J B Hadiyal

METAL MECH®
THE SAFEST CONNECTIONS

# MM-086000-SXUA-QCZA-FR-02-01-Final Inspection Report-Ex-V26I01

| | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|
| **INSP. No.** | FIR-013 | **Product Name** | STAR WASHER | **Size** | M50 | **Drawing No.** | - | **Date:** | 15-10-2026 |
| **Wo No.** | 26100105 | **Total Quantity** | 10 | **Lot Quantity** | 10 | **Sample Size** | 2 | Variable & Gauging | 2PCS |

| Sr. No. | Checking Parameter | REQUIRED PARAMETER | | | OBSERVED RESULTS | | | | | REJECTION REWORK DETAIL | REMARK | CHECKED BY |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | PARAMETER | CRITERIA | | 1 | 2 | - | - | - | | | |
| 1 | Visual | Surface | Fine, Clean | | FINE | FINE | - | - | - | | Measuring Instruments I.D No- | |
| | | Sizewise No of Pcs. With Internal Parts | As per Drg. No. of Parts | 10 | 10 | 10 | - | - | - | | (1) DV-55 | |
| | | Washing & Plating | Surface Finishing | NA | NA | NA | - | - | - | | (2) PP-01 | |
| | | RUBBER MARKING | AS PER DRG. | NA | NA | NA | - | - | - | | | |
| | | Marking | WO Ref. No. | NA | NA | NA | - | - | - | | ASM No - CEX260927-10 | |
| | | Assembly Perfection | As per Drg. | | OK | OK | - | - | - | | | |
| | | Inner Packing | Labeling & Printing | | OK | OK | - | - | - | | | |
| | | Outer Packing | Printing & Stamping | | OK | OK | - | - | - | | | |
| | | **All Dimensions Are In MM** | | | | | | | | | | |
| 2 | DIMENSION | | VALUE | - | + | 1 | 2 | - | - | - | | | |
| | | T.L | 5.00 | 4.70 | 5.30 | 5.04 | 5.06 | - | - | - | | |
| | | O.D | 66.00 | 65.20 | 66.80 | 66.03 | 66.05 | - | - | - | | |
| | | I.D | 51.00 | 50.20 | 51.80 | 50.85 | 50.84 | - | - | - | | |
| | | | | | | | | | | | | |

| | | | |
|---|---|---|---|
| *INSPECTED BY:* | *Jay Hadiyal* | *APPROVED BY:* | *Shreekant* |

**Conclusion :**

☑ **Accept** ☐ **Reject** ☐ **Hold**

METALMECH ENGINEERING QA PASSED JB Hadiyal