MM-086000-SXUA-QCZA-FR-02-01-Final Inspection Report-Ex-V26I01

INSP. No.	FIR-02	**Product Name**	LOCK NUT	**Size**	1/2" NPT	**Drawing No.**	DL1NS	**Date:**	15-10-2026
Wo No.	26100105	**Total Quantity**	50	**Lot Quantity**	50	**Sample Size-**	2	**Variable & Gauging**	2PCS

Sr. No.	Checking Parameter	REQUIRED PARAMETER				OBSERVED RESULTS					REJECTION REWORK DETAIL	REMARK	CHECKED BY
		PARAMETER	CRITERIA			1	2	-	-	-			
1	Visual	Surface	Fine, Clean			FINE	FINE	-	-	-		Measuring Instruments I.D No-	
		Sizewise No of Pcs. With Internal Parts	As per Drg. No. of Parts	15		15	15	-	-	-		(1) DV-55	
		Washing & Plating	Surface Finishing	NA		NA	NA	-	-	-		(2) PP-01	
		RUBBER MARKING	AS PER DRG.	NA		NA	NA	-	-	-			
		Marking	WO Ref. No.	NA		NA	NA	-	-	-		ASM No :- CSEX260927-12	
		Assembly Perfection	As per Drg.			OK	OK	-	-	-			
		Inner Packing	Labeling & Printing			OK	OK	-	-	-			
		Outer Packing	Printing & Stamping			OK	OK	-	-	-			
		All Dimensions Are In MM											
2	DIMENSION		VALUE	-	+	1	2	-	-	-			
		A/F	24.00	23.87	24.00	23.89	23.90	-	-	-			
		A/C	26.00	25.50	26.50	25.99	26.00	-	-	-			
		T.L	4.00	3.70	4.30	4.00	4.01	-	-	-			
		THREAD	1/2" NPT AS PER P.G GO NOT GO			OK	OK	-	-	-			
		CH.ANGLE	30° AS PER PP FOUND			OK	OK	-	-	-			

INSPECTED BY:	*Jay Hadiyal*	*APPROVED BY:*	*Shreekant*

Conclusion :

☑ **Accept** ☐ **Reject** ☐ **Hold**

METALMECH ENGINEERING QA PASSED

MM-086000-SXUA-QCZA-FR-02-01-Final Inspection Report-Ex-V26I01

INSP. No.	FIR-02	Product Name	ENTRY COMPONENT	Size	1/2" NPT	Drawing No.	313001M-01	Date:	15-10-2026
Wo No.	26100105	Total Quantity	50	Lot Quantity	50	Sample Size-	2	Variable & Gauging	2PCS

Sr. No.	Checking Parameter	REQUIRED PARAMETER		OBSERVED RESULTS					REJECTION REWORK DETAIL	REMARK	CHECKED BY
		PARAMETER	CRITERIA	1	2	-	-	-			
1	Visual	Surface	Fine, Clean	FINE	FINE	-	-	-		Measuring Instruments I.D No-	
		Sizewise No of Pcs. With Internal Parts	As per Drg. No. of Parts 15	15	15	-	-	-		(1) DV-55	
		Washing & Plating	Surface Finishing NA	NA	NA	-	-	-		(2) PP-01	
		RUBBER MARKING	AS PER DRG. NA	NA	NA	-	-	-			
		Marking	WO Ref. No. Metalmech Logo MM-EX-E1FUNV201NX6 2026 CE Logo 2460 Ex Logo II 2 GD Ex db IIC Gb, Ex eb IIC Gb, Ex tb IIIC Db, IP66/68 -55°C ≤ Ta ≤ +160°C Presafe 20 ATEX 48906X IECEx PRE 20.0124X			-	-	-		ASM No :- CSEX260927-12	
		Assembly Perfection	As per Drg.	OK	OK	-	-	-			
		Inner Packing	Labeling & Printing	OK	OK	-	-	-			
		Outer Packing	Printing & Stamping	OK	OK	-	-	-			
		All Dimensions Are In MM									
2	DIMENSION		VALUE - +	1	2	-	-	-			
		A/F	27.00 26.87 27.20	26.93	26.95	-	-	-			
		A/C	30.00 29.50 30.50	29.55	29.54	-	-	-			
		T.L	36.00 36.00 36.50	36.06	36.05	-	-	-			
		TH.L	20.00 20.00 20.50	20.04	20.03	-	-	-			
		O.D	26.50 26.00 27.00	26.34	26.36	-	-	-			
		O.D.L	9.00 8.50 9.50	9.03	9.02	-	-	-			
		H.L	7.00 6.70 7.30	7.05	7.04	-	-	-			
		I.D	14.10 13.60 14.60	14.13	14.14	-	-	-			
		DEPTH	11.50 11.00 12.00	11.55	11.53	-	-	-			
		THREAD	1/2" NPT AS PER T.R.G GO NOT GO	OK	OK	-	-	-			
		INT.THREAD	M24x1.5 AS PER P.G GO NOT GO	OK	OK	-	-	-			
		CH.ANGLE	1x45° AS PER PP FOUND	OK	OK	-	-	-			
		CH.ANGLE	1.6x45° AS PER PP FOUND	OK	OK	-	-	-			
		CH.ANGLE	0.5x45° AS PER PP FOUND	OK	OK	-	-	-			
		CH.ANGLE	20° AS PER PP FOUND	OK	OK	-	-	-			
		ANGLE	90° AS PER PP FOUND	OK	OK	-	-	-			

INSPECTED BY:	*Jay Hadiyal*	*APPROVED BY:*	*Shreekant*

Conclusion :

☑ **Accept** ☐ **Reject** ☐ **Hold**

METALMECH ENGINEERING CA PASSED

METAL MECH®
THE SAFEST CONNECTIONS

MM-086000-SXUA-QCZA-FR-02-01-Final Inspection Report-Ex-V26I01

INSP. No.	FIR-02	Product Name	INTERMIDIATE BODY	Size	1/2" NPT	Drawing No.	313002U-01	Date:	15-10-2026
Wo No.	26100105	Total Quantity	50	Lot Quantity	50	Sample Size-	2	Variable & Gauging	2PCS

Sr. No.	Checking Parameter	REQUIRED PARAMETER				OBSERVED RESULTS					REJECTION REWORK DETAIL	REMARK	CHECKED BY
		PARAMETER	CRITERIA			1	2	-	-	-			
1	Visual	Surface	Fine, Clean			FINE	FINE	-	-	-		Measuring Instruments I.D No-	
		Sizewise No of Pcs. With Internal Parts	As per Drg. No. of Parts	15		15	15	-	-	-		(1) DV-55	
		Washing & Plating	Surface Finishing	NA		NA	NA	-	-	-		(2) PP-01	
		RUBBER MARKING	AS PER DRG.	NA		NA	NA	-	-	-			
		Marking	WO Ref. No.	NA		NA	NA	-	-	-		ASM No :- CSEX260927-12	
		Assembly Perfection	As per Drg.			OK	OK	-	-	-			
		Inner Packing	Labeling & Printing			OK	OK	-	-	-			
		Outer Packing	Printing & Stamping			OK	OK	-	-	-			
		All Dimensions Are In MM											
2	DIMENSION		VALUE	-	+	1	2	-	-	-			
		A/F	31.00	30.84	31.00	31.93	31.92	-	-	-		DEVIATION CONFIRMED WITH GAURAV SIR	
		A/C	34.00	33.20	34.80	35.00	34.99	-	-	-		DEVIATION CONFIRMED WITH GAURAV SIR	
		T.L	25.00	24.50	25.50	25.02	25.01	-	-	-			
		TH.L	10.50	10.00	11.00	10.53	10.52	-	-	-			
		GR.OD	22.00	21.50	22.50	21.89	21.90	-	-	-			
		GR.LE	1.00	0.80	1.20	1.00	0.99	-	-	-			
		H.L	5.00	4.70	5.30	4.93	4.95	-	-	-			
		TH.L	9.50	9.00	10.00	9.55	9.54	-	-	-			
		GR.OD	26.00	25.50	26.50	25.89	25.90	-	-	-			
		GR.LE	1.00	0.80	1.20	1.00	1.01	-	-	-			
		I.D	20.00	19.50	20.50	20.06	20.05	-	-	-			
		I.D	22.50	22.00	23.00	22.55	22.54	-	-	-			
		DEPTH	7.00	6.70	7.30	6.98	6.99	-	-	-			
		I.D	20.50	20.00	21.00	20.56	20.54	-	-	-			
		I.D.LE	6.00	5.70	6.30	6.01	5.99	-	-	-			
		DEPTH	13.00	12.50	13.50	13.06	13.05	-	-	-			
		THREAD	M24x1.5 AS PER T.R.G GO NOT GO			OK	OK	-	-	-			
		THREAD	M28x1.5 AS PER T.R.G GO NOT GO			OK	OK	-	-	-			
		CH.ANGLE	1x45° AS PER PP FOUND			OK	OK	-	-	-			
		CH.ANGLE	20° AS PER PP FOUND			OK	OK	-	-	-			

INSPECTED BY:	Jay Hadiyal	APPROVED BY:	Shreekant

Conclusion :

☑ **Accept** ☐ **Reject** ☐ **Hold**

METAL MECH ENGINEERING CA PASSED

METAL MECH®
THE SAFEST CONNECTIONS

MM-086000-SXUA-QCZA-FR-02-01-Final Inspection Report-Ex-V26I01

INSP. No.	FIR-02	**Product Name**	MIDDLE BODY	**Size**	1/2" NPT	**Drawing No.**	313002-01	**Date:**	15-10-2026
Wo No.	26100105	**Total Quantity**	50	**Lot Quantity**	50	**Sample Size-**	2	Variable & Gauging	2PCS

Sr. No.	Checking Parameter	REQUIRED PARAMETER			OBSERVED RESULTS					REJECTION REWORK DETAIL	REMARK	CHECKED BY
		PARAMETER	CRITERIA		1	2	-	-	-			
1	Visual	Surface	Fine, Clean		FINE	FINE	-	-	-		Measuring Instruments I.D No.	
		Sizewise No of Pcs. With Internal Parts	As per Drg. No. of Parts	15	15	15	-	-	-		(1) DV-55	
		Washing & Plating	Surface Finishing	NA	NA	NA	-	-	-		(2) PP-01	
		RUBBER MARKING	AS PER DRG.	NA	NA	NA	-	-	-			
		Marking	WO Ref. No.	NA	NA	NA	-	-	-		ASM No :- CSEX260927-12	
		Assembly Perfection	As per Drg.		OK	OK	-	-	-			
		Inner Packing	Labeling & Printing		OK	OK	-	-	-			
		Outer Packing	Printing & Stamping		OK	OK	-	-	-			
		All Dimensions Are In MM										
2	DIMENSION		VALUE	-	+	1	2	-	-	-			
		A/F	31.00	30.84	31.00	31.93	31.95	-	-	-	DEVIATION CONFIRMED WITH GAURAV SIR	
		A/C	34.00	33.20	34.80	34.97	34.99	-	-	-	DEVIATION CONFIRMED WITH GAURAV SIR	
		T.L	27.00	26.50	27.50	26.98	27.00	-	-	-		
		TH.L	14.00	13.50	14.50	14.01	14.00	-	-	-		
		GR.OD	27.00	26.50	27.50	26.91	26.92	-	-	-		
		GR.LE	1.00	0.80	1.20	1.00	0.99	-	-	-		
		O.D	30.00	29.50	30.50	30.02	30.01	-	-	-		
		O.D.L	6.00	5.70	6.30	5.97	5.98	-	-	-		
		H.L	7.00	6.70	7.30	7.04	7.03	-	-	-		
		I.D	21.00	20.50	21.50	21.03	21.01	-	-	-		
		INT.THL	11.50	11.00	12.00	11.55	11.54	-	-	-		
		I.D	24.50	24.00	25.00	24.53	24.55	-	-	-		
		DEPTH	15.50	15.00	16.00	15.55	15.58	-	-	-		
		THREAD	M29x1.5 AS PER T.R.G GO NOT GO			OK	OK	-	-	-		
		INT.THREAD	M28x1.5 AS PER P.G GO NOT GO			OK	OK	-	-	-		
		CH.ANGLE	1x45° AS PER PP FOUND			OK	OK	-	-	-		
		CH.ANGLE	20° AS PER PP FOUND			OK	OK	-	-	-		

INSPECTED BY:	*Jay Hadiyal*	*APPROVED BY:*	*Shreekant*

Conclusion :

☑ **Accept** ☐ **Reject** ☐ **Hold**

METAL MECH ENGINEERING CA PASSED

MM-086000-SXUA-QCZA-FR-02-01-Final Inspection Report-Ex-V26I01

INSP. No.	FIR-02	**Product Name**	BACK NUT	**Size**	1/2" NPT	**Drawing No.**	313003-01	**Date:**	15-10-2026
Wo No.	26100105	**Total Quantity**	50	**Lot Quantity**	50	**Sample Size-**	2	Variable & Gauging	2PCS

Sr. No.	Checking Parameter	REQUIRED PARAMETER			OBSERVED RESULTS					REJECTION REWORK DETAIL	REMARK	CHECKED BY
		PARAMETER	CRITERIA		1	2	-	-	-			
1	Visual	Surface	Fine, Clean		FINE	FINE	-	-	-		Measuring Instruments LD No-	
		Sizewise No of Pcs. With Internal Parts	As per Drg. No. of Parts	15	15	15	-	-	-		(1) DV-55	
		Washing & Plating	Surface Finishing	NA	NA	NA	-	-	-		(2) PP-01	
		RUBBER MARKING	AS PER DRG.	NA	NA	NA	-	-	-			
		Marking	WO Ref. No.	NA	NA	NA	-	-	-		ASM No :- CSEX260927-12	
		Assembly Perfection	As per Drg.		OK	OK	-	-	-			
		Inner Packing	Labeling & Printing		OK	OK	-	-	-			
		Outer Packing	Printing & Stamping		OK	OK	-	-	-			
		All Dimensions Are In MM										
2	DIMENSION		VALUE	- +	1	2	-	-	-			
		A/F	31.00	30.84 31.00	31.90	31.89	-	-	-		DEVIATION CONFIRMED WITH GAURAV SIR	
		A/C	34.00	33.20 34.80	35.01	35.00	-	-	-		DEVIATION CONFIRMED WITH GAURAV SIR	
		T.L	20.00	19.50 20.50	20.01	20.00	-	-	-			
		O.D	30.50	29.70 31.30	30.53	30.55	-	-	-			
		O.D.L	8.00	7.70 8.30	8.01	7.99	-	-	-			
		H.L	12.00	11.50 12.50	12.02	12.01	-	-	-			
		I.D	24.50	24.00 25.00	24.51	24.50	-	-	-			
		INT.THL	4.00	3.70 4.30	4.01	3.99	-	-	-			
		GR.ID	29.20	28.70 29.70	29.22	29.24	-	-	-			
		GR.LE	12.50	12.00 13.00	12.52	12.49	-	-	-			
		DEPTH	16.50	16.00 17.00	16.51	16.50	-	-	-			
		GR.ID	27.50	27.00 28.00	27.52	27.51	-	-	-			
		GR.LE	2.00	1.80 2.20	2.01	1.99	-	-	-			
		DEPTH	18.50	18.00 19.00	18.52	18.54	-	-	-			
		INT.THREAD	M29x1.5 AS PER P.G GO NOT GO		OK	OK	-	-	-			
		CH.ANGLE	1x45° AS PER PP FOUND		OK	OK	-	-	-			
		CH.ANGLE	0.5x45° AS PER PP FOUND		OK	OK	-	-	-			
		CH.ANGLE	30° AS PER PP FOUND		OK	OK	-	-	-			
		CH.ANGLE	45° AS PER PP FOUND		OK	OK	-	-	-			

INSPECTED BY:	*Jay Hadiyal*	*APPROVED BY:*	*Shreekant*

Conclusion :

☑ **Accept** ☐ **Reject** ☐ **Hold**

METAL MECH ENGINEERS CA PASSED

METAL MECA
THE SAFEST CONNECTIONS

MM-086000-SXUA-QCZA-FR-02-01-Final Inspection Report-Ex-V26I01

INSP. No.	FIR-02	Product Name	UNIVERSAL CLAMPING CONE	Size	1/2" NPT	Drawing No.	313005-01	Date:	15-10-2026
Wo No.	26100105	Total Quantity	50	Lot Quantity	50	Sample Size-	2	Variable & Gauging	2PCS

Sr. No.	Checking Parameter	REQUIRED PARAMETER			OBSERVED RESULTS					REJECTION REWORK DETAIL	REMARK	CHECKED BY
		PARAMETER	CRITERIA		1	2	-	-	-			
1	Visual	Surface	Fine, Clean		FINE	FINE	-	-	-		Measuring Instruments I.D No.	
		Sizewise No of Pcs. With Internal Parts	As per Drg. No. of Parts	15	15	15	-	-	-		(1) DV-55	
		Washing & Plating	Surface Finishing	NA	NA	NA	-	-	-		(2) PP-01	
		RUBBER MARKING	AS PER DRG.	NA	NA	NA	-	-	-			
		Marking	WO Ref. No.	NA	NA	NA	-	-	-		ASM No :- CSEX260927-12	
		Assembly Perfection	As per Drg.		OK	OK	-	-	-			
		Inner Packing	Labeling & Printing		OK	OK	-	-	-			
		Outer Packing	Printing & Stamping		OK	OK	-	-	-			
		All Dimensions Are In MM										
2	DIMENSION		VALUE	- +	1	2	-	-	-			
		T.L	22.00	21.50 22.50	22.00	22.01	-	-	-			
		O.D	16.50	16.00 17.00	16.56	16.55	-	-	-			
		O.D.L	4.00	3.70 4.30	4.01	3.99	-	-	-			
		O.D	17.80	17.30 18.30	17.79	17.78	-	-	-			
		O.D.L	2.50	2.30 2.70	2.52	2.50	-	-	-			
		GR.LENGTH	0.50	0.30 0.70	0.50	0.49	-	-	-			
		O.D	18.80	18.30 19.30	18.79	18.80	-	-	-			
		O.D.L	7.50	7.20 7.80	7.52	7.50	-	-	-			
		O.D	22.00	21.50 22.50	21.91	21.93	-	-	-			
		O.D.L	7.00	6.70 7.30	7.00	7.00	-	-	-			
		O.D	16.50	16.00 17.00	16.55	16.54	-	-	-			
		O.D.L	4.50	4.20 4.80	4.52	4.50	-	-	-			
		O.D	17.00	16.50 17.50	17.03	17.00	-	-	-			
		O.D	17.50	17.00 18.00	17.52	17.53	-	-	-			
		O.D	18.00	17.50 18.50	18.03	18.01	-	-	-			
		O.D.L	7.50	7.20 7.80	7.52	7.51	-	-	-			
		I.D	14.00	13.50 14.50	14.05	14.04	-	-	-			
		RADIUS	0.5 MM AS PER PP FOUND		OK	OK	-	-	-			
		RADIUS	0.3 AS PER PP FOUND		OK	OK	-	-	-			

INSPECTED BY:	Jay Hadiyal	APPROVED BY:	Shreekant

Conclusion :

☑ **Accept** ☐ **Reject** ☐ **Hold**

METAL MECA ENGINEERS PVT. LTD. CA PASSED

METAL MECA®
THE SAFEST CONNECTIONS

MM-086000-SXUA-QCZA-FR-02-01-Final Inspection Report-Ex-V26I01

INSP. No.	FIR-02	Product Name	REVERSIBLE ARMOUR RING	Size	1/2" NPT	Drawing No.	313004-01	Date:	15-10-2026
Wo No.	26100105	Total Quantity	50	Lot Quantity	50	Sample Size-	2	Variable & Gauging	2PCS

Sr. No.	Checking Parameter	REQUIRED PARAMETER			OBSERVED RESULTS					REJECTION REWORK DETAIL	REMARK	CHECKED BY
		PARAMETER	CRITERIA		1	2	-	-	-			
1	Visual	Surface	Fine, Clean		FINE	FINE	-	-	-		Measuring Instruments I.D No-	
		Sizewise No of Pcs. With Internal Parts	As per Drg. No. of Parts	15	15	15	-	-	-		(1) DV-55	
		Washing & Plating	Surface Finishing	NA	NA	NA	-	-	-		(2) PP-01	
		RUBBER MARKING	AS PER DRG.	NA	NA	NA	-	-	-			
		Marking	WO Ref. No.	NA	NA	NA	-	-	-		ASM No :- CSEX260927-12	
		Assembly Perfection	As per Drg.		OK	OK	-	-	-			
		Inner Packing	Labeling & Printing		OK	OK	-	-	-			
		Outer Packing	Printing & Stamping		OK	OK	-	-	-			
		All Dimensions Are In MM										
2	DIMENSION		VALUE	-	+	1	2	-	-	-		
		T.L	6.00	5.70	6.30	6.00	6.00	-	-	-		
		O.D	23.50	23.00	24.00	23.49	23.48	-	-	-		
		I.D	18.50	18.00	19.00	18.55	18.54	-	-	-		
		I.D	19.50	19.00	20.00	19.56	19.59	-	-	-		

INSPECTED BY:	*Jay Hadiyal*	*APPROVED BY:*	*Shreekant*

Conclusion :

☑ **Accept** ☐ **Reject** ☐ **Hold**

METALMECH ENGINEERING CA PASSED

METAL MECA®
THE SAFEST CONNECTIONS

MM-086000-SXUA-QCZA-FR-02-01-Final Inspection Report-Ex-V26I01

INSP. No.	FIR-02	**Product Name**	COMPRESSIBLE INNER SEAL	**Size**	1/2" NPT	**Drawing No.**	GI-01	**Date:**	15-10-2026
Wo No.	26100105	**Total Quantity**	50	**Lot Quantity**	50	**Sample Size-**	2	Variable & Gauging	2PCS

Sr. No.	Checking Parameter	REQUIRED PARAMETER			OBSERVED RESULTS					REJECTION REWORK DETAIL	REMARK	CHECKED BY
		PARAMETER	CRITERIA		1	2	-	-	-			
1	Visual	Surface	Fine, Clean		FINE	FINE	-	-	-		Measuring Instruments I.D No-	
		Sizewise No of Pcs. With Internal Parts	As per Drg. No. of Parts	15	15	15	-	-	-		(1) DV-55	
		Washing & Plating	Surface Finishing	NA	NA	NA	-	-	-		(2) PP-01	
		RUBBER MARKING	AS PER DRG.	OK	OK	OK	-	-	-			
		Marking	WO Ref. No.	NA	NA	NA	-	-	-		ASM No :- CSEX260927-12	
		Assembly Perfection	As per Drg.		OK	OK	-	-	-			
		Inner Packing	Labeling & Printing		OK	OK	-	-	-			
		Outer Packing	Printing & Stamping		OK	OK	-	-	-			
		All Dimensions Are In MM										
2	DIMENSION		VALUE	-	+	1	2	-	-	-			
		T.L	10.50	10.00	11.00	10.54	10.56	-	-	-		
		O.D.L	4.00	3.70	4.30	3.94	3.96	-	-	-		
		O.D	22.50	22.30	22.50	22.41	22.39	-	-	-		
		O.D.L	6.50	6.20	6.80	6.48	6.50	-	-	-		
		I.D	14.00	14.00	14.20	14.07	14.09	-	-	-		

INSPECTED BY:	*Jay Hadiyal*	*APPROVED BY:*	*Shreekant*

Conclusion :

☑ **Accept** ☐ **Reject** ☐ **Hold**

METALMECH ENGINEERING QA PASSED

MM-086000-SXUA-QCZA-FR-02-01-Final Inspection Report-Ex-V26I01

INSP. No.	FIR-02	**Product Name**	COMPRESSIBLE OUTER SEAL	**Size**	1/2" NPT	**Drawing No.**	GE-01	**Date:**	15-10-2026
Wo No.	26100105	**Total Quantity**	50	**Lot Quantity**	50	**Sample Size-**	2	Variable & Gauging	2PCS

Sr. No.	Checking Parameter	REQUIRED PARAMETER			OBSERVED RESULTS					REJECTION REWORK DETAIL	REMARK	CHECKED BY
		PARAMETER	CRITERIA		1	2	-	-	-			
1	Visual	Surface	Fine, Clean		FINE	FINE	-	-	-		Measuring Instruments I.D No-	
		Sizewise No of Pcs. With Internal Parts	As per Drg. No. of Parts	15	15	15	-	-	-		(1) DV-55	
		Washing & Plating	Surface Finishing	NA	NA	NA	-	-	-		(2) PP-01	
		RUBBER MARKING	AS PER DRG.	OK	OK	OK	-	-	-			
		Marking	WO Ref. No.	NA	NA	NA	-	-	-		ASM No :- CSEX260927-12	
		Assembly Perfection	As per Drg.		OK	OK	-	-	-			
		Inner Packing	Labeling & Printing		OK	OK	-	-	-			
		Outer Packing	Printing & Stamping		OK	OK	-	-	-			
		All Dimensions Are In MM										

			VALUE	-	+	1	2	-	-	-			
2	DIMENSION	T.L	11.00	10.50	11.50	11.01	11.03	-	-	-			
		O.D	28.50	28.30	28.50	28.41	28.43	-	-	-			
		GR.LENGTH	3.50	3.20	3.80	3.50	3.48	-	-	-			
		I.D	20.90	20.90	21.00	20.92	20.93	-	-	-			

INSPECTED BY:	*Jay Hadiyal*	*APPROVED BY:*	*Shreekant*

Conclusion :

☑ **Accept** ☐ **Reject** ☐ **Hold**

METALMECH ENGINEERING CA PASSED

MM-086000-SXUA-QCZA-FR-02-01-Final Inspection Report-Ex-V26I01

INSP. No.	FIR-02	**Product Name**	INNER SKID WASHER	**Size**	1/2" NPT	**Drawing No.**	IW-01	**Date:**	15-10-2026
Wo No.	26100105	**Total Quantity**	50	**Lot Quantity**	50	**Sample Size-**	2	**Variable & Gauging**	2PCS

Sr. No.	**Checking Parameter**	**REQUIRED PARAMETER**			**OBSERVED RESULTS**					**REJECTION REWORK DETAIL**	**REMARK**	**CHECKED BY**
		PARAMETER	**CRITERIA**		**1**	**2**	**-**	**-**	**-**			
1	Visual	Surface	Fine, Clean		FINE	FINE	-	-	-		Measuring Instruments I.D No-	
		Sizewise No of Pcs. With Internal Parts	As per Drg. No. of Parts	15	15	15	-	-	-		(1) DV-55	
		Washing & Plating	Surface Finishing	NA	NA	NA	-	-	-		(2) PP-01	
		RUBBER MARKING	AS PER DRG.	OK	OK	OK	-	-	-			
		Marking	WO Ref. No.	NA	NA	NA	-	-	-		ASM No :- CSEX260927-12	
		Assembly Perfection	As per Drg.		OK	OK	-	-	-			
		Inner Packing	Labeling & Printing		OK	OK	-	-	-			
		Outer Packing	Printing & Stamping		OK	OK	-	-	-			
		All Dimensions Are In MM										
2	DIMENSION		VALUE	-	+	1	2	-	-	-			
		T.L	5.00	4.70	5.30	5.03	5.02	-	-	-		
		O.D	22.00	21.80	22.00	21.90	21.89	-	-	-		
		O.D	19.50	19.30	19.50	19.42	19.39	-	-	-		
		O.D.L	3.00	3.00	3.20	3.02	3.00	-	-	-		
		I.D	14.00	14.00	14.20	14.10	14.09	-	-	-		

INSPECTED BY:	*Jay Hadiyal*	*APPROVED BY:*	*Shreekant*

Conclusion :

☑ **Accept** ☐ **Reject** ☐ **Hold**

METALMECH ENGINEERING QA PASSED

METAL MECA®
THE SAFEST CONNECTIONS

MM-086000-SXUA-QCZA-FR-02-01-Final Inspection Report-Ex-V26I01

INSP. No.	FIR-02	Product Name	OUTER SKID WASHER	Size	1/2" NPT	Drawing No.	OW-01	Date:	15-10-2026
Wo No.	26100105	Total Quantity	50	Lot Quantity	50	Sample Size-	2	Variable & Gauging	2PCS

Sr. No.	Checking Parameter	REQUIRED PARAMETER			OBSERVED RESULTS					REJECTION REWORK DETAIL	REMARK	CHECKED BY
		PARAMETER	CRITERIA		1	2	-	-	-			
1	Visual	Surface	Fine, Clean		FINE	FINE	-	-	-		Measuring Instruments I.D No-	
		Sizewise No of Pcs. With Internal Parts	As per Drg. No. of Parts	15	15	15	-	-	-		(1) DV-55	
		Washing & Plating	Surface Finishing	NA	NA	NA	-	-	-		(2) PP-01	
		RUBBER MARKING	AS PER DRG.	OK	OK	OK	-	-	-			
		Marking	WO Ref. No.	NA	NA	NA	-	-	-		ASM No :- CSEX260927-12	
		Assembly Perfection	As per Drg.		OK	OK	-	-	-			
		Inner Packing	Labeling & Printing		OK	OK	-	-	-			
		Outer Packing	Printing & Stamping		OK	OK	-	-	-			
		All Dimensions Are In MM										
2	DIMENSION		VALUE	-	+	1	2	-	-	-			
		T.L	6.50	6.20	6.80	6.50	6.49	-	-	-		
		O.D	27.00	27.00	27.10	27.00	27.01	-	-	-		
		O.D	24.50	24.30	24.50	24.39	24.38	-	-	-		
		O.D.L	4.00	4.00	4.10	4.02	4.01	-	-	-		
		I.D	6.50	6.50	6.60	6.52	6.54	-	-	-		

INSPECTED BY:	Jay Hadiyal	APPROVED BY:	Shreekant

Conclusion :

☑ **Accept** ☐ **Reject** ☐ **Hold**

METALMECH ENGINEERING QA PASSED

MM-086000-SXUA-QCZA-FR-02-01-Final Inspection Report-Ex-V26I01

INSP. No.	FIR-02	Product Name	EARTH TAG	Size	1/2" NPT	Drawing No.	-	Date:	15-10-2026
Wo No.	26100105	Total Quantity	50	Lot Quantity	50	Sample Size-	2	Variable & Gauging	2PCS

Sr. No.	Checking Parameter	REQUIRED PARAMETER			OBSERVED RESULTS					REJECTION REWORK DETAIL	REMARK	CHECKED BY
		PARAMETER	CRITERIA		1	2	-	-	-			
1	Visual	Surface	Fine, Clean		FINE	FINE	-	-	-		Measuring Instruments I.D No-	
		Sizewise No of Pcs. With Internal Parts	As per Drg. No. of Parts	15	15	15	-	-	-		(1) DV-55	
		Washing & Plating	Surface Finishing	NA	NA	NA	-	-	-		(2) PP-01	
		RUBBER MARKING	AS PER DRG.	NA	NA	NA	-	-	-			
		Marking	WO Ref. No.	NA	NA	NA	-	-	-		ASM No :- CSEX260927-12	
		Assembly Perfection	As per Drg.		OK	OK	-	-	-			
		Inner Packing	Labeling & Printing		OK	OK	-	-	-			
		Outer Packing	Printing & Stamping		OK	OK	-	-	-			
		All Dimensions Are In MM										
2	DIMENSION		VALUE	-	+	1	2	-	-	-			
		THICKNESS	1.50	1.30	1.70	1.45	1.44	-	-	-		
		O.D	30.20	29.40	31.00	30.19	30.20	-	-	-		
		O.D	13.20	12.70	13.70	13.25	13.22	-	-	-		
		I.D	22.00	21.50	22.50	22.08	22.09	-	-	-		
		I.D	6.50	6.20	6.80	6.54	6.56	-	-	-		

INSPECTED BY:	Jay Hadiyal	APPROVED BY:	Shreekant

Conclusion :

☑ **Accept** ☐ **Reject** ☐ **Hold**

METALMECH ENGINEERING QA PASSED

METAL MECH®
THE SAFEST CONNECTIONS

MM-086000-SXUA-QCZA-FR-02-01-Final Inspection Report-Ex-V26I01

INSP. No.	FIR-02	**Product Name**	SHROUD	**Size**	C-2032	**Drawing No.**	-	**Date:**	15-10-2026
Wo No.	26100105	**Total Quantity**	50	**Lot Quantity**	50	**Sample Size-**	2	Variable & Gauging	2PCS

Sr. No.	Checking Parameter	REQUIRED PARAMETER			OBSERVED RESULTS					REJECTION REWORK DETAIL	REMARK	CHECKED BY
		PARAMETER	CRITERIA		1	2	-	-	-			
1	Visual	Surface	Fine, Clean		FINE	FINE	-	-	-		Measuring Instruments I.D No-	
		Sizewise No of Pcs. With Internal Parts	As per Drg. No. of Parts	15	15	15	-	-	-		(1) DV-55	
		Washing & Plating	Surface Finishing	NA	NA	NA	-	-	-		(2) PP-01	
		RUBBER MARKING	AS PER DRG.	NA	NA	NA	-	-	-			
		Marking	WO Ref. No.	NA	NA	NA	-	-	-		ASM No :- CSEX260927-12	
		Assembly Perfection	As per Drg.		OK	OK	-	-	-			
		Inner Packing	Labeling & Printing		OK	OK	-	-	-			
		Outer Packing	Printing & Stamping		OK	OK	-	-	-			
		All Dimensions Are In MM										
2	DIMENSION		VALUE	-	+	1	2	-	-	-		
		T.L	130.00	129.20	130.80	130.11	130.16	-	-	-		
		I.D	32.00	31.20	32.80	32.05	32.09	-	-	-		

INSPECTED BY:	*Jay Hadiyal*	*APPROVED BY:*	*Shreekant*

Conclusion :

☑ **Accept** ☐ **Reject** ☐ **Hold**

METALMECH ENGINEERING QA PASSED

METAL MECH®
THE SAFEST CONNECTIONS

MM-086000-SXUA-QCZA-FR-02-01-Final Inspection Report-Ex-V26I01

INSP. No.	FIR-02	**Product Name**	NYLON WASHER	**Size**	1/2" NPT	**Drawing No.**	-	**Date:**	15-10-2026
Wo No.	26100105	**Total Quantity**	50	**Lot Quantity**	50	**Sample Size-**	2	Variable & Gauging	2PCS

Sr. No.	Checking Parameter	REQUIRED PARAMETER			OBSERVED RESULTS					REJECTION REWORK DETAIL	REMARK	CHECKED BY
		PARAMETER	CRITERIA		1	2	-	-	-			
1	Visual	Surface	Fine, Clean		FINE	FINE	-	-	-		Measuring Instruments I.D No-	
		Sizewise No of Pcs. With Internal Parts	As per Drg. No. of Parts	15	15	15	-	-	-		(1) DV-55	
		Washing & Plating	Surface Finishing	NA	NA	NA	-	-	-		(2) PP-01	
		RUBBER MARKING	AS PER DRG.	NA	NA	NA	-	-	-			
		Marking	WO Ref. No.	NA	NA	NA	-	-	-		ASM No :- CSEX260927-12	
		Assembly Perfection	As per Drg.		OK	OK	-	-	-			
		Inner Packing	Labeling & Printing		OK	OK	-	-	-			
		Outer Packing	Printing & Stamping		OK	OK	-	-	-			
		All Dimensions Are In MM										
2	DIMENSION		VALUE	-	+	1	2	-	-	-		
		THICKNESS	1.50	1.30	1.70	1.45	1.48	-	-	-		
		I.D	22.00	21.50	22.50	22.25	22.24	-	-	-		

INSPECTED BY:	*Jay Hadiyal*	*APPROVED BY:*	*Shreekant*

Conclusion :

☑ **Accept** ☐ **Reject** ☐ **Hold**

METALMECH ENGINEERING QA PASSED

MM-086000-SXUA-QCZA-FR-02-01-Final Inspection Report-Ex-V26I01

INSP. No.	FIR-02	**Product Name**	STAR WASHER	**Size**	1/2" NPT	**Drawing No.**	-	**Date:**	15-10-2026
Wo No.	26100105	**Total Quantity**	50	**Lot Quantity**	50	**Sample Size-**	2	Variable & Gauging	2PCS

Sr. No.	Checking Parameter	REQUIRED PARAMETER			OBSERVED RESULTS					REJECTION REWORK DETAIL	REMARK	CHECKED BY
		PARAMETER	CRITERIA		1	2	-	-	-			
1	Visual	Surface	Fine, Clean		FINE	FINE	-	-	-		Measuring Instruments I.D No-	
		Sizewise No of Pcs. With Internal Parts	As per Drg. No. of Parts	15	15	15	-	-	-		(1) DV-55	
		Washing & Plating	Surface Finishing	NA	NA	NA	-	-	-		(2) PP-01	
		RUBBER MARKING	AS PER DRG.	NA	NA	NA	-	-	-			
		Marking	WO Ref. No.	NA	NA	NA	-	-	-		ASM No :- CSEX260927-12	
		Assembly Perfection	As per Drg.		OK	OK	-	-	-			
		Inner Packing	Labeling & Printing		OK	OK	-	-	-			
		Outer Packing	Printing & Stamping		OK	OK	-	-	-			
		All Dimensions Are In MM										
2	DIMENSION		VALUE	-	+	1	2	-	-	-			
		O.D	33.00	32.70	33.30	33.06	33.05	-	-	-		
		I.D	21.50	21.00	22.00	21.59	21.60	-	-	-		
		T.L	4.00	3.70	4.30	4.06	4.05	-	-	-		

INSPECTED BY:	*Jay Hadiyal*	*APPROVED BY:*	*Shreekant*

Conclusion :

☑ **Accept** ☐ **Reject** ☐ **Hold**

METALMECH ENGINEERING QA PASSED