

		MetalMech-08500-FR-QX-08-Final Inspection Report-EX													
INSP. No.	FIR-03	Product Name	ENTRY COMPONENT		Size		1/2" NPT		Drawing No.		313001M-01s	Date:	30/08/2026		
Wo No.	26000231	Total Quantity	1000		Lot Quantity		1000		Sample Size-		5	Variable & Gauging	5PCS		
Sr. No.	Checking Parameter	REQUIRED PARAMETER				OBSERVED RESULTS					REJECTION REWORK DETAIL	REMARK	CHECKED BY		
		PARAMETER	CRITERIA			1	2	3	4	5					
1	Visual	Surface	Fine, Clean			FINE	FINE	FINE	FINE	FINE					
		Size wise No of Pcs. With Internal Parts	As per Drg. No. of Parts			10	10	10	10	10					
		Washing & Plating	Surface Finishing			NA	NA	NA	NA	NA					
		RUBBER MARKING	AS PER DRG.			NA	NA	NA	NA	NA					
		Marking	WO Ref. No.	Metalmech Logo MM-EX- E1FUVN20s1NN6 2026 CE Logo 2460 Ex Logo II 2 GD Ex db IIC Gb, Ex eb			OK	OK	OK	OK	OK		ASM No :- CSEX260815-04.05		
		Assembly Perfection	As per Drg.			OK	OK	OK	OK	OK					
		Inner Packing	Labeling & Printing				OK	OK	OK	OK	OK				
		Outer Packing	Printing & Stamping			OK	OK	OK	OK	OK					
		All Dimensions Are In MM													
		2	DIMENSION		VALUE	-	+	1	2	3	4	5			
A/F	25.00			24.87	25.00	24.93	24.91	24.92	24.93	24.92					
A/C	27.50			27.00	28.00	27.50	27.49	27.49	27.48	27.47					
T.L	35.00			35.00	35.50	35.05	35.04	35.05	35.04	35.03					
LENGTH	20.00			20.00	20.50	20.05	20.04	20.04	20.06	20.05					
O.D	24.50			24.00	25.00	24.51	24.50	24.48	24.49	24.48					
O.D.L	9.00			8.50	9.50	9.04	9.05	9.08	9.06	9.09					
H.L	6.00			5.70	6.30	6.03	6.05	6.04	6.06	6.09					
LD	12.00			11.50	12.50	12.06	12.05	12.05	12.04	12.06					
DEPTH	11.50			11.00	12.00	11.54	11.56	11.55	11.58	11.56					
THREAD	1/2" NPT AS PER T.R.G GO NOT GO			OK	OK	OK	OK	OK							
INT.THREAD	M20x1.5 AS PER P.G GO NOT GO			OK	OK	OK	OK	OK							
CH.ANGLE	0.5x45° AS PER PP FOUND			OK	OK	OK	OK	OK							
CH.ANGLE	1.6x45° AS PER PP FOUND			OK	OK	OK	OK	OK							
CH.ANGLE	1.5x45° AS PER PP FOUND			OK	OK	OK	OK	OK							
CH.ANGLE	20° AS PER PP FOUND			OK	OK	OK	OK	OK							
ANGLE	90° AS PER PP FOUND			OK	OK	OK	OK	OK							
INSPECTED BY:				Jay Hadiyal			APPROVED BY:				Shreekant				

Conclusion :



Accept



Reject



Hold





MetalMech-08500-FR-QX-08-Final Inspection Report-EX

INSP. No.	FIR-03	Product Name	INTERMEDIATE BODY	Size	1/2" NPT	Drawing No.	313002U-018	Date:	30/08/2026			
Wo No.	26000231	Total Quantity	1000	Lot Quantity	1000	Sample Size-	5	Variable & Gauging	5PCS			
Sr. No.	Checking Parameter	REQUIRED PARAMETER		OBSERVED RESULTS					REJECTION REWORK DETAIL	REMARK	CHECKED BY	
		PARAMETER	CRITERIA	1	2	3	4	5				
		Surface	Fine, Clean	FINE	FINE	FINE	FINE	FINE		Measuring Instrument ID No.		
		Sizewise No of Pcs. With Internal Parts	As per Drg. No. of Parts	10	10	10	10	10		(1) DV-55		
		Washing & Plating	Surface Finishing	NA	NA	NA	NA	NA		(2) PP-01		
		RUBBER MARKING	AS PER DRG.	NA	NA	NA	NA	NA				
		Marking	WO Ref. No.	NA	NA	NA	NA	NA		ASM No > CSEX260815-04/05		
		Assembly Perfection	As per Drg.	OK	OK	OK	OK	OK				
		Inner Packing	Labeling & Printing	OK	OK	OK	OK	OK				
		Outer Packing	Printing & Stamping	OK	OK	OK	OK	OK				
		All Dimensions Are In MM										
		VALUE	-	+	1	2	3	4	5			
		A/F	25.00	24.87	25.00	24.93	24.95	24.94	24.96	24.95		
		A/C	27.50	27.00	28.00	27.45	27.47	27.46	27.45	27.47		
		T.L	22.00	21.50	22.50	22.03	22.02	22.03	22.02	22.04		
		TH.L	10.00	9.50	10.50	9.98	9.97	9.95	9.94	9.96		
		GR.OD	18.00	17.50	18.50	18.03	18.05	18.04	18.03	18.05		
		GR.LE	1.00	0.80	1.20	1.01	1.00	1.00	1.00	1.01		
		H.L	4.00	3.70	4.30	4.05	4.04	4.06	4.05	4.04		
		TH.L	8.00	7.70	8.30	8.04	8.06	8.08	8.07	8.06		
		GR.OD	20.00	19.50	20.50	20.02	20.01	20.03	20.02	20.01		
		GR.LE	1.00	0.80	1.20	1.01	1.00	1.00	1.00	1.01		
		LD	16.00	15.50	16.50	15.95	15.94	15.96	15.95	15.98		
		LD	18.00	17.50	18.50	17.93	17.95	17.94	17.96	17.95		
		DEPTH	7.00	6.70	7.30	7.00	6.99	7.01	7.00	7.02		
		LD	17.00	16.50	17.50	17.03	17.02	17.04	17.05	17.04		
		LD.LE	4.50	4.20	4.80	4.50	4.51	4.49	4.48	4.50		
		DEPTH	11.50	11.00	12.00	11.51	11.53	11.52	11.53	11.52		
		THREAD	M20x1.5 AS PER T.R.G GO NOT GO		OK	OK	OK	OK	OK			
		THREAD	M22x1.5 AS PER T.R.G GO NOT GO		OK	OK	OK	OK	OK			
		CHANGLE	1.5x45° AS PER PP FOUND		OK	OK	OK	OK	OK			
		CHANGLE	0.5x45° AS PER PP FOUND		OK	OK	OK	OK	OK			
		CHANGLE	20° AS PER PP FOUND		OK	OK	OK	OK	OK			
INSPECTED BY:		Jay Hadiyal			APPROVED BY:			Shreekant				

Conclusion :



Accept



Reject



Hold





MetalMech-08500-FR-QX-08-Final Inspection Report-EX

INSP. No.	FIR-03	Product Name	MIDDLE BODY		Size		1/2" NPT		Drawing No.		3130002-018	Date:	30/08/2026
Wo No.	26000231	Total Quantity	1000		Lot Quantity		1000		Sample Size-		5	Variable & Gauging	5PCS
Sr. No.	Checking Parameter	REQUIRED PARAMETER				OBSERVED RESULTS					REJECTION REWORK DETAIL	REMARK	CHECKED BY
1	Visual	PARAMETER	CRITERIA		1	2	3	4	5				
		Surface	Fine, Clean		FINE	FINE	FINE	FINE	FINE				
		Sizewise No of Pcs. With Internal Parts	As per Drg. No. of Parts	10	10	10	10	10					
		Washing & Plating	Surface Finishing	NA	NA	NA	NA	NA					
		RUBBER MARKING	AS PER DRG.	NA	NA	NA	NA	NA					
		Marking	WO Ref. No.	NA	NA	NA	NA	NA					
		Assembly Perfection	As per Drg.		OK	OK	OK	OK	OK				
		Inner Packing	Labeling & Printing		OK	OK	OK	OK	OK				
		Outer Packing	Printing & Stamping		OK	OK	OK	OK	OK				
		All Dimensions Are In MM											
2	DIMENSION		VALUE	-	+	1	2	3	4	5			
		A/F	25.00	24.87	25.00	24.89	24.91	24.90	24.89	24.90			
		A/C	27.50	27.00	28.00	27.49	27.48	27.47	27.45	27.47			
		T.L	28.00	27.50	28.50	28.01	28.00	27.99	28.00	27.99			
		TH.L	12.00	11.50	12.50	12.02	12.01	12.03	12.02	12.01			
		GR.OD	20.50	20.00	21.00	20.55	20.54	20.53	20.55	20.54			
		GR.LE	1.00	0.80	1.20	1.01	1.00	1.00	1.00	1.01			
		O.D	24.50	24.00	25.00	24.43	24.45	24.44	24.46	24.45			
		O.D.L	8.00	7.70	8.30	8.02	8.01	8.03	8.02	8.01			
		H.L	8.00	7.70	8.30	8.05	8.04	8.03	8.05	8.04			
		LD	16.00	15.50	16.50	16.01	16.00	15.99	16.01	16.00			
		LD	17.00	16.50	17.50	17.02	17.04	17.05	17.06	17.05			
		LD.LE	4.00	3.70	4.30	4.01	4.03	4.02	4.05	4.04			
		INT.THL	9.50	9.00	10.00	9.50	9.49	9.50	9.51	9.50			
		LD	20.00	19.50	20.50	19.97	19.96	19.98	19.96	19.98			
		DEPTH	14.00	13.50	14.50	14.04	14.60	14.05	14.03	14.05			
		THREAD	M22x1 AS PER T.R.G GO NOT GO			OK	OK	OK	OK	OK			
		INT.THREAD	M22x1.5 AS PER P.G GO NOT GO			OK	OK	OK	OK	OK			
		CH.ANGLE	0.5x45° AS PER PP FOUND			OK	OK	OK	OK	OK			
		CH.ANGLE	1x45° AS PER PP FOUND			OK	OK	OK	OK	OK			
		CH.ANGLE	1.5x45° AS PER PP FOUND			OK	OK	OK	OK	OK			
		CH.ANGLE	30° AS PER PP FOUND			OK	OK	OK	OK	OK			
INSPECTED BY:		Jay Hadiyal			APPROVED BY:				Shreekant				

Conclusion :



Accept



Reject



Hold





MetalMech-08500-FR-QX-08-Final Inspection Report-EX

INSP. No.	FIR-03	Product Name	BACK NUT		Size	1/2" NPT		Drawing No.	313003-018	Date:	30/08/2026		
Wo No.	26000231	Total Quantity	1000		Lot Quantity	1000		Sample Size-	5	Variable & Gauging	5PCS		
Sr. No.	Checking Parameter	REQUIRED PARAMETER				OBSERVED RESULTS				REJECTION REWORK DETAIL	REMARK	CHECKED BY	
		PARAMETER	CRITERIA		1	2	3	4	5				
		Surface	Fine, Clean		FINE	FINE	FINE	FINE	FINE		Measuring Instruments ID No.		
		Size wise No of Pcs. With Internal Parts	As per Drg. No. of Parts	10	10	10	10	10	10		(1) DV-55		
		Washing & Plating	Surface Finishing	NA	NA	NA	NA	NA	NA		(2) PP-01		
		RUBBER MARKING	AS PER DRG.	NA	NA	NA	NA	NA	NA				
		Marking	WO Ref. No.	NA	NA	NA	NA	NA	NA		ASM No :- CSEX260815-04/05		
		Assembly Perfection	As per Drg.		OK	OK	OK	OK	OK				
		Inner Packing	Labeling & Printing		OK	OK	OK	OK	OK				
		Outer Packing	Printing & Stamping		OK	OK	OK	OK	OK				
		All Dimensions Are In MM											
			VALUE	-	+	1	2	3	4	5			
		A/F	25.00	24.87	25.00	24.90	24.89	24.90	24.90	24.89			
		A/C	27.50	27.00	28.00	27.46	27.49	27.48	27.49	27.48			
		T.L	17.00	16.50	17.50	17.00	16.99	17.01	17.00	16.99			
		O.D	24.00	23.50	24.50	23.98	23.97	23.99	23.98	24.00			
		O.D.L	8.00	7.70	8.30	8.02	8.01	8.03	8.05	8.04			
		H.L	9.00	8.50	9.50	8.96	8.95	8.95	8.94	8.96			
		L.D	19.00	18.50	19.50	19.00	18.99	19.01	19.00	18.99			
		INT.THIL	3.00	2.80	3.20	3.02	3.01	3.03	3.05	3.03			
		GR.ID	22.20	21.70	22.70	22.25	22.24	22.26	22.25	22.23			
		GR.LE	10.50	10.00	11.00	10.51	10.53	10.52	10.53	10.52			
		DEPTH	13.50	13.00	14.00	13.52	13.51	13.53	13.55	13.54			
		GR.ID	21.00	20.50	21.50	21.03	21.02	21.05	21.04	21.06			
		GR.LE	2.50	2.30	2.70	2.52	2.50	2.51	2.50	2.50			
		DEPTH	16.00	15.50	16.50	15.95	15.98	15.96	15.95	15.98			
		INT.THREAD	M22x1 AS PER P.G GO NOT GO			OK	OK	OK	OK	OK			
		CH.ANGLE	1x45° AS PER PP FOUND			OK	OK	OK	OK	OK			
		CH.ANGLE	0.5x45° AS PER PP FOUND			OK	OK	OK	OK	OK			
		CH.ANGLE	45° AS PER PP FOUND			OK	OK	OK	OK	OK			
INSPECTED BY:		Jay Hadiyal				APPROVED BY:				Shreekant			

Conclusion :



Accept



Reject



Hold





MetalMech-08500-FR-QX-08-Final Inspection Report-EX

INSP. No.	FIR-03	Product Name	UNIVERSAL CLAMPING CONE		Size	1/2" NPT		Drawing No.	313005-018		Date:	30/08/2026		
Wo No.	26000231	Total Quantity	1000		Lot Quantity	1000		Sample Size-	5		Variable & Gauging	5PCS		
Sr. No.	Checking Parameter	REQUIRED PARAMETER				OBSERVED RESULTS					REJECTION REWORK DETAIL	REMARK	CHECKED BY	
		PARAMETER	CRITERIA		1	2	3	4	5					
1	Visual	Surface	Fine, Clean		FINE	FINE	FINE	FINE	FINE					
		Sizewise No of Pos. With Internal Parts	As per Drg. No. of Parts	10	10	10	10	10	10	10				
		Washing & Plating	Surface Finishing	NA	NA	NA	NA	NA	NA	NA				
		RUBBER MARKING	AS PER DRG.	NA	NA	NA	NA	NA	NA	NA				
		Marking	WO Ref. No.	NA	NA	NA	NA	NA	NA	NA				
		Assembly Perfection	As per Drg.		OK	OK	OK	OK	OK	OK				
		Inner Packing	Labeling & Printing		OK	OK	OK	OK	OK	OK				
		Outer Packing	Printing & Stamping		OK	OK	OK	OK	OK	OK				
		All Dimensions Are In MM												
2	DIMENSION		VALUE	-	+	1	2	3	4	5				
		T.L	22.00	21.50	22.50	22.03	22.02	22.01	22.01	22.00				
		O.D	14.00	13.50	14.50	14.05	14.04	14.03	14.02	14.01				
		O.D.L	3.50	3.20	3.80	3.52	3.51	3.53	3.53	3.54				
		GR.OD	15.50	15.00	16.00	15.51	15.49	15.47	15.46	15.45				
		GR.LE	2.50	2.30	2.70	2.52	2.51	2.53	2.55	2.54				
		O.D	16.20	15.70	16.70	16.20	16.19	16.18	16.17	16.19				
		O.D.L	7.50	7.20	7.80	7.52	7.49	7.50	7.49	7.48				
		O.D	17.50	17.00	18.00	17.52	17.53	17.55	17.54	17.56				
		O.D.L	7.00	6.70	7.30	7.07	7.05	7.04	7.05	7.04				
		O.D	14.00	13.50	14.50	14.00	13.99	14.01	13.98	13.97				
		O.D.L	4.50	4.20	4.80	4.51	4.50	4.50	4.50	4.49				
		O.D	14.50	14.00	15.00	14.52	14.51	14.53	14.55	14.52				
		O.D	15.00	14.50	15.50	15.02	15.01	15.04	15.04	15.06				
		O.D	15.50	15.00	16.00	15.51	15.49	15.48	15.45	15.49				
		O.D.L	7.50	7.20	7.80	7.49	7.51	7.50	7.50	7.51				
		LD	12.00	11.50	12.50	12.05	12.04	12.03	12.02	12.01				
		GROOVE,STEP,LE	0.50	0.30	0.70	0.50	0.49	0.51	0.49	0.50				
		RADIUS	0.5 MM AS PER PP FOUND			OK	OK	OK	OK	OK				
		RADIUS	0.3 AS PER PP FOUND			OK	OK	OK	OK	OK				
INSPECTED BY:		Jay Hadiyal			APPROVED BY:				Shreekant					

Conclusion :



Accept



Reject



Hold





MetalMech-08500-FR-QX-08-Final Inspection Report-EX

INSP. No.	FIR-03	Product Name	REVERSIBLE ARMOUR RING		Size		1/2" NPT		Drawing No.		313004-01s	Date:	30/08/2026
Wo No.	26000231	Total Quantity	1000		Lot Quantity		1000		Sample Size-		5	Variable & Gauging	5PCS
Sr. No.	Checking Parameter	REQUIRED PARAMETER				OBSERVED RESULTS					REJECTION REWORK DETAIL	REMARK	CHECKED BY
		PARAMETER	CRITERIA			1	2	3	4	5			
1	Visual	Surface	Fine, Clean			FINE	FINE	FINE	FINE	FINE		Measuring Instruments I.D No-	
		Sizewise No of Pcs. With Internal Parts	As per Drg. No. of Parts	10		10	10	10	10	10		(1) DV-55	
		Washing & Plating	Surface Finishing	NA		NA	NA	NA	NA	NA		(2) PP-01	
		RUBBER MARKING	AS PER DRG.	NA		NA	NA	NA	NA	NA			
		Marking	WO Ref. No.	NA		NA	NA	NA	NA	NA		ASM No :- CSEX260815-04/05	
		Assembly Perfection	As per Drg.			OK	OK	OK	OK	OK			
		Inner Packing	Labeling & Printing			OK	OK	OK	OK	OK			
		Outer Packing	Printing & Stamping			OK	OK	OK	OK	OK			
		All Dimensions Are In MM											
2	DIMENSION		VALUE	-	+	1	2	3	4	5			
		T.L	6.00	5.70	6.30	6.01	6.01	6.03	6.03	6.05			
		O.D	19.00	18.50	19.50	18.73	18.75	18.76	18.75	18.74			
		I.D	16.00	15.50	16.50	16.01	16.00	15.99	16.00	16.01			
		I.D	16.50	16.00	17.00	16.50	16.49	16.48	16.50	16.49			
INSPECTED BY:		Jay Hadiyal			APPROVED BY:				Shreekant				

Conclusion :



Accept



Reject



Hold



MetalMech-08500-FR-QX-08-Final Inspection Report-EX

INSP. No.	FIR-03	Product Name	COMPRESSIBLE INNER SEAL		Size		1/2" NPT		Drawing No.		GI-01s	Date:	30/08/2026	
Wo No.	26000231	Total Quantity	1000		Lot Quantity		1000		Sample Size-		5	Variable & Gauging	5PCS	
Sr. No.	Checking Parameter	REQUIRED PARAMETER				OBSERVED RESULTS					REJECTION REWORK DETAIL	REMARK	CHECKED BY	
		PARAMETER	CRITERIA			1	2	3	4	5				
1	Visual	Surface	Fine, Clean			FINE	FINE	FINE	FINE	FINE		Measuring Instruments I.D No-		
		Sizewise No of Pcs. With Internal Parts	As per Drg. No. of Parts	10	10	10	10	10	10	10		(1) DV-55		
		Washing & Plating	Surface Finishing	NA	NA	NA	NA	NA	NA	NA		(2) PP-01		
		RUBBER MARKING	AS PER DRG.	OK	OK	OK	OK	OK	OK	OK				
		Marking	WO Ref. No.	NA	NA	NA	NA	NA	NA	NA		ASM No :- CSEX260815-04/05		
		Assembly Perfection	As per Drg.			OK	OK	OK	OK	OK	OK			
		Inner Packing	Labeling & Printing		OK	OK	OK	OK	OK	OK				
		Outer Packing	Printing & Stamping			OK	OK	OK	OK	OK	OK			
		All Dimensions Are In MM												
2	DIMENSION		VALUE	-	+	1	2	3	4	5				
		T.L	9.50	9.00	10.00	9.49	9.51	9.53	9.52	9.50				
		O.D.L	3.00	2.70	3.30	3.01	3.03	3.02	3.02	3.01				
		O.D	18.50	18.30	18.50	18.43	18.45	18.46	18.45	18.48				
		O.D.L	6.50	6.20	6.80	6.53	6.55	6.54	6.54	6.56				
		I.D	11.70	11.70	11.90	11.77	11.76	11.74	11.75	11.74				
INSPECTED BY:		Jay Hadiyal			APPROVED BY:				Shreekant					

Conclusion :



Accept



Reject



Hold





MetalMech-08500-FR-QX-08-Final Inspection Report-EX

INSP. No.	FIR-03	Product Name	COMPRESSIBLE OUTER SEAL		Size	1/2" NPT		Drawing No.	GE-01s	Date:	30/08/2026		
Wo No.	26000231	Total Quantity	1000		Lot Quantity	1000		Sample Size-	5	Variable & Gauging	5PCS		
Sr. No.	Checking Parameter	REQUIRED PARAMETER				OBSERVED RESULTS					REJECTION REWORK DETAIL	REMARK	CHECKED BY
		PARAMETER	CRITERIA			1	2	3	4	5			
1	Visual	Surface	Fine, Clean			FINE	FINE	FINE	FINE	FINE		Measuring Instruments I.D No-	
		Sizewise No of Pcs. With Internal Parts	As per Drg. No. of Parts	10	10	10	10	10	10	10		(1) DV-55	
		Washing & Plating	Surface Finishing	NA	NA	NA	NA	NA	NA	NA		(2) PP-01	
		RUBBER MARKING	AS PER DRG.	OK	OK	OK	OK	OK	OK	OK			
		Marking	WO Ref. No.	NA	NA	NA	NA	NA	NA	NA		ASM No :- CSEX260815-04/05	
		Assembly Perfection	As per Drg.		OK	OK	OK	OK	OK	OK			
		Inner Packing	Labeling & Printing		OK	OK	OK	OK	OK	OK			
		Outer Packing	Printing & Stamping		OK	OK	OK	OK	OK	OK			
		All Dimensions Are In MM											
2	DIMENSION		VALUE	-	+	1	2	3	4	5			
		T.L	10.00	9.50	10.50	10.01	10.00	10.01	10.02	10.01			
		O.D	22.20	22.00	22.20	22.12	22.11	22.13	22.12	22.11			
		GR.LENGTH	3.50	3.20	3.80	3.49	3.51	3.50	3.50	3.49			
		I.D	15.70	15.70	15.80	15.75	15.74	15.76	15.74	15.76			
INSPECTED BY:		Jay Hadiyal			APPROVED BY:				Shreekant				

Conclusion :



Accept



Reject



Hold





MetalMech-08500-FR-QX-08-Final Inspection Report-EX

INSP. No.	FIR-03	Product Name	INNER SKID WASHER		Size		1/2" NPT		Drawing No.		IW-01s	Date:	30/08/2026
Wo No.	26000231	Total Quantity	1000		Lot Quantity		1000		Sample Size-		5	Variable & Gauging	5PCS
Sr. No.	Checking Parameter	REQUIRED PARAMETER				OBSERVED RESULTS					REJECTION REWORK DETAIL	REMARK	CHECKED BY
		PARAMETER	CRITERIA			1	2	3	4	5			
1	Visual	Surface	Fine, Clean			FINE	FINE	FINE	FINE	FINE		Measuring Instruments I.D No-	
		Sizewise No of Pcs. With Internal Parts	As per Drg. No. of Parts	10	10	10	10	10	10		(1) DV-55		
		Washing & Plating	Surface Finishing	NA	NA	NA	NA	NA	NA		(2) PP-01		
		RUBBER MARKING	AS PER DRG.	OK	OK	OK	OK	OK	OK				
		Marking	WO Ref. No.	NA	NA	NA	NA	NA	NA		ASM No :- CSEX260815-04/05		
		Assembly Perfection	As per Drg.			OK	OK	OK	OK	OK			
		Inner Packing	Labeling & Printing		OK	OK	OK	OK	OK				
		Outer Packing	Printing & Stamping			OK	OK	OK	OK	OK			
		All Dimensions Are In MM											
2	DIMENSION		VALUE	-	+	1	2	3	4	5			
		T.L	4.50	4.20	4.80	4.53	4.51	4.52	4.52	4.51			
		O.D	18.00	17.80	18.00	17.90	17.92	17.91	17.93	17.92			
		O.D	15.50	15.30	15.50	15.42	15.40	15.41	15.42	15.43			
		O.D.L	2.50	2.50	2.70	2.52	2.54	2.54	2.54	2.56			
		I.D	12.00	12.00	12.20	12.05	12.04	12.03	12.05	12.04			
INSPECTED BY:		Jay Hadiyal			APPROVED BY:				Shreekant				

Conclusion :



Accept



Reject



Hold





MetalMech-08500-FR-QX-08-Final Inspection Report-EX

INSP. No.	FIR-03	Product Name	OUTER SKID WASHER		Size		1/2" NPT		Drawing No.		OW-01s	Date:	30/08/2026
Wo No.	26000231	Total Quantity	1000		Lot Quantity		1000		Sample Size-		5	Variable & Gauging	5PCS
Sr. No.	Checking Parameter	REQUIRED PARAMETER				OBSERVED RESULTS					REJECTION REWORK DETAIL	REMARK	CHECKED BY
		PARAMETER	CRITERIA			1	2	3	4	5			
1	Visual	Surface	Fine, Clean			FINE	FINE	FINE	FINE	FINE		Measuring Instruments I.D No-	
		Sizewise No of Pcs. With Internal Parts	As per Drg. No. of Parts	10		10	10	10	10	10		(1) DV-55	
		Washing & Plating	Surface Finishing	NA		NA	NA	NA	NA	NA		(2) PP-01	
		RUBBER MARKING	AS PER DRG.	NA		NA	NA	NA	NA	NA			
		Marking	WO Ref. No.	NA		NA	NA	NA	NA	NA		ASM No :- CSEX260815-04/05	
		Assembly Perfection	As per Drg.			OK	OK	OK	OK	OK			
		Inner Packing	Labeling & Printing			OK	OK	OK	OK	OK			
		Outer Packing	Printing & Stamping			OK	OK	OK	OK	OK			
		All Dimensions Are In MM											
2	DIMENSION		VALUE	-	+	1	2	3	4	5			
		T.L	6.50	6.20	6.80	6.52	6.54	6.53	6.54	6.53			
		O.D	20.50	20.50	20.60	20.52	20.55	20.54	20.55	20.54			
		O.D	18.50	18.30	18.50	18.40	18.39	18.41	18.40	18.39			
		O.D.L	4.00	4.00	4.10	4.02	4.01	4.05	4.04	4.06			
		I.D	16.00	16.00	16.20	16.03	16.05	16.04	16.04	16.06			
INSPECTED BY:		Jay Hadiyal			APPROVED BY:				Shreekant				

Conclusion :



Accept



Reject



Hold

