

		MetalMech-08500-FR-QX-08-Final Inspection Report-EX											
INSP. No.	FIR-08	Product Name	LOCK NUT		Size		M20		Drawing No.		DLIIS	Date:	26-08-2026
Wo No.	26100080	Total Quantity	75		Lot Quantity		75		Sample Size-		3	Variable & Gauging	3PCS
Sr. No.	Checking Parameter	REQUIRED PARAMETER				OBSERVED RESULTS					REJECTION REWORK DETAIL	REMARK	CHECKED BY
		PARAMETER	CRITERIA			1	2	3	-	-			
1	Visual	Surface	Fine, Clean			FINE	FINE	FINE	-	-		Measuring Instruments I.D No-	
		Sizewise No of Pcs. With Internal Parts	As per Drg. No. of Parts	16	16	16	16	-	-		(1) DV-55		
		Washing & Plating	Surface Finishing	NA	NA	NA	NA	-	-		(2) PP-01		
		RUBBER MARKING	AS PER DRG.	NA	NA	NA	NA	-	-				
		Marking	WO Ref. No.	NA	NA	NA	NA	-	-		ASM No :- CSEX260810-03		
		Assembly Perfection	As per Drg.			OK	OK	OK	-	-			
		Inner Packing	Labeling & Printing		OK	OK	OK	-	-				
		Outer Packing	Printing & Stamping			OK	OK	OK	-	-			
		All Dimensions Are In MM											
2	DIMENSION		VALUE	-	+	1	2	3	-	-			
		A/F	24.00	23.87	24.00	23.97	23.94	23.95	-	-			
		A/C	26.00	25.50	26.50	26.00	25.99	25.98	-	-			
		T.L	3.50	3.20	3.80	3.49	3.51	3.50	-	-			
		THREAD	M20x1.5 AS PER P.G GO NOT GO			OK	OK	OK	-	-			
		CH.ANGLE	30° AS PER PP FOUND			OK	OK	OK	-	-			
INSPECTED BY:		Jay Hadiyal			APPROVED BY:				Shreekant				

Conclusion :

☒

Accept

☐

Reject

☐

Hold





MetalMech-08500-FR-QX-08-Final Inspection Report-EX

INSP. No.	FIR-o8	Product Name	ENTRY COMPONENT		Size		M20		Drawing No.		313001M-01s	Date:	26-08-2026	
Wo No.	26100080	Total Quantity	75		Lot Quantity		75		Sample Size-		3	Variable & Gauging	3PCS	
Sr. No.	Checking Parameter	REQUIRED PARAMETER					OBSERVED RESULTS					REJECTION REWORK DETAIL	REMARK	CHECKED BY
		PARAMETER	CRITERIA		1	2	3	-	-					
1	Visual	Surface	Fine, Clean		FINE	FINE	FINE	-	-		Measuring Instruments 12 Nos.			
		Size wise No of Pcs. With Internal Parts	As per Drg. No. of Parts	16	16	16	16	-	-		(1) DV-55			
		Washing & Plating	Surface Finishing	NA	NA	NA	NA	-	-		(2) PP-01			
		RUBBER MARKING	AS PER DRG.	NA	NA	NA	NA	-	-					
		Marking	WO Ref. No.	Metalmech Logo MM-EX- E1FUNV20S1MX6 2026 CE Logo 2460 Ex Logo II 2 GD Ex db IIC Gb, Ex eb	OK	OK	OK	-	-	ASM No :- CSEX260810-03				
		Assembly Perfection	As per Drg.		OK	OK	OK	-	-					
		Inner Packing	Labeling & Printing		OK	OK	OK	-	-					
		Outer Packing	Printing & Stamping		OK	OK	OK	-	-					
		All Dimensions Are In MM												
2	DIMENSION		VALUE	-	+	1	2	3	-	-				
		A/F	25.00	24.87	25.00	24.93	24.95	24.94	-	-				
		A/C	27.50	27.00	28.00	27.50	27.49	27.48	-	-				
		T.L	32.00	32.00	32.50	32.25	32.24	32.26	-	-				
		TH.L	13.00	12.50	13.50	13.03	13.05	13.04	-	-				
		LENGTH	17.00	17.00	17.50	17.25	17.24	17.26	-	-				
		GR.OD	18.00	18.00	18.50	17.95	17.94	17.96	-	-				
		GR.LE	2.50	2.30	2.70	2.52	2.51	2.53	-	-				
		O.D	24.50	24.00	25.00	24.50	24.49	24.50	-	-				
		O.D.L	9.00	8.50	9.50	9.02	9.01	9.03	-	-				
		H.L	6.00	5.70	6.30	6.03	6.05	6.04	-	-				
		I.D	12.00	11.50	12.50	12.05	12.04	12.05	-	-				
		DEPTH	11.50	11.00	12.00	11.53	11.55	11.54	-	-				
		THREAD	M20x1.5 AS PER T.R.G GO NOT GO			OK	OK	OK	-	-				
		INT.THREAD	M20x1.5 AS PER P.G GO NOT GO			OK	OK	OK	-	-				
		CH.ANGLE	0.5x45° AS PER PP FOUND			OK	OK	OK	-	-				
		CH.ANGLE	1.5x45° AS PER PP FOUND			OK	OK	OK	-	-				
		CH.ANGLE	20° AS PER PP FOUND			OK	OK	OK	-	-				
		ANGLE	90° AS PER PP FOUND			OK	OK	OK	-	-				
INSPECTED BY:		Jay Hadiyal			APPROVED BY:					Shreekant				

Conclusion :



Accept



Reject



Hold





MetalMech-08500-FR-QX-08-Final Inspection Report-EX

INSP. No.	FIR-08	Product Name	INTERMEDIATE BODY		Size		M20		Drawing No.		313002U-018	Date:	26-08-2026
Wo No.	26100080	Total Quantity	75		Lot Quantity		75		Sample Size-		3	Variable & Gauging	3PCS
Sr. No.	Checking Parameter	REQUIRED PARAMETER				OBSERVED RESULTS				REJECTION REWORK DETAIL	REMARK	CHECKED BY	
		PARAMETER	CRITERIA		1	2	3	-	-				
		Surface	Fine, Clean		FINE	FINE	FINE	-	-			Measuring Instruments I.D No:-	
		Size wise No of Pcs. With Internal Parts	As per Drg. No. of Parts	16	16	16	16	-	-			(1) DV-55	
		Washing & Plating	Surface Finishing	NA	NA	NA	NA	-	-			(2) PP-01	
		RUBBER MARKING	AS PER DRG.	NA	NA	NA	NA	-	-				
		Marking	WO Ref. No.	NA	NA	NA	NA	-	-			ASM No :- CSEX260810-03	
		Assembly Perfection	As per Drg.		OK	OK	OK	-	-				
		Inner Packing	Labeling & Printing		OK	OK	OK	-	-				
		Outer Packing	Printing & Stamping		OK	OK	OK	-	-				
		All Dimensions Are In MM											
			VALUE	-	+	1	2	3	-	-			
		A/F	25.00	24.87	25.00	24.93	24.95	24.94	-	-			
		A/C	27.50	27.00	28.00	27.45	27.47	27.46	-	-			
		T.L	22.00	21.50	22.50	22.03	22.02	22.03	-	-			
		TH.L	10.00	9.50	10.50	9.98	9.97	9.95	-	-			
		GR.OD	18.00	17.50	18.50	18.03	18.05	18.04	-	-			
		GR.LE	1.00	0.80	1.20	1.01	1.00	1.00	-	-			
		H.L	4.00	3.70	4.30	4.05	4.04	4.06	-	-			
		TH.L	8.00	7.70	8.30	8.04	8.06	8.08	-	-			
		GR.OD	20.00	19.50	20.50	20.02	20.01	20.03	-	-			
		GR.LE	1.00	0.80	1.20	1.01	1.00	1.00	-	-			
		LD	16.00	15.50	16.50	15.95	15.94	15.96	-	-			
		LD	18.00	17.50	18.50	17.93	17.95	17.94	-	-			
		DEPTH	7.00	6.70	7.30	7.00	6.99	7.01	-	-			
		LD	17.00	16.50	17.50	17.03	17.02	17.04	-	-			
		LD.LE	4.50	4.20	4.80	4.50	4.51	4.49	-	-			
		DEPTH	11.50	11.00	12.00	11.51	11.53	11.52	-	-			
		THREAD	M20x1.5 AS PER T.R.G GO NOT GO		OK	OK	OK	-	-				
		THREAD	M22x1.5 AS PER T.R.G GO NOT GO		OK	OK	OK	-	-				
		CH.ANGLE	1.5x45° AS PER PP FOUND		OK	OK	OK	-	-				
		CH.ANGLE	0.5x45° AS PER PP FOUND		OK	OK	OK	-	-				
		CH.ANGLE	20° AS PER PP FOUND		OK	OK	OK	-	-				
INSPECTED BY:		Jay Hadiyal			APPROVED BY:				Shreekant				

Conclusion :

☒ Accept

☐ Reject

☐ Hold





MetalMech-08500-FR-QX-08-Final Inspection Report-EX

INSP. No.	FIR-08	Product Name	MIDDLE BODY		Size		M20		Drawing No.		313002-018	Date:	26-08-2026
Wo No.	26100080	Total Quantity	75		Lot Quantity		75		Sample Size-		3	Variable & Gauging	3PCS
Sr. No.	Checking Parameter	REQUIRED PARAMETER				OBSERVED RESULTS				REJECTION REWORK DETAIL	REMARK	CHECKED BY	
1	Visual	PARAMETER	CRITERIA		1	2	3	-	-		(1) DV-55		
		Surface	Fine, Clean		FINE	FINE	FINE	-	-				
		Size/wise No of Pcs. With Internal Parts	As per Drg. No. of Parts	16	16	16	16	-	-				
		Washing & Plating	Surface Finishing	NA	NA	NA	NA	-	-				
		RUBBER MARKING	AS PER DRG.	NA	NA	NA	NA	-	-				
		Marking	WO Ref. No.	NA	NA	NA	NA	-	-				
		Assembly Perfection	As per Drg.		OK	OK	OK	-	-				
		Inner Packing	Labeling & Printing	OK	OK	OK	-	-					
		Outer Packing	Printing & Stamping		OK	OK	OK	-	-				
		All Dimensions Are In MM											
2	DIMENSION		VALUE	-	+	1	2	3	-	-			
		A/F	25.00	24.87	25.00	24.89	24.91	24.90	-	-			
		A/C	27.50	27.00	28.00	27.49	27.48	27.47	-	-			
		T.L	28.00	27.50	28.50	28.01	28.00	27.99	-	-			
		TH.L	12.00	11.50	12.50	12.02	12.01	12.03	-	-			
		GR.OD	20.50	20.00	21.00	20.55	20.54	20.53	-	-			
		GR.LE	1.00	0.80	1.20	1.01	1.00	1.00	-	-			
		O.D	24.50	24.00	25.00	24.43	24.45	24.44	-	-			
		O.D.L	8.00	7.70	8.30	8.02	8.01	8.03	-	-			
		H.L	8.00	7.70	8.30	8.05	8.04	8.03	-	-			
		L.D	16.00	15.50	16.50	16.01	16.00	15.99	-	-			
		L.D	17.00	16.50	17.50	17.02	17.04	17.05	-	-			
		I.D.LE	4.00	3.70	4.30	4.01	4.03	4.02	-	-			
		INT.THL	9.50	9.00	10.00	9.50	9.49	9.50	-	-			
		L.D	20.00	19.50	20.50	19.97	19.96	19.98	-	-			
		DEPTH	14.00	13.50	14.50	14.04	14.60	14.05	-	-			
		THREAD	M22x1 AS PER T.R.G GO NOT GO			OK	OK	OK	-	-			
		INT.THREAD	M22x1.5 AS PER P.G GO NOT GO			OK	OK	OK	-	-			
		CH.ANGLE	0.5x45° AS PER PP FOUND			OK	OK	OK	-	-			
		CH.ANGLE	1x45° AS PER PP FOUND			OK	OK	OK	-	-			
		CH.ANGLE	1.5x45° AS PER PP FOUND			OK	OK	OK	-	-			
		CH.ANGLE	30° AS PER PP FOUND			OK	OK	OK	-	-			
		INSPECTED BY:		Jay Hadiyal			APPROVED BY:				Shreekant		

Conclusion :



Accept



Reject



Hold





MetalMech-08500-FR-QX-08-Final Inspection Report-EX

INSP. No.	FIR-08	Product Name	BACK NUT		Size		M20		Drawing No.		313003-018	Date:	26-08-2026
Wo No.	26100080	Total Quantity	75		Lot Quantity		75		Sample Size-		3	Variable & Gauging	3PCS
Sr. No.	Checking Parameter	REQUIRED PARAMETER				OBSERVED RESULTS				REJECTION REWORK DETAIL	REMARK	CHECKED BY	
		PARAMETER	CRITERIA		1	2	3	-	-				
1	Visual	Surface	Fine, Clean		FINE	FINE	FINE	-	-		Measuring Instruments I.D No.		
		Size wise No of Pcs. With Internal Parts	As per Drg. No. of Parts	16	16	16	16	-	-		(1) DV-55		
		Washing & Plating	Surface Finishing	NA	NA	NA	NA	-	-		(2) PP-01		
		RUBBER MARKING	AS PER DRG.	NA	NA	NA	NA	-	-				
		Marking	WO Ref. No.	NA	NA	NA	NA	-	-		ASM No :- CSEX260810-03		
		Assembly Perfection	As per Drg.		OK	OK	OK	-	-				
		Inner Packing	Labeling & Printing		OK	OK	OK	-	-				
		Outer Packing	Printing & Stamping		OK	OK	OK	-	-				
		All Dimensions Are In MM											
2	DIMENSION		VALUE	-	+	1	2	3	-	-			
		A/F	25.00	24.87	25.00	24.90	24.89	24.90	-	-			
		A/C	27.50	27.00	28.00	27.46	27.49	27.48	-	-			
		T.L	17.00	16.50	17.50	17.00	16.99	17.01	-	-			
		O.D	24.00	23.50	24.50	23.98	23.97	23.99	-	-			
		O.D.L	8.00	7.70	8.30	8.02	8.01	8.03	-	-			
		H.L	9.00	8.50	9.50	8.96	8.95	8.95	-	-			
		I.D	19.00	18.50	19.50	19.00	18.99	19.01	-	-			
		INT.THL	3.00	2.80	3.20	3.02	3.01	3.03	-	-			
		GR.ID	22.20	21.70	22.70	22.25	22.24	22.26	-	-			
		GR.LE	10.50	10.00	11.00	10.51	10.53	10.52	-	-			
		DEPTH	13.50	13.00	14.00	13.52	13.51	13.53	-	-			
		GR.ID	21.00	20.50	21.50	21.03	21.02	21.05	-	-			
		GR.LE	2.50	2.30	2.70	2.52	2.50	2.51	-	-			
		DEPTH	16.00	15.50	16.50	15.95	15.98	15.96	-	-			
		INT.THREAD	M22x1 AS PER P.G GO NOT GO			OK	OK	OK	-	-			
		CH.ANGLE	1x45° AS PER PP FOUND			OK	OK	OK	-	-			
		CH.ANGLE	0.5x45° AS PER PP FOUND			OK	OK	OK	-	-			
		CH.ANGLE	45° AS PER PP FOUND			OK	OK	OK	-	-			
INSPECTED BY:		Jay Hadiyal			APPROVED BY:				Shreekant				

Conclusion :



Accept



Reject



Hold



		MetalMech-08500-FR-QX-08-Final Inspection Report-EX											
INSP. No.	FIR-08	Product Name	UNIVERSAL CLAMPING CONE		Size		M20		Drawing No.		313005-018	Date:	26-08-2026
Wo No.	26100080	Total Quantity	75		Lot Quantity		75		Sample Size-		3	Variable & Gangline	3PCS
Sr. No.	Checking Parameter	REQUIRED PARAMETER			OBSERVED RESULTS					REJECTION REWORK DETAIL	REMARK	CHECKED BY	
		PARAMETER	CRITERIA		1	2	3	-	-				
1	Visual	Surface	Fine, Clean		FINE	FINE	FINE	-	-				
		Sizewise No of Pcs. With Internal Parts	As per Drg. No. of Parts	16	16	16	16	-	-				
		Washing & Plating	Surface Finishing	NA	NA	NA	NA	-	-				
		RUBBER MARKING	AS PER DRG.	NA	NA	NA	NA	-	-				
		Marking	WO Ref. No.	NA	NA	NA	NA	-	-				
		Assembly Perfection	As per Drg.		OK	OK	OK	-	-				
		Inner Packing	Labeling & Printing		OK	OK	OK	-	-				
		Outer Packing	Printing & Stamping		OK	OK	OK	-	-				
		All Dimensions Are In MM											
2	DIMENSION	VALUE	-	+	1	2	3	-	-				
		T.L	22.00	21.50	22.50	22.03	22.02	22.01	-	-			
		O.D	14.00	13.50	14.50	14.05	14.04	14.03	-	-			
		O.D.L	3.50	3.20	3.80	3.52	3.51	3.53	-	-			
		GR.OD	15.50	15.00	16.00	15.51	15.49	15.47	-	-			
		GR.LE	2.50	2.30	2.70	2.52	2.51	2.53	-	-			
		O.D	16.20	15.70	16.70	16.20	16.19	16.18	-	-			
		O.D.L	7.50	7.20	7.80	7.52	7.49	7.50	-	-			
		O.D	17.50	17.00	18.00	17.52	17.53	17.55	-	-			
		O.D.L	7.00	6.70	7.30	7.07	7.05	7.04	-	-			
		O.D	14.00	13.50	14.50	14.00	13.99	14.01	-	-			
		O.D.L	4.50	4.20	4.80	4.51	4.50	4.50	-	-			
		O.D	14.50	14.00	15.00	14.52	14.51	14.53	-	-			
		O.D	15.00	14.50	15.50	15.02	15.01	15.04	-	-			
		O.D	15.50	15.00	16.00	15.51	15.49	15.48	-	-			
		O.D.L	7.50	7.20	7.80	7.49	7.51	7.50	-	-			
		I.D	12.00	11.50	12.50	12.05	12.04	12.03	-	-			
		GROOVE,STEP,LE	0.50	0.30	0.70	0.50	0.49	0.51	-	-			
		RADIUS	0.5 MM AS PER PP FOUND			OK	OK	OK	-	-			
		RADIUS	0.3 AS PER PP FOUND			OK	OK	OK	-	-			
INSPECTED BY:		Jay Hadiyal			APPROVED BY:				Shreekant				

Conclusion :



Accept



Reject



Hold



 THE SAFEST CONNECTIONS		MetalMech-08500-FR-QX-08-Final Inspection Report-EX														
INSP. No.	FIR-08	Product Name	REVERSIBLE ARMOUR RING			Size	M20			Drawing No.	313004-01s			Date:	26-08-2026	
Wo No.	26100080	Total Quantity	75			Lot Quantity	75			Sample Size-	3			Variable & Gauging	3PCS	
Sr. No.	Checking Parameter	REQUIRED PARAMETER				OBSERVED RESULTS					REJECTION REWORK DETAIL	REMARK	CHECKED BY			
		PARAMETER	CRITERIA			1	2	3	-	-						
1	Visual	Surface	Fine, Clean			FINE	FINE	FINE	-	-						
		Sizewise No of Pcs. With Internal Parts	As per Drg. No. of Parts	16	16	16	16	-	-							
		Washing & Plating	Surface Finishing	NA	NA	NA	NA	-	-							
		RUBBER MARKING	AS PER DRG.	NA	NA	NA	NA	-	-							
		Marking	WO Ref. No.	NA	NA	NA	NA	-	-							
		Assembly Perfection	As per Drg.			OK	OK	OK	-	-						
		Inner Packing	Labeling & Printing		OK	OK	OK	-	-							
		Outer Packing	Printing & Stamping			OK	OK	OK	-	-						
		All Dimensions Are In MM														
2	DIMENSION		VALUE	-	+	1	2	3	-	-						
		T.L	6.00	5.70	6.30	6.01	6.01	6.03	-	-						
		O.D	19.00	18.50	19.50	18.73	18.75	18.76	-	-						
		I.D	16.00	15.50	16.50	16.01	16.00	15.99	-	-						
		I.D	16.50	16.00	17.00	16.50	16.49	16.48	-	-						
INSPECTED BY:		Jay Hadiyal				APPROVED BY:				Shreekant						

Conclusion :



Accept



Reject



Hold



		MetalMech-08500-FR-QX-08-Final Inspection Report-EX											
INSP. No.	FIR-08	Product Name	O-RING			Size	M20			Drawing No.	OR-1M	Date:	26-08-2026
Wo No.	26100080	Total Quantity	75			Lot Quantity	75			Sample Size-	3	Variable & Gauging	3PCS
Sr. No.	Checking Parameter	REQUIRED PARAMETER				OBSERVED RESULTS					REJECTION REWORK DETAIL	REMARK	CHECKED BY
		PARAMETER	CRITERIA			1	2	3	-	-			
1	Visual	Surface	Fine, Clean			FINE	FINE	FINE	-	-			
		Sizewise No of Pcs. With Internal Parts	As per Drg. No. of Parts	16	16	16	16	-	-				
		Washing & Plating	Surface Finishing	NA	NA	NA	NA	-	-				
		RUBBER MARKING	AS PER DRG.	NA	NA	NA	NA	-	-				
		Marking	WO Ref. No.	NA	NA	NA	NA	-	-				
		Assembly Perfection	As per Drg.			OK	OK	OK	-	-			
		Inner Packing	Labeling & Printing		OK	OK	OK	-	-				
		Outer Packing	Printing & Stamping			OK	OK	OK	-	-			
		All Dimensions Are In MM											
2	DIMENSION		VALUE	-	+	1	2	3	-	-			
		THICKNESS	2.50	2.00	2.50	2.05	2.04	2.04	-	-			
		I.D	16.00	15.50	16.50	16.05	16.04	16.03	-	-			
INSPECTED BY:		Jay Hadiyal				APPROVED BY:				Shreekant			

Conclusion :



Accept



Reject



Hold



		MetalMech-08500-FR-QX-08-Final Inspection Report-EX												
INSP. No.	FIR-o8	Product Name	COMPRESSIBLE INNER SEAL			Size		M20		Drawing No.		GI-01s	Date:	26-08-2026
Wo No.	26100080	Total Quantity	75			Lot Quantity		75		Sample Size-		3	Variable & Gauging	3PCS
Sr. No.	Checking Parameter	REQUIRED PARAMETER				OBSERVED RESULTS					REJECTION REWORK DETAIL	REMARK	CHECKED BY	
		PARAMETER	CRITERIA			1	2	3	-	-				
1	Visual	Surface	Fine, Clean			FINE	FINE	FINE	-	-				
		Sizewise No of Pcs. With Internal Parts	As per Drg. No. of Parts	16	16	16	16	-	-					
		Washing & Plating	Surface Finishing	NA	NA	NA	NA	-	-					
		RUBBER MARKING	AS PER DRG.	OK	OK	OK	OK	-	-					
		Marking	WO Ref. No.	NA	NA	NA	NA	-	-					
		Assembly Perfection	As per Drg.			OK	OK	OK	-	-				
		Inner Packing	Labeling & Printing		OK	OK	OK	-	-					
		Outer Packing	Printing & Stamping			OK	OK	OK	-	-				
		All Dimensions Are In MM												
2	DIMENSION		VALUE	-	+	1	2	3	-	-				
		T.L	9.50	9.00	10.00	9.49	9.51	9.53	-	-				
		O.D.L	3.00	2.70	3.30	3.01	3.03	3.02	-	-				
		O.D	18.50	18.30	18.50	18.43	18.45	18.46	-	-				
		O.D.L	6.50	6.20	6.80	6.53	6.55	6.54	-	-				
		I.D	11.70	11.70	11.90	11.77	11.76	11.74	-	-				
INSPECTED BY:		Jay Hadiyal			APPROVED BY:				Shreekant					

Conclusion :

☒

Accept

☐

Reject

☐

Hold



 THE SAFEST CONNECTIONS		MetalMech-08500-FR-QX-08-Final Inspection Report-EX												
INSP. No.	FIR-08	Product Name	COMPRESSIBLE OUTER SEAL			Size		M20		Drawing No.		GE-01s	Date:	26-08-2026
Wo No.	26100080	Total Quantity	75			Lot Quantity		75		Sample Size-		3	Variable & Gauging	3PCS
Sr. No.	Checking Parameter	REQUIRED PARAMETER				OBSERVED RESULTS					REJECTION REWORK DETAIL	REMARK	CHECKED BY	
		PARAMETER	CRITERIA			1	2	3	-	-				
1	Visual	Surface		Fine, Clean			FINE	FINE	FINE	-	-			
		Sizewise No of Pcs. With Internal Parts		As per Drg. No. of Parts		16	16	16	16	-	-		Measuring Instruments I.D No-	
		Washing & Plating		Surface Finishing		NA	NA	NA	NA	-	-		(1) DV-55	
		RUBBER MARKING		AS PER DRG.		OK	OK	OK	OK	-	-		(2) PP-01	
		Marking		WO Ref. No.		NA	NA	NA	NA	-	-		ASM No :- CSEX260810-03	
		Assembly Perfection		As per Drg.			OK	OK	OK	-	-			
		Inner Packing		Labeling & Printing			OK	OK	OK	-	-			
		Outer Packing		Printing & Stamping			OK	OK	OK	-	-			
		All Dimensions Are In MM												
2	DIMENSION		VALUE	-	+	1	2	3	-	-				
		T.L	10.00	9.50	10.50	10.01	10.00	10.01	-	-				
		O.D	22.20	22.00	22.20	22.12	22.11	22.13	-	-				
		GR.LENGTH	3.50	3.20	3.80	3.49	3.51	3.50	-	-				
		I.D	15.70	15.70	15.80	15.75	15.74	15.76	-	-				
INSPECTED BY:		Jay Hadiyal				APPROVED BY:				Shreekant				

Conclusion :



Accept



Reject



Hold



MetalMech-08500-FR-QX-08-Final Inspection Report-EX

INSP. No.	FIR-o8	Product Name	INNER SKID WASHER		Size		M20		Drawing No.		IW-01s	Date:	26-08-2026
Wo No.	26100080	Total Quantity	75		Lot Quantity		75		Sample Size-		3	Variable & Gauging	3PCS
Sr. No.	Checking Parameter	REQUIRED PARAMETER				OBSERVED RESULTS					REJECTION REWORK DETAIL	REMARK	CHECKED BY
		PARAMETER	CRITERIA			1	2	3	-	-			
1	Visual	Surface	Fine, Clean			FINE	FINE	FINE	-	-		Measuring Instruments I.D No-	
		Sizewise No of Pcs. With Internal Parts	As per Drg. No. of Parts	16	16	16	16	-	-		(1) DV-55		
		Washing & Plating	Surface Finishing	NA	NA	NA	NA	-	-		(2) PP-01		
		RUBBER MARKING	AS PER DRG.	OK	OK	OK	OK	-	-				
		Marking	WO Ref. No.	NA	NA	NA	NA	-	-		ASM No :- CSEX260810-03		
		Assembly Perfection	As per Drg.			OK	OK	OK	-	-			
		Inner Packing	Labeling & Printing		OK	OK	OK	-	-				
		Outer Packing	Printing & Stamping			OK	OK	OK	-	-			
		All Dimensions Are In MM											
2	DIMENSION		VALUE	-	+	1	2	3	-	-			
		T.L	4.50	4.20	4.80	4.53	4.51	4.52	-	-			
		O.D	18.00	17.80	18.00	17.90	17.92	17.91	-	-			
		O.D	15.50	15.30	15.50	15.42	15.40	15.41	-	-			
		O.D.L	2.50	2.50	2.70	2.52	2.54	2.54	-	-			
		I.D	12.00	12.00	12.20	12.05	12.04	12.03	-	-			
INSPECTED BY:		Jay Hadiyal			APPROVED BY:				Shreekant				

Conclusion :



Accept



Reject



Hold



MetalMech-08500-FR-QX-08-Final Inspection Report-EX

INSP. No.	FIR-o8	Product Name	OUTER SKID WASHER		Size		M20		Drawing No.		OW-01s	Date:	26-08-2026	
Wo No.	26100080	Total Quantity	75		Lot Quantity		75		Sample Size-		3	Variable & Gauging	3PCS	
Sr. No.	Checking Parameter	REQUIRED PARAMETER				OBSERVED RESULTS					REJECTION REWORK DETAIL	REMARK	CHECKED BY	
		PARAMETER	CRITERIA			1	2	3	-	-				
1	Visual	Surface	Fine, Clean			FINE	FINE	FINE	-	-		Measuring Instruments I.D No-		
		Sizewise No of Pcs. With Internal Parts	As per Drg. No. of Parts	16	16	16	16	-	-		(1) DV-55			
		Washing & Plating	Surface Finishing	NA	NA	NA	NA	-	-		(2) PP-01			
		RUBBER MARKING	AS PER DRG.	NA	NA	NA	NA	-	-					
		Marking	WO Ref. No.	NA	NA	NA	NA	-	-		ASM No :- CSEX260810-03			
		Assembly Perfection	As per Drg.			OK	OK	OK	-	-				
		Inner Packing	Labeling & Printing				OK	OK	OK	-	-			
		Outer Packing	Printing & Stamping			OK	OK	OK	-	-				
		All Dimensions Are In MM												
2	DIMENSION		VALUE	-	+	1	2	3	-	-				
		T.L	6.50	6.20	6.80	6.52	6.54	6.53	-	-				
		O.D	20.50	20.50	20.60	20.52	20.55	20.54	-	-				
		O.D	18.50	18.30	18.50	18.40	18.39	18.41	-	-				
		O.D.L	4.00	4.00	4.10	4.02	4.01	4.05	-	-				
		I.D	16.00	16.00	16.20	16.03	16.05	16.04	-	-				
INSPECTED BY:		Jay Hadiyal			APPROVED BY:				Shreekant					

Conclusion :



Accept



Reject



Hold



MetalMech-08500-FR-QX-08-Final Inspection Report-EX

INSP. No.	FIR-o8	Product Name	EARTH TAG		Size		M20		Drawing No.			Date:	26-08-2026
Wo No.	26100080	Total Quantity	75		Lot Quantity		75		Sample Size-		3	Variable & Gauging	3PCS
Sr. No.	Checking Parameter	REQUIRED PARAMETER				OBSERVED RESULTS					REJECTION REWORK DETAIL	REMARK	CHECKED BY
		PARAMETER	CRITERIA			1	2	3	-	-			
1	Visual	Surface	Fine, Clean			FINE	FINE	FINE	-	-		Measuring Instruments I.D No-	
		Sizewise No of Pcs. With Internal Parts	As per Drg. No. of Parts	16	16	16	16	-	-		(1) DV-55		
		Washing & Plating	Surface Finishing	NA	NA	NA	NA	-	-		(2) PP-01		
		RUBBER MARKING	AS PER DRG.	OK	OK	OK	OK	-	-				
		Marking	WO Ref. No.	NA	NA	NA	NA	-	-		ASM No :- CSEX260810-03		
		Assembly Perfection	As per Drg.			OK	OK	OK	-	-			
		Inner Packing	Labeling & Printing		OK	OK	OK	-	-				
		Outer Packing	Printing & Stamping			OK	OK	OK	-	-			
		All Dimensions Are In MM											
2	DIMENSION		VALUE	-	+	1	2	3	-	-			
		THICKNESS	1.50	1.30	1.70	1.45	1.48	1.46	-	-			
		O.D	30.20	29.40	31.00	30.19	30.21	30.20	-	-			
		O.D	13.20	12.70	13.70	13.25	13.23	13.26	-	-			
		I.D	22.00	21.50	22.50	22.08	22.07	22.09	-	-			
		I.D	6.50	6.20	6.80	6.54	6.56	6.55	-	-			
INSPECTED BY:		Jay Hadiyal			APPROVED BY:				Shreekant				

Conclusion :



Accept



Reject



Hold



		MetalMech-08500-FR-QX-08-Final Inspection Report-EX											
INSP. No.	FIR-08	Product Name	NYLON WASHER		Size	M20		Drawing No.			Date:	26-08-2026	
Wo No.	26100080	Total Quantity	75		Lot Quantity	75		Sample Size-			3	Variable & Gauging	3PCS
Sr. No.	Checking Parameter	REQUIRED PARAMETER			OBSERVED RESULTS						REJECTION REWORK DETAIL	REMARK	CHECKED BY
		PARAMETER	CRITERIA		1	2	3	-	-				
1	Visual	Surface	Fine, Clean		FINE	FINE	FINE	-	-				
		Sizewise No of Pcs. With Internal Parts	As per Drg. No. of Parts	16	16	16	16	-	-			Measuring Instruments I.D No-	
		Washing & Plating	Surface Finishing	NA	NA	NA	NA	-	-			(1) DV-55	
		RUBBER MARKING	AS PER DRG.	OK	OK	OK	OK	-	-			(2) PP-01	
		Marking	WO Ref. No.	NA	NA	NA	NA	-	-			ASM No :- CSEX260810-03	
		Assembly Perfection	As per Drg.		OK	OK	OK	-	-				
		Inner Packing	Labeling & Printing		OK	OK	OK	-	-				
		Outer Packing	Printing & Stamping		OK	OK	OK	-	-				
		All Dimensions Are In MM											
2	DIMENSION		VALUE	-	+	1	2	3	-	-			
		THICKNESS	1.50	1.30	1.70	1.48	1.45	1.46	-	-			
		I.D	20.20	19.70	20.70	20.26	20.25	20.24	-	-			
INSPECTED BY:		Jay Hadiyal			APPROVED BY:			Shreekant					

Conclusion :
 ☒ Accept
 ☐ Reject
 ☐ Hold



		MetalMech-08500-FR-QX-08-Final Inspection Report-EX											
INSP. No.	FIR-08	Product Name	SHROUD		Size	M20		Drawing No.			Date:	26-08-2026	
Wo No.	26100080	Total Quantity	75		Lot Quantity	75		Sample Size-	3		Variable & Gauging	3PCS	
Sr. No.	Checking Parameter	REQUIRED PARAMETER				OBSERVED RESULTS					REJECTION REWORK DETAIL	REMARK	CHECKED BY
		PARAMETER	CRITERIA			1	2	3	-	-			
1	Visual	Surface	Fine, Clean			FINE	FINE	FINE	-	-		Measuring Instruments I.D No-	
		Sizewise No of Pcs. With Internal Parts	As per Drg. No. of Parts	16	16	16	16	-	-		(1) DV-55		
		Washing & Plating	Surface Finishing	NA	NA	NA	NA	-	-		(2) PP-01		
		RUBBER MARKING	AS PER DRG.	OK	OK	OK	OK	-	-				
		Marking	WO Ref. No.	NA	NA	NA	NA	-	-		ASM No :- CSEX260810-03		
		Assembly Perfection	As per Drg.			OK	OK	OK	-	-			
		Inner Packing	Labeling & Printing		OK	OK	OK	-	-				
		Outer Packing	Printing & Stamping			OK	OK	OK	-	-			
		All Dimensions Are In MM											
2	DIMENSION		VALUE	-	+	1	2	3	-	-			
		T.L	125.00	124.20	125.80	125.22	125.21	125.23	-	-			
		I.D	27.00	26.20	27.80	27.05	27.09	27.06	-	-			
INSPECTED BY:		Jay Hadiyal			APPROVED BY:			Shreekant					

Conclusion :



Accept



Reject



Hold



		MetalMech-08500-FR-QX-08-Final Inspection Report-EX											
INSP. No.	FIR-o8	Product Name	STAR WASHER		Size		M20		Drawing No.		-	Date:	26-08-2026
Wo No.	26100080	Total Quantity	75		Lot Quantity		75		Sample Size-		3	Variable & Gauging	3PCS
Sr. No.	Checking Parameter	REQUIRED PARAMETER			OBSERVED RESULTS					REJECTION REWORK DETAIL	REMARK	CHECKED BY	
		PARAMETER	CRITERIA		1	2	3	-	-				
1	Visual	Surface	Fine, Clean		FINE	FINE	FINE	-	-				
		Sizewise No of Pcs. With Internal Parts	As per Drg. No. of Parts	16	16	16	16	-	-			Measuring Instruments I.D No-	
		Washing & Plating	Surface Finishing	NA	NA	NA	NA	-	-			(1) DV-55	
		RUBBER MARKING	AS PER DRG.	OK	OK	OK	OK	-	-			(2) PP-01	
		Marking	WO Ref. No.	NA	NA	NA	NA	-	-			ASM No :- CSEX260810-03	
		Assembly Perfection	As per Drg.		OK	OK	OK	-	-				
		Inner Packing	Labeling & Printing		OK	OK	OK	-	-				
		Outer Packing	Printing & Stamping		OK	OK	OK	-	-				
		All Dimensions Are In MM											
2	DIMENSION		VALUE	-	+	1	2	3	-	-			
		O.D	33.00	32.70	33.30	33.06	33.05	33.04	-	-			
		I.D	21.00	20.50	21.50	21.36	21.35	21.36	-	-			
		T.L	4.00	3.70	4.30	4.06	4.05	4.05	-	-			
INSPECTED BY:		Jay Hadiyal			APPROVED BY:				Shreekant				

Conclusion :



Accept



Reject



Hold

